

REFERENCES

- [Ananthi, 2010] Ananthi S, Raghavendran HR, Sunil AG, Gayathri V, Ramakrishnan G, Vasanthi HR. *In vitro* antioxidant and *in vivo* anti-inflammatory potential of crude polysaccharide from *Turbinaria ornata* (Marine Brown Alga). *Food Chem Toxicol* 2010;48(1):187-92.
- [Arends, 1990] Arends MJ, Morris RG, Wyllie AH. Apoptosis. The role of the endonuclease. *Am J Pathol* 1990;136(3):593-608.
- [Baribault, 1994] Baribault H, Penner J, Iozzo R, Wilson-Heiner M. Colorectal hyperplasia and inflammation in keratin 8-deficient FVB/N mice. *Genes Dev* 1994;8(24):2964-73.
- [Barrett, 1987] Barrett JC, Wiseman RW. Cellular and molecular mechanisms of multistep carcinogenesis: Relevance to carcinogen risk assessment. *Environ Health Perspect* 1987;76:65-70.
- [Ben-Dor, 2005] Ben-Dor A, Steiner M, Gheber L, Danilenko M, Dubi N, Linnewiel K, Zick A, Sharoni Y, Levy J. Carotenoids activate the antioxidant response element transcription system. *Mol Cancer Ther* 2005;4(1):177-86.
- [Benard, 2010] Benard C, Cultrone A, Michel C, Rosales C, Segain JP, Lahaye M, Galmiche JP, Cherbut C, Blottiere HM. Degraded carrageenan causing colitis in rats induces TNF secretion and ICAM-1 upregulation in monocytes through NF-kappa B activation. *Plos One* 2010;5(1):e8666.

- [Bird, 1987] Bird RP. Observation and quantification of aberrant crypts in the murine colon treated with a colon carcinogen: Preliminary findings. *Cancer Lett* 1987;37(2):147-51.
- [Bird, 1989] Bird RP, McLellan EA, Bruce WR. Aberrant crypts, putative precancerous lesions, in the study of the role of diet in the aetiology of colon cancer. *Cancer Surv* 1989;8(1):189-200.
- [Bold, 1985] Bold HC, Wynne MJ. Introduction to the algae structure and reproduction: Prentice-Hall Inc.; 1985.
- [Bollrath, 2009] Bollrath J, Phesse TJ, von Burstin VA, Putoczki T, Bennecke M, Bateman T, Nebelsiek T, Lundgren-May T, Canli O, Schwitalla S, Matthews V, Schmid RM, Kirchner T, Arkan MC, Ernst M, Greten FR. Gp130-mediated Stat3 activation in enterocytes regulates cell survival and cell-cycle progression during colitis-associated tumorigenesis. *Cancer Cell* 2009;15(2):91-102.
- [Bortner, 1995] Bortner CD, Oldenburg NB, Cidlowski JA. The role of DNA fragmentation in apoptosis. *Trends Cell Biol* 1995;5(1):21-6.
- [Bowman, 2000] Bowman T, Garcia R, Turkson J, Jove R. STATs in oncogenesis. *Oncogene* 2000;19(21):2474-88.
- [Bradford, 1976] Bradford MM. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 1976;72:248-54.
- [Bremner, 2002] Bremner P, Heinrich M. Natural products as targeted modulators of the nuclear factor-kappa B pathway. *J Pharm Pharmacol* 2002;54(4):453-72.

- [Caderni, 2000] Caderni G, De Filippo C, Luceri C, Salvadori M, Giannini A, Biggeri A, Remy S, Cheynier V, Dolara P. Effects of black tea, green tea and wine extracts on intestinal carcinogenesis induced by azoxymethane in F344 rats. *Carcinogenesis* 2000;21(11):1965-9.
- [Cerna, 2011] Cerna M. Seaweed proteins and amino acids as nutraceuticals. *Adv Food Nutr Res* 2011;64:297-312.
- [Cho, 2011] Cho ML, Lee BY, You S. Relationship between oversulfation and conformation of low and high molecular weight fucoidans and evaluation of their *in vitro* anticancer activity. *Molecules* 2011;16(1):291-7.
- [Cho, 2012] Cho S, Yang H, Jeon YJ, Lee CJ, Jin YH, Baek NI, Kim D, Kang SM, Yoon M, Yong H, Shimizu M, Han D. Phlorotannins of the edible brown seaweed *Ecklonia cava* Kjellman induce sleep via positive allosteric modulation of gamma-aminobutyric acid type A-benzodiazepine receptor: A novel neurological activity of seaweed polyphenols. *Food Chem* 2012;132(3):1133-42.
- [Chu, 2007] Chu E, Chai J, Ahluwalia A, Tarnawski A. Mesalazine downregulates c-Myc in human colon cancer cells. A key to its chemopreventive action? *Aliment Pharmacol Ther* 2007;25(12):1443-9.
- [Clapper, 2007] Clapper ML, Cooper HS, Chang WC. Dextran sulfate sodium-induced colitis-associated neoplasia: a promising model for the development of chemopreventive interventions. *Acta Pharmacol Sin* 2007;28(9):1450-9.
- [Cooper, 1993] Cooper H, Murthy S, Shah R, Sedergran D. Clinicopathologic study of dextran sulfate sodium experimental murine colitis. *Lab Invest* 1993;69(2):238-49.

- [Costa, 2010] Costa LS, Fidelis GP, Cordeiro SL, Oliveira RM, Sabry DA, Camara RB, Nobre LT, Costa MS, Almeida-Lima J, Farias EH, Leite EL, Rocha HA. Biological activities of sulfated polysaccharides from tropical seaweeds. *Biomed Pharmacother* 2010;64(1):21-8.
- [Coulombe, 2002] Coulombe P, Omary M. 'Hard' and 'soft' principles defining the structure, function and regulation of keratin intermediate filaments. *Curr Opin Cell Biol* 2002;14(1):110-22.
- [Cumashi, 2007] Cumashi A, Ushakova NA, Preobrazhenskaya ME, D'Incecco A, Piccoli A, Totani L, Tinari N, Morozevich GE, Berman AE, Bilan MI, Usov AI, Ustyuzhanina NE, Grachev AA, Sanderson CJ, Kelly M, Rabinovich GA, Iacobelli S, Nifantiev NE. A comparative study of the anti-inflammatory, anticoagulant, antiangiogenic, and antiadhesive activities of nine different fucoidans from brown seaweeds. *Glycobiology* 2007;17(5):541-52.
- [Damiani, 2007] Damiani C, Benetton C, Stoffel C, Bardini K, Cardoso V, Di Giunta G, Pinho R, Dal-Pizzol F, Streck E. Oxidative stress and metabolism in animal model of colitis induced by dextran sulfate sodium. *J Gastroenterol Hepatol* 2007;22(11):1846-51.
- [Dani, 2008] Dani C, Pasquali MA, Oliveira MR, Umezu FM, Salvador M, Henriques JA, Moreira JC. Protective effects of purple grape juice on carbon tetrachloride-induced oxidative stress in brains of adult Wistar rats. *J Med Food* 2008;11(1):55-61.

- [Das, 2005] Das SK, Hashimoto T, Shimizu K, Yoshida T, Sakai T, Sowa Y, Komoto A, Kanazawa K. Fucoxanthin induces cell cycle arrest at G₀/G₁ phase in human colon carcinoma cells through up-regulation of p²¹WAF1/Cip1. *Biochim Biophys Acta* 2005;1726(3):328-35.
- [Dasgupta, 2003] Dasgupta R, Adamson P, Davies F, Rollinson S, Roddam P, Ashcroft A, Dring A, Fenton J, Child J, Allan J, Morgan G. Polymorphic variation in GSTP1 modulates outcome following therapy for multiple myeloma. *Blood* 2003;102(7):2345-50.
- [De Flora, 2005] De Flora S, Ferguson LR. Overview of mechanisms of cancer chemopreventive agents. *Mutat Res* 2005;591(1-2):8-15.
- [De Jesus Raposo, 2015] De Jesus Raposo MF, De Moraes AM, De Moraes RM. Marine polysaccharides from algae with potential biomedical applications. *Mar Drugs* 2015;13(5):2967-3028.
- [De Robertis, 2011] De Robertis M, Massi E, Poeta ML, Carotti S, Morini S, Cecchetelli L, Signori E, Fazio VM. The AOM/DSS murine model for the study of colon carcinogenesis: From pathways to diagnosis and therapy studies. *J Carcinog* 2011;10:9.
- [De Sousa, 2011] De Sousa EMF, Vermeulen L, Richel D, Medema JP. Targeting Wnt Signaling in Colon Cancer Stem Cells. *Clin Cancer Res* 2011;17(4):647-53.
- [Deng, 2010] Deng L, Zhou JF, Sellers RS, Li JF, Nguyen AV, Wang Y, Orlofsky A, Liu Q, Hume DA, Pollard JW, Augenlicht L, Lin EY. A novel mouse model of inflammatory bowel disease links mammalian target of rapamycin-dependent hyperproliferation of colonic epithelium to inflammation-associated tumorigenesis. *Am J Pathol* 2010;176(2):952-67.

- [Ding, 2010a] Ding X, Tang J, Cao M, Guo CX, Zhang X, Zhong J, Zhang J, Sun Q, Feng S, Yang ZR, Zhao J. Structure elucidation and antioxidant activity of a novel polysaccharide isolated from *Tricholoma matsutake*. *Int J Biol Macromol* 2010a;47(2):271-5.
- [Ding, 2010b] Ding Y, Lu B, Chen D, Meng L, Shen Y, Chen S. Proteomic analysis of colonic mucosa in a rat model of irritable bowel syndrome. *Proteomics* 2010b;10(14):2620-30.
- [Duangjai, 2016] Duangjai A, Limpeanchob N, Trisat K, Amornlerdpison D. *Spirogyra neglecta* inhibits the absorption and synthesis of cholesterol *in vitro*. *Integr Med Res* 2016;in press.
- [Eom, 2012] Eom SH, Kim YM, Kim SK. Antimicrobial effect of phlorotannins from marine brown algae. *Food Chem Toxicol* 2012;50(9):3251-5.
- [Favaloro, 2012] Favaloro B, Allocati N, Graziano V, Di Ilio C, De Laurenzi V. Role of apoptosis in disease. *Aging (Albany NY)* 2012;4(5):330-49.
- [Fedorov, 2013] Fedorov S, Ermakova S, Zvyagintseva T, Stonik V. Anticancer and cancer preventive properties of marine polysaccharides: Some results and prospects. *Mar Drugs* 2013;11(12):4876-901.
- [Fenoglio-Preiser, 1999] Fenoglio-Preiser CM, Noffsinger A. Aberrant crypt foci: A review. *Toxicol Pathol* 1999;27(6):632-42.
- [Ferruzzi, 2007] Ferruzzi MG, Blakeslee J. Digestion, absorption, and cancer preventative activity of dietary chlorophyll derivatives. *Nutr Res* 2007;27(1):1-12.

- [Fink, 2005] Fink SL, Cookson BT. Apoptosis, pyroptosis, and necrosis: mechanistic description of dead and dying eukaryotic cells. *Infect Immun* 2005;73(4):1907-16.
- [Fodde, 2001] Fodde R, Smits R, Clevers H. APC, signal transduction and genetic instability in colorectal cancer. *Nat Rev Cancer* 2001;1(1):55-67.
- [Foley, 2011] Foley SA, Mulloy B, Tuohy MG. An unfractionated fucoidan from *Ascophyllum nodosum*: Extraction, characterization, and apoptotic effects *in vitro*. *J Nat Prod* 2011;74(9):1851-61.
- [Fredericks, 2015] Fredericks E, Dealtry G, Roux S. Molecular aspects of colorectal carcinogenesis: A review. *J Cancer Biol Res* 2015; 3(1):1057.
- [Fuster, 2010] Fuster JJ, Fernandez P, Gonzalez-Navarro H, Silvestre C, Nabah YN, Andres V. Control of cell proliferation in atherosclerosis: insights from animal models and human studies. *Cardiovasc Res* 2010;86(2):254-64.
- [Ganesan, 2011] Ganesan P, Noda K, Manabe Y, Ohkubo T, Tanaka Y, Maoka T, Sugawara T, Hirata T. Siphonaxanthin, a marine carotenoid from green algae, effectively induces apoptosis in human leukemia (HL-60) cells. *Biochim Biophys Acta* 2011;1810(5):497-503.
- [Gluckmann, 2007] Gluckmann M, Fella K, Waidelich D, Merkel D, Kruff V, Kramer PJ, Walter Y, Hellmann J, Karas M, Kroger M. Prevalidation of potential protein biomarkers in toxicology using iTRAQ reagent technology. *Proteomics* 2007;7(10):1564-74.

- [Gomez-Ordenez, 2011] Gomez-Ordenez E, Ruperez P. FTIR-ATR spectroscopy as a tool for polysaccharide identification in edible brown and red seaweeds. *Food Hydrocoll* 2011;25(6):1514-20.
- [Gonzalez, 1994] Gonzalez FJ, Gelboin HV. Role of human cytochromes P450 in the metabolic activation of chemical carcinogens and toxins. *Drug Metab Rev* 1994;26(1-2):165-83.
- [Granado-Serrano, 2007] Granado-Serrano AB, Martin MA, Izquierdo-Pulido M, Goya L, Bravo L, Ramos S. Molecular mechanisms of (-)-epicatechin and chlorogenic acid on the regulation of the apoptotic and survival/proliferation pathways in a human hepatoma cell line. *J Agric Food Chem* 2007;55(5):2020-7.
- [Gupta, 2007] Gupta AK, Pretlow TP, Schoen RE. Aberrant crypt foci: what we know and what we need to know. *Clin Gastroenterol Hepatol* 2007;5(5):526-33.
- [Habtezion, 2005] Habtezion A, Toivola D, Butcher E, Omary M. Keratin-8-deficient mice develop chronic spontaneous Th2 colitis amenable to antibiotic treatment. *J Cell Sci* 2005;118(Pt 9):1971-80.
- [Hagggar, 2009] Hagggar FA, Boushey RP. Colorectal cancer epidemiology: incidence, mortality, survival, and risk factors. *Clin Colon Rectal Surg* 2009;22(4):191-7.
- [Hagiwara, 2001] Hagiwara A, Miyashita K, Nakanishi T, Sano M, Tamano S, Asai I, Nakamura M, Imaida K, Ito N, Shirai T. Lack of tumor promoting effects of carrageenan on 1, 2-dimethylhydrazine-induced colorectal carcinogenesis in male F344 rats. *J Toxicol Pathol* 2001;14:37-43.
- [Halliwell, 2007] Halliwell B. Dietary polyphenols: Good, bad, or indifferent for your health? *Cardiovasc Res* 2007;73(2):341-7.

- [Hanahan, 2000] Hanahan D, Weinberg RA. The hallmarks of cancer. *Cell* 2000;100(1):57-70.
- [Hans, 2000] Hans W, Scholmerich J, Gross V, Falk W. The role of the resident intestinal flora in acute and chronic dextran sulfate sodium-induced colitis in mice. *Eur J Gastroenterol Hepatol* 2000;12(3):267-73.
- [Harnedy, 2011] Harnedy PA, FitzGerald RJ. Bioactive proteins, peptides, and amino acids from macroalgae. *J Phycol* 2011;47(2):218-32.
- [Heffernan, 2015] Heffernan N, Brunton NP, FitzGerald RJ, Smyth TJ. Profiling of the molecular weight and structural isomer abundance of macroalgae-derived phlorotannins. *Mar Drugs* 2015;13(1):509-28.
- [Holdt, 2011] Holdt SL, Kraan S. Bioactive compounds in seaweed: functional food applications and legislation. *J Appl Phycol* 2011;23(3):543-97.
- [Hori, 2000] Hori K, Matsubara K, Miyazawa K. Primary structures of two hemagglutinins from the marine red alga, *Hypnea japonica*. *Biochim Biophys Acta* 2000;1474(2):226-36.
- [Hsieh, 2006] Hsieh S, Shih T, Yeh C, Lin C, Chou Y, Lee Y. Comparative proteomic studies on the pathogenesis of human ulcerative colitis. *Proteomics* 2006;6(19):5322-31.
- [Hu, 2006] Hu XK, Jiang XL, Aubree E, Boulenguer P, Critchley AT. Preparation and in vivo antitumor activity of kappa-carrageenan oligosaccharides. *Pharm Biol* 2006;44(9):646-50.
- [Hyun, 2009] Hyun JH, Kim SC, Kang JI, Kim MK, Boo HJ, Kwon JM, Koh YS, Hyun JW, Park DB, Yoo ES, Kang HK. Apoptosis inducing activity of fucoidan in HCT-15 colon carcinoma cells. *Biol Pharm Bull* 2009;32(10):1760-4.

- [Imsamran, 2015] Imsamran W, Chaiwerawattana A, Wiangnon S, Pongnikorn D, Suwanrungrung K, Sangrajang S, Buasom R. Cancer in Thailand 2015.
- [Inboot, 2012] Inboot W, Taya S, Chailungka A, Meepowpan P, Wongpoomchai R. Genotoxicity and antigenotoxicity of the methanol extract of *Cleistocalyx nervosum* var. *paniala* seed using a *Salmonella* mutation assay and rat liver micronucleus tests. *Mol Cell Toxicol* 2012;8(1):19-24.
- [Itzkowitz, 2004] Itzkowitz SH, Yio X. Inflammation and cancer IV. Colorectal cancer in inflammatory bowel disease: the role of inflammation. *Am J Physiol Gastrointest Liver Physiol* 2004;287(1):7-17.
- [Ji, 2008] Ji H, Shao H, Zhang C, Hong P, Xiong H. Separation of the polysaccharides in *Caulerpa racemosa* and their chemical composition and antitumor activity. *J Appl Polym Sci* 2008a;110(3):1435-40.
- [Jia, 2013] Jia SS, Xi GP, Zhang M, Chen YB, Lei B, Dong XS, Yang YM. Induction of apoptosis by D-limonene is mediated by inactivation of Akt in LS174T human colon cancer cells. *Oncol Rep* 2013;29(1):349-54.
- [Jiao, 2009] Jiao L, Li X, Li TB, Jiang P, Zhang L, Wu M, Zhang L. Characterization and anti-tumor activity of alkali-extracted polysaccharide from *Enteromorpha intestinalis*. *International Immunopharmacology* 2009;9(3):324-9.
- [Johnson, 2005] Johnson PF. Molecular stop signs: regulation of cell-cycle arrest by C/EBP transcription factors. *J Cell Sci* 2005;118(Pt 12):2545-55.

- [Johnson, 2013] Johnson RL, Fleet JC. Animal models of colorectal cancer. *Cancer Metastasis Rev* 2013;32(1-2):39-61.
- [Kaeffer, 1999] Kaeffer B, Benard C, Lahaye M, Blottiere H, Cherbut C. Biological properties of ulvan, a new source of green seaweed sulfated polysaccharides, on cultured normal and cancerous colonic epithelial cells. *Planta Med* 1999;65(6):527-31.
- [Kalra, 2008] Kalra N, Roy P, Prasad S, Shukla Y. Resveratrol induces apoptosis involving mitochondrial pathways in mouse skin tumorigenesis. *Life Sci* 2008;82(7-8):348-58.
- [Kang, 2012] Kang JI, Kim SC, Kim MK, Boo HJ, Jeon YJ, Koh YS, Yoo ES, Kang SM, Kang HK. Effect of dieckol, a component of *Ecklonia cava*, on the promotion of hair Growth. *Int J Mol Sci* 2012;13(5):6407-23.
- [Kang, 2007] Kang KA, Lee KH, Park JW, Lee NH, Na HK, Surh YJ, You HJ, Chung MH, Hyun JW. Triphlorethol-A induces heme oxygenase-1 via activation of ERK and NF-E2 related factor 2 transcription factor. *FEBS Lett* 2007;581(10):2000-8.
- [Karnjanapratum, 2011] Karnjanapratum S, You S. Molecular characteristics of sulfated polysaccharides from *Monostroma nitidum* and their *in vitro* anticancer and immunomodulatory activities. *Int J Biol Macromolec* 2011;48(2):311-8.
- [Karreth, 2009] Karreth FA, Tuveson DA. Modelling oncogenic Ras/Raf signalling in the mouse. *Curr Opin Genet Dev* 2009;19(1):4-11.
- [Khuhaprema, 2012] Khuhaprema T, Attasara P, Sriplung H, Wiangnon S, Sumitsawan Y, Sangrajang S. Cancer in Thailand 2012.

- [Kim, 2010] Kim EJ, Park SY, Lee JY, Park JH. Fucoidan present in brown algae induces apoptosis of human colon cancer cells. *BMC Gastroenterol* 2010;10:96.
- [Kim, 2011] Kim JK, Cho ML, Karnjanapratum S, Shin IS, You SG. *In vitro* and *in vivo* immunomodulatory activity of sulfated polysaccharides from *Enteromorpha prolifera*. *Int J Biol Macromolec* 2011;49(5):1051-8.
- [Kim, 1998] Kim JM, Araki S, Kim DJ, Park CB, Takasuka N, Baba-Toriyama H, Ota T, Nir Z, Khachik F, Shimidzu N, Tanaka Y, Osawa T, Uraji T, Murakoshi M, Nishino H, Tsuda H. Chemopreventive effects of carotenoids and curcumins on mouse colon carcinogenesis after 1,2-dimethylhydrazine initiation. *Carcinogenesis* 1998;19(1):81-5.
- [Kim, 2005] Kim SJ, Woo S, Yun H, Yum S, Choi E, Do JR, Jo JH, Kim D, Lee S, Lee TK. Total phenolic contents and biological activities of Korean seaweed extracts. *Food Sci Biotechnol* 2005;14(6):798-802.
- [Kim, 2015] Kim SK, Chojnacka K. Marine algae extracts. Germany: Wiley-VCH Verlag GmbH & Co.; 2015.
- [Kong, 2009] Kong CS, Kim JA, Yoon NY, Kim SK. Induction of apoptosis by phloroglucinol derivative from *Ecklonia Cava* in MCF-7 human breast cancer cells. *Food Chem Toxicol* 2009;47(7):1653-8.
- [Koyanagi, 2003] Koyanagi S, Tanigawa N, Nakagawa H, Soeda S, Shimeno H. Oversulfation of fucoidan enhances its anti-angiogenic and antitumor activities. *Biochem Pharmacol* 2003;65(2):173-9.
- [Kraan, 2012] Kraan S. Carbohydrates; Comprehensive studies on glycobiology and glycotechnology. 1st ed: Intech; 2012.

- [Krishnan, 2000] Krishnan K, Ruffin MTt, Brenner DE. Chemoprevention for colorectal cancer. *Crit Rev Oncol Hematol* 2000;33(3):199-219.
- [Kubben, 1994] Kubben FJ, Peeters-Haesevoets A, Engels LG, Baeten CG, Schutte B, Arends JW, Stockbrugger RW, Blijham GH. Proliferating cell nuclear antigen (PCNA): a new marker to study human colonic cell proliferation. *Gut* 1994;35(4):530-5.
- [Kumar, 2008] Kumar CS, Ganesan P, Suresh PV, Bhaskar N. Seaweeds as a source of nutritionally beneficial compounds - A review. *J Food Sci Tech Mys* 2008;45(1):1-13.
- [Kuo, 2012] Kuo CC, Chen HH, Chiang W. Adlay (yì yǐ; "soft-shelled job's tears"; the seeds of *Coix lachryma-jobi* L. var. ma-yuen Stapf) is a Potential Cancer Chemopreventive Agent toward Multistage Carcinogenesis Processes. *J Tradit Complement Med* 2012;2(4):267-75.
- [Kwon, 2006] Kwon MJ, Nam TJ. Porphyrin induces apoptosis related signal pathway in AGS gastric cancer cell lines. *Life Sci* 2006;79(20):1956-62.
- [Larkum, 2005] Larkum AWD, Kuhl M. Chlorophyll d: the puzzle resolved. *Trends Plant Sci* 2005;10(8):355-7.
- [Laroui, 2012] Laroui H, Ingersoll SA, Liu HC, Baker MT, Ayyadurai S, Charania MA, Laroui F, Yan YT, Sitaraman SV, Merlin D. Dextran sodium sulfate (DSS) induces colitis in mice by forming nano-lipocomplexes with medium-chain-length fatty acids in the colon. *Plos One* 2012;7(3):e32084.
- [Le Magnen, 2016] Le Magnen C, Dutta A, Abate-Shen C. Optimizing mouse models for precision cancer prevention. *Nat Rev Cancer* 2016;16(3):187-96.

- [Levine, 2006] Levine JS, Ahnen DJ. Clinical practice. Adenomatous polyps of the colon. *N Engl J Med* 2006;355(24):2551-7.
- [Li, 2008] Li B, Lu F, Wei XJ, Zhao RX. Fucoidan: Structure and bioactivity. *Molecules* 2008;13(8):1671-95.
- [Li, 2009] Li Y, Qian ZJ, Ryu BM, Lee SH, Kim MM, Kim SK. Chemical components and its antioxidant properties *in vitro*: An edible marine brown alga, *Ecklonia cava*. *Bioorg Med Chem* 2009;17(5):1963-73.
- [Li, 2011] Li YX, Wijesekara I, Li Y, Kim SK. Phlorotannins as bioactive agents from brown algae. *Process Biochem* 2011;46(12):2219-24.
- [Lin, 1997] Lin JJ, Warren K, Wamboldt D, Wang T, Lin J. Tropomyosin isoforms in nonmuscle cells. *Int Rev Cytol* 1997;170:1-38.
- [Liu, 2013] Liu D, Liao N, Ye X, Hu Y, Wu D, Guo X, Zhong J, Wu J, Chen S. Isolation and structural characterization of a novel antioxidant mannoglucan from a marine bubble snail, *Bullacta exarata* (Philippi). *Mar Drugs* 2013;11(11):4464-77.
- [Machu, 2015] Machu L, Misurcova L, Ambrozova JV, Orsavova J, Mlcek J, Sochor J, Jurikova T. Phenolic content and antioxidant capacity in algal food products. *Molecules* 2015;20(1):1118-33.
- [Manach, 2004] Manach C, Scalbert A, Morand C, Remesy C, Jimenez L. Polyphenols: food sources and bioavailability. *Am J Clin Nutr* 2004;79(5):727-47.
- [Manson, 2000] Manson MM, Gescher A, Hudson EA, Plummer SM, Squires MS, Prigent SA. Blocking and suppressing mechanisms of chemoprevention by dietary constituents. *Toxicol Lett* 2000;112-113:499-505.

- [Marin, 2013] Marin M, Maria Giner R, Rios JL, Recio MC. Intestinal anti-inflammatory activity of ellagic acid in the acute and chronic dextrane sulfate sodium models of mice colitis. *J Ethnopharmacol* 2013;150(3):925-34.
- [Maron, 1983] Maron DM, Ames BN. Revised methods for the *Salmonella* mutagenicity test. *Mutat Res* 1983;113:173-215.
- [Martinez, 2008] Martinez-Augustin O, Merlos M, Zarzuelo A, Suarez M, de Medina F. Disturbances in metabolic, transport and structural genes in experimental colonic inflammation in the rat: a longitudinal genomic analysis. *BMC Genomics* 2008;9:490.
- [Masuko, 2005] Masuko T, Minami A, Iwasaki N, Majima T, Nishimura S, Lee YC. Carbohydrate analysis by a phenol-sulfuric acid method in microplate format. *Anal Biochem* 2005;339(1):69-72.
- [Mattar, 2011] Mattar M, Lough D, Pishvaian M, Charabaty A. Current management of inflammatory bowel disease and colorectal cancer. *Gastrointest Cancer Res* 2011;4(2):53-61.
- [McLellan, 1991] McLellan EA, Medline A, Bird RP. Dose response and proliferative characteristics of aberrant crypt foci: putative preneoplastic lesions in rat colon. *Carcinogenesis* 1991;12(11):2093-8.
- [Medhi, 2008] Medhi B, Prakash A, Avti P, Saikia U, Pandhi P, Khanduja K. Effect of Manuka honey and sulfasalazine in combination to promote antioxidant defense system in experimentally induced ulcerative colitis model in rats. *Indian J Exp Biol* 2008;46(8):583-90.
- [Mehta, 2010] Mehta RG, Murillo G, Naithani R, Peng X. Cancer chemoprevention by natural products: how far have we come? *Pharm Res* 2010b;27(6):950-61.

- [Mori, 2005] Mori T, O'Keefe BR, Sowder RC, 2nd, Bringans S, Gardella R, Berg S, Cochran P, Turpin JA, Buckheit RW, Jr., McMahon JB, Boyd MR. Isolation and characterization of griffithsin, a novel HIV-inactivating protein, from the red alga *Griffithsia* sp. *J Biol Chem* 2005;280(10):9345-53.
- [Murad, 2016] Murad H, Hawat M, Ekhtiar A, AlJapawe A, Abbas A, Darwish H, Sbenati O, Ghannam A. Induction of G1-phase cell cycle arrest and apoptosis pathway in MDA-MB-231 human breast cancer cells by sulfated polysaccharide extracted from *Laurencia papillosa*. *Cancer Cell Int* 2016;16:39.
- [Murata, 2001] Murata M, Nakazoe J. Production and use of marine algae in Japan. *Jpn Agric Res Q* 2001;35(4):281-90.
- [Namvar, 2013] Namvar F, Mohamad R, Baharara J, Zafar-Balanejad S, Fargahi F, Rahman HS. Antioxidant, antiproliferative, and antiangiogenesis effects of polyphenol-rich seaweed (*Sargassum muticum*). *Bio Med Res Int* 2013:1-9.
- [Narazaki, 2008] Narazaki M, Segarra M, Tosato G. Sulfated polysaccharides identified as inducers of neuropilin-1 internalization and functional inhibition of VEGF165 and semaphorin3A. *Blood* 2008;111(8):4126-36.
- [Nguyen, 2014] Nguyen VT, Qian ZJ, Lee B, Heo SJ, Kim KN, Jeon YJ, Park WS, Choi IW, Jang CH, Ko SC, Park SJ, Kim YT, Kim G, Lee DS, Yim MJ, Je JY, Jung WK. Fucoxanthin derivatives from *Sargassum siliquastrum* inhibit matrix metalloproteinases by suppressing NF- κ B and MAPKs in human fibrosarcoma cells. *Algae* 2014;29(4):355-66.

- [Nishikawa, 2005] Nishikawa M, Oshitani N, Matsumoto T, Nishigami T, Arakawa T, Inoue M. Accumulation of mitochondrial DNA mutation with colorectal carcinogenesis in ulcerative colitis. *Br J Cancer* 2005;93(3):331-7.
- [Nishino, 2009] Nishino H, Murakoshi M, Tokuda H, Satomi Y. Cancer prevention by carotenoids. *Arch Biochem Biophys* 2009;483(2):165-8.
- [Onose, 2003] Onose J, Imai T, Hasumura M, Ueda M, Hirose M. Rapid induction of colorectal tumors in rats initiated with 1,2-dimethylhydrazine followed by dextran sodium sulfate treatment. *Cancer Lett* 2003;198(2):145-52.
- [Ontawong, 2013] Ontawong A, Saowakon N, Vivithanaporn P, Pongchaidecha A, Lailerd N, Amornlerdpison D, Lungkaphin A, Srimaroeng C. Antioxidant and renoprotective effects of *Spirogyra neglecta* (Hassall) Kutzing extract in experimental type 2 diabetic rats. *BioMed Res Int* 2013;1-15.
- [Pal, 2014] Pal A, Kamthania MC, Kumar A. Bioactive compounds and properties of seaweeds-A review. *OALib Journal* 2014;1:e752.
- [Paloza, 2009] Paloza P, Torelli C, Boninsegna A, Simone R, Catalano A, Mele MC, Picci N. Growth-inhibitory effects of the astaxanthin-rich alga *Haematococcus pluvialis* in human colon cancer cells. *Cancer Lett* 2009;283(1):108-17.
- [Pan, 2002] Pan MH, Chen WJ, Lin-Shiau SY, Ho CT, Lin JK. Tangeretin induces cell-cycle G(1) arrest through inhibiting cyclin-dependent kinases 2 and 4 activities as well as elevating Cdk inhibitors p21 and p27 in human colorectal carcinoma cells. *Carcinogenesis* 2002;23(10):1677-84.

- [Pandey, 2009] Pandey KB, Rizvi SI. Plant polyphenols as dietary antioxidants in human health and disease. *Oxid Med Cell Longev* 2009;2(5):270-8.
- [Pandurangan, 2013] Pandurangan AK. Potential targets for prevention of colorectal cancer: a focus on PI3K/Akt/mTOR and Wnt pathways. *Asian Pac J Cancer Prev* 2013;14(4):2201-5.
- [Pangestuti, 2011] Pangestuti R, Kim SK. Biological activities and health benefit effects of natural pigments derived from marine algae. *J Funct Foods* 2011;3(4):255-66.
- [Patel, 2012] Patel S. Therapeutic importance of sulfated polysaccharides from seaweeds: updating the recent findings. *3 Biotech* 2012;2:171-85.
- [Perez, 2016] Perez MJ, Falque E, Dominguez H. Antimicrobial action of compounds from marine seaweed. *Mar Drugs* 2016;14(3):E52.
- [Perse, 2012] Perse M, Cerar A. Dextran sodium sulphate colitis mouse model: traps and tricks. *J Biomed Biotechnol* 2012;2012:718617.
- [Philip, 2004] Philip M, Rowley DA, Schreiber H. Inflammation as a tumor promoter in cancer induction. *Semin Cancer Biol* 2004;14:433-9.
- [Phitak, 2012] Phitak T, Pothacharoen P, Settakorn J, Poompimol W, Caterson B, Kongtawelert P. Chondroprotective and anti-inflammatory effects of sesamin. *Phytochemistry* 2012;80:77-88.

- [Plummer, 1999] Plummer SM, Holloway KA, Manson MM, Munks RJL, Kaptein A, Farrow S, Howells L. Inhibition of cyclooxygenase 2 expression in colon cells by the chemopreventive agent curcumin involves inhibition of NF-kappa B activation via the NIK/IKK signalling complex. *Oncogene* 1999;18(44):6013-20.
- [Pothacharoen, 2014] Pothacharoen P, Najarus S, Settakorn J, Mizumoto S, Sugahara K, Kongtawelert P. Effects of sesamin on the biosynthesis of chondroitin sulfate proteoglycans in human articular chondrocytes in primary culture. *Glycoconj J* 2014;31(3):221-30.
- [Prabhu, 2009] Prabhu P, Ashokkumar P, Sudhandiran G. Antioxidative and antiproliferative effects of astaxanthin during the initiation stages of 1,2-dimethyl hydrazine-induced experimental colon carcinogenesis. *Fundam Clin Pharmacol* 2009;23(2):225-34.
- [Pretlow, 1992] Pretlow TP, O'Riordan MA, Somich GA, Amini SB, Pretlow TG. Aberrant crypts correlate with tumor incidence in F344 rats treated with azoxymethane and phytate. *Carcinogenesis* 1992;13(9):1509-12.
- [Punvittayagul, 2014] Punvittayagul C, Sringarm K, Chaiyasut C, Wongpoomchai R. Mutagenicity and antimutagenicity of hydrophilic and lipophilic extracts of Thai northern purple rice. *Asian Pac J Cancer Prev* 2014;15(21):9517-22.
- [Qiao, 1997] Qiao L, Shiff SJ, Rigas B. Sulindac sulfide inhibits the proliferation of colon cancer cells: diminished expression of the proliferation markers PCNA and Ki-67. *Cancer Lett* 1997;115(2):229-34.

- [Rajagopalan, 2003] Rajagopalan H, Nowak MA, Vogelstein B, Lengauer C. The significance of unstable chromosomes in colorectal cancer. *Nat Rev Cancer* 2003;3(9):695-701.
- [Rajauria, 2013] Rajauria G, Jaiswal AK, Abu-Gannam N, Gupta S. Antimicrobial, antioxidant and free radical-scavenging capacity of brown seaweed *Himanthalia Elongata* from western coast of Ireland. *J Food Biochem* 2013;37(3):322-35.
- [Rajkumar, 2014] Rajkumar R, Yaakob Z, Takriff MS. Potential of the Micro and Macro Algae for Biofuel Production: A Brief Review. *Bioresources* 2014;9(1):1606-33.
- [Rana, 2014] Rana S, Sharma S, Prasad K, Sinha S, Singh K. Role of oxidative stress & antioxidant defence in ulcerative colitis patients from north India. *Indian J Med Res* 2014;139(4):568-71.
- [Raposo, 2015] Raposo M, de Moraes A, de Moraes R. Marine polysaccharides from algae with potential biomedical applications. *Mar Drugs* 2015;13(5):2967-3028.
- [Rendic, 2002] Rendic S. Summary of information on human CYP enzymes: human P450 metabolism data. *Drug Metab Rev* 2002;34(1-2):83-448.
- [Rhodes, 2002] Rhodes JM, Campbell BJ. Inflammation and colorectal cancer: IBD-associated and sporadic cancer compared. *Trends Mol Med* 2002;8(1):10-6.
- [Rosenberg, 2009] Rosenberg DW, Giardina C, Tanaka T. Mouse models for the study of colon carcinogenesis. *Carcinogenesis* 2009;30(2):183-96.

- [Rubin, 2012] Rubin D, Shaker A, Levin M. Chronic intestinal inflammation: inflammatory bowel disease and colitis-associated colon cancer. *Front Immunol* 2012;3:107.
- [Sathivel, 2008] Sathivel A, Raghavendran HRB, Srinivasan P, Devaki T. Anti-oxidative and anti-hyperlipidemic nature of *Ulva lactuca* crude polysaccharide on D-galactosamine induced hepatitis in rats. *Food Chem Toxicol* 2008;46(10):3262-67.
- [Satomi, 2013] Satomi Y, Nishino H. Inhibition of the enzyme activity of cytochrome P450 1A1, 1A2 and 3A4 by fucoxanthin, a marine carotenoid. *Oncol Lett* 2013;6(3):860-4.
- [Sengottuvelan, 2006] Sengottuvelan M, Viswanathan P, Nalini N. Chemopreventive effect of trans-resveratrol-a phytoalexin against colonic aberrant crypt foci and cell proliferation in 1,2-dimethylhydrazine induced colon carcinogenesis. *Carcinogenesis* 2006;27(5):1038-46.
- [Seril, 2003] Seril DN, Liao J, Yang GY, Yang CS. Oxidative stress and ulcerative colitis-associated carcinogenesis: studies in humans and animal models. *Carcinogenesis* 2003;24(3):353-62.
- [Sharifuddin, 2015] Sharifuddin Y, Chin YX, Lim PE, Phang SM. Potential bioactive compounds from seaweed for diabetes management. *Mar Drugs* 2015;13(8):5447-91.
- [Shim, 2007] Shim HY, Park JH, Paik HD, Nah SY, Kim DS, Han YS. Genistein-induced apoptosis of human breast cancer MCF-7 cells involves calpain-caspase and apoptosis signaling kinase 1-p38 mitogen-activated protein kinase activation cascades. *Anticancer Drugs* 2007;18(6):649-57.
- [Shukla, 2004] Shukla Y, Pal SK. Dietary cancer chemoprevention: An overview. *Int J Hum Genet* 2004;4(4):265-76.

- [Sifroni, 2010] Sifroni K, Damiani C, Stoffel C, Cardoso M, Ferreira G, Jeremias I, Rezin G, Scaini G, Schuck P, Dal-Pizzol F, Streck E. Mitochondrial respiratory chain in the colonic mucosal of patients with ulcerative colitis. *Mol Cell Biochem* 2010;342(1-2):111-5.
- [Skalska-Kamińska, 2009] Skalska-Kamińska A, Matysik G, Wójciak-Kosior M, Donica H, Sowa I. Thin-layer chromatography of sugars in plant material. *Annales Universitatis Mariae Curie-Sklodowska Lublin-Polonia* 2009;22:17-24.
- [Smit, 2004] Smit AJ. Medicinal and pharmaceutical uses of seaweed natural products: A review. *J Appl Phycol* 2004;16(4):245-62.
- [Society, 2014] Society AC. Colorectal Cancer Facts & Figures 2014-2016. Atlanta: American Cancer Society, 2014.
- [Song, 2008] Song X, Bandow J, Sherman J, Baker JD, Brown PW, McDowell MT, Molloy MP. iTRAQ experimental design for plasma biomarker discovery. *J Proteome Res* 2008;7(7):2952-8.
- [Stokvis, 2002] Stokvis E, Rosing H, Lopez-Lazaro L, Rodriguez I, Jimeno JM, Supko JG, Schellens JH, Beijnen JH. Quantitative analysis of the novel depsipeptide anticancer drug Kahalalide F in human plasma by high-performance liquid chromatography under basic conditions coupled to electrospray ionization tandem mass spectrometry. *J Mass Spectrom* 2002;37(9):992-1000.
- [Sun, 2010] Sun T, Tao HN, Xie J, Zhang SO, Xu X. Degradation and antioxidant activity of kappa-carrageenans. *J Appl Polym Sci* 2010;117(1):194-9.

- [Surayot, 2015] Surayot U, Wang JG, Lee JH, Kanongnuch C, Peerapornpisal Y, You S. Characterization and immunomodulatory activities of polysaccharides from *Spirogyra neglecta* (Hassall) Kutzing. *Biosci Biotechnol Biochem* 2015b;79(10):1644-53.
- [Surh, 2003] Surh YJ. Cancer chemoprevention with dietary phytochemicals. *Nat Rev Cancer* 2003;3(10):768-80.
- [Suwannakul, 2015] Suwannakul N, Punvittayagul C, Jarukamjorn K, Wongpoomchai R. Purple rice bran extract attenuates the aflatoxin B1-induced initiation stage of hepatocarcinogenesis by alteration of xenobiotic metabolizing enzymes. *Asian Pac J Cancer Prev* 2015;16(8):3371-6.
- [Suzui, 2013] Suzui M, Morioka T, Yoshimi N. Colon preneoplastic lesions in animal models. *J Toxicol Pathol* 2013;26(4):335-41.
- [Suzuki, 1992] Suzuki H, Matsumoto K, Terabe M. Ki-67 antibody labeling index in colorectal carcinoma. *J Clin Gastroenterol* 1992;15(4):317-20.
- [Synytsya, 2010] Synytsya A, Kim WJ, Kim SM, Pohl R, Synytsya A, Kvasnicka F, Copikova J, Park YI. Structure and antitumour activity of fucoidan isolated from sporophyll of Korean brown seaweed *Undaria pinnatifida*. *Carbohydr Polym* 2010;81(1):41-8.
- [Takahashi, 2004] Takahashi M, Wakabayashi K. Gene mutations and altered gene expression in azoxymethane-induced colon carcinogenesis in rodents. *Cancer Sci* 2004;95(6):475-80.
- [Taketo, 2009] Taketo MM, Edelman W. Mouse models of colon cancer. *Gastroenterology* 2009;136(3):780-98.
- [Tanaka, 2003] Tanaka T, Kohno H, Suzuki R, Yamada Y, Sugie S, Mori H. A novel inflammation-related mouse colon carcinogenesis

- model induced by azoxymethane and dextran sodium sulfate. *Cancer Sci* 2003;94(11):965-73.
- [Tanaka, 2012] Tanaka T. Preclinical cancer chemoprevention studies using animal model of inflammation-associated colorectal carcinogenesis. *Cancers (Basel)* 2012;4(3):673-700.
- [Taya, 2014] Taya S, Punvittayagul C, Inboot W, Fukushima S, Wongpoomchai R. *Cleistocalyx nervosum* extract ameliorates chemical-induced oxidative stress in early stages of rat hepatocarcinogenesis. *Asian Pac J Cancer Prev* 2014;15(6):2825-30.
- [Thumvijit, 2013a] Thumvijit T, Thuschana W, Amornlerdpison D, Peerapornpisal Y, Wongpoomchai R. Evaluation of hepatic antioxidant capacities of *Spirogyra neglecta* (Hassall) Kutzing in rats. *Interdiscip Toxicol* 2013a;6(3):152-6.
- [Thumvijit, 2013b] Thumvijit T, Inboot W, Peerapornpisa Y, Amornlerdpison D, Wongpoomchai R. The antimutagenic and antioxidant properties of *Spirogyra neglecta* (Hassall) Kützing *J Med Plants Res* 2013b;7(34):2494-500.
- [Thumvijit, 2014] Thumvijit T, Taya S, Punvittayagul C, Peerapornpisal Y, Wongpoomchai R. Cancer chemopreventive effect of *Spirogyra neglecta* (Hassall) Kutzing on diethylnitrosamine-induced hepatocarcinogenesis in rats. *Asian Pac J Cancer Prev* 2014;15(4):1611-6.
- [Tobacman, 2001] Tobacman JK. Review of harmful gastrointestinal effects of carrageenan in animal experiments. *Environ Health Perspect* 2001;109(10):983-94.

- [Treton, 2011] Treton X, Pedruzzi E, Cazals-Hatem D, Grodet A, Panis Y, Groyer A, Moreau R, Bouhnik Y, Daniel F, Ogier-Denis E. Altered endoplasmic reticulum stress affects translation in inactive colon tissue from patients with ulcerative colitis. *Gastroenterology* 2011;141(3):1024-35.
- [Tyagi, 2005] Tyagi A, Singh RP, Agarwal C, Siriwardana S, Sclafani RA, Agarwal R. Resveratrol causes Cdc2-tyr15 phosphorylation via ATM/ATR-Chk1/2-Cdc25C pathway as a central mechanism for S phase arrest in human ovarian carcinoma Ovar-3 cells. *Carcinogenesis* 2005;26(11):1978-87.
- [Ullman, 2011] Ullman TA, Itzkowitz SH. Intestinal inflammation and cancer. *Gastroenterology* 2011;140(6):1807-16.
- [Umesalma, 2011] Umesalma S, Sudhandiran G. Ellagic acid prevents rat colon carcinogenesis induced by 1, 2 dimethylhydrazine through inhibition of AKT-phosphoinositide-3 kinase pathway. *Eur J Pharmacol* 2011;660(2-3):249-58.
- [Usov, 2011] Usov AI. Polysaccharides of the red algae. *Adv Carbohydr Chem Biochem* 2011;65:115-217.
- [Vlckova, 2004] Vlckova V, Duhova V, Svidova S, Farkassova A, Kamasova S, Vlcek D, Kogan G, Rauko P, Miadokova E. Antigenotoxic potential of glucomannan on four model test systems. *Cell Biol Toxicol* 2004;20(6):325-32.
- [Wang, 2010] Wang J, Zhang QB, Zhang ZS, Song HF, Li PC. Potential antioxidant and anticoagulant capacity of low molecular weight fucoidan fractions extracted from *Laminaria japonica*. *Int J Biol Macromol* 2010;46(1):6-12.
- [Wattenberg, 1985] Wattenberg LW. Chemoprevention of cancer. *Cancer Res* 1985;45(1):1-8.

- [Wijesekara, 2010] Wijesekara I, Yoon NY, Kim SK. Phlorotannins from *Ecklonia cava* (Phaeophyceae): Biological activities and potential health benefits. *Biofactors* 2010;36(6):408-14.
- [Yang, 2008] Yang C, Chung D, Shina IS, Lee H, Kim J, Lee Y, You S. Effects of molecular weight and hydrolysis conditions on anticancer activity of fucoidans from sporophyll of *Undaria pinnatifida*. *Int J Biol Macromol* 2008;43(5):433-7.
- [Zhang, 2008] Zhang Q, Zhao XH, Wang ZJ. Flavones and flavonols exert cytotoxic effects on a human oesophageal adenocarcinoma cell line (OE33) by causing G2/M arrest and inducing apoptosis. *Food Chem Toxicol* 2008;46(6):2042-53.
- [Zhang, 2011] Zhang ZY, Teruya K, Eto H, Shirahata S. Fucoidan extract induces apoptosis in MCF-7 cells via a mechanism involving the ROS-dependent JNK activation and mitochondria-mediated pathways. *Plos One* 2011;6(11):e27441.
- [Zong, 2012] Zong A, Cao H, Wang F. Anticancer polysaccharides from natural resources: a review of recent research. *Carbohydr Polym* 2012;90(4):1395-410.
- [Zorofchian, 2014] Zorofchian Moghadamtousi S, Karimian H, Khanabdali R, Razavi M, Firoozinia M, Zandi K, Abdul Kadir H. Anticancer and antitumor potential of fucoidan and fucoxanthin, two main metabolites isolated from brown algae. *Scientific World J* 2014;2014:768323.