REFERENCES

- [1] Abdou, M.A., He, Q., Wen, D., Zyaan, O., Wang, J., Xu, J., Baumann, A.A., Joseph, J., Wilson, T.G., Li, S., and Wang, J., "Drosophila Met and Gce are partially redundant in transducing juvenile hormone action," Insect Biochemistry and Molecular Biology, Vol. 41, No. 12, December 2011, pp. 938-945.
- [2] Andrewartha, H.G., "Diapause in relation to the ecology of insects," Biological Reviews, Vol. 27, No. 1, February 1952, pp. 50-107.
- [3] Agui, N., Granger, N.A., Gilbert, L.I., and Bollenbacher, W.E., "In vitro activation of insect prothoracic glands by the prothoracicotropic hormone," Proceedings of the National Academy of Sciences of the United States of America. Vol. 76, No. 10, October 1979, pp. 5148-5152.
- [4] Agui, N. and Hiruma, K., "In vitro activation of neurosecretory brain cells in Mamestra brassicae by b-ecdysone," General and Comparative Endocrinology, Vol 33, No. 4, January 1977, pp. 467-472.
- [5] Ashburner, M., "Sequential gene activation by ecdysone in polytene chromosomes of *Drosophila melanogaster*. II. The effects of inhibitors of protein synthesis," Developmental Biology, Vol. 39, No. 1, July 1974, pp. 141-157.
- [6] Ashburner, M., Chihara, C., Meltzer, P., and Richards, G., "Temporal control of puffing activity in polytene chromosomes," Cold Spring Harbor Symposia on Quantitative Biology, Vol. 38, 1974, pp. 655-662.
- [7] Ashok, M., Turner, C., and Wilson, T.G., "Insect juvenile hormone resistance gene homology with the bHLH-PAS family of transcriptional regulators," Proceedings of the National Academy of Sciences of the United States of America, Vol. 95, No. 6, March 1998, pp. 2761-2766.

- [8] Baker, K.D., Shewchuk, L.M., Kozlova, T., Makishima, M., Hassell, A., Wisely, B., Caravella, J.A., Lambert, M.H., Reinking, J.L., Krause, H., Thummel, C.S., Willson, T.M., and Mangelsdorf, D.J., "The Drosophila orphan nuclear receptor DHR38 mediates an atypical ecdysteroid signaling pathway," Cell, Vol. 113, No. 6, June 2003, pp. 731-742.
- [9] Bayer, C.A., Holley, B., and Fristrom, J.W., "A switch in Broad-Complex zinc-finger isoform expression is regulated posttranscriptionally during the metamorphosis of *Drosophila* imaginal discs," Developmental Biology, Vol. 177, No. 1, July 1996, pp. 1-14.
- [10] Bean, D.W. and Beck, S.D., "The role of juvenile hormone in the larval diapause of the European corn borer, *Ostrinia nubilalis*," Journal of Insect Physiology, Vol. 26, No. 8, December 1980, pp. 579-584.
- [11] Bean, D.W. and Beck, S.D., "Hemolymph ecdysteroid titres in diapause and non-diapause larvae of the European corn borer, *Ostrinia nubilalis*," Journal of Insect Physiology, Vol. 26, No. 9, 1983, pp. 687-693.
- [12] Beck, Y., Pecasse, F., and Richards, G., "Krüppel homolog is essential for the coordination of regulatory gene hierarchies in early Drosophila development," Developmental Biology, Vol. 268, No. 1, April 2004, pp. 64-75.
- [13] Beckstead, R.B., Lam, G., and Thummel, C.S., "Specific transcriptional responses to juvenile hormone and ecdysone in *Drosophila*," Insect Biochemistry and Molecular Biology, Vol. 37, No.6, June 2007, pp. 570-578.
- Bender, M., Imam, F.B., Talbot, W.S., Ganetzky, B., and Hogness, D.S.,
 "Drosophila ecdysone receptor mutations reveal functional differences among receptor isoforms," Cell, Vol. 91, No. 6, December 1997, pp. 777-788.

- [15] Bernardo, T.J. and Dubrovsky, E.B., "The *Drosophila* juvenile hormone receptor candidates methoprene-tolerant (MET) and germ cell-expressed (GCE) utilize a conserved LIXXL motif to bind the FTZ-F1 nuclear receptor," The Journal of Biological Chemistry, Vol. 287, No. 10, March 2012, pp. 7821-7833.
- [16] Bialecki, M., Shilton, A., Fichtenberg, C., Segraves, W.A., and Thummel, C.S., "Loss of the ecdysteroid-inducible E75A orphan nuclear receptor uncouples molting from metamorphosis in *Drosophila*," Developmental Cell, Vol. 3, No. 2, August 2002, pp. 209-220.
- Bigot, L., Shaik, H.A., Bozzolan, F., Party, V., Lucas, P., Debernard, S., and Siaussat, D., "Peripheral regulation by ecdysteroids of olfactory responsiveness in male Egyptian cotton leaf worms, *Spodoptera littoralis*," Insect Biochemistry and Molecular Biology, Vol. 42, No. 1, January 2012, pp. 22-31.
- [18] Billas, I.M., Iwema, T., Garnier, J.M., Mitschler, A., Rochel, N., and Moras, D., "Structural adaptability in the ligand-binding pocket of the ecdysone hormone receptor," Nature, Vol. 426, No. 6962, November 2003, pp. 91-96.
- [19] Billas, I.M., Moulinier, L., Rochel, N., and Moras, D., "Crystal structure of the ligand-binding domain of the ultraspiracle protein USP, the ortholog of retinoid X receptors in insects," The Journal of Biological Chemistry, Vol. 276, No. 10, March 2001, pp. 7465-7474.
- [20] Bodnaryk, R.P., "Stages of diapause development in the pupa of Mamestra configurata based on 6-ecdysone sensitivity index," Journal of Insect Physiology, Vol. 23, No. 5, 1977, pp. 537-542.
- [21] Broadus, J., McCabe, J.R., Endrizzi, B., Thummel, C.S., and Woodard, C. T., "The *Drosophila* beta FTZ-F1 orphan nuclear receptor provides competence for stage-specific responses to the steroid hormone ecdysone," Molecular Cell, Vol. 3, No. 2, February 1999, pp. 143-149.

- Burtis, K.C., Thummel, C.S., Jones, C.W., Karim, F.D., and Hogness, D.S.,
 "The Drosophila 74EF early puff contains *E74*, a complex ecdysoneinducible gene that encodes two *ets*-related proteins," Cell, Vol. 61, No. 1, April 1990, pp. 85-99.
- [23] Butenandt, A. and Karlson, P., "Über die isolierung eines metamorphosehorm ons der insekten in kristallisierter form," Zeitschrift für Naturforschung, Vol. 9, No. 6, June 1954, pp. 389-391.
- [24] Chang, J.C. and Ramasamy S., "Identification and expression analysis of diapause hormone and pheromone biosynthesis activating neuropeptide (DH-PBAN) in the legume pod borer, *Maruca vitrata* Fabricius," PLoS ONE, Vol. 9, No. 1, January 2014, pp. e84916.
- [25] Charles, J.P., Iwema, T., Epa, V.C., Takaki, K., Rynes, J., and Jindra, M., "Ligand binding properties of a juvenile hormone receptor, Methoprenetolerant," Proceedings of the National Academy of Sciences of the United States of America, Vol. 108, No. 52, December 2011, pp. 21128-21133.
- [26] Chippendale, G.M. and Yin, C.M., "Larval diapause of the European corn borer, *Ostrinia nubilalis*: further experiments examining its hormonal control," Journal of Insect Physiology, Vol. 25, No. 1, December 1979, pp. 53-58.
- [27] Choi, M.Y., Fuerst, E.J., Rafaeli, A., and Jurenka, R., "Identification of a G protein-coupled receptor for pheromone glands of the moth *Helicoverpa zea*," Proceedings of the National Academy of Sciences of the United States of America, Vol. 100, No. 17, August 2003, pp. 9721-9726.
- [28] Choi, M.Y., Lee, J.M., Han, K.S., and Boo, K.S., "Identification of a new member of PBAN family and immunoreactivity in the central nervous system from *Adoxophyes* sp. (Lepidoptera: Tortricidae)," Insect Biochemistry and Molecular Biology, Vol. 34, No. 9, September 2004, pp. 927-935.

- [29] Choi, M.Y., Tanaka, M., Kataoka, H., Boo, K.S., and Tatsuki, S., "Isolation and identification of the cDNA encoding the pheromone biosynthesis activating neuropeptide and additional neuropeptides in the oriental tobacco budworm *Helicoverpa assulta* (Lepidoptera: Noctuidae)," Insect Biochemistry and Molecular Biology, Vol. 28, No. 10, October 1998, pp. 759-766.
- [30] Choi, M.Y. and Vander Meer, R.K., "Identification of a new member of the PBAN family of neuropeptides from the fire ant, *Solenopsis invicta*," Insect Molecular Biology, Vol. 18, No. 2, April 2009, pp. 161-169.
- [31] Choi, M.Y., Vander Meer, R.K., and Valles, S.M., "Molecular diversity of PBAN family peptides from fire ants," Archives of Insect Biochemistry and Physiology, Vol. 74, No. 2, June 2010, pp. 67-80.
- [32] Chomczynski, P. and Sacchi, N., "Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction," Analytical Biochemistry, Vol. 162, No. 1, April 1987, pp. 156-159.
- [33] Clayton, G.M., Peak-Chew, S.Y., Evans, R.M., and Schwabe, J.W., "The structure of the ultraspiracle ligand-binding domain reveals a nuclear receptor locked in an inactive conformation," Proceedings of the National Academy of Sciences of the United States of America, Vol. 98, No. 4, February 2001, pp. 1549-1554.
- [34] Clever, U. and Karlson, P., "Induktion von Puff-Veränderungen in den Speicheldrüsenchromosomen von *Chironomus tentans* durch Ecdyson," Experimental Cell Research, Vol. 20, No. 3, September 1960, pp. 623-626.
- [35] Costantino, B.F., Bricker, D.K., Alexandre, K., Shen, K., Merriam, J.R., Antoniewski, C., Callender, J.L., Henrich, V.C., Presente, A., and Andres, A.J., "A novel ecdysone receptor mediates steroid-regulated developmental events during the mid-third instar of *Drosophila*," PLoS Genetics, Vol. 4, No. 6, June 2008, pp. e1000102.

- [36] Danks, H.V., Insect Dormancy: An Ecological Perspective, Biological Survey of Canada (Terrestrial Arthropods), Entomological Society of Canada, Ottawa, Ontario, Canada, 1987, ISBN: 096-9272707.
- [37] de Kort, C.A.D., "Thirty-five years of diapause research with the Colorado potato beetle," Entomologia Experimentalis et Applicata. Vol. 56, July 1990, pp. 1-13.
- [38] Denlinger, D.L., "Hormonal and metabolic aspects of pupal diapause in Diptera," Entomologia Generalis, Vol. 7, No. 3, 1981, pp. 245-259.
- [39] Denlinger, D.L., Hormone control of diapause, In: Comprehensive Insect Physiology, Biochemistry and Pharmacology, Ed. by G.A. Kerkut and L.I. Gilbert, Pergamon Press, Oxford, U.K., Vol. 8, 1985, pp. 353-412.
- [40] Denlinger, D.L., "Dormancy in tropical insects," Annual Review of Entomology, Vol. 31, No. 1, January 1986, pp. 239-264.
- [41] Denlinger, D.L., "Regulation of diapause," Annual Review of Entomology, Vol. 47, No.1, January 2002, pp. 93-122.
- [42] Davis, M.B., Carney, G.E., Robertson, A.E., and Bender, M., "Phenotypic analysis of *EcR-A* mutants suggests that EcR isoforms have unique functions during *Drosophila* development," Developmental Biology, Vol. 282, No. 2, June 2005, pp. 385-396.
- [43] DiBello, P.R., Withers, D.A., Bayer, C.A., Fristrom, J.W., and Guild, G.M.,
 "The Drosophila *broad-complex* encodes a family of related proteins containing zinc fingers," Genetics, Vol. 129, No. 2, October 1991, pp. 385-397.
- [44] Dubrovskaya, V.A., Berger, E.M., and Dubrovsky, E.B., "Juvenile hormone regulation of the E75 nuclear receptor is conserved in Diptera and Lepidoptera," Gene, Vol. 340, No. 2, October 2004, pp. 171-177.

- [45] Dubrovsky, E.B., "Hormonal cross talk in insect development," Trends in Endocrinology and Metabolism, Vol. 16, No. 1, January 2005, pp. 6-11.
- [46] Dubrovsky, E.B. and Bernardo, T.J., "The juvenile hormone receptor and molecular mechanisms of juvenile hormone action," Advances in Insect Physiology, Vol. 46, December 2014, pp. 305-388.
- [47] Dubrovsky, E.B., Dubrovskaya, V.A., and Berger, E.M., "Hormonal regulation and functional role of *Drosophila* E75A orphan nuclear receptor in the juvenile hormone signaling pathway," Developmental Biology, Vol. 268, No. 2, April 2004, pp. 258-270.
- [48] Dubrovsky, E.B., Dubrovskaya, V.A., Bernardo, T., Otte, V., DiFilippo, R., and Bryan, H., "The *Drosophila* FTZ-F1 nuclear receptor mediates juvenile hormone activation of *E75A* gene expression through an intracellular pathway," The Journal of Biological Chemistry, Vol. 286, No. 38, September 2011, pp. 33689-33700.
- [49] Duportets, L., Bozzolan, F., Abrieux, A., Maria, A., Gadenne, C., and Debernard, S., "The transcription factor *Krüppel homolog 1* is linked to the juvenile hormone-dependent maturation of sexual behavior in the male moth, *Agrotis ipsilon*," General and Comparative Endocrinology, Vol. 176, No. 2, April 2012, pp. 158-166.
- [50] Duportets, L., Gadenne, C., and Couillaud, F., "A cDNA, from Agrotis ipsilon, that encodes the pheromone biosynthesis activating neuropeptide (PBAN) and other FXPRL peptides," Peptides, Vol. 20, No. 8, 1999, pp. 899-905.
- [51] Eystathioy, T., Swevers, L., and Iatrou K., "The orphan nuclear receptor BmHR3A of *Bombyx mori*: hormonal control, ovarian expression and functional properties," Mechanisms of Development, Vol. 103, No. 1-2, May 2001, pp. 107-115.

- [52] Fletcher, J.C., D'Avino, P.P., and Thummel, C.S., "A steroid-triggered switch in E74 transcription factor isoforms regulates the timing of secondary-response gene expression," Proceedings of the National Academy of Sciences of the United States of America, Vol. 94, No. 9, April 1997, pp. 4582-4586.
- [53] Friedlander, M. and Reynolds, S., "Intratesticular ecdysteroid titres and the arrest of sperm production during pupal diapause in the tobacco hornworm, *Manduca sexta*," Journal of Insect Physiology, Vol. 38, No. 9, September 1992, pp. 693-703.
- [54] Fonagy, A., Schoofs, L., Matsumoto, S., Loof, A.D., and Mitsui, T., "Functional cross-reactivities of some *locustamyotropins* and *Bombyx* pheromone biosynthesis activating neuropeptide," Journal of Insect Physiology, Vol. 38, No. 9, September 1992, pp. 651-657.
- [55] Fukuda, S., "Function of the pupal brain and suboesophageal ganglion in the production of non-diapause and diapause eggs in the silkworm," Annotationes Zoologicae Japonenses. Vol. 25, 1952, pp. 149-155.
- [56] Gelman, D.B., Thyagaraja, B.S., Kelly, T.J., Masler, E.P., Bell, R.A., and Borkovec, A.B., "Prothoracicotropic hormone levels in brains of the European corn borer, *Ostrinia nubilalis*: Diapause vs the non-diapause state," Journal of Insect Physiology, Vol. 38, No. 5, May 1992, pp. 383-395.
- [57] Gibbs, D., "Reversal of pupal diapause in *Sarcophaga argyrostoma* by temperature shifts after puparium formation," Journal of Insect Physiology, Vol. 21, No. 6, June 1975, pp. 1179-1186.
- [58] Gilbert, L.I., Granger, N.A., and Roe, R.M., "The juvenile hormones: historical facts and speculations on future research directions," Insect Biochemistry and Molecular Biology, Vol. 30, No. 8-9, August-September 2000, pp. 617-644.

- [59] Gilbert, L.I., Rybczynski, R., and Warren, J.T., "Control and biochemical nature of the ecdysteroidogenic pathway," Annual Review of Entomology, Vol. 47, January 2002, pp. 883-916.
- [60] Godlewski, J., Wang, S., and Wilson, T.G., "Interaction of bHLH-PAS proteins involved in juvenile hormone reception in *Drosophila*," Biochemical and Biophysical Research Communications, Vol. 342, No. 4, April 2006, pp. 1305-1311.
- [61] Hahn, D.A. and Denlinger, D.L., "Energetics of insect diapause," Annual Review of Entomology, Vol. 56, January 2011, pp. 103-121.
- [62] Hall, B.L. and Thummel, C.S., "The RXR homolog ultraspiracle is an essential component of the *Drosophila* ecdysone receptor," Development, Vol. 125, No. 23, December 1998, pp. 4709-4717.
- [63] Henrich, V.C., Burn, E., Yelverton, D.P., Christensen, E., and Weinberger, C., "Juvenile hormone potentiates ecdysone receptor-dependent transcription in a mammalian cell culture system," Insect Biochemistry and Molecular Biology, Vol. 33, No. 12, December 2003, pp. 1239-1247.
- [64] Henrich, V.C., Sliter, T.J., Lubahn, D.B., MacIntyre, A., and Gilbert, L.I., "A steroid/ thyroid hormone receptor superfamily member in *Drosophila melanogaster* that shares extensive sequence similarity with a mammalian homologue," Nucleic Acids Research, Vol. 18, No. 14, July 1990, pp. 4143-4148.
- [65] Hiruma, K. and Kaneko, Y., "Hormonal regulation of insect metamorphosis with special reference to juvenile hormone biosynthesis" Current Topics in Developmental Biology, Vol. 103, January 2013, pp. 73-100.
- [66] Hiruma, K. and Riddiford, L.M., "The molecular mechanisms of cuticular melanization: the ecdysone cascade leading to dopa decarboxylase expression in *Manduca sexta*," Insect Biochemistry and Molecular Biology, Vol. 39, No. 4, April 2009, pp. 245-253.

- [67] Hiruma, K., Shinoda, T., Malone, F., and Riddiford, L.M., "Juvenile hormone modulates 20-hydroxyecdysone-inducible ecdysone receptor and ultraspiracle gene expression in the tobacco hornworm, *Manduca sexta*," Development Genes and Evolution, Vol. 209, No. 1, January 1999, pp. 18-30.
- [68] Hodek, I., "Controversial aspects of diapause development," European Journal of Entomology, Vol. 99, No. 2, June 2002, pp. 163-173.
- [69] Hodek, I. and Hodková, M., "Multiple role of temperature during insect diapause: a review," Entomologia Experimentalis et Applicata, Vol. 49, No. 1-2, November 1988, pp. 153-165.
- [70] Holman, G.M., Cook, B.J., and Nachman, R.J., "Primary structure and synthesis of a blocked myotropic neuropeptide isolated from the cockroach, *Leucophaea maderae*," Comparative Biochemistry and Physiology Part C, Vol. 85, No. 1, January 1986, pp. 219-224.
- [71] Homma T., Watanabe K., Tsurumaru S., Kataoka H., Imai K., Kamba M., Niimi T., Yamashita O., and Yaginuma T., "G protein-coupled receptor for diapause hormone, an inducer of *Bombyx* embryonic diapause," Biochemical and Biophysical Research Communications, Vol. 344, No. 1, May 2006, pp. 386-393.
- [72] Hossain, M., Shimizu, S., Fujiwara, H., Sakurai, S., and Iwami, M., "EcR expression in the prothoracicotropic hormone producing neurosecretory cells of the *Bombyx mori* brain an indication of the master cells of insect metamorphosis," Federation of European Biochemical Societies, Vol. 273, No. 16, August 2006, pp. 3861-3868.
- [73] Hu, X., Cherbas, L., and Cherbas, P., "Transcription activation by the ecdysone receptor (EcR/USP): Identification of activation functions," Molecular Endocrinology, Vol. 17, No. 4, April 2003, pp. 716-731.

- [74] Huber, R., and Hoppe, W., "Die Kristall- und Molekülstrukturanalyse des Insekten Verpupungshormons Ecdyson mit der automatisierten Faltmolekülmethode," Chemische Berichte, Vol. 98, 1965, pp. 2403-2424.
- [75] Ichikawa, T., Hasegawa, K., Shimizu, I., Katsuno, K., Kataoka, H., and Suzuki, A., "Structure of neurosecretory cells with immunoreactive diapause hormone and pheromone biosynthesis activating neuropeptide in the silkworm, *Bombyx mori*," Zoological Science, Vol. 12, No. 6, December 1995, pp. 703-712.
- [76] Iglesias, F., Marco, P., Francois, M.C., Camps, F., Fabriàs, G., and Jacquin-Joly, E., "A new member of the PBAN family in *Spodoptera littoralis*: molecular cloning and immunovisualisation in scotophase hemolymph," Insect Biochemistry and Molecular Biology, Vol. 32, No. 8, August 2002, pp. 901-908.
- [77] Jacquin-Joly, E., Burnet, M., Francois, M.C., Ammar, D., Meillour, P.N., and Descoins, C., "cDNA cloning and sequence determination of the pheromone biosynthesis activating neuropeptide of *Mamestra brassicae*: a new member of the PBAN family," Insect Biochemistry and Molecular Biology, Vol. 28, No. 4, April 1998, pp. 251-258.
- [78] Jindra, M., Malone, F., Hiruma, K., and Riddiford, L.M., "Developmental profiles and ecdysteroid regulation of the mRNAs for two ecdysone receptor isoforms in the epidermis and wings of the tobacco hornworm, *Manduca sexta*," Developmental Biology, Vol. 180, No. 1, November 1996, pp. 258-272.
- [79] Jindra, M., Palli, S.R., and Riddiford, L.M., "The juvenile hormone signaling pathway in insect development," Annual Review of Entomology, Vol. 58, No. 1, January 2013, pp. 181-204.
- [80] Jindra, M., Uhlirova, M., Charles, J.P., Smykal, V., and Hill, R.J., "Genetic evidence for function of the bHLHPAS protein Gce/Met as a juvenile hormone receptor," PLoS Genetic, Vol. 11, No. 7, July 2015, pp. e1005394

- [81] Jing, T.Z., Wang, Z.Y., Qi, F.H., and Liu, K.Y., "Molecular characterization of diapause hormone and pheromone biosynthesis activating neuropeptide from the black-back prominent moth, *Clostera anastomosis* (L.) (Lepidoptera, Notodontidae)," Insect Biochemistry and Molecular Biology, Vol. 37, No. 12, December 2007, pp. 1262-1271.
- [82] Karlson, P., Hoffmeister, H., Hummel, H., Hocks, P., and Spiteller, G., "On the chemistry of ecdysone. VI. Reactions of ecdysone molecules," Chemische Berichte, Vol. 98, No. 7, July 1965, pp. 2394-2402.

ALL

- [83] Keshan, B., Hiruma, K., and Riddiford, L.M., "Developmental expression and hormonal regulation of different isoforms of the transcription factor E75 in the tobacco hornworm *Manduca sexta*," Developmental Biology, Vol. 295, No. 2, July 2006, pp. 623-632.
- [84] King-Jones, K., Charles, J.P., Lam, G., and Thummel, C.S., "The ecdysoneinduced DHR4 orphan nuclear receptor coordinates growth and maturation in *Drosophila*," Cell, Vol. 121, No. 5, June 2005, pp. 773-784.
- [85] King-Jones, K. and Thummel, C.S., "Nuclear receptors-a perspective from *Drosophila*," Nature Reviews Genetics, Vol. 6, No. 4, April 2005, pp. 311-323.
- [86] Kiss, I., Beaton, A.H., Tardiff, J., Fristrom, D., and Fristrom, J.W., "Interactions and developmental effects of mutations in the broad-complex of *Drosophila melanogaster*," Genetics, Vol. 118, No. 2, February 1988, pp. 247-259.
- [87] Kitamura, A., Nagasawa, H., Kataoka, H., Inoue, T., Matsumoto, S., Ando, T., and Suzuki, A., "Amino acid sequence of pheromone biosynthesis activating neuropeptide (PBAN) of the silkworm, *Bombyx mori*," Biochemical and Biophysical Research Communications, Vol. 163, No. 1, August 1989, pp. 520-526.

- [88] Koelle, M.R., Talbot, W.S., Segraves, W.A., Bender, M.T., Cherbas, P., and Hogness, D. S., "The Drosophila *EcR* gene encodes an ecdysone receptor, a new member of the steroid receptor superfamily," Cell, Vol. 67, No. 1, October 1991, pp. 59-77.
- [89] Konopova, B. and Jindra, M., "Juvenile hormone resistance gene Methoprene-tolerant controls entry into metamorphosis in the beetle *Tribolium castaneum*," Proceedings of the National Academy of Sciences of the United States of America, Vol. 104, No. 25, June 2007, pp. 10488-10493.
- [90] Kozlova, T. and Thummel, C.S., "Essential roles for ecdysone signaling during *Drosophila* mid-embryonic development," Science, Vol. 301, No. 5641, September 2003, pp. 1911-1914.
- [91] Lam, G.T., Jiang, C., and Thummel, C.S., "Coordination of larval and prepupal gene expression by the DHR3 orphan receptor during *Drosophila* metamorphosis," Development, Vol. 124, No. 9, May 1997, pp. 1757-1769.
- [92] Lee, D.W. and Boo, K.S., "Molecular characterization of pheromone biosynthesis activating neuropeptide from the diamondback moth *Plutella xylostella* (L.)," Peptides, Vol. 26, No. 12, December 2005, pp. 2404-2411.
- [93] Li, K., Guo, E., Hossain M.S., Li, Q., Cao, Y., Tian, L., Deng, X., and Li, S., "Bombyx E75 isoforms display stage- and tissue-specific responses to 20hydroxyecdysone," Scientific Reports, Vol. 5, No. 12114, July 2015, pp. 1-13.
- [94] Li, M., Mead, E.A., and Zhu, J.S., "Heterodimer of two bHLHPAS proteins mediates juvenile hormone-induced gene expression," Proceedings of the National Academy of Sciences of the United States of America, Vol. 108, No. 2, January 2011, pp. 638-643.

- [95] Li, A.Q., Xue, F.S., and Hua, A., "Photoperiodic clock of diapause termination in *Pseudopidorus fasciata* (Lepidoptera: Zygaenidae)," European Journal of Entomology, Vol. 100, No. 2, June 2003, pp. 287-293.
- [96] Livak, K.J. and Schmittgen, T.D., "Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) method," Methods, Vol. 25, No. 4, December 2001, pp. 402-408.
- [97] Lozano, J. and Belles, X., "Conserved repressive function of Krüppel homolog 1 on insect metamorphosis in hemimetabolous and holometabolous species," Science Reports, Vol. 1, No. 163, November 2011, pp. 1-7.
- [98] Lozano, J. and Belles, X., "Role of methoprene-tolerant (Met) in adult morphogenesis and in adult ecdysis of *Blattella germanica*," PLoS ONE, Vol. 9, No. 7, July 2014, pp. e103614.
- [99] Ma, P.W., Knipple, D.C., and Roelofs, W.L., "Structural organization of the Helicoverpa zea gene encoding the precursor protein for pheromone biosynthesis activating neuropeptide and other neuropeptides," Proceedings of the National Academy of Sciences of the United States of America, Vol. 91, No. 14, July 1994, pp. 6506-6510.
- [100] Ma, P.W., Knipple, D.C., and Roelofs, W.L., "Expression of a gene that encodes pheromone biosynthesis activating neuropeptide in the central nervous system of corn earworm *Helicoverpa zea*," Insect Biochemistry and Molecular Biology, Vol. 28, No. 5-6, May 1998, pp. 373-385.
- [101] Ma, P.W., Roelofs, W.L., and Jurenka, R.A., "Characterization of PBAN and PBAN-encoding gene neuropeptides in the central nervous system of the corn earworm moth *Helicoverpa zea*," Journal of Insect Physiology, Vol. 42, No. 3, March 1996, pp. 257-266.
- [102]Matsumoto, S., Kitamura, A., Nagasawa, H., Kataoka, H., Orikasa, C., Mitsui, T., and Suzuki, A., "Functional diversity of a neurohormone

produced by the subesophageal ganglion: molecular identity of melanization and reddish coloration hormone and pheromone biosynthesis activating neuropeptide," Journal of Insect Physiology, Vol. 38, No. 6, December 1990, pp. 847-851.

- [103] Matsuoka, T. and Fujiwara, H., "Expression of ecdysteroid-regulated genes is reduced specifically in the wing discs of the wing-deficient mutant (fl) of *Bombyx mori*," Development Genes and Evolution, Vol. 210, No. 3, March 2000, pp. 120-128.
- [104] McQuilton, P., St Pierre, S.E., and Thurmond, J., "FlyBase 101-The basics of navigating FlyBase," Nucleic Acids Research, Vol. 40, January 2012, pp. D706-D714.
- [105] Minakuchi, C., Namiki, T., and Shinoda, T., "Krüppel homolog 1, an early juvenile hormone-response gene downstream of Methoprene-tolerant, mediates its anti-metamorphic action in the red flour beetle Tribolium castaneum," Developmental Biology, Vol. 325, No. 2, January 2009, pp. 341-350.
- [106] Minakuchi, C., Tanaka, M., Miura, K., and Tanaka, T., "Developmental profile and hormonal regulation of the transcription factors *broad* and *Krüppel homolog 1* in hemimetabolous thrips," Insect Biochemistry and Molecular Biology, Vol. 41, No. 2, February 2011, pp. 125-134.
- [107] Minakuchi, C., Zhou, X., and Riddiford, L.M., "Krüppel homolog 1 (Kr-h1) mediates juvenile hormone action during metamorphosis of Drosophila melanogaster," Mechanisms of Development, Vol. 125, No. 1-2, October 2008, pp. 91-105.
- [108] Miura, K., Oda, M., Makita, S., and Chinzei, Y., "Characterization of the Drosophila Methoprene-tolerant gene product. Juvenile hormone binding and ligand-dependent gene regulation," FEBS Journal, Vol. 272, No. 5, March 2005, pp. 1169-1178.

- [109] Nakagaki, M., Takei, R., Nagashima, E., Yaginuma, T., "Cell cycles in embryos of the silkworm, *Bombyx mori*: G2-arrest at diapause stage," Roux's Archives of Developmental Biology, Vol. 200, No. 4, September 1991, pp. 223-229.
- [110] Nijhout, H.F. and Williams, C.M., "Control of moulting and metamorphosis in the tobacco hornworm, *Manduca sexta*: cessation of juvenile hormone secretion as a trigger for pupation," Journal of Experimental Biology, Vol. 61, No. 2, October 1974, pp. 493-501.
- [111] Numata, H. and Hidaka, T., "Photoperiodic control of adult diapause in the bean bug, *Riptortus clavatus* Thunberg (Heteroptera: Coreidae). Termination of diapause induced under different photoperiods," Applied Entomology and Zoology, Vol. 18, No. 3, January 1983, pp. 439-441.
- [112] Oro, A.E., McKeown, M., and Evans, R. M., "Relationship between the product of the *Drosophila* ultraspiracle locus and the vertebrate retinoid X receptor," Nature, Vol. 347, No. 6290, September 1990, pp. 298-301.
- [113] Oro, A.E., McKeown, M., and Evans, R.M., "The *Drosophila* retinoid X receptor homolog ultraspiracle functions in both female reproduction and eye morphogenesis," Development, Vol. 115, No. 2, June 1992, pp. 449-462.
- [114] Orth, A.P., Lan, Q. and Goodman, W.G., "Ligand regulation of juvenile hormone binding protein mRNA in mutant *Manduca sexta*," Molecular and Cellular Endocrinology, Vol. 149, No. 1-2, March 1999, pp. 61-69.
- [115] Palli, S.R., Ladd, T.R., Sohi, S.S., Cook, B.J., and Retnakaran, A., "Cloning and developmental expression of *Choristoneura* hormone receptor 3, an ecdysone inducible gene and a member of the steroid hormone receptor superfamily," Insect Biochemistry and Molecular Biology, Vol.26, No. 5, May 1996, pp. 485-499.

- [116] Parthasarathy, R., Tan, A., and Palli, S.R., "bHLH-PAS family transcription factor methoprene-tolerant plays a key role in JH action in preventing the premature development of adult structures during larval-pupal metamorphosis," Mechanisms of Development, Vol. 125, No. 7, July 2008, pp. 601-616.
- [117] Pener, M.P., "Environmental cues, endocrine factors, and reproductive diapause in male insects," Chronobiology International, Vol. 9, No. 2, April 1992, pp. 102-113
- [118] Perrimon, N., Engstrom, L., and Mahowald, A.P., "Developmental genetics of the 2C-D region of the *Drosophila* X chromosome," Genetics, Vol. 111, No. 1, September 1985, pp. 23-41.
- [119] Pfaffl, M.W., "A new mathematical model for relative quantification in realtime RT-PCR," Nucleic Acids Research, Vol. 29, No. 9, May 2001, pp. 2002-2007.
- [120] Raina, A.K., Jaffe, H., Kempe, T.G., Keim, P., Blacher, R.W., Fales, H.M., Riley, C.T., Klun, J.A., Ridgway, R.L., and Hayes, D.K., "Identification of a neuropeptide hormone that regulates sex pheromone production in female moths," Science, Vol. 244, No. 4906, May 1989, pp. 796-798.
- [121] Raina, A.K., Kingan, T.G., and Kochansky, J.P., "A pheromonotropic peptide of *Helicoverpa zea*, with melanizing activity, interaction with PBAN, and distribution of immunoreactivity," Archives of Insect Biochemistry and Physiology, Vol. 53, No. 4, August 2003, pp. 147-157.
- [122] Readio, J., Chen, M.H., and Meola, R., "Juvenile Hormone Biosynthesis in Diapausing and Nondiapausing *Culex pipiens* (Diptera: Culicidae)," Journal of Medical Entomology, Vol. 36, No. 3, May 1999, pp. 355-360.
- [123] Richard, D.S. and Saunders, D.S., "Prothoracic gland function in diapause and non-diapause destined *Sarcophaga argyrostoma* and *Calliphora vicina*," Journal of Insect Physiology, Vol. 33, No. 6, October 1987, pp. 385-392.

- [124] Riddiford, L.M., "Ecdysone-induced change in cellular commitment of the epidermis of the tobacco hornworm, *Manduca sexta*, at the initiation of metamorphosis," General and Comparative Endocrinology, Vol. 34, No. 4, April 1978, pp. 438-446.
- [125] Riddiford, L.M., "Hormone receptors and the regulation of insect metamorphosis," Receptor, Vol. 3, No. 3, February 1993, pp. 203-209.
- [126] Riddiford, L.M., "Juvenile hormone: the status of its "status quo" action," Archives of Insect Biochemistry and Physiology, Vol. 32, No. 3-4, January 1996, pp. 271-286.
- [127] Riddiford, L.M., "Juvenile hormone action: A 2007 perspective," Journal of Insect Physiology, Vol. 54, No. 6, June 2008, pp. 895-901.
- [128] Riddiford, L.M., "How does juvenile hormone control insect metamorphosis and reproduction?," General and Comparative Endocrinology, Vol. 179, No. 3, December 2012, pp. 477-484.
- [129] Riddiford, L.M., Hiruma, K., Zhou, X., and Nelson, C.A., "Insights into the molecular basis of the hormonal control of molting and metamorphosis from *Manduca sexta* and *Drosophila melanogaster*," Insect Biochemistry and Molecular Biology, Vol. 33, No. 12, December 2003, pp. 1327-1338.
- [130] Riddiford, L.M., Kiguchi, K., Roseland, C.R., Chen, A.C., and Wolfgang, W.J., Cuticle formation and sclerotization in vitro by the epidermis of the tobacco hornworm, Manduca sexta, In: Invertebrate systems in vitro, Ed. by Kurstak, M.D., 1980, pp. 104-115.
- [131] Riddiford, L.M., Truman, J.W., Mirth, C.K., and Shen, Y.C., "A role for juvenile hormone in the prepupal development of *Drosophila melanogaster*," Development, Vol. 137, No. 7, April 2010, pp. 1117-1126.
- [132] Ritdachyeng, E., Manaboon, M., Tobe, S.S., and Singtripop, T., "Molecular characterization and gene expression of juvenile hormone binding protein in

the bamboo borer, *Omphisa fuscidentalis*," Journal of Insect Physiology, Vol. 58, No. 11, November 2012, pp. 1493-1501.

- [133] Russell, S.R., Heimbeck, G., Goddard, C.M., Carpenter, A.T., and Ashburner, M., "The *Drosophila* Eip78C gene is not vital but has a role in regulating chromosome puffs," Genetics, Vol. 144, No. 1, September 1996, pp. 159-170.
- [134] Sato, Y., Oguchi, M., Menjo, N., Imai, K., Saito, H., Ikeda, M., Isobe, M., and Yamashita, O., "Precursor polyprotein for multiple neuropeptides secreted from the suboesophageal ganglion of the silkworm *Bombyx mori*: characterization of the cDNA encoding the diapause hormone precursor and identification of additional peptides," Proceedings of the National Academy of Sciences of the United States of America, Vol. 90, No. 8, April 1993, pp. 3251-3255.
- [135] Saunders, D.S., *Insects Clocks*, 3th ed., Elsevier Science B.V., 2002, ISBN: 978-0444504074.
- [136] Segraves, W.A., and Hogness, D.S., "The *E75* ecdysone-inducible gene responsible for the 75B early puff in *Drosophila* encodes two new members of the steroid receptor superfamily," Genes and Development, Vol. 4, No. 2, February 1990, pp. 204-219.
- [137] Sekimoto, T., Iwami, M., and Sakurai, S., "Coordinate responses of transcription factors to ecdysone during programmed cell death in the anterior silk gland of the silkworm, *Bombyx mori*," Insect Molecular Biology, Vol. 15, No. 3, June 2006, pp. 281-292.
- [138] Schubiger, M., Wade, A.A., Carney, G.E., Truman, J.W., and Bender, M., "Drosophila EcR-B ecdysone receptor isoforms are required for larval molting and for neuron remodeling during metamorphosis," Development, Vol. 125, No. 11, June 1998, pp. 2053-2062.

- [139] Shingleton, A.W., Sisk G.C., and Stern D.L., "Diapause in the pea aphid (Acyrthosiphon pisum) is a slowing but not a cessation of development," Developmental Biology, Vol. 3, No. 7, August 2003, pp. 1-12.
- [140] Shiomi, K., Ishida, Y., Ikeda, M., Sato, Y., Saito, H., Imai, K., Isobe, M., and Yamashita, O., "Induction of nondiapause eggs by injection of anti-diapause hormone rabbit serum into the diapause type of the silkworm, *Bombyx mori*," Journal of Insect Physiology, Vol. 40, No. 8, August 1994, pp. 693-699.
- [141] Siaussat, D., Bozzolan, F., Queguiner, I., Porcheron, P., and Debernard, S., "Effects of juvenile hormone on 20-hydroxyecdysone-inducible *EcR*, *HR3*, *E75* gene expression in imaginal wing cells of *Plodia interpunctella* lepidoptera. European Journal of Biochemistry, Vol. 271, No. 14, July 2004, pp. 3017-3027.
- [142] Singtripop, T., Manaboon, M., Tatun, N., Kaneko, Y., and Sakurai, S., "Hormonal mechanisms underlying termination of larval diapause by juvenile hormone in the bamboo borer, *Omphisa fuscidentalis*," Journal of Insect Physiology, Vol. 54, No. 1, January 2008, pp. 137-145.
- [143] Singtripop, T., Oda, Y., Wanichacheewa, S., and Sakurai, S., "Sensitivities to juvenile hormone and ecdysteroid in the diapause larvae of *Omphisa fuscidentalis* based on the hemolymph trehalose dynamics index," Journal of Insect Physiology, Vol. 48, No. 8, August 2002b, pp. 817-824.
- [144] Singtripop, T., Tungjitwitayakul, J., and Sakurai, S., "Intensity of larval diapause in the bamboo borer, *Omphisa fuscidentalis*," Zoological Science, Vol. 19, No. 5, May 2002a, pp. 577-582.
- [145] Singtripop, T., Wanichacheewa, S., and Sakurai, S., "Juvenile hormonemediated termination of larval diapause in the bamboo borer, *Omphisa fuscidentalis*," Insect Biochemistry and Molecular Biology, Vol. 30, No. 8-9, August-September 2000, pp. 847-854.

- [146] Singtripop, T., Wanichacheewa, S., Tsuzuki, S., and Sakurai, S., "Larval growth and diapause in a tropical moth, *Omphisa fuscidentalis* Hampson," Zoological Science, Vol. 16, No. 5, October 1999, pp. 725-733.
- [147] Soller, M., Bownes, M., and Kubli, E., "Control of oocyte maturation in sexually mature *Drosophila* females," Developmental Biology, Vol. 208, No. 2, April 1999, pp. 337-351.
- [148] Song, Q. and Gilbert, L.I., "Alterations in ultraspiracle (USP) content and phosphorylation state accompany feedback regulation of ecdysone synthesis in the insect prothoracic gland," Insect Biochemistry and Molecular Biology, Vol. 28, No. 11, November 1998, pp. 849-860.
- [149] Stone, B.L. and Thummel, C.S., "The *Drosophila* 78C early late puff contains E78, an ecdysone-inducible gene that encodes a novel member of the nuclear hormone receptor superfamily," Cell, Vol. 75, No. 2, October 1993, pp. 307-320.
- [150] Su, Z.H., Ikeda, M., Sato, Y., Saito, H., Imai, K., Isobe, M., and Yamashita, O., "Molecular characterization of ovary trehalase of the silkworm, *Bombyx mori* and its transcriptional activation by diapause hormone," Biochimica et Biophysica Acta, Vol. 1218, No. 3, August 1994, pp. 366-374.
- [151] Suang, S., Manaboon, M., Chantawannakul, P., Singtripop, T., Hiruma, K., and Kaneko, Y., "Molecular cloning, developmental expression and tissue distribution of diapause hormone and pheromone biosynthesis activating neuropeptide in the bamboo borer *Omphisa fuscidentalis*," Physiological Entomology, Vol. 40, No. 3, September 2015, pp. 247-256.
- [152] Suzuki, M.G., Imanishi, S., Dohmae, N., Nishimura, T., Shimada, T., and Matsumoto, S., "Establishment of a novel *in vivo* sex-specific splicing assay system to identify a *trans*-acting factor that negatively regulates splicing of *Bombyx mori dsx* female exons," Molecular and Cellular Biology, Vol. 28, No. 1, January 2008, pp. 333-343.

- [153] Swevers, L., Eystathioy, T., and Iatrou, K., "The orphan nuclear receptors BmE75A and BmE75C of the silkmoth *Bombyx mori*: hornmonal control and ovarian expression," Insect Biochemistry and Molecular Biology, Vol. 32, No. 12, December 2002, pp. 1643-1652.
- [154] Tachibana, S.I. and Numata, H., "Parental and direct effects of photoperiod and temperature on the induction of larval diapause in the blow fly *Lucilia sericata*," Physiological Entomology, Vol. 29, No. 1, February 2004, pp. 39-44.
- [155] Talbot, W.S., Swyryd, E.A., and Hogness, D.S., "Drosophila tissues with different metamorphic responses to ecdysone express different ecdysone receptor isoforms," Cell, Vol. 73, No. 7, July 1993, pp. 1323-1337.
- [156] Tauber, M.J. and Tauber, C.A., "Insect seasonality: diapause maintenance, termination, and postdiapause development," Annual Review of Entomology, Vol. 21, January 1976, pp. 81-107.
- [157] Tauber, M.J., Tauber, C.A., and Masaki, S., Seasonal Adaptations of Insects, Oxford University Press, 1986, ISBN: 978-0195036350.
- [158] Thomas, H.E., Stunnenberg, H.G., and Stewart, A.F., "Heterodimerization of the Drosophila ecdysone receptor with retinoid X receptor and ultraspiracle," Nature, Vol. 362, No. 6419, April 1993, pp. 471-475.
- [159] Thummel, C.S., "Puffs and gene regulation-Molecular insights into the Drosophila ecdysone regulatory hierarchy," Bioessays, Vol. 12, No. 12, December 1990, pp. 561-568.
- [160] Thummel, C.S., "Flies on steroids-Drosophila metamorphosis and the mechanisms of steroid hormone action," Trends in Genetics, Vol. 12, No. 8, August 1996, pp. 306-310.
- [161] Uehara, H., Senoh, Y., Yoneda, K., Kato, Y., and Shiomi, K., "An FXPRLamide neuropeptide induces seasonal reproductive polyphenism

underlying a life-history tradeoff in the tussock moth," PLoS ONE, Vol. 6, No. 8, August 2011, pp. e24213.

- [162] Uhlirova, M., Foy, B.D., Beaty, B.J., Olson, K.E., Riddiford, L.M., and Jindra, M., "Use of Sindbis virus-mediated RNA interference to demonstrate a conserved role of broad-complex in insect metamorphosis," Proceedings of the National Academy of Sciences of the United States of America, Vol. 100, No. 26, December 2003, pp. 15607-15612.
- [163] Umeya, Y., "On the experiments of ovarian transplantation and blood transfusions in silkworms, with special reference to the alternation of voltinism (*Bombyx mori* L.)," The Japanese Journal of Genetics, Vol. 3, No. 4, 1926, pp. 155-182.
- [164] Urness, L.D., and Thummel, C.S., "Molecular analysis of a steroid-induced regulatory hierarchy: The *Drosophila* E74A protein directly regulates L71-6 transcription," The EMBO Journal, Vol. 14, No. 24, December 1995, pp. 6239-6246.
- [165] Vinogradova, E.B., "The pattern of reactivation of diapausing larvae in the blowfly, *Calliphora vicina*," Journal of Insect Physiology, Vol. 20, No. 12, December 1974, pp. 2487-2496.
- [166] Von Heijne, G., "Signal sequences: the limits of variation," Journal of Molecular Biology, Vol. 184, No. 1, July 1985, pp. 99-105.
- [167] von Kalm, L., Crossgrove, K., Von Seggern, D., Guild, G.M., and Beckendorf, S.K., "The Broad-Complex directly controls a tissue-specific response to the steroid hormone ecdysone at the onset of *Drosophila* metamorphosis. The EMBO Journal, Vol. 13, No. 15, August 1994, pp. 3505-3516.
- [168] Wang, S., Baumann, A., and Wilson, T.G., "Drosophila melanogaster Methoprene tolerant (Met) gene homologs from three mosquito species:

Members of PAS transcriptional factor family," Journal of Insect Physiology, Vol. 53, No. 3, March 2007, pp. 246-253.

- [169] Wang, H.B., Moriyama, M., Iwanaga, M., and Kawasaki, H., "Ecdysone directly and indirectly regulates a cuticle protein gene, *BMWCP10*, in the wing disc of *Bombyx mori*," Insect Biochemistry and Molecular Biology, Vol. 40, No. 6, June 2010, pp. 453-459.
- [170] Wei, X.T., Xue, F.S., and Li, A.Q., "Photoperiodic clock of diapause induction in *Pseudopidorus fasciata* (Lepidoptera: Zygaenidae)," Journal of Insect Physiology, Vol. 47, No. 12, December 2001, pp. 1367-1375.
- [171] Wei, Z.J., Zhang, T.Y., Sun, J.S., Xu, A.Y., Xu, W.H., and Denlinger, D.L., "Molecular cloning, developmental expression and tissue distribution of the gene encoding DH, PBAN and other FXPRL neuropeptides in *Samia cynthia ricini*," Journal of Insect Physiology, Vol. 50, No. 12, December 2004, pp. 1151-1161.
- [172] White, K.P., Hurban, P., Watanabe, T., and Hogness, D.S., "Coordination of *Drosophila* metamorphosis by two ecdysone-induced nuclear receptors," Science, Vol. 276, No. 5309, April 1997, pp. 114-117.
- [173] Williams, C.M., "Physiology of insect diapause: the role of the brain in the production and termination of pupal dormancy in the giant silkworm, *platysamia cecropia*," Biological Bulletin, Vol. 90, No. 3, June 1946, pp. 234-243.
- [174] Willis, D.K., Wang, J., Lindholm, J.R., Orth, A., and Goodman, W.G., "Microarray analysis of juvenile hormone response in *Drosophila melanogaster* S2 cells," Journal of Insect Science, Vol. 10, No. 66, June 2010, pp. 1-14.
- [175] Wilson, T.G. and Ashok, M., "Insecticide resistance resulting from an absence of target site gene product," Proceedings of the National Academy

of Sciences of the United States of America, Vol. 95, No. 24, November 1998, pp. 14040-14044.

- [176] Xiang, Y., Liu, Z., and Huang, X., "br regulates the expression of the ecdysone biosynthesis gene npc1," Developmental Biology, Vol. 344, No. 2, August 2010, pp. 800-808.
- [177] Xu, J., Su, J.Y., Shen, J.L., and Xu, W.H., "Cloning and expression of the gene encoding the diapause hormone and pheromone biosynthesis activating neuropeptide of the beet armyworm, *Spodoptera exigua*. DNA Sequencing, Vol. 18, No. 2, April 2007, pp. 145-151.
- [178] Xu, W.H. and Denlinger, D.L., "Molecular characterization of prothoracicotropic hormone and diapause hormone in *Heliothis virescens* during diapause, and a new role for diapause hormone," Insect Molecular Biology, Vol. 12, No. 5, October 2003. pp. 509-516.
- [179] Xu, W.H. and Denlinger, D.L., "Identification of a cDNA encoding DH, PBAN and other FXPRL neuropeptides from the tobacco hornworm, *Manduca sexta*, and expression associated with pupal diapause," Peptides, Vol. 25, No. 7, July 2004, pp. 1099-1106.
- [180] Xu, W.H., Sato, Y., Ikeda, M., and Yamashita, O., "Stage-dependent and temperature-controlled expression of the gene encoding the precursor protein of diapause hormone and pheromone biosynthesis activating neuropeptide in the silkworm, *Bombyx mori*," Journal of Biological Chemistry, Vol. 270, No. 8, February 1995, pp. 3804-8.
- [181] Xue F.S. and Kallenborn H.G., "Control of summer and winter diapause in *Pidorus euchromioides* (Lepidoptera: Zygaenidae) on Chinese sweetleaf *Symplocos chinensis*," Bulletin of Entomological Research, Vol. 88, No. 2, April 1998, pp. 207-211.

- [182] Yamanaka, N., Rewitz, K.F., and O'Connor, M.B., "Ecdysone control of developmental transitions: lessons from *Drosophila* research," Annual Review of Entomology, Vol. 58, October 2013, pp. 497-516.
- [183] Yamashita, O., "Diapause hormone of the silkworm, *Bombyx mori*: structure, gene expression and function," Journal of Insect Physiology, Vol. 42, No. 7, July 1996, pp. 669-679.
- [184] Yamashita, O. and Hasegawa, K., *Embryonic diapause*, In: Comparative Insect Physiology, Biochemistry and Pharmacology, Ed. by G.A. Kerkut and L.I. Gilbert, Pergamon Press, Oxford, 1985, pp. 407-434.
- [185] Yamashita, O. and Suzuki, K., Roles of morphogenic hormone in embryonic diapause, In: Morphogenic Hormones in Arthropods, Ed. by A.P. Gupta, Rutger University Press, New Brunswick, 1991, pp. 82-128.
- [186] Yao, T.P., Forman, B.M., Jiang, Z., Cherbas, L., Chen, J.D., McKeown, M., Cherbas, P., and Evans, R.M., "Functional ecdysone receptor is the product of EcR and Ultraspiracle genes," Nature, Vol. 366, No. 6454, December 1993, pp. 476-479.
- [187] Yin, C.M. and Chippendale, G.M., "Juvenile hormone regulation of the larval diapause of the Southwestern corn borer, *Diatraea grandiosella*," Journal of Insect Physiology, Vol. 19, No. 12, December 1973, pp. 2403-2420
- [188] Zelhof, A.C., Yao, T.P., Chen, J.D., Evans, R.M., and McKeown, M.,
 "Seven-up inhibits ultraspiracle-based signaling pathways *in vitro* and *in vivo*," Molecular and Cellular Biology, Vol. 15, No. 12, December 1995, pp. 6736–6745.
- [189] Zhang, T.Y., Sun, J.S., Zhang, L.B., Shen, J.L., and Xu, W.H., "Cloning and expression of the cDNA encoding the FXPRL family of peptides and a functional analysis of their effect on breaking pupal diapause in *Helicoverpa*

armigera," Journal of Insect Physiology, Vol. 50, No. 1, January 2004a, pp. 25-33.

- [190] Zhang, T.Y., Sun, J.S., Zhang, Q.R., Xu, J., Jiang, R.J., and Xu, W.H., "The diapause hormone-pheromone biosynthesis activating neuropeptide gene of *Helicoverpa armigera* encodes multiple peptides that break, rather than induce, diapause," Journal of Insect Physiology, Vol. 50, No. 6, June 2004b, pp. 547-554.
- [191] Zhang, Z., Xu, J., Sheng, Z., Sui, Y., and Palli, S.R., "Steroid receptor coactivator is required for juvenile hormone signal transduction through a bHLH-PAS transcription factor, methoprene tolerant," The Journal of Biological Chemistry, Vol. 286, No. 10, March 2011, pp. 8437-8447.
- [192] Zhao, J.Y., Xu, W.H., and Kang, L., "Functional analysis of the SGNP I in the pupal diapause of the oriental tobacco budworm, *Helicoverpa assulta* (Lepidoptera: Noctuidae)," Regulatory Peptides, Vol. 118, No. 1-2, April 2004, pp. 25-31.
- [193] Zhou, B., Hiruma, K., Jindra, M., Shinoda, T., Segraves, W.A., Malone, F., and Riddiford, L.M., "Regulation of the transcription factor E75 by 20hydroxyecdysone and juvenile hormone in the epidermis of the tobacco hornworm, *Manduca sexta*, during larval molting and metamorphosis," Developmental Biology, Vol. 193, No. 2, January 1998a, pp. 127-138.
- [194] Zhou, B., Hiruma, K., Shinoda, T., and Riddiford, L.M., "Juvenile hormone prevents ecysteroid-induced expression of Broad-complex RNA in the epidermis of the tobacco hornworm, *Manduca sexta*," Developmental Biology, Vol. 203, No. 2, November 1998b, pp. 233-244.
- [195] Zhou, X. and Riddiford, L.M., "Hormonal Regulation and Patterning of the Broad-Complex in the Epidermis and Wing Discs of the Tobacco Hornworm, *Manduca sexta*," Developmental Biology, Vol. 231, No. 1, March 2001, pp. 125-137.

- [196] Zhou, X. and Riddiford, L.M., "Broad specifies pupal development and mediates the 'status quo' action of juvenile hormone on the pupal-adult transformation in *Drosophila* and *Manduca*," Development, Vol. 129, No. 9, May 2002, pp. 2259-2269.
- [197] Zhou, X., Zhou, B., Truman, J.W., and Riddiford, L.M., "Overexpression of broad: A new insight into its role in the *Drosophila* prothoracic gland cells," The Journal of Experimental Biology, Vol. 207, No. 7, March 2004, pp. 1151-1161.
- [198] Zhu, J., Busche, J.M., and Zhang, X., "Identification of juvenile hormone target genes in the adult female mosquitoes. Insect Biochemistry and Molecular Biology, Vol. 40, No. 1, January 2010, pp. 23-29.
- [199] Zoglowek, A., Orlowski, M., Pakula, S., Dutko-Gwozdz, J., Pajdzik, D., Gwozdz, T., Rymarczyk, G., Wieczorek, E., Dobrucki, J., Dobryszycki, P., and Ożyhar, A., "The composite nature of the interaction between nuclear receptors EcR and DHR38," Biological Chemistry, Vol. 393, No. 6, May 2012, pp. 457-471.
- [200] Zollman, S., Godt, D., Prive, G.G., Couderc, J.L., and Laski, F.A., "The BTB domain, found primarily in zinc finger proteins, defines an evolutionarily conserved family that includes several developmentally regulated genes in *Drosophila*," Proceedings of the National Academy of Sciences of the United States of America, Vol. 91, No. 22, October 1994, pp. 10717-10721.
- [201] Zou, Z., Saha, T.T., Roy, S., Shin, S.W., Backman, T.W., Girke, T., White, K.P., and Raikhel, A.S., "Juvenile hormone and its receptor, methoprenetolerant, control the dynamics of mosquito gene expression," Proceedings of the National Academy of Sciences of the United States of America, Vol. 110, No., 2013, pp. 2173-2181.

LIST OF PUBLICATIONS

 Suang, S., Manaboon, M., Chantawannakul, P., Singtripop, T., Hiruma, K., and Kaneko, Y., "Molecular cloning, developmental expression and tissue distribution of diapause hormone and pheromone biosynthesis activating neuropeptide in the bamboo borer *Omphisa fuscidentalis*," Physiological Entomology, Vol. 40, No. 3, September 2015, pp. 247-256.



Copyright[©] by Chiang Mai University All rights reserved