

REFERENCE

- [Andreosso *et al.*, 2014] Andreosso A, Smout MJ, Seymour JE. 2014. Dose and time dependence of box jellyfish antivenom. *The journal of venomous animals and toxins including tropical diseases* 20: 34
- [Barber *et al.*, 2000] Barber PH, Palumbi SR, Erdmann MV, Moosa MK.. Biogeography. A marine Wallace's line? *Nature*. 2000.406: 692-693
- [Bentlage *et al.*, 2009a] Bentlage B, Cartwright P, Yanagihara AA, Lewis C, Richards GS, Collins AG. 2009. Evolution of box jellyfish (Cnidaria: Cubozoa), a group of highly toxic invertebrates. *Proceedings. Biological sciences / The Royal Society* 277: 493-501
- [Bentlage and Lewis, 2012] Bentlage B, Lewis C. 2012. An illustrated key and synopsis of the families and genera of carybdeid box jellyfishes (Cnidaria: Cubozoa: Carybdeida), with emphasis on the “Irukandji family”(Carukiidae). *Journal of Natural History* 46: 2595-2620
- [Bentlage *et al.*, 2009b] Bentlage B, Peterson AT, Cartwright P. 2009. Inferring distributions of chirodropid box-jellyfishes (Cnidaria: Cubozoa) in geographic and ecological space using ecological niche modeling. *Mar Ecol Prog Ser* 384: 121-133
- [Brinkman *et al.*, 2014] Brinkman DL, Konstantakopoulos N, McInerney BV, Mulvenna J, Seymour JE, et al. 2014. *Chironex fleckeri* (Box Jellyfish) venom proteins expansion of a Cnidarian toxin family that elicits variable cytolytic and cardiovascular effects. *Journal of Biological Chemistry*

289: 4798-4812

- [Bucklin, 2011] Bucklin A, Steinke D, Blanco-Bercial L. 2011. DNA barcoding of marine metazoa. *Ann Rev Mar Sci* 3: 471-508
- [Campbell and Reece 2002] Campbell NA, Reece JB. 2002. Biology, Sixth Edition. Benjamin Cummings: 1250
- [Chan *et al.*, 2014] Chan A, Chiang LP, Hapuarachchi HC, Tan CH, Pang SC, Lee R, Lee KS, Ng LC, Lam-Phua SG. 2014. DNA barcoding: complementing morphological identification of mosquito species in Singapore. *Parasit Vectors* 7: 569
- [Clarridge, 2004] Clarridge JE, 3rd. 2004. Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious diseases. *Clin Microbiol Rev* 17: 840-862
- [Coates, 2003] Coates MM. 2003. Visual ecology and functional morphology of cubozoa (cnidaria). *Integr Comp Biol* 43: 542-548
- [Crego-Prieto *et al.*, 2015] Crego-Prieto V, Ardura A, Juanes F, Roca A, Taylor JS, Garcia-Vazquez E. 2015. Aquaculture and the spread of introduced mussel genes in British Columbia. *Biological Invasions* 17: 2011-26
- [Crow *et al.*, 2015] Crow GL, ChIavEraNo LM, CrITES J, Khramov MA, Holland BS. 2015. Box Jellyfish (Cubozoa: Carybdeida) in Hawaiian Waters, and the First Record of Tripedalia cystophora in Hawai ‘i. *Lucius G. Eldredge III Memorial Volume: Tribute to a Polymath*: 93
- [Currie, 2003] Currie BJ. 2003. Marine antivenoms. *Journal of toxicology. Clinical toxicology* 41: 301-308

- [Currie and Jacups, 2005] Currie BJ, Jacups SP. 2005. Prospective study of Chironex fleckeri and other box jellyfish stings in the "Top End" of Australia's Northern Territory. Medical Journal of Australia 183: 631-636
- [Daly *et al.*, 2007] Daly M, Brugler MR, Cartwright P, Collins AG, Dawson MN, Fautin DG, France SC, McFadden CS, Opresko DM, Rodriguez E, Romano SL & JL StakeThe phylum Cnidaria: A review of phylogenetic patterns and diversity 300 years after Linnaeus. Zootaxa 1668: 127-182
- [DMCR, 2012] DMCR (Department of Marine and Coastal Resources). 2012. Marine and coastal resources status from 2007-2011. pp. 185. Bangkok: Department of Marine and Coastal Resources.
- [Fenner *et al.*, 1996] Fenner P, Williamson J, Burnett J. 1996. Clinical aspects of envenomation by marine animals. Toxicon 34(2): 141-283
- [Fenner, 2005] Fenner PJ. 2005. Dangerous Australian box jellyfish. SPUMS J. 35: 76-83
- [Fenner and Lippmann, 2009] Fenner PJ, Lippmann J. 2009. Severe Irukandji-like jellyfish stings in Thai waters. Diving and hyperbaric medicine 39: 175-177
- [Fenner *et al.*, 2010] Fenner PJ, Lippmann J, Gershwin LA. 2010. Fatal and nonfatal severe jellyfish stings in Thai waters. J Travel Med 17: 133-138
- [Fossette *et al.*, 2015] Fossette S, Gleiss AC, Chalumeau J, Bastian T, Armstrong CD, et al. 2015. Current-oriented swimming by jellyfish and its role in bloom maintenance. Current Biology 25: 342-47

- [Garm *et al.*, 2011] Garm A, Oskarsson M, Nilsson D-E. 2011. Box jellyfish use terrestrial visual cues for navigation. *Current Biology* 21: 798-803
- [Geller *et al.*, 2013] Geller J, Meyer C, Parker M, Hawk H. 2013. Redesign of PCR primers for mitochondrial cytochrome c oxidase subunit I for marine invertebrates and application in all-taxa biotic surveys. *Mol Ecol Resour* 13: 851-861
- [Gershwin, 2001] Gershwin LA. 2001. Systematics and biogeography of the jellyfish *Aurelia labiata* (Cnidaria: Scyphozoa). *Biol Bull* 201: 104-119
- [Gershwin, 2005a] Gershwin LA. 2005a. *Carybdea alata* auct. and *Manokia stiasnyi*, reclassification to a new family with description of a new genus and two new species. *Memoirs of the Queensland Museum* 51: 501-523
- [Gershwin, 2005b] Gershwin LA. 2005b. Taxonomy and phylogeny of Australian Cubozoa. James Cook University. 202 pp
- [Gershwin, 2005c] Gershwin LA. 2005c. Two new species of jellyfishes (Cnidaria: Cubozoa : Carybdeida) from tropical western Australia, presumed to cause Irukandji syndrome. *Zootaxa* 1084: 1-30
- [Gershwin and Alderslade, 2006] Gershwin LA, Alderslade P. 2006. 'Chiropsella bart'n. Sp., a new box jellyfish (Cnidaria: Cubozoa: Chirodropida) from the Northern Territory, Australia. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory* 22: 15- 21
- [Gershwin and Ekins, 2015] Gershwin LA, Ekins M. 2015. A new pygmy species of box jellyfish (Cubozoa: Chirodropida) from sub-tropical Australia. *Marine Biodiversity Records* 8: e111

- [Gershwin, 2014] Gershwin L. 2014. Two new species of box jellies (Cnidaria: Cubozoa: Carybdeida) from the central coast of Western Australia, both presumed to cause Irukandji Syndrome. Records of the Western Australian Museum 29: 10-19
- [Gershwin, 2006] Gershwin LA. 2006. Comments on Chiropsalmus (Cnidaria: Cubozoa : Chirodropida): a preliminary revision of the Chiropsalmidae, with descriptions of two new genera and two new species. Zootaxa 1231: 1-42
- [Hartwick, 1991] Hartwick R. 1991. Distributional ecology and behaviour of the early life stages of the box-jellyfish *Chironex fleckeri* in Coelenterate Biology: Recent Research on Cnidaria and Ctenophora. Springer. 181-188
- [Hamner *et al.*, 1995] Hamner W, Jones M, Hamner P. 1995. Swimming, feeding, circulation and vision in the Australian box jellyfish, *Chironex fleckeri* (Cnidaria: Cubozoa). Marine and Freshwater Research 46: 985-90
- [Hebert *et al.*, 2003] Hebert PD, Cywinska A, Ball SL. 2003. Biological identifications through DNA barcodes. Proceedings of the Royal Society of London B: Biological Sciences 270: 313-321
- [Hickman, 2011] Hickman CP. 2011. Integrated principles of zoology. New York, NY: McGraw-Hill.
- [Holst and Laakmann, 2013] Holst S, Laakmann S. 2013. Morphological and molecular discrimination of two closely related jellyfish species, *Cyanea capillata* and *C. lamarckii* (Cnidaria, Scyphozoa), from the northeast Atlantic. Journal of plankton research. 36(1): 48-63

- [Hubert and Hanner, 2015] Hubert N, Hanner R. 2015. DNA Barcoding, species delineation and taxonomy: a historical perspective. *DNA Barcodes* 3: 44-58
- [Jouiae *et al.*, 2015] Jouiae M, Yanagihara AA, Madio B, Nevalainen TJ, Alewood PF, Fry BG. 2015. Ancient venom systems: a review on Cnidaria toxins. *Toxins* 7: 2251-2271
- [Kahn *et al.*, 2010] Kahn AS, Matsumoto GI, Hirano YM, Collins AG. 2010. *Haliclystus californiensis*, a “new” species of stauromedusa (Cnidaria: Staurozoa) from the northeast Pacific, with a key to the species of *Haliclystus*. *Zootaxa* 2518: 49-59
- [Keesing *et al.*, 2016] Keesing JK, Strzelecki J, Stowar M, Wakeford M, Miller KJ, Gershwin LA, Liu D. 2016. Abundant box jellyfish, *Chironex* sp (Cnidaria: Cubozoa: Chirodropidae), discovered at depths of over 50 m on western Australian coastal reefs. *Scientific Reports* 6: 22290
- [Kingsford and Mooney, 2014] Kingsford MJ, Mooney CJ. 2014. The ecology of box jellyfishes (Cubozoa). In *Jellyfish Blooms*. Springer. 267-302
- [Kramp, 1961] Kramp PL. 1961. Synopsis of the medusae of the world. *Journal of the marine biological Association of the United Kingdom* 40: 7-382
- [Kumaralingam and Venkateswaran, 2013] Kumaralingam S, Venkateswaran K. 2013. Hemolytic Assay of Jellyfish Venom (*Chiropsalmus Quadrigatus* Haeckel, 1880 against Chicken Blood. *International Journal of Advanced Research* 1: 327-331

- [Laakmann and Holst, 2014] Laakmann S, Holst S. 2014. Emphasizing the diversity of North Sea hydromedusae by combined morphological and molecular methods. *Journal of plankton research* 36: 64-76
- [Laurito *et al.*, 2013] Laurito M, de Oliveira TMP, Almiron WR, Sallum MAM. 2013. COI barcode versus morphological identification of *Culex* (*Culex*) (Diptera: Culicidae) species: a case study using samples from Argentina and Brazil. *Memorias Do Instituto Oswaldo Cruz* 108: 110-122
- [Lewis and Bentlage, 2009] Lewis C, Bentlage B. 2009. Clarifying the identity of the Japanese Habu-kurage, *Chironex yamaguchii*, sp. nov. (Cnidaria: Cubozoa: Chirodropida). *Zootaxa* 2030: 59-65
- [Lindsay *et al.*, 2015] Lindsay DJ, Grossmann MM, Nishikawa J, Bentlage B, Collins, AG. 2015. DNA barcoding of pelagic cnidarians: current status and future prospects. *Bulletin of the Plankton Society of Japan* 62(1): 39-43
- [Mayer, 1910] Mayer A. 1910. Medusae of the World. Volume III. The Scyphomedusae. Carnegie Institution of Washington, Washington DC. 735 pp
- [MCRDI, 2015] MCRDI (Marine and Coastal Research and Development Institute). 2015. Handbook of jellyfish diversity in Thai waters. Department of Marine and Coastal Resources: 127 pp
- [Mooney and Kingsford, 2012] Mooney C, Kingsford M. 2012. Sources and movements of *Chironex fleckeri* medusae using statolith elemental chemistry. *Hydrobiologia* 690: 269-77
- [Mooney and Kingsford, 2014] Mooney CJ, Kingsford MJ. 2016. The influence of salinity on box jellyfish (*Chironex fleckeri*, Cubozoa) statolith elemental chemistry. *Marine Biology* 163: 1-13

- [Patwardhan *et al.*, 2014] Patwardhan A, Ray S, Roy A. 2014. Molecular Markers in Phylogenetic Studies-A Review. *Journal of Phylogenetics & Evolutionary Biology*. 2: 2
- [Pinto *et al.*, 2000] Pinto S, Fernandes-Matioli F, Schlenz E. 2000. DNA extraction from sea anemone (Cnidaria: Actiniaria) tissues for molecular analyses. *Genetics and Molecular Biology* 23: 601-604
- [Piraino *et al.*, 2014] Piraino S, Aglieri G, Martell L, Mazzoldi C, Melli V, Milisenda G, Scorrano S, Boero F. 2014. *Pelagia benovici* sp. nov. (Cnidaria, Scyphozoa): a new jellyfish in the Mediterranean Sea. *Zootaxa* 3794: 455-468
- [Pontin and Cruickshank, 2012] Pontin D, Cruickshank R. 2012. Molecular phylogenetics of the genus *Physalia* (Cnidaria: Siphonophora) in New Zealand coastal waters reveals cryptic diversity. *Hydrobiologia* 686:91-105
- [Schwentner and Bosh, 2015] Schwentner M, Bosch TC. 2015. Revisiting the age, evolutionary history and species level diversity of the Genus *Hydra* (Cnidaria: Hydrozoa). *Mol Phylogenet Evol* 91: 41-55
- [Southcott, 1956] Southcott R. 1956. Studies on Australian Cubomedusae, including a new genus and species apparently harmful to man. *Marine and Freshwater Research* 7: 254-280
- [Stampar *et al.*, 2012] Stampar SN, Maronna MM, Vermeij MJ, Silveira FL, Morandini AC. 2012. Evolutionary diversification of banded tube-dwelling anemones (Cnidaria; Ceriantharia; Isarachnanthus) in the Atlantic Ocean. *PLoS One* 7: e41091

- [Sucharitakul, 2016] Sucharitakul P, Aungtonya C, Chomdej S. 2016. DNA Sequencing complements morphological identification of Chiropsoide from Nam Bor bay, Phuket, Thailand. Phuket mar. biol. Cent. Res. Bull 73: 7-14
- [Taylor, 1998] Taylor LR. 1998. Jellyfish. Lerner Publications Company. MN. U.S.A. 49 pp
- [Thaikruea and Siriariyaporn, 2015] Thaikruea L, Siriariyaporn P. 2015. Severe Dermatonecrotic Toxin and Wound Complications Associated With Box Jellyfish Stings 2008-2013. Journal of wound, ostomy, and continence nursing : official publication of The Wound, Ostomy and Continence Nurses Society / WOCN 42: 599-604
- [Thaikruea and Siriariyaporn, 2016] Thaikruea L, Siriariyaporn P. 2016. The magnitude of severe box jellyfish cases on Koh Samui and Koh Pha-ngan in the Gulf of Thailand. BMC Res Notes 9: 108
- [Thaikruea *et al.*, 2015] Thaikruea L, Siriariyaporn P, Wutthanarungsan R, Smithsuwan P. 2015. Review of fatal and severe cases of box jellyfish envenomation in Thailand. Asia-Pacific journal of public health / Asia-Pacific Academic Consortium for Public Health. 27: NP1639-1651
- [Tibballs, 2006] Tibballs J. 2006. Australian venomous jellyfish, envenomation syndromes, toxins and therapy. Toxicon 48: 830-859
- [Toshino, 2015] Toshino S, Miyake H, Shibata H. 2015. Meteorona kishinouyei, a new family, genus and species (Cnidaria, Cubozoa, Chirodropida) from Japanese Waters. Zookeys: 1-21

- [Van Ofwegen, 2014] Van Ofwegen LP, Aurelle D, Sartoretto S. 2014. A new genus of soft coral (Cnidaria, Octocorallia) from the Republic of Congo (Pointe-Noire Region). Zookeys: 1-10
- [Williamson *et al.*, 1996] Williamson JA, Burnett JW, Fenner PJ, Rifkin JF. 1996. Venomous and poisonous marine animals: a medical and biological handbook. UNSW Press.
- [Yanagihara *et al.*, 2016] Yanagihara AA, Wilcox C, King R, Hurwitz K, Castelfranco AM. 2016. Experimental Assays to Assess the Efficacy of Vinegar and Other Topical First-Aid Approaches on Cubozoan (*Alatina alata*) Tentacle Firing and Venom Toxicity. Toxins (Basel) 8: 19
- [Young and Hagadorn, 2010] Young GA, Hagadorn JW. 2010. The fossil record of cnidarian medusae. Palaeoworld 19: 212-221
- [Zhang, 2011] Zhang ZQ. 2011. Animal biodiversity: an outline of higher-level classification and survey of taxonomic richness. Magnolia press.
- [Zheng *et al.*, 2014] Zheng L, He J, Lin Y, Cao W, Zhang W. 2014. 16S rRNA is a better choice than COI for DNA barcoding hydrozoans in the coastal waters of China. Acta Oceanologica Sinica 33: 55-76