

REFERENCES

- Al-Shagdari, A., Alarcón, A. B., Cuesta-Rubio, O., Piccinelli, A. L., Rastrelli, L., 2013. Biflavonoids, main constituents from *Garcinia bakeriana* leaves. *Natural Product Communications* 8, 1237-1240.
- Anantachock, N., Tuchinda, P., Kuhukarn, C., Pohmakotr, M., Reutraul, V., 2012. Prenylated caged xanthenes: Chemistry and biology. *Pharmaceutical Biology* 50, 78-91.
- Auranwiwat, C., Trisuwan, K., Saiai, A., Pyne, S. G., Ritthiwigrom, T., 2014. Antibacterial tetraoxygenated xanthenes from immature fruits of *Garcinia cowa*. *Fitoterapia* 98, 179-183.
- Carbonezi, C. A., Hamerski, L., Leslie Guantilaka, A. A., Cavaleiro, A., Castro-Gamboa, I., Silva, D. H. S., Furlan, M., Young, M. C. M., Lopes, M. N., Bolzani, V. D. S., 2007. Bioactive flavone dimers from *Ouratea multiflora* (Ochnaceae). *Revista Brasileira de Farmacognosia* 17, 319-324.
- CLSI, 2012. Methods for dillution antimicrobial susceptibility tests for bacteria that grow aerobically, Approve Standard-Ninth Edition M07-A9. Wayne, PA: Clinical and Laboratory Standard Institute.
- Deng, Y. -X., Guo, T., Shao, Z. -Y., Xie, H., Pan, S. -L., 2013. Three new xanthenes from the resin of *Garcinia hanburyi*. *Planta Medica* 79, 792-796.
- Ee, G. C. L., See, I., Teh, S. S., Daud, S., 2014. A new furanoxanthone from *Garcinia mangostana*. *Journal of Asian Natural Products Research* 16, 790-794.
- Efdi, M., Itoh, T., Akao, Y., Nozawa, Y., Koketsu, M., Ishihara, H., 2007. The isolation of secondary metabolites and *in vitro* potent anti-cancer activity of clerodermic acid from *Enicosanthum membranifolium*. *Bioorganic & Medicinal Chemistry* 15, 3667-3671.

Fromentin, Y., Grellier, P., Wansi, J. D., Lallemand, M.-C., Buisson, D., 2012. Yeast-mediated xanthone synthesis through oxidative intramolecular cyclization. *Organic Letters* 14, 5054-5057.

Garcia Cortez, D. A., Young, M. C. M., Marston, A., Wolfender, J. -L., Hostettmann, K., 1998. Xanthonenes, triterpenes and a biphenyl from *Kielmeyera coriacea*. *Phytochemistry* 47, 1367-1374.

Hammami, S., Jannet, H. B., Bergaoui, A., Ciavatta, L., Cimino, G., Mighri, Z., 2004. Isolation and structure elucidation of a flavanone, a flavanone glycoside and vomifoliol from *Echiochilon fruticosum* growing in Tunisia. *Molecules* 9, 602-608.

Han, Q. -B., Yang, N. -Y., Tian, H. -L., Qiao, C. -F., Song, J. -Z., Chang, D. C., Chen, S. -L., Luo, K. Q., Xu, H. -X., 2008. Xanthonenes with growth inhibition against HeLa cells from *Garcinia xipshuanbannaensis*. *Phytochemistry* 69, 2187-2192.

Gottlieb, O. R., Mors, W. B., 1958. The chemistry of rosewood. II. Isolation and identification of cotoin and pinocembrin. *Journal of the American Chemical Society* 1958, 2263-2268.

Helesbeux, J. -J., Duval, O., Dartiguelongue, C., Séraphin, D., Oger, J. -M., Richomme, P. 2004. Synthesis of 2-hydroxy-3-methylbut-3-enyl substituted coumarins and xanthonenes as natural products. Application of the Schenck ene reaction of singlet oxygen with *ortho*-prenylphenol precursors. *Tetrahedron* 60, 2293-2300.

Iinuma, M., Ito, T., Tosa, H., Tanaka, T., Miyake, R., Chelladurai, V., 1997. Prenylated xanthonoids from *Calophyllum apetalum*. *Phytochemistry* 46, 1423-1429.

Ito, C., Miyamoto, Y., Rao, K. S., Furukawa, H., 1996. A novel dibenzofuran and two new xanthonenes from *Callophyllum paniculatum*. *Chemical and Pharmaceutical Bulletin* 44, 441-443.

- Ito, C., Miyamoto, Y., Nakayama, M., Kawai, Y., Rao, K. S., Furukawa, H., 1997. A novel depsidone and some new xanthenes from *Garcinia* species. *Chemical and Pharmaceutical Bulletin* 45, 1403-1413.
- Ito, C., Itoigawa, M., Miyamoto, Y., Onoda, S., Rao, K. S., Mukainaka, T., Tokuda, H., Nishino, H., Furukawa, H., 2003. Polyprenylated benzophenones from *Garcinia assigu* and their potential cancer chemopreventive activities. *Journal of Natural Products* 66, 206-209.
- Ito, C., Matsui, T., Noda, E., Ruangrunsi, N., Itoigawa, M., 2013. Biphenyl derivatives from *Garcinia schomburgkiana* and the cytotoxicity of the isolated compounds. *Natural Product Communications* 8, 1265-1267.
- Jamila, N., Khairuddean, M., Yaacob, N. S., Kamal, N. N. S. N. M., Osman, H., Khan, S. N., Khan, N., 2014. Cytotoxic benzophenone and triterpene from *Garcinia hombroniana*. *Bioorganic Chemistry* 54, 60-67.
- Jamila, N., Khan, N., Khan, I., Khan, A. A., Khan, S. N., 2016 A bioactive cycloartane triterpene from *Garcinia hombroniana*. *Natural Product Research* 30, 1388-1397.
- Kaennakam, S., Siripong, P., Tip-pyong, S., 2015. Kaennacoeanols A-C, three new xanthenes and their cytotoxicity from the roots of *Garcinia cowa*. *Fitoterapia* 102, 171-176.
- Locksley, H. D., Moore, I., Scheinma, F., 1966. Extractives from Guttiferae. Part II. The isolation and structure of four polyhydroxyxanthenes in *Symphonia globulifera* L. *Journal of the Chemical Society C: Organic*, 430-432.
- Mitasev, B., Porco, J. A., Jr, 2009. Manganese(III)-mediated transformations of phloroglucinols: A formal oxidative [4+2] cycloaddition leading to bicyclo[2.2.2]octadiones. *Organic Letters* 11, 2285-2288.
- Mohamed, G. A., Ibrahim, S. R. M., Shaaban, M. I. A., Ross, S. A., 2014. Mangostanaxanthenes I and II, new xanthenes from the pericarp of *Garcinia mangostana*. *Fitoterapia* 98, 215-221.

Moongkarndi, P., Kosem, N., Kaslungka, S., Luanratana, O., Pongpan, N., Neungton, N., 2004. Antiproliferation, antioxidation and induction of apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line. *Journal of Ethnopharmacology* 90, 161-166.

Mungmee, C., Sitthigool, S., Buakeaw, A., Suttisri, R., 2013. A new biphenyl and other constituents from the wood of *Garcinia schomburgkiana*. *Natural Product Research* 27, 1949-1955.

Na, Z., Xu, Y. -K., 2010. A new prenylated xanthone from *Garcinia xipshuanbannaensis*. *Natural Product Research* 24, 1648-1653.

Na, Z., Song, Q., Hu, H., 2013. A new prenylated xanthone from latex of *Garcinia cowa* Roxb. *Records of Natural Products* 7, 220-224.

Ngouela, S., Zelefact, F., Lenta, B. N., Ngouamegne, E. T., Tchamo, D. N., Tsamo, E., Connolly, J. D., 2005. Xanthenes and other constituents of *Allanblackia monticola* (Guttiferae). *Natural Product Research* 19, 685-688.

Nontakham, J., Charoenram, N., Upamai, W., Taweechoitipatr, M., Saksamrarn, S., 2014. Anti-*Helicobacter pylori* xanthenes of *Garcinia fusca*. *Archives of Pharmacal Research* 37, 972-977.

Peters, S., Schmidt, W., Beerhues L., 1998. Regioselective oxidative phenol couplings of 2,3',4,6-tetrahydroxybenzophenone in cell cultures of *Centaurium erythraea* RAFN and *Hypericum androsaemum* L. *Planta* 204, 64-69.

Ritthiwigrom, T., Laphookhieo, S., Pyne, S. G., 2013. Chemical constituents and biological activities of *Garcinia cowa* Roxb. *Maejo International Journal of Science and Technology* 7, 212-231.

Saelee, A., Phongpaichit, S., Mahabusarakam, W., 2015. A new prenylated biflavonoid from the leaves of *Garcinia dulcis*. *Natural Product Research* 20, 1884-1888.

See, I., Ee, G. C. L., Teh, S. S., Kadir, A. A., Daud, S., 2014. Two new chemical constituents from the stem bark of *Garcinia mangostana*. *Molecules* 19, 7308-7316.

Siridechakorn, I., Maneerarat, W., Sripisut, T., Ritthiwigrom, T., Cheenpracha, S., Laphookhieo, S., 2014. Biphenyl and xanthone derivatives from the twigs of a *Garcinia* sp. (Clusiaceae). *Phytochemistry Letters* 8, 77-80.

Schmidt, B., Jaroszewski, J. W., Bro R., Witt M., Staerk D., 2008. Combining PARAFAC analysis of HPLC-PDA profiles and structural characterization using HPLC-PDA-SPE-NMR-MS experiments: commercial preparations of St. John's Wort. *Analytical Chemistry* 80, 1978-1987.

Sriyatep, T., Maneerarat, W., Sripisut, T., Cheenpracha, S., Machan, T., Phakhodee, W., Laphookhieo, S., 2014. Cowabenzophenones A and B, two new tetracyclo [7.3.3.3^{3,11}.0^{3,7}]tetradecane-2,12,14-trione derivatives, from ripe fruits of *Garcinia cowa*. *Fitoterapia* 92, 285-289.

Sriyatep, T., Siridechakorn, I., Maneerarat, W., Pansanit, A., Ritthiwigrom, T., Anderson, R. J., Laphookhieo, S., 2015. Bioactive prenylated xanthenes from the young fruits and flowers of *Garcinia cowa*. *Journal of Natural Products* 78, 265-271.

Tan, W. -N., Khairuddean, M., Wong, K. -C., Khaw, K. -Y., Vikneswaran, M., 2014. New cholinesterase inhibitors from *Garcinia atroviridis*. *Fitoterapia* 97, 261-267.

Trisuwan, K., Rukachaisirikul, V., Phongpaichit, S., Hutadilok-Towatana, N., 2013. Tetraoxygenated xanthenes and bioflavonoids from the twigs of *Garcinia merguensis*. *Phytochemistry Letters* 6, 511-513.

Trisuwan, K., Boonyaketguson, S., Rukachaisirikul, V., Phongpaichit, S., 2014. Oxygenated xanthenes and bioflavonoids from the twigs of *Garcinia xanthochymus*. *Tetrahedron Letters* 55, 3600-3602.

Vo, H. T., Ngo, N. T. N., Bui, T. Q., Pham, H. D., Nguyen, L. -H. D., 2015. Geranylated tetraoxygenated xanthones from the pericarp of *Garcinia pedunculata*. *Phytochemistry Letters* 13, 119-122.

Wahyuni, F. S., Shaari, K., Stanslas, J., Lajis, N. H., Dachriyanus, 2015. Cytotoxic xanthones from the stem bark of *Garcinia cowa* Roxb. *Journal of Chemical and Pharmaceutical Resrarch* 7, 227-236.

Wang, H. -M., Liu, Q. -F., Zhao, Y. -W., Liu, S. -Z., Chen, Z. -H., Zhang, R. -J., Wang, Z. -Z., Xiao, W., Zhao, W. -M., 2014. Four new triterpenoids isolated from the resin of *Garcinia hanburyi*. *Journal of Asian Natural Products Research* 16, 20-28.

Wangchuk, P., Keller, P. A., Pyne, S. G., Taweechotipatr, M., Tonsomboon, A., Rattanajak, R., Kamchonwongpaisan, S., 2011. Evaluation of an ethnopharmacologically selected Bhutanese medicinal plants for their major classes of phytochemicals and biological activities. *Journal of Ethnopharmacology* 137, 730-732.

Xia, Z., Zhang, H., Xu, D., Lao, Y., Fu, W., Tan, H., Cao, P., Yang, L., Xu, H., 2015. Xanthones from the leaves of *Garcinia cowa* induce cell cycle arrest, apoptosis, and autophagy in cancer cell. *Molecules* 20, 11387-11399.

Xu, Z., Huang, L., Chen, X. -H., Zhu, X. -F., Qian, X. -J., Feng, G. -K., Lan, W. -J., Li, H.-J., 2014. Cytotoxic prenylated xanthones from the pericarps of *Garcinia mangostana*. *Molecules* 19, 1820-1827.

Yoshimura, M., Ninomiya, K., Tagashira, Y., Maejima, K., Yoshida, T., Amakura, Y., 2015. Polyphenolic constituents of the pericarp of mangosteen (*Garcinia mangostana* L.). *Journal of Agricultural and Food Chemistry* 63, 7670-7674.

Zhou, X., He, L., Wu, X., Zhong, Y., Zhang, J., Wang, Y., Wang, B., Xu, Z., Qiu, S., 2015. Two new xanthones from the pericarp of *Garcinia mangostana*. *Natural Product Research* 29, 19-23.

Zuo, J., Mao, K.-J., Yuan, F., Li, X., Chen, J.-W., 2014. Xanthones with anti-tumor activity isolated from *Securidaca inappendiculata*. *Medicinal Chemistry Research* 23, 4865-4871.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved