

REFERENCES

- Al-Taweel AM, Perveen S, El-Shafae AM, Fawzy GA, Malik A, Afza N, Iqbal L, Latif M. (2012) Bioactive phenolic amides from *Celtis africana*. *Molecules*, **17**, 2675–2682.
- BGO Plant Database, The Botanical Garden Organization. 2015, accessed on 19/01/15, http://www.qsbg.org/database/botanic_book%20full%20option/search_detail.asp?botanic_id=2574
- Blanchfield JT, Sands DPA, Kennard CHL, Byriel KA, Kitching W. (2003) Characterisation of alkaloids from some Australian *Stephania* (Menispermaceae) species, *Phytochemistry*, **63**, 711–720.
- Chanakul W, Tuchinda P, Anantachoke N, Pohmakotr M, Piyachaturawat P, Jariyawat S, Suksen K, Jaipetch T, Nuntasean N, Reutrakul V. (2011) Cytotoxic alkaloids from stems, leaves and twigs of *Dasymaschalon blumei*. *Fitoterapia*, **82**, 964–968.
- Changsen C, Franzblau SG, Palittapongarnpim P. (2003) Improved green fluorescent protein reporter gene-based microplate screening for antituberculosis compounds by utilizing an acetamidase promoter. *Antimicrobial Agents and Chemotherapy*, **47**, 3682–3687.
- Chaowasku T, Mols J, van der Ham RWJM. (2008) Pollen morphology of *Miliusa* and relatives (Annonaceae). *Grana*, **47**, 175–184.
- Chaowasku T, Kessler PJA. (2013) Seven new species of *Miliusa* (Annonaceae) from Thailand. *Nordic Journal of Botany*, **31**, 680–699.
- Chen B, Feng C, Li BG, Zhang GL. (2003) Two new alkaloids from *Miliusa cuneata*. *Natural Product Research*, **17**, 397–402.

- Cheng JJ, Tsai TH, Lin LC. (2012) New alkaloids and cytotoxic principles from *Sinomenium acutum*. *Planta Medica*, **78**, 1873–1877.
- Chia YC, Chang FR, Wu YC. (1998) Two *p*-quinonoid aporphine alkaloids from *Fissistigma balansae*. *Journal of Natural Products*, **61**, 1430–1432.
- Chia YC, Chang FR, Teng CM, Wu YC. (2000) Aristolactams and dioxoaporphines from *Fissistigma balansae* and *Fissistigma oldhamii*. *Journal of Natural Products*, **63**, 1160–1163.
- Chuakul W, Sornthornchareonon N. (2003) Ethnomedical uses of Thai Annonaceous plant. *Thai Journal of Phytopharmacy*, **10**, 25–32.
- Corredor Barinas JA, Cuca Suárez LE. (2011) Chemical constituents of *Talauma arcabucoana* (Magnoliaceae): their brine shrimp lethality and antimicrobial activity. *Natural Product Research*, **25**, 1497–1504.
- CLSI. (2002) *Reference method for dilution antimicrobial susceptibility test for bacteria that grow aerobically. Approved Standard M7-A4*. Wayne, PA: Clinical and Laboratory Standards Institute
- Dai DN, Huong LT, Thang TD, Ogunwande IA. (2014) Analysis of essential oil constituents of three *Dasymaschalon* species (Annonaceae) from Vietnam. *Natural Product Research*, **28**, 156–163.
- Davis AL, Cai Y, Davies AP, Lewis JR. (1996) ¹H and ¹³C NMR assignments of some green tea polyphenols. *Magnetic Resonance in Chemistry*, **34**, 887–890.
- Desai SJ, Prabhu BR, Mulchandani NB. (1988) Aristolactams and 4,5-dioxoaporphines from *Piper longum*. *Phytochemistry*, **27**, 1511–1515.
- Faizi S, Khan RA, Azher S, Khan SA, Tauseef S, Ahmad A. (2003) New antimicrobial alkaloids from the roots of *Polyalthia longifolia* var. *pendula*. *Planta Medica*, **69**, 350–355.

- Goto K, Kitasato Z. (1930) The constitution of sinactine (1-tetrahydroepiberberine). *Journal of the Chemical Society*, 1234–1237.
- Guo X, Wang J, Xue B, Thomas DC, Su YCF, Tan YH, Saunders RMK. (2014) Reassessing the taxonomic status of two enigmatic *Desmos* species (Annonaceae): Morphological and molecular phylogenetic support for a new genus, *Wangia*. *Journal of Systematics and Evolution*, **52**, 1–15.
- Gzella A, Chrzanowska M, Dreas A, Froelich A. (2006) (S)-(-)-2,3-Dimethoxy-8-oxoberberine. *Acta Crystallographica*, **E62**, o598–o600.
- Han SH, Lee HH, Lee IS, Moon YH, Woo ER. (2002) A new phenolic amide from *Lycium chinense* Miller. *Archives of Pharmacal Research*, **25**, 433–437.
- Higa M, Ohshiro T, Ogihara K, Yogi S. (1990) Flavonoid constituents of *Melicope triphylla* Merr. II. *Yakugaku Zasshi*, **110**, 822–827.
- Hongtong S, Kuhakarn C, Tuchinda P, Pohmakotr M, Jaipetch T, Reutrakul V. (2008) Alkaloids from the leaves and twigs of *Dasymaschalon sootepense*. 34th Congress on Science and Technology of Thailand.
- Huong DT, Kamperdick C, Sung TV. (2004) Homogentisic acid derivatives from *Miliusa balansae*. *Journal of Natural Products*, **67**, 445–447.
- Huong DT, Luong DV, Thao TTP, Sung TV. (2005) A new flavone and cytotoxic activity of flavonoid constituents isolated from *Miliusa balansae* (Annonaceae). *Pharmazie*, **60**, 627–629.
- Hunt L, Jordan M, De Jesus M, Wurm FM. (1999) GFP-expressing mammalian cells for fast, sensitive, noninvasive cell growth assessment in a kinetic mode. *Biotechnology and Bioengineering*, **65**, 201–205.
- Ingkaninan K, Phengpa P, Yuenyongsawad S, Khorana N. (2006) Acetylcholinesterase inhibitors from *Stephania venosa* tuber. *Journal of Pharmacy and Pharmacology*, **58**, 695–700.

- Kamperdick C, Van NH, Sung TV. (2002) Constituents from *Miliusa balansae* (Annonaceae). *Phytochemistry*, **61**, 991–994.
- Karntanakrit P, Reutrakul V, Tuchinda P, Anantachoke N. (2011) Alkaloids from leaves and twigs of *Dasymaschalon glaucum*. *37th Congress on Science and Technology of Thailand*.
- Kashiwada Y, Iizuka H, Yoshioka K, Chen RF, Nonaka G, Nishioka I. (1990) Tannins and related compounds. XCIII. : occurrence of enantiomeric proanthocyanidins in the Leguminosae plants, *Cassia fistula* L. and *C. javanica* L. *Chemical and Pharmaceutical Bulletin*, **38**, 888–893.
- Kodpinid M, Sadavongvivad C, Thebtaranonth C, Thebtaranonth Y. (1983) Structures of β -senepoxide, tingtanoxide, and their diene precursors constituents of *Uvaria ferruginea*. *Tetrahedron Letters*, **24**, 2019–2022.
- Kul'magambetova EA, Pribytkova LN, Adekenov SM. (2000) Flavonoids of *Artemisia glabella*. *Chemistry of Natural Compounds*, **36**, 95–96.
- Le Thi H, Lin CH, Smeda RJ, Leigh ND, Wycoff WG, Fritschi FB. (2014) Isolation and identification of an allelopathic phenylethylamine in rice. *Phytochemistry*, **108**, 109–121.
- Likhitwitayawuid K, Klongsiriwet C, Jongbunprasert V, Sritularak B, Wongseripipatana S. (2006) Flavones with free radical scavenging activity from *Goniiothalamus tenuifolius*. *Archives of Pharmacal Research*, **29**, 199–202.
- Liu YL, Ho DK, Cassady JM, Cottrell CE, Liang J, Clardy J, Cook VM, Baird WM. (1992) Dasytrichone, a novel flavone from *Dasymaschalon trichophorum* with cancer chemopreventive potential. *Natural Product Letters*, **1**, 161–165.
- Mata R, Morales I, Pérez O, RiVero-Cruz I, Acevedo L, Enriquez-Mendoza I, Bye R, Franzblau S, Timmermann B. (2004) Antimycobacterial compounds from *Piper sanctum*. *Journal of Natural Products*, **67**, 1961–1968.

- Mohamed GA. (2013) Alliuocide A: a new antioxidant flavonoid from *Allium cepa* L. *Phytopharmacology*, **4**, 220–227.
- Monthong W, Pitchuanchom S, Nuntasaen N, Pompimon W. (2011) (+)-Syringaresinol lignan from new species *Magnolia thailandica*. *American Journal of Applied Sciences*, **8**, 1268–1271.
- Naphong C, Pompimon W, Sombutsiri P. (2013) Anticancer activity of isolated chemical constituents from *Milusa smithiae*. *American Journal of Applied Sciences*, **10**, 787–792.
- Nayyatip S, Thaichana P, Buayairaksa M, Tuntiwechapikul W, Meepowpan P, Nuntasaen N, Pompimon W. (2012) Aristolactam-type alkaloids from *Oropheia enterocarpa* and their cytotoxicities. *International Journal of Molecular Sciences*, **13**, 5010–5018.
- Nazir N, Koul S, Qurishi MA, Taneja SC, Qazi GN. (2009) Lipase catalyzed regioselective hydrolysis of crotopoxide isolated from *Piper cubeb* Cass DC. *Journal of Molecular Catalysis B: Enzymatic*, **59**, 121–125.
- Okushio K, Suzuki M, Matsumoto N, Nanjo F, Hara Y. (1998) Identification of (-)-epicatechin metabolites and their metabolic fate in the rat. *Drug Metabolism and Disposition*, **27**, 309–316.
- Oliva-Madrid MJ, García-López JA, Saura-Llamas I, Bautista D, Vicente J. (2012) Ortho palladation of the phenethylamines of biological relevance L-tyrosine methyl ester and homoveratrylamine. reactivity of the palladacycles toward CO and isocyanides. Synthesis of the natural alkaloid corydaldine. *Organometallics*, **31**, 3647–3660.
- Orabi KY, Mossa JS, Muhammed I, Alloush MH, Galal AM, El-Feraly FS, Mc Phail AT. (2000) New eudesmane sesquiterpenes from *Plectranthus cylindraceus*. *Journal of Natural Products*, **63**, 1665–1668.

- Pabon LC, Cuca LE. (2010) Aporphine alkaloids from *Ocotea macrophylla* (Lauraceae). *Quimica Nova*, **33**, 875–879.
- Pan X, Qin Y, Chen R, Yu D. (1998) Study on the polyoxygenated cyclohexenes from *Uvaria boniana*. *Acta Pharmaceutica Sinica*, **33**, 275–281.
- Prawat U, Chairerk O, Lenthass R, Salae AW, Tuntiwachwuttikul P. (2013) Two new cycloartane-type triterpenoids and one new flavanone from the leaves of *Dasymaschalon dasymaschalum* and their biological activity. *Phytochemistry Letters*, **6**, 286–290.
- Ragab EA, Mohammed AEI, Abbass HS, Kotb SI. (2013) A new flavan-3-ol dimer from *Ficus spragueana* leaves and its cytotoxic activity. *Pharmacognosy Magazine*, **9**, 144–148.
- Rattanawijit N, Ritthiwigrom T, Mungkornasawakul P. (2013) Alkaloid extraction by electrocoagulation and biological activities of *Dasymaschalon obtusipetalum*. *International Graduate Research Conference*, ST-259–ST-264.
- Reutrakul V, Santisuk T, Noessner G, Schmidt J, Nickel B, Klenner T, Hose S. (2002) Xanthone compounds, their preparation and use as medicament. *United States Patent*, US 6403636 B1.
- Sawasdee K, Chaowasku T, Lipipun V, Dufat TH, Michel S, Likhitwitayawuid K. (2013a) New neolignans and a lignan from *Milium fragrans*, and their anti-herpetic and cytotoxic activities. *Tetrahedron Letters*, **54**, 4259–4263.
- Sawasdee K, Chaowasku T, Lipipun V, Dufat TH, Michel S, Likhitwitayawuid K. (2013b) Neolignans from leaves of *Milium mollis*. *Fitoterapia*, **85**, 49–56.
- Sawasdee K, Chaowasku T, Lipipun V, Dufat TH, Michel S, Jongbunprasert V, Likhitwitayawuid K. (2014) Geranylated homogentisic acid derivatives and flavonols from *Milium umpangensis*. *Biochemical Systematics and Ecology*, **54**, 179–181.

- Schulte GR, Kodpinid M, Thebtaranonth C, Thebtaranonth Y. (1982) Studies on highly oxidized cyclohexanes constitution of a new key metabolic intermediate. *Tetrahedron Letters*, **23**, 4303–4304.
- Seger C, Sturm S, Strasser EM, Ellmerer E, Stuppner H. (2004) ^1H and ^{13}C NMR signal assignment of benzyloquinoline alkaloids from *Fumaria officinalis* L. (Papaveraceae). *Magnetic Resonance in Chemistry*, **42**, 882–886.
- Sinz A, Matusch R, Witte L, Santisuk T, Chaichana S, Reutrakul V, Wangcharoentrakul S. (1998a) Alkaloids from *Dasymaschalon sootepense*. *Biochemical Systematics and Ecology*, **26**, 933–934.
- Sinz A, Matusch R, Kampchen T, Fiedler W, Schmidt J, Santisuk T, Wangcharoentrakul S, Chaichana S, Reutrakul V. (1998b) Novel acetogenins from the leaves of *Dasymaschalon sootepense*. *Helvetica Chimica Acta*, **81**, 1608–1615.
- Sinz A, Matusch R, Santisuk T, Chaichana S, Reutrakul V. (1998c) Flavonol glycosides from *Dasymaschalon sootepense*. *Phytochemistry*, **47**, 1393–1396.
- Song HW, Song XM, Han CR, Yang LJ, Deng W, Duan HY, Sun LJ. (2013) GC-MS Analysis and bioactivity of essential oil from *Dasymaschalon rostratum*. *Zhongguo Shiyang Fangjixue Zazhi*, **19**, 132–136.
- Starks CM, Williams RB, Rice SM, Norman VL, Lawrence JA, Goering MG, O'Neil-Johnson M, Hu JF, Eldridge GR. (2012) Polyoxygenated cyclohexene derivatives from *Monanthotaxis congoensis*. *Phytochemistry*, **74**, 185–189.
- Sumioka H, Harinantenaina L, Matsunami K, Otsuka H, Kawahata M, Yamaguchi K. (2011) Linderolides A–F, eudesmane-type sesquiterpene lactones and linderoline, a germacrane-type sesquiterpene from the roots of *Lindera strychnifolia* and their inhibitory activity on NO production in RAW 264.7 cells in vitro. *Phytochemistry*, **72**, 2165–2171.

- Sy LK, Brown GD. (1998) Three sesquiterpenes from *Artemisia annua*. *Phytochemistry*, **48**, 1207–1211.
- Thuy TTT, Quan TD, Anh NTH, Sung TV. (2011) A new hydrochalcone from *Milium sinensis*. *Natural Product Research*, **25**, 1361–1365.
- Wang J, Chalermglin P, Saunders RMK. (2009) The genus *Dasymaschalon* (Annonaceae) in Thailand. *Systematic Botany*, **34**, 252–265.
- Wangchuk P, Keller PA, Pyne SG, Taweechotipatr M, Tonsomboon A, Rattanajak R, Kamchonwongpaisan S. (2011) Evaluation of an ethnopharmacologically selected Bhutanese medicinal plants for their major classes of phytochemicals and biological activities. *Journal of Ethnopharmacology*, **137**, 730–742.
- Wu R, Ye Q, Chen NY, Zhang GL. (2001) A new norditerpene from *Milium balansae* Finet et Gagnep. *Chinese Chemical Letters*, **12**, 247–248.
- Yang XN, Jin YS, Zhu P, Chen HS. (2010) Amides from *Uvaria microcarpa*. *Chemistry of Natural Compounds*, **46**, 324–326.
- Zhang HJ, Ma C, Nguyen VH, Nguyen MC, Tan GT, Santarsiero BD, Mesecar AD, Soejarto DD, Pezzuto JM, Fong HHS. (2006) Miliansanes, a class of cytotoxic agents from *Milium sinensis*. *Journal of Medicinal Chemistry*, **49**, 693–708.
- Zhou L, Yu J, Guo J, Yang S. (2001) A-ring formylated flavoids and oxoaporphinoid alkaloid from *Dasymaschalon rostratum*. *Zhongguo Zhongyao Zazhi*, **26**, 39–41.
- Zhou XL, Wu JH, Bai J, Hu XL, Li EZ, Shi N, Pei YH. (2013a) A new aristolactam alkaloid from the stems of *Dasymaschalon trichophorum*. *Zhongguo Tianran Yaowu*, **11**, 81–83.
- Zhou XL, Shi N, Bai J, Wu JH. (2013b) Chemical constituents of rhizome of *Dasymaschalon trichophorum* Mer. *Zhongguo Yaoxue Zazhi*, **48**, 863–866.

LIST OF PUBLICATIONS

- 1) Jaidee A, Promchai T, Trisuwan K, Laphookhieo S, Rattanajak R, Kamchonwongpaisan S, Pyne SG, Ritthiwigrom T. (2015) Cytotoxic and Antimalarial Alkaloids from the Twigs of *Dasymaschalon obtusipetalum*. *Natural Product Communications*, **10**, 1175–1177.
- 2) Promchai T, Jaidee A, Cheenpracha S, Trisuwan K, Rattanajak R, Kamchonwongpaisan S, Laphookhieo S, Pyne SG, Ritthiwigrom T. (2016) Antimalarial Oxoprotoberberine Alkaloids from the Leaves of *Milium cuneata*. *Journal of Natural Products*, in progress.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved