

REFERECES

- [1] D.D. SABIN, "AN ASSESSMENT OF DISTRIBUTION SYSTEM POWER QUALITY," EPRI FINAL REPORT, TR-106294-V2, PALO -ALTO, CA. 1996.
- [2] M. H. J. Bollen, "Understanding power quality problems Voltage sags and interruptions", IEEE Press, New York, 2000.
- [3] Information Technology Industry Council (ITIC), Washington, DC.
[Online]. Available: <http://www.itic.org>
- [4] IEC 61000-4-11, Ed.2, "Voltage dips, short interruptions and voltage variations immunity tests", March 2004.
- [5] SEMI-F47-0200, "Specification for Semiconductor Process Equipment Voltage Sag Immunity", Available: www.semi.com.
- [6] S. Z. Djokic, J. V. Milanovic, and S. M. Rowland, "Advanced voltage sag characterisation II: Point on wave," Proc. IET—Gener., Transmission Distrib., vol. 1, no. 1, pp. 146–154, Jan. 2007.
- [7] S. Z. Djokic and J. V. Milanovic, "Advanced voltage sag characterisation. Part I: Phase shift," Proc. IET—Gener. Transmission Distrib., vol. 153, no. 4, pp. 423–430, Jul. 2006.
- [8] S. Z. Djokic, K. Stockman, J. V. Milanovic, J. J. M. Desmet, and R. Belmans, "Sensitivity of AC adjustable speed drives to voltage sags and short interruptions," IEEE Trans. Power Del., vol. 20, no. 1, pp. 494–505, Jan. 2005.
- [9] S. Z. Djokic, M. Desmet, G. Vanalme, J. V. Milanovic, and K. Stockman, "Sensitivity of personal computers to voltage sags and short interruptions," IEEE Trans. Power Del., vol. 20, no. 1, pp. 375–383, Jan. 2005.

- [10] C Wessels, F.W Fuchs and R. Lohde, "Transformer Based Voltage Sag Generator to perform LVRT and HVRT Tests in the Laboratory". 14th International Power Electronics and Motion Control Conference, EPEPEMC. Kiel, Germany. Institute of Power Electronics and Electrical Drives, Christian-Albrechts-University of Kiel, 2010
- [11] A. McEachern, "Sag generator with switch-mode impedance," U.S. Patent 6 285 169, Sep. 4, 2001.
- [12] W. M. Grady, R. Chan, G. C.-Y. Chung, D. Gerez, W. B. Leuschner, and G. P. Olson, "Voltage sag/swell testing station," U.S. Patent, 5 886 429, Mar. 23, 1999.
- [13] M. L. Rockfield, T. P. Singh, and S. C. Bhatt, "Non-rotating portable voltage sag generator," U.S. Patent 5 920 132, Jul. 6, 1999.
- [14] ER Collins, RL Morgan, "A Three-Phase Sag Generator for Testing Industrial Equipment". *IEEE Transaction on Power Delivery*. 11(1): 526 – 532, 1996.
- [15] A. Teke, ME. Meral, and M. Tümay, "Evaluation of available power quality disturbance generators for testing of power quality mitigation devices". *Int. J. of Sciences and Techniques of Automatic Control and Computer Engineering, (special issue)*, pp. 624 – 635, 2008
- [16] S. Bhavsar, VA. Shah, V. Gupta, "Voltage dips and short interruption immunity test generator as per IEC 61000-4-11". *in Proc. of 15th National Power Systems Conference. Bombay, India, 2008.*
- [17] M. Rylande, WM. Grady, A Arapostathis, "Enhancement and application of a voltage sag station to test transient load response". *in Proc. of IEEE Electric Ship Technology Symposium, Arlington*
- [18] Y. Ma, GG. Karady, "A single-phase voltage sag generator for testing electrical equipments". *in Proc. of Transmission and Distribution Conference and Exposition, Chicago IL, pp 1 – 5, 2008.*

- [19] O.S. Senturk; A.M. Hava, "A Simple Sag Generator Using SSRs" , IEEE Transactions on Industrial Applications, vol. 48, no. 1, 2012
- [20] T. Jimichi, H. Fujita, and H. Akagi, "Design and experimentation of a dynamic voltage restorer capable of significantly reducing an energystorage element," in Conf. Rec. IEEE IAS Annu. Meeting, Oct. 2005.
- [21] K. Oranpiroj S. Premrudeepreechacharn, M. Ngoudech, W. Muangjai,K. Yingkayun, T. Boonsai., "The 3-phase 4-wire voltage sag generator based on three dimensions space vector modulation in abc coordinates". *In Proc. of International Symposium on Industrial Electronics ISIE2009*, 275 – 280, 2009.
- [22] R. Zhang, V. Himamshu Prasad, Dushan Boroyevich, "Three-Dimensional Space Vector Modulation for Four-Leg Voltage-Source Converters," *IEEE Trans. on Power Electronics*, vol. 17, pp.314-326, May 2002.
- [23] K. Zhou and D. Wang, "Relationship Between Space-Vector Modulation and Three-Phase Carrier-Based PWM : A Comprehensive Analysis," *IEEE Trans. on Industrial Electronics*, vol. 49, no. 1, pp. 186-196, 2002.
- [24] J.H. Kim, S.K. Sul, "A Carrier-Based PWM Method for Three-Phase Four-Leg Voltage Source Inverters", *IEEE Trans. on Power Electronics*. Vol.19. No.1.pp. 66-75. January 2004.
- [25] T. Glasberger,Z. Peroutka; J. Molnar, "Comparison of 3D-SVPWM and Carrier-Based PWM of three-phase four-leg voltage source inverter", *Power Electronics and Applications*, 2007.
- [26] K. Oranpiroj, S. Premrudeeprechacharn, and K. Higuchi, "SagWave for the 3-phase 4-wire voltage sag generator prototype," 2010 CCA, pp. 2209-2212, Sep. 2010.

- [27] Kim, Jang-Hwan, Seung-Ki Sul, and Prasad N. Enjeti. "A carrier-based PWM method with optimal switching sequence for a multilevel four-leg voltage-source inverter." *Industry Applications, IEEE Transactions on* 44.4 (2008): 1239-1248.
- [28] T. M. Rowan, R. J. Kerman, and T. A. Lipo, "Operation of naturally sampled current regulators in transition mode," *IEEE Trans. Ind. Applicat.*, vol. 23, pp. 586-596, July/Aug. 1987.
- [29] V. Kaura and V. Blasko, "A new method to extend linearity of a sinusoidal PWM in the overmodulation region," *IEEE Trans. Ind. Applicat.*, vol. 32, pp. 1115-1121, Sept./Oct. 1996.
- [30] Turner, Allen E., and E. R. Collins. "The performance of ac contactors during voltage sags." *Proceedings of the ICHQP 7th International conf. On Harmonics and Quality of Power.* 1996.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved