## REFERENCES

- [1] Ministry of Energy, Thailand. The Renewable and Alternative Energy Development Plan for 25 Percent in 10 Years (AEDP 2012-2021). Available from: http://www4.dede.go.th/dede/images/stories/pdf/dede\_aedp\_2012\_21.pdf; cited on April 21, 2015.
- Bank of Thailand. Ethanol Situation Report 2013 and tendency to 2014. Available from: https://www.bot.or.th/Thai/
  MonetaryPolicy/NorthEastern/Doclib\_CommodityYearly/Ethanal%20Yearly%20
  2556.pdf; cited on April 21, 2015.
- [3] Tam-Anh D et.al. Pretreatment of rice straw with ammonia and ionic liquid for lignocellulose conversion to fermentable sugars. Bioresource Technology 2010; 101:7423–38.
- [4] Galbe, M., Liden, G., Zacchi, G. Production of ethanol from biomass research in Sweden. Journal of Scientific & Industrial Research 2005; 64(11):905–919.
- [5] Óscar J. Sánchez, Carlos A. Cardona. Trends in biotechnological production of fuel ethanol from different feedstocks. Bioresource Technololgy 2008; 99(13):5270–95.
- [6] Ye Sun, Jiayang Cheng. Hydrolysis of lignocellulosic materials for ethanolproduction: a review, Bioresource Technology 2002; 83(1):1–11.
- [7] Chandra, R., Bura, R., Mabee, W.E., Berlin, A., Pan, X., Saddler, J.N. Substrate pretreatment: the key to effective enzymatic hydrolysis of lignocellulosics. In: Lisbeth, O. (Ed.). Advances in Biochemical Engineering/Biotechnology–Biofuels 2007;108, p. 368.

- [8] A.T.W.M. Hendriks, G. Zeeman. Pretreatments to enhance the digestibility of lignocellulosic biomass. Bioresource Technology 2008; 100(1):10–8.
- [9] Nathan Mosier, Charles Wyman, Bruce Dale, Richard Elander, Y.Y. Lee, Mark Holtzapple et al. Features of promising technologies for pretreatment of lignocellulosic biomass, Bioresource Technology 2005; 96(6):673–86.
- [10] Chang V.S., Holtzapple M.T. Fundamental factors affecting biomass enzymatic reactivity. Applied Biochemistry and Biotechnology - Part A. Enzyme Engineering and Biotechnology 2000;84-86:5–37.
- [11] Y. Sun, J. Cheng. Hydrolysis of lignocellulosic materials for ethanol production: A review. Bioresource Technology 2002;83(1):1–11.
- [12] C. Elian, R. Jorge, R Luis. Effects of the pretreatment method on enzymatic hydrolysis and ethanol fermentability of the cellulosic fraction from elephant grass. Fuel 2014;118:41–7.
- [13] Kannika Rengsirikul et.al. Biomass Yield, Chemical Composition and Potential Ethanol Yields of 8 Cultivars of Napiergrass (Pennisetum purpureum Schumach.) Harvested 3-Monthly in Central Thailand. Journal of Sustainable Bioenergy Systems 2013; 3:107–12.
- [14] Yong Cheol Park, Jun Seok Kim. Comparison of various alkaline pretreatment methods of lignocellulosic biomass. Energy 2012; 47(1):31–5.

Ve

- [15] Biozio.com, September 2010, Comprehensive Cellulosic Ethanol Report
- [16] Biozol.com, 2011, Comprehensive Cellulosic Ethanol Report
- [17] Carlo N Hamelinck et.al., 2005, Etganol from lignocellulose biomass: technoeconomic performance in short-, middle- and long-term, 28, 384-410
- [18] Gary Brodeur et.al, 2011, Chemical and Physicochemical Preatment of Lignocellulosic Biomass: A Review, Enzyme Research, 2011

- [19] Ignacio Ballesteros et.al, 2006, Ethanol Production From Steam-Explosion
  Pretreated Wheate Straw, Applied Biochemistry and Biotechnology, 129-132, 496-508
- [20] Jiele Xu et.al, 2010, Lime pretreatment of switchgrass at mild temperatures for ethanol production, Bioresource Technology, 101, 2900-2903
- [21] Kristina GERULOVA, Lenka BLINOVA, 2011, Ozone Pretreatment of wheat straw and its effect on reducing sugars in hydrolyzate, Slovak University of Technology in Bratislava, 31, 37-44
- [22] Melissa Montalbo-Lomboy, 2010, Ultrasonic pretreatment of corn slurry for saccharification: A comparison of batch and continuous systems", Ultrasonics Sonochemistry, 17, 939-946
- [23] Mohammad J. Taherzadeh, Keikhosro Karimi, 2008, Pretreatment of Lignocellulosic Wastes to Improve Ethanol and Biogas Production: A Review, Int. J. Mol. Sci.,9, 1621-1651
- [24] N.A. Mamleeva et.al, 2009, The Oxidative Destruction of Lignin in the Ozone of Wood, Russian Journal of Physical Chemistry A, 83, 745-751
- [25] Parveen et.al, 2009, Methods for Preatment of Lignocellulosic Biomass for Efficient Hydrolysis and Biofuel Production, Ind. Eng. Chem, 48, 3713-3729
- [26] Paulien Harmsen et.al., September 2010, Literature review of physical and chemical pretreatment processes for lignocellulosic biomass, Report 1184
- [27] P.F.H. Harmsen, September 2010, Literature Review of Physical and Chemical Pretreatment Processes for Lignocellulosic Biomass, Energy research Centre of the Netherlands
- [28] P. Alvira et.al, 2009, Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: A review, Renewable Energy Division, Biomass Unit, Avda, Spain

- [29] Rajendran Velmurugan, Karuppan Muthukumar, 2011, Utilization of sugarcane bagasse for bioethanol production : Sono-assisted acid hydrolysis approach, Bioresource Technology, 102, 7119-7123
- [30] Robiah Yunus, 2010, Effect of ultrasonic pre-treatment on low temperature acid hydrolysis of oil palm empty fruit bunch, Bioresource Technology, 101, 9729-9796
- [31] Shengdong Zhu et.al, 2005, Pretreatment by microwave/alkali of rice straw and its enzymic hydrolysis, Process chemistry, 40, 3082-3086
- [32] Tam-Anh D et.al, 2010, Pretreatment of rice straw with ammonia and ionic liquid for lignocellulose conversion to fermentable sugars, Bioresource Technology, 101, 7423-7438
- [33] Ujjal Kaur et.al, 2012, Ethanol production from alkali and ozone treated cotton stalks using thermotolerant Pichia kudriavzevii HOP-1", Industrial Crops and Products, 37, 219-226
- [34] L.D. Khuong et al., (2014), Bioethanol production from alkaline-pretreated sugarcane bagasse by consolidated bioprocessing using Phlebia sp. MG-60., International Biodeterioration & Biodegradation, 88, 62-68
- [35] M. Jonoobi et al., (2016), Effect of ozone pretreatment on the physical and mechanical properties of particleboard panels made from bagasse., Measurement, 94, 451–455
- [36] R. Travaini et al. (2016), Effect of ozonolysis pretreatment parameters on the sugar release, ozone consumption and ethanol production from sugarcane bagasse., Bioresource Technology, 214, 150–158
- [37] N.I. Wan Azelee et al. (2014), Efficient removal of lignin with the maintenance of hemicellulose from kenaf by two-stage pretreatment process., Carbohydrate Polymers, 99, 447–453

- [38] Jiangning Wu et al. (2013), Ozone pretreatment of wheat straw for enhanced biohydrogen production., International journal of hydrogen energy, 38, 10270-10276
- [39] O.M. Perrone et al. (2016), Ozonolysis combined with ultrasound as a pretreatment of sugarcane bagasse: Effect on the enzymatic saccharification and the physical and chemical characteristics of the substrate., Bioresource Technology, 218, 69–76
- [40] I. Barrera-Martínez et al. (2016), Ozonolysis of alkaline lignin and sugarcane bagasse: Structural changes and their effect on saccharification., Biomass and Bioenergy, 94, 167-172
- [41] C.J. Chuck et al.(2013), Renewable biofuel additives from the ozonolysis of lignin., Bioresource Technology, 143, 549–554
- [42] S. Bhattarai et al.(2015), Simulation of the ozone pretreatment of wheat straw., Bioresource Technology, 196, 78–87

TVG MAI

ลิ<mark>ขสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright<sup>©</sup> by Chiang Mai University All rights reserved