

REFERENCES

- Animeshkumar, K. M. Phadke, D. S. Tajne, A. L. Ag-garwal and M. Z. Hassan, 1997. A Sampling Technique for Monitoring the Respirable Suspended Particulates in Air. *Indian Journal of Environmental Health* **39**(4), 299-307.
- Arbex, M.A., Martins, L.C., Pereira, L.A.A., Negrini, F., Cardoso, A.A., Melchert, W.R., Arbex, R.F., Saldiva, P.H.N., Zanobetti, A., Braga, A.L.F., 2007. Indoor NO₂ air pollution and lung function of professional cooks. *Brazilian Journal of Medical and Biological Research* **40**, 527-534.
- Bartz, A.E., 1999. Basic statistical concepts. 4th ed., Merrill, Upper Saddle River, New Jersey, United States. 456 p.
- Billet, S., Garcon, G., Dagher, Z., Verdin, A., Ledoux, F., Cazier, F., Courcot, D., Aboukais, A., Shirali, P., 2007. Ambient particulate matter (PM_{2.5}): Physicochemical characterization and metabolic activation of the organic fraction in human lung epithelial cells (A549). *Environmental Research* **105**, 212-223.
- BMA (Bangkok Metropolitan Administration), 2016. Indoor air quality. Environmental sanitation division of BMA Bangkok, Thailand. [http://office.bangkok.go.th/ehd/Air Quality/parameter.php](http://office.bangkok.go.th/ehd/Air%20Quality/parameter.php) (January 19, 2016).
- Bootdee, S., Chalermrom, P., Chantara, S., 2012. Validation and field application of tailor-made nitrogen dioxide passive sampler. *International Journal of Environmental Science and Technology* **9**, 515-526.
- Bozkurt, Z., Doğan, G., Arslanbaş, D., Pekey, B., Pekey, H., Dumanoglu, Y., Bayram, A., Tuncel, G., 2015. Determination of the personal, indoor and outdoor exposure levels of inorganic gaseous pollutants in different microenvironments in an industrial city. *Environmental Monitoring and Assessment* **187**(590), Doi: 10.1007/s10661-015-4816-8.

- Bruce, N., Perez-Padilla, R., Albalak, R., 2000. Indoor air pollution in developing countries: a major environmental and public health challenge. *Bulletin of World Health Organization* **78**(9), 1078-1092.
- Bruns, E.A., Krapf, M., Orasche, J., Huang, Y., Zimmermann, R., Drinovec, L., Močnik, G., El-Haddad, I., Slowik, J.G., Dommen, J., Baltensperger, U., Prévôt, A.S.H., 2015. Characterization of primary and secondary wood combustion products generated under different burner loads. *Atmospheric Chemistry and Physics* **15**, 2825-2841.
- Burgos, S., Ruiz, P., Koifman, R., 2013. Changes to indoor air quality as a result of relocating families from slums to public housing. *Atmospheric Environment* **70**, 179-185.
- Burnett, R.T., Dales, R.E., Brook, J.R., Raizenne, M.E., Krewski, D., 1997. Association between ambient carbon monoxide levels and hospitalizations for congestive heart failure in the elderly in 10 Canadian cities. *Epidemiology* **8**, 162-167.
- Caiazzo, F., Ashok, A., Waitz, I.A., Yim, S.H.L., Barrett, S.R.H., 2013. Air pollution and early deaths in the United States. Part I: Quantifying the impact of major sectors in 2005. *Atmospheric Environment* **79**, 198-208.
- Cancado, J.E.D. Saldiva, P.H.N., Pereira, L.A.A., Lara, L.B.L.S., Artaxo, P., Martinelli, L.A., Arbex, M.A., Zanobetti, A., Braga, A.L.F., 2006. The impact of sugar cane-burning emission on the respiratory system of children and the elderly. *Environmental Health Perspectives* **114**, 725-729.
- Cao, J.J., Lee, S.C., Chow, J.C., Cheng, Y., Ho, K.F., Fung, K., Liu, S.X., Watson, J.G., 2005. Indoor/outdoor relationships for PM_{2.5} and associated carbonaceous pollutants at residential homes in Hong Kong- case study. *Indoor Air* **15**, 197-204.
- Cao, J.-J., Li, H., Chow, J.C., Watson, J.G., Lee, S., Rong, B., Dong, J.-G., Ho, K.-F., 2011. Chemical composition of indoor and outdoor atmospheric particles at Emperor Qin's Terra-cotta museum, Xi'an, China. *Aerosol and Air Quality Research* **11**, 70-79.

- Chakraborty, D., Mondal, N.-K., Datta, J.K., 2014. Indoor pollution from solid biomass fuel and rural health damage: a micro-environmental study in rural area of Burdwan, West Bengal. *International Journal of Sustainable Built Environment* **3**, 262-271.
- Chang, Y.C., Lee, H.W. and Tseng, H.H., 2007. The formation of incense smoke. *Journal of Aerosol Science* **38**, 39-51.
- Chantara, S., Sangchan, W., 2009. Sensitive analytical method for particle-bound polycyclic aromatic hydrocarbons: a case study in Chiang Mai, Thailand. *Science Asia* **35**, 42-48.
- Charoenca, N., Kungskulniti, N., Nitipong, V., Hamann, S.L., Travers, M., 2013. Measuring fine particle to assess secondhand smoke exposure: evidence contributing to smoke-free regulation. *Journal of Environmental Management* **9**, 23-36.
- Cheng, W.-H., Lai, C.-H., Tzeng, W.-J., Her, C., Hsu, Y.H., 2015. Gaseous products of incense coil combustion extracted by passive solid phase microextraction samplers. *Atmosphere* **6**, 822-833.
- Chiang, K.-C., Chio, C.-P., Chiang, Y.-H., Liao, C.-M., 2009. Assessing hazardous risks of human exposure to temple airborne polycyclic aromatic hydrocarbons. *Journal of Hazardous Materials* **166**, 676-685.
- Chiang, K.-C., Liao, C.M., 2006. Heavy incense burning in temples promotes exposure risk from airborne PMs and carcinogenic PAHs. *Science of the Total Environment* **372**, 64-75.
- Chiang, T.-A., Wu, P.-F. and Ko, Y.-C. 1999. Identification of Carcinogens in cooking oil fumes. *Environmental Research Section A* **81**, 18-22.
- Christian, G.D., 2001. Analytical Chemistry. John Wiley & Sons, New York.
- European monitoring and evaluation programme, 1977. Manual for sampling and chemical analysis. Lillestrøm, Chemical Co-ordinating Centre, Norwegian Institute for Air Research, EMEP/CHEM 3/77.

- Chunram, N., Vinitketkumnuen, U., Deming, R.L., Chantara, S., 2007. Indoor and outdoor levels of Pm2.5 from selected residential and workplace buildings in Chiang Mai. *Chiang Mai Journal of Science* **34**(2), 219-226.
- Cibella, F., Cuttitta, G., Maggiore, R.D., Ruggieri, S., Panunzi, S., Gaetano, A.D., Bucchieri, S., Drago, G., Melis, M.R., Grutta, S.L., Viegi, G., 2015. Effect of indoor nitrogen dioxide on lung function in urban environment. *Environmental Research* **138**, 8-16.
- Ciecierska, M. and Obiedzinski, M.W., 2013. Polycyclic aromatic hydrocarbons in vegetable oil from unconventional sources. *Food Control* **30**, 556-562.
- Cohen, R., Sexton, K.G., Yeatts, K.B., 2013. Hazard assessment of United Arab Emirates (UAE) incense smoke. *Science of the Total Environment* **458-460**, 176-186.
- Collins, J.K., Brown, J.P., Alexeeff, G.V., Salmon, A.G., 1998. Potency equivalency factors for some polycyclic aromatic hydrocarbon derivatives. *Regulatory Toxicology Pharmacology* **28**(1), 45-54.
- Cometto-Muñiz, J.E., Cain, W.S., Abraham, M.H., 2004. Detection of single and mixed VOCs by smell and by sensory irritation. *Indoor Air* **14**(8), 108-117.
- Conde, F.J., Ayala, J.H., Afonso, A.M., González, V., 2005. Emissions of polycyclic aromatic hydrocarbons from combustion of agricultural and silvicultural debris. *Atmospheric Environment* **39**, 6654-6663.
- Cortez-Lugo, M., Ramírez-Aguilar, M., Pérez-Padilla, R., Sansores-Martínez, R., Ramírez-Venegas, A., Barraza-Villarreal, A., 2015. Effect of personal exposure to PM2.5 on respiratory health in a Mexican panel of patients with COPD. *International Journal of Environmental Research and Public Health* **12**, 10635-10647.
- Cyrys, J., Heinrich, J., Richter, K., Wölke, G., Wichmann, H.-E., 2000. Sources and concentrations of indoor nitrogen dioxide in Hamburg (west Germany) and Erfurt (east Germany). *The Science of the Total Environment* **250**, 51-62.

- Defra (Department for Environment Food and Rural Affairs), 2010. Air Pollution: Action in a Changing Climate. Department for Environment Food and Rural Affairs, Nobel House, 17 Smith Square, London. 1-23 pages.
- DeMarini, D., Brooks, L., Warren, S., Kobayashi, T., Gilmour, M., Singh, P., 2004. Bioassay-directed fractionation and salmonella mutagenicity of automobile and forklift diesel exhaust particles. *Environmental Health Perspectives* **112**, 814-819.
- Derudi, M., Gelosa, S., Sliepcevich, A., Cattaneo, A., Cavallo, D., Rota, R., Cavallo, D., Nano, G., 2012. Emission of air pollutants from scented candles burning in a test chamber. *Atmospheric Environment* **55**, 257-262.
- Derudi, M., Gelosa, S., Sliepcevich, A., Cattaneo, A., Cavallo, D., Rota, R., Nano, G., 2014. Emission of air pollutants from burning candles with different composition in indoor environments. *Environmental Science and Pollution Research* **21**, 4320-4330
- Dewangan, S., Pervez, S., Chakrabarty, R., Zielinska, B., 2014. Uncharted source of particle bound polycyclic aromatic hydrocarbons from South Asia: Religious/ritual burning practices. *Atmospheric Pollution Research* **5**, 283-291.
- Duan, J.C., Bi, X.H., Tan, J.H., Sheng, G., Fu, J.M., 2005. The differences of the size distribution of polycyclic aromatic hydrocarbons (PAHs) between urban and rural sites of Guangzhou, China. *Atmospheric Research* **78**, 190-203.
- Durant, J., Lafleur, A., Buaby, W., Donhoffner, L., Penman, B., Crespi, C., 1999. Mutagenicity of C₂₄H₁₄ PAH in human cells expressing CYP1A1. *Mutation Research – Genetic Toxicology and Environmental Mutagenesis* **446**, 1-14.
- Estrellan, C.R. and Iino, F., 2010. Toxic emission from open burning. *Chemosphere* **80**, 193-207.
- Evangelopoulos, V., Albanis, T.A., Asvesta, A., Zoras, S., 2010. Polycyclic aromatic hydrocarbons (PAHs) in fine and coarse particles. *Global NEST Journal* **12 (1)**, 63-70.

- Fang, G.-C., Chang, C.-N., Chu, C.-C., Wu, Y.-S., Fu, P.P.-C., Chang, S.-C., Yang, I.-L., 2003. Fine (PM_{2.5}), coarse (PM_{2.5-10}), and metallic elements of suspended particulates for incense burning at Tzu Yun Yen temple in Central Taiwan. *Chemosphere* **51**, 983-991.
- Fang, G.-C., Chang, K.-F., Lu, C., Bai, H., 2002. Toxic equivalency factors study of poly aromatic hydrocarbons (PAHs) in Taichung City, Taiwan. *Toxicology and Industrial Health* **18**, 279-288.
- Fierro, M. 2000. Particulate matter. http://www.Air_update/particulate_matter-singspace.html (August 2011), 1-11.
- Fine, P.M., Cass, G.R., Simoneit, B.R.T., 1999. Characterization of fine particle emissions from burning church candles. *Environmental Science and Technology* **33**, 2352-2362.
- Frampton, M.W., Boscia, J., JR. Roberts, N.J., Azadniv, M., Torres, A., Cox, C., Morrow, P.E., Nichols, J., Chalupa, D., Frasier, L.M., Gibb, F.R., Speers, D.M., Tsai, Y., Utell, M.J., 2002. Nitrogen dioxide exposure: effects on airway and blood cells. *The American Journal of Physiology-Lung Cellular and Molecular Physiology* **282**, L155-L165.
- Funk, W.E., Pleil, J.D., Pedit, J.A., Boundy, M.G., Yeatts, K.B., Nash, D.G., Trent, C.B., Sadig, M.E., Davidson, C.A., Leith, D., 2014. Indoor air quality in the United Arab Emirates. *Journal of Environmental Protection* **5**, 709-722.
- Garrett, M.H., Hooper, M.A., Hooper, B.M., Abramson, M.J., 1998. Respiratory symptoms in children and indoor exposure to nitrogen dioxide and gas stoves. *American Journal of Respiratory and Critical Care Medicine* **158**, 891-895.
- Ghosn, M., Flouty, R., Saliba, N.A., 2005. Emission of nitrogen dioxide from butane gas heaters and stoves indoor. *American Journal of Applied Science* **2**(3), 707-710.
- Guzialowska-Tic, J., 2013. Description of raw materials for manufacturing candles and grave candles and their influence on the environment. *CHEMIK* **67**(10), 1027-1034.

- Hall, D., Wu, C.-Y., Hsu, Y.-M., Stormer, J., Engling, G., Capeto, K., Wang, J., Brown, S., Li, H.-W., Yu, K.-M., 2012. PAHs, carbonyls, VOCs and PM_{2.5} emission factors for pre-harvest burning of Florida sugarcane. *Atmospheric Environment* **55**, 164-172.
- Hallquist, M., Wenger, J.C., Baltensperger, U., Rudich, Y., Simpson, D., Claeys, M., Dommen, J., et al., 2009. The formation, properties and impact of secondary organic aerosol: current and emerging issues. *Atmospheric Chemistry and Physics* **9**, 5155-5236.
- Hansel, N.N., Breysse, P.N., McCormack, M.C., Matsui, E.C., Curtin-Brosnan, J., Williams, D.A.L., Moore, J.L., Cuhnan, J.L., Diette, G.B., 2008. A longitudinal study of indoor nitrogen dioxide levels and respiratory symptoms in inner-city children with asthma. *Environmental Health Perspectives* **116**, 1428-1432.
- Hassanvand, M.S., Naddafi, K., Faridi, S., Nabizadeh, R., Sowlat, M.H., Momeniha, F., Gholampour, A., Arhami, M., Kashani, H., Zare, A., Niazi, S., Rastkari, N., Nazmara, S., Ghani, M., Yunesian, M., 2015. Characterization of PAHs and metals in indoor/outdoor PM₁₀/PM_{2.5}/PM₁ in a retirement home and a school dormitory. *Science of the Total Environment* **527-528**, 100-110.
- Hedberg, E., Kristensson, A., Ohlsson, M., Johansson, C., Johansson, P.-A., Swietlicki, E., Vesely, V., Widequist, U., Westerholm, R., 2002. Chemical and physical characterization of emissions from birch wood combustion in a wood stove. *Atmospheric Environment* **36**, 4823-4837.
- Hischenhuber, C., Stijve, T., 1987. Determination of benzo (a) pyrene in roasted coffee and coffee brews by HPLC with fluorescence detection. *Deutsche Lebensmittel Rundschau* **83**. 1-4.
- Huynh, C.K., Savolainen, H., Vuduc, T., Guillemin, M., Iselin, F., 1991. Impact of thermal proofing of a church on its indoor air-quality-the combustion of candles and incense as a source of pollution. *Science of the Total Environment* **102**, 241-251.

- Hwang, Y.H., Lin, Y.-S., Lin, C.-Y., Wang, I.J., 2014. Incense burning at home and the blood lead level of preschoolers in Taiwan. *Environmental Science and Pollution Research* **21**, 13480-13487.
- IARC (International Agency for Research on Cancer), 2010. Some non-heterocyclic polycyclic aromatic hydrocarbons and some related exposures, *Monographs on the Evaluation of Carcinogenic Risks to humans* **92**, 765-771.
- IEA (International Energy Agency), 2006. World Energy Outlook. International Energy Agency, 9, rue de la Fédération 75739 Paris Cedex 15, France. 596 pages.S
- Iinuma, Y., Brüggemann, Gnauk, T., Müller, K., Andreae, M.O., Helas, G., Pamar, R., Herrmann, H., 2007. Source characterization of biomass burning oarticles: The combustion of selected European conifers, African hardwood, savanna grass and German and Indonesian peat. *Journal of Geophysical Research* **112**, Doi: 10.1029/2006JD007120. 1-26.
- Janerich, D.T., Thompson, D., Varela, L.R., Greenwald, P., Chorost, S., Tucci, C., Zaman, M.B., Melamed, M.R., Kiely, M., McKneally, M.F., 1990. Lung cancer and exposure to tobacco smoke in the household. *The New England Journal of Medicine* **322** (10), 632-636.
- Jenkins B.M., Jones, A.D., Turn, S.Q., Williams, R.B., 1996. Emission factor for polycyclic aromatic hydrocarbons from biomass burning. *Environmental Science & Technology* **30**(8). 2462-2469.
- Jenkins, R.A., Guerin, M.R., Tomkins, B.A., 2000. Properties and measured of environmental tobacco smoke. In: The chemistry of environmental tobacco smoke. *Composition and Measurement*, 2nd Ed., Boca Raton, FL, Lewis Publishers, CRC Press.
- Jetter, J.J., Guo, Z., McBrian, J.A. and Flynn, M.R., 2002. Characterization of emissions from burning incense. *Science of the Total Environment* **295**, 51-67.
- Ji, X., Bihan, O.L., Ramalha, O., Mandin, C., Anna, B.D., Martinon, L., Nicolas, M., Bard, D., Pairon, J.-C., 2010. Characterization of particles emitted by incense burning in an experimental house. *Indoor Air* **20**, 147-158.

- Jia, Y., Stone, D., Wang, W., Schrlau, J., Tao, S., Massey Simonich, S.L., 2011. Estimated reduction in cancer risk due to PAH exposures if source control measures during the 2008 Beijing Olympics were sustained. *Environmental Health Perspectives* **119**, 815-820.
- Jung KH., Yan B., Chillrud SH., Perera FP., Whyatt, R., Camann D., Kinney PL., Miller RL. 2010. Assessment of benzo (a) pyrene-equivalent carcinogenicity and mutagenicity of residential indoor versus outdoor polycyclic aromatic hydrocarbons exposing young children in New York City. *International Journal of Environmental Research and Public Health* **7**, 1889-1900.
- Kattan, M., Gergen, P.J., Eggleston, P., Visnes, C.M., Mitchell, H.E., 2007. Health effects of indoor nitrogen dioxide and passive smoking on urban asthmatic children. *Journal of Allergy and Clinical Immunology* **120**, 618-624.
- Khamkaew, C., Chantara, S., 2013. Efficiency of a tailor made NO₂ passive sampler and correlations of NO₂, PM₁₀ and PM₁₀-bound NO₃⁻ in urban air of Chiang Mai (Thailand). *Chiang Mai Journal of Science* **40**(3), 386-400.
- Kim, H.-H., Lim, Y.-W., Jeon, J.-M., Kim, T.-H., Lee, G.-W., Lee, W.-S., Lim, J.-Y., Shin, D.-C., Yang, J.-Y., 2013. Indoor exposure and health risk of polycyclic aromatic hydrocarbons (PAHs) in public facilities, Korea. *Asian Journal of Atmospheric Environment* **7-2**, 72-84.
- Kim, K.-H., Jahan, S.A., Kabir, E., Brown, R.J.C., 2013. A review of airborne polycyclic aromatic hydrocarbons (PAHs) and their human health effects. *Environment International* **60**, 71-80.
- Kim Oanh, N., Reutergardh, L.B., Dung, N.T., 1999. Emission of polycyclic aromatic hydrocarbons and particulate matter from domestic combustion of selected fuels. *Environmental Science & Technology* **33**, 2703-2709.
- Kim Oanh, N.T., Ly, B.T., Tipayarom, D., Manandhar, B.R., Prapat, P., Simson, C.D., Sally, Liu, L.-J., 2011. Characterization of particulate matter emission from open burning of rice straw. *Atmospheric Environment* **34**, 4557-4563.

- Klinmalee, A., Srimongkol, K., Kim Oanh, N.T., 2009. Indoor air pollution levels in public buildings in Thailand and exposure assessment. *Environmental Monitoring and Assessment* **159**(1-4), 581-594.
- Korenaga, T., Liu, X., Huang, Z., 2001. The influence of moisture content on polycyclic aromatic hydrocarbons emission during rice straw burning. *Chemosphere Global Change Science* **3**, 117-122.
- Kumie, A., Emmelin, A., Wahlberg, S., Berhane, Y., Ali, A., Mekonnen, E., Brandstrom, D., 2009. Magnitude of indoor NO₂ from biomass fuels in rural settings of Ethiopia. *Indoor Air* **19**, 14-21.
- Kuo, C.Y., Yang, Y.H., Chao, M.R., Hu, C.W., 2008. The exposure of temple workers to polycyclic aromatic hydrocarbons. *Science of the Total Environment* **401**, 44-50.
- Kuo, S.-C., Tsai, Y.I., Sopajaree, K., 2015. Emission identification and health risk potential of allergy-causing fragrant substances in PM_{2.5} from incense burning. *Building and Environment* **87**, 23-33.
- Kuo, S.-C., Tsai, Y.I., Sopajaree, K., 2016. Emission characteristics of carboxylate in PM_{2.5} from incense burning with the effect of light on acetate. *Atmospheric Environment*; Doi: 10.1016/j.atmosenv.2016.05.004.
- Krugly, E., Martuzevicius, D., Sidaraviciute, R., Ciuzas, D., Prasauskas, T., Kauneliene, V., Stasiulaitiene, I., Kliucininkas, L., 2014. Characterization of particulate and vapor phase polycyclic aromatic hydrocarbons in indoor and outdoor air of primary school. *Atmospheric Environment* **82**, 298-306.
- Lee, S.C. and Wang, B., 2004. Characteristics of emissions of air pollutants from burning of incense in a large environmental chamber. *Atmospheric Environment* **38**, 941-951.
- Lee, S.C., Wang, B., 2006. Characteristics of emissions of air pollutants from mosquito coils and candles burning in a large environmental chamber. *Atmospheric Environment* **40**, 2128-2138.

- Lewné, M., Nise, G., Lind, M.L., Gustavsson, P., 2006. Exposure to particles and nitrogen dioxide among taxi, bus and lorry drivers. *International Archives of Occupational and Environmental Health* **79**, 220-226.
- Lewné, M., Plato, N., Gustavsson, P., 2007. Exposure to particles, elemental carbon and nitrogen dioxide in workers exposed to motor exhaust. *The Annals of Occupational Hygiene* **8**, 693-701.
- Levy, J.I., 1998. Impact of residential nitrogen dioxide exposure on personal exposure: an international study. *Journal of the Air & Waste Management Association* **48**, 553-560.
- Li, C.-S., Ro, Y.-S., 2000. Indoor characteristics of polycyclic aromatic hydrocarbons in the urban atmosphere of Taipei. *Atmospheric Environment* **34**, 611-620.
- Liao, C.-M., Chiang, K.-C., 2006. Probabilistic risk assessment for personal exposure to carcinogenic polycyclic aromatic hydrocarbons in Taiwanese temples. *Chemosphere* **63**, 1610-1619.
- Lin, T.C., Chang, F.H., Hsieh, J.H., Chao, H.R., Chao, M.R., 2001. Environmental exposure to polycyclic aromatic hydrocarbons and total suspended particulates in a Taiwanese temple. *Bulletin of Environmental contamination and Toxicology* **67**, 332-338.
- Lin, T.C., Chang, F.H., Hsieh, J.H., Chao, H.R., Chao, M.R., 2002. Characteristics of polycyclic aromatic hydrocarbons and total suspended particulate in indoor and outdoor atmosphere of a Taiwanese temple. *Journal of Hazardous Materials* **A95**, 1-12.
- Lin, T.C., Krishnaswamy, G., Chi, D.S., 2008. Incense smoke: clinical, structural and molecular effects on airway disease. *Clinical and Molecular Allergy*, Doi: 10.1186/1476-7961-6-3.
- Lu, H., Zhu, L., Zhu, N., 2009. Polycyclic aromatic hydrocarbons emission from straw burning and the influence of combustion parameters. *Atmospheric Environment* **43**, 978-983.

- Lui, K.H., Musa badowe, B.A., Hang Ho, S.S., Chuang, H.-C., Cao, J.-J., Chuang, K.-J., Lee, S.C., Hu, D., Ho, K.F., 2016. Characterization of chemical components and bioreactivity of fine particulate matter (PM_{2.5}) during incense burning. *Environmental Pollution* **213**, 524-532.
- Lung, S.-C.C., Hu, S.C., 2003. Generation rates and emission factors of particulate matter and particle-bound polycyclic aromatic hydrocarbons of incense sticks. *Chemosphere* **50**, 673-679.
- Mannino, M.R., Orecchio, S., 2008. Polycyclic aromatic hydrocarbons (PAHs) in indoor dust matter of Palermo (Italy) area: extraction, GC-MS analysis, distribution and sources. *Atmospheric environment* **42**, 1801-1817.
- Masih, J., Masih, A., Kulshrestha, A., Singhvi, R., Taneja, A., 2010. Characteristics of polycyclic aromatic hydrocarbons in indoor and outdoor atmosphere in the north central part of India. *Journal of Hazardous Materials* **177**, 190-198.
- Masiol, M., Hofer, A., Squizzato, S., Piazza, R., Rampazzo, G., Pavoni, B., 2012. Carcinogenic and mutagenic risk associated to airborne particle-phase polycyclic aromatic hydrocarbons: A source apportionment. *Atmospheric Environment* **60**, 375-382.
- Massey, D., Masih, J., Kulshrestha, A., Habil, M., Tanneja, A., 2009. Indoor/outdoor relationship of fine particles less than 2.5 µm (PM_{2.5}) in residential homes locations in central Indian region. *Building and Environment* **44**, 2037-2045.
- Massey, D., Kulshrestha, A., Masih, J., Tanneja, A., 2012. Season trends of PM₁₀, PM_{5.0}, PM_{2.5}&PM_{1.0} in indoor and outdoor environments of residential homes located in North-Central Indian. *Building and Environment* **47**, 223-231.
- Matt, G.E., Quintana, P.J.E., Hovell, M.F., Bernert, J.T., Song, S., Novianti, N., Juarez, T., Floro, J., Gehrman, C., Garcia, M., Larson, S., Households contaminated by environmental tobacco smoke: sources of infant exposures. *Tobacco control* **13**, 29-37.
- Mesquita, S.R., Drooge, B.L.V., Reche, C., Guimarães, L., Grimalt, J.O., Barata, C., Piña, B., 2014. Toxic assessment of urban atmospheric particle-bound PAHs:

- Relevance of composition and particle size in Barcelona (Spain). *Environmental Pollution* **184**, 555-562.
- Miskinyte, A., Dedele, A., 2015. The measurements of indoor concentration of nitrogen dioxide using passive sampling. *Proceeding of the 14th International Conference on Environmental Science and Technology*, Athens, Greece, 3-5 September 2015.
- Navasumrit, P., Arayasiri, M., Tin Hiang, O.M., Leechawengwongs, M., Promvijit, J., Choonvisase, S., Chantchaemsai, S., Nakngam, N., Mahidol, C., Ruchirawat, M., 2008. Potential health effects of exposure to carcinogenic compounds in incense smoke in temple workers. *Chemico-Biological Interactions* **173**, 19-31.
- Nisbet, I.C.T., LaGoy, P.K., 1992. Toxic equivalency factors (TEFs) for polycyclic aromatic hydrocarbons (PAHs). *Regulatory Toxicology Pharmacology* **16**, 290-300.
- Nonthakanok, V., 2013. Inhalation exposure to particle-bound polycyclic aromatic hydrocarbons and health risk assessment of workers at religion place in Bangkok. Master's Thesis, Environmental Science Program (Interdisciplinary Program), Graduate School, Chulalongkorn University. 178 pages.
- Office of Environmental Health Hazard Assessment (OEHHA), 2003. The air toxics hot spots program guidance manual for preparation of health risk assessments. Oakland, CA: California Environmental Protection Agency, Office of Environmental Health Hazard Assessment.
- Ohura, T., Amagai, T., Fusaya, M., Matsushita, H., 2004. Polycyclic aromatic hydrocarbons in indoor and outdoor environments and factors affecting their concentrations. *Environmental Science & Technology* **38**, 77-83.
- Ohura, T., Noda, T., Amagai, T., Fusaya, M., 2005. Prediction of personal exposure to PM_{2.5} and carcinogenic polycyclic aromatic hydrocarbons by their concentrations in residential microenvironments. *Environmental Science & Technology* **39**, 5592-5599.

- Ongwandee, M., Pipithakul, W., 2010. Air pollutant emissions from the burning of incense, mosquito coils and candles in a small experimental chamber. *Journal of Environmental Research* **32**(1), 69-79.
- Orecchio, S., 2010. Assessment of polycyclic aromatic hydrocarbons (PAHs) in soil of a Natural Reserve (Isola delle Femmine) (Italy) located in front of a plant for the production of cement. *Journal of Hazardous Materials* **173**, 358-368.
- Orecchio, S., 2011. Polycyclic aromatic hydrocarbons (PAHs) in indoor emission from decorative candles. *Atmospheric environment* **45**, 1888-1895.
- Pan, A., Clark, M.L., Ang, L.-W., Yu, M.C., Yuan, J.-M., Koh, W.-P., 2014. Incense Use and Cardiovascular Mortality among Chinese in Singapore: The Singapore Chinese Health Study. *Environmental Health Perspectives* **122**, 1279-1284.
- Park, S.S., Kim, Y.J. and Kang, C.H., 2002. Atmospheric polycyclic aromatic hydrocarbons in Seoul, Korea. *Atmospheric Environment* **36**, 2917-2924.
- Pengchai, P., Chantara, S., Sopajaree, K., Wangkarn, S., Tengcharoenkul, U., Rayanakorn, M., 2008. Seasonal variation, risk assessment and source estimation of PM₁₀ and PM₁₀-bound PAHs in the ambient air of Chiang Mai and Lumphun, Thailand. *Environmental Monitoring and Assessment* **154**, 197-218.
- Pokhrel, A.K., Bates, M.N., Acharya, J., Valentiner-Branth, P., Chandyo, R.K., Shrestha, P.S., Raut, A.K., Smith, K.R. 2015. PM_{2.5} in household kitchens of Bhaktapur, Nepal, using four different cooking fuels. *Atmospheric Environment* **113**, 159-168.
- Pongpiachan, S., 2015. Incremental lifetime cancer risk of PM_{2.5} bound polycyclic aromatic hydrocarbons (PAHs) before and after the wildland fire episode. *Aerosol and Air Quality Research*, Doi: 10.4209/aaqr.2015.01.0011, 1-13.
- Pope, C.A., Burnett, R.T., Thun, M.J., Calle, E.E., Krewski, D. and Ito, K., 2002. Lung cancer, cardiopulmonary mortality and long-term exposure to fine particulate air pollution. *Journal of American Medical Association* **287**, 1132-1141

- Possanzini M., Di Palo, V., Gliucci, P., Tomasi Sciano, M.C., Cecinato, A., 2004, Determination of phase-distributed PAH in Rome ambient air by denuder/GC-MS method. *Atmospheric environment* **38**, 1727-1734.
- Qu, C., Li, B., Wu, H., Wang, S., Giesy, J.P., 2015. Multi-pathway assessment of human health risk posed by polycyclic aromatic hydrocarbons. *Environmental Geochemistry and Health*, Doi: 10.1007/s10653-014-9675-7.
- Saade, G., Seidenberg, A.B., Rees, V.W., Otrock, Z., Connolly, G.N., 2010. Indoor secondhand tobacco smoke emission levels in six Lebanese cities. *Tobacco Control* **19**, 138-142.
- Sarkar, S., Khillare, P.S., 2012. Profile of PAHs in the inhalable particulate fraction: source apportionment and associated health risks in a tropical megacity. *Environmental Monitoring and Assessment* **185**, 1199-1213.
- Satyendra, T., R N, S., Shaishav, S., 2013. Emissions from crop/biomass residue burning risk to atmospheric quality. *International Research Journal of Earth Sciences* **1 (1)**, 24-30.
- Schauer, J.J., Kleeman, M.J., Cass, G.R., Simoneit, B.R., 2001. Measurement of emission from air pollution sources. 3. C1-C29 organic compounds from fireplace combustion of wood. *Environmental Science & Technology* **35(9)**, 1716-1728.
- See, S.W., Balasubramanian, 2011. Characterization of fine particle emissions from incense burning. *Building and Environment* **46**, 1074-1080.
- Shen, G., Tao, S., Chen, Y., Zhang, Y., Wei, S., Xue, M., Wang, B., Wang, R., LV, Y., Li, W., Shen, H., Huang, Y., Chen, H., 2013. Emission characteristics for polycyclic aromatic hydrocarbons from solid fuels burned in domestic stoves in rural China. *Environmental Science and Technology* **47(24)**, 14485-14495.
- Shiu, W.-Y., Mackay, D., 1997. Henry's law constants of selected aromatic hydrocarbons, alcohols and ketones. *Journal of Chemical & Engineering Data* **42**, 27-30.

- Sillapapiromsuk, S., Chantara, S., Tengjaroenkul, U., Prasitwattanaseree, S., Prapamontol, T., 2013. Deterioration of PM10 and its ion composition emitted from biomass burning in the chamber for estimation of open burning emissions. *Chemosphere* **93**, 1912-1919.
- Smith, B.J., Nitschke, M., Pilotto, L.S., Ruffin, R.E., Pisaniello, D.L., Willson, K.J., 2000. Health effects of daily indoor nitrogen dioxide exposure in people with asthma. *European Respiratory Journal* **16**, 879-885.
- Stafoggia, M., Samoli, E., Alessandrini, E., Cadum, E., Ostro, B., Berti, G., Faustini, A., Jacquemin, B., Linares, C., Pascal, M., Randi, G., Ranzi, A., Stivanella, E., Forastiere, F., the MED-PARTICLES study group. Short-term associations between fine and coarse particulate matter and hospitalizations in southern Europe: results from the MED-PARTICLES Project. *Environmental Health Perspectives* **121**(9), 1026-1033.
- Stogiannidis, E., Laane, R., 2015. Source characterization of polycyclic aromatic hydrocarbons by using their molecular indices: An overview of possibilities. *Environmental Contamination and Toxicology* **234**, 49-133.
- Strand, V., Rak, S., Svartengren, M., Bylin, G., Nitrogen dioxide exposure enhances asthmatic reaction to inhaled allergen in subjects with asthma. *American Journal of Respiratory and Critical Care Medicine* **155**, 881-887.
- Sullivan, M., 2004 Statistics informed decisions using data. Pearson Education, Inc., Upper Saddle River, New Jersey, 804-908.
- Tarnok, A.D., Tarnok, D.L., Travers, M.J., Hyland, A., Dobson, K., Mechtler, L., Cummings, K.M., 2009. Tobacco smoke is a major source of indoor air pollution in hungary's bars, restaurants and transportation venues. *Clinical and Experimental Medical Journal* **3**, 131-138
- Tirler, W., Settimo, G., 2015. Incense, sparklers and cigarettes are significant contributors to indoor benzene and particle levels. *Annali dell'Istituto Superiore di Sanita* **51**(1), 28-33.

- Titcombe, M., Simcik, M., 2011. Personal and indoor exposure to PM_{2.5} and polycyclic aromatic hydrocarbons in the southern highlands of Tanzania: a pilot-scale study. *Environmental Monitoring and Assessment* **180**, 461-476.
- Tobiszewski, M., Namiesnik, J., 2012. PAH diagnostic ratios for the identification of pollution emission sources. *Environmental Pollution* **162**, 110-119.
- Triche, E.W., Belanger, K., Bracken, M.B., Beckett, W.S., Holford, T.R., Gent, J.F., 2005. Indoor heating sources and respiratory symptoms in nonsmoking women. *Epidemiology* **16**, 377-384.
- U.S.-EPA. (U.S. Environmental protection Agency), 2008. Polycyclic aromatic hydrocarbons (PAHs) – EPA fact sheet. Washington, DC: National Center for Environmental Assessment, Office of Research and Development: 2008.
- U.S. EPA. (US Environmental protection Agency), 2010. Environmental Measurement Glossary of Terms. Retrieved from http://www.epa.gov/fem/pdfs/Env_Measurement_Glossary_final_Jan_2010.pdf (26 December 2015).
- U.S.-HHS. (U.S. Department of Health and Human Services), Let's make the next generation tobacco-free. Centers for Disease Control and Prevention, Office on Smoking and Health (CDC), 20 pages.
- Valerio, F., Stella, A., Munizzi, A., 2000. Correlations between PAHs and CO, NO, NO₂, O₃, along an urban street. *Polycyclic Aromatic Compounds* **20**, 235-244.
- Vasilakos, C.H., Levi, N., Maggos, T.H., Hatzianestis, J., Michopoulos, J. and Helmis, C., 2007. Gas-particle concentration and characterization of sources of PAHs in the atmosphere of a suburban area in Athens, Greece. *Journal of Hazardous Materials* **140**, 45-51.
- Villanyi, V., 2010. Air pollution. Sciyo. Rijeka, pp. 100-117.
- Wang, B., Lee, S.C., Ho, K.F., Kang, Y.M., 2007. Characteristics of emissions of air pollutants from burning of incense in temples, Hong Kong. *The science of the total environment* **377**, 52-60.

- Wang, I.-J., Tsai, C.-H., Chen, C.-H., Tung, K.-Y., Lee, Y.L., 2011. Glutathione S-transferase, incense burning and asthma in children. *European Respiration Journal* **37**, 1371-1377.
- Weaver, L.K., Hopkins, R.O., Chan, K.J., Churchill, S., Elliott, C.G., Clemmer, T.P., 2002. Hyperbaric oxygen for acute carbon monoxide poisoning. *New England Journal of Medicine* **347**, 1057-1067.
- Wiriya, W., Chantara, S., Sillapapiromsuk, S., Lin, N.-H., 2015. Emission profiles of PM₁₀-bound polycyclic aromatic hydrocarbons from biomass burning determined in chamber for assessment of air pollutants from open burning. *Aerosol and Air Quality Research*, Doi: 10.4209/aaqr.2015.04.0278, 1-12.
- Wiriya, W., Prapamontol, T., Chantara, S., 2013. PM₁₀-bound polycyclic aromatic hydrocarbons in Chiang Mai (Thailand): Seasonal variations, source identification, health risk assessment and their relationship to air-mass movement. *Atmospheric Research* **124**, 109-122.
- Weisel, C.P., 2002. Assessing exposure to air toxics relative to asthma. *Environmental Health Perspectives* **4**, 527-537.
- Wilhelm, M., Ghosh, J.K., Su, J., Cockburn, M., Jerrett, M., Ritz, B., 2011. Traffic-related air toxics and preterm birth: a population-based case-control study in Los Angeles county, California. *Environmental Health*. Doi: 10.1186/1476-069X-10-89. 1-12.
- Wolkoff, P., Wilkins, C., Clausen, P., Nielsen, G., 2006. Organic compounds in office environments-sensory irritation, odor, measurements and the role of reactive chemistry, *Indoor Air* **16**, 7-19.
- World Health Organization (WHO), 2000. Air Quality Guideline for Europe, second edition. WHO Regional Publications 2000: European Series, No.91. WHO, Copenhagen.
- Wu, S.P., Tao, S., Liu, W.X., 2006. Particle size distributions of polycyclic aromatic hydrocarbons in rural and urban atmosphere of Tianjin, China. *Chemosphere* **62**(3), 357-367.

- Wu, S.-P., Wang, X.-H., Hong, H.S., Yan, J.-M., 2009. Measurement of particulate n-alkanes and PAHs inside and outside a temple in Xiamen, China. *Aerosol and Air Quality Research* **9**(1), 120-138.
- Wu, Z., Liu, F., Fan, W., 2015. Characteristics of PM₁₀ and PM_{2.5} at Mount Wutai Buddhism Scenic Spot, Shanxi, China. *Atmosphere* **6**, 1195-1210.
- Xie, Y., Zhao, B., Zhang, L., Luo, R., 2015. Spatiotemporal variations of PM_{2.5} and PM₁₀ concentrations between 31 Chinese cities and their relationships with SO₂, NO₂, CO, and O₃. *Particuology* **20**, 141-149.
- Xu, X., Niu, T., Christian, D., 1996. Occupational and environmental risk factors for asthma in rural communities in China. *International Journal of Occupational and Environmental Health* **2**(3), 172-176.
- Yang, Q., Chen, H., Li, B., 2015(a). Polycyclic aromatic hydrocarbons (PAHs) in indoor dust of Guizhou, southwest of China: status, sources and potential human health risk. *PLOS ONE*. Doi: 10.1371/journal.pone.0118141. 1-17.
- Yang, C.-R., Lin, T.-C., Chang, F.-H., 2007(a). Particle size distribution and PAH concentrations of incense smoke in a combustion chamber. *Environmental Pollution* **145**, 606-615.
- Yang, T.T., Lin, T.S., Chang, M., 2007(b). Characteristics of emissions of volatile organic compounds from smoldering incense. *Bulletin of Environmental Contamination and Toxicology* **78**, 308-313.
- Yang, T.-T., Lin, S.-T., Lin, T.-S., Hong, W.-L., 2012(a). Characterization of polycyclic aromatic hydrocarbon emissions in the particulate phase from burning incense with various atomic hydrogen/carbon ratios. *Science of the Total Environment* **414**, 335-342.
- Yang, T.T., Lin, T.S., Wu, J.J., Jhuang, F.J., 2012(b). Characteristics of polycyclic aromatic hydrocarbon emissions of particles of various sizes from smoldering incense. *Bulletin of Environmental Contamination and Toxicology* **88**, 271-276.

- Yang, T.T., Lin, S.T., Hung, H.F., Shie, R.H., Wu, J.J., 2013. Effect of relative humidity on polycyclic aromatic hydrocarbon emissions from smoldering Incense. *Aerosol and Air Quality Research* **13**, 662-671.
- Yang, T.T., Lin, S.-T., Lin, T.-S., Chung, H.-Y., 2015(b). Characterization of polycyclic aromatic hydrocarbon emission in the particulate and gas phase from smoldering mosquito coils containing various atomic hydrogen/carbon ratios. *Science of the Total Environment* **506-507**, 391-400.
- Yassin, M., AlThaqeb, B.E.Y., Al-Muriti, E.A.E., 2012. Assessment of indoor PM_{2.5} in different residential environments. *Atmospheric Environment* **56**, 65-68.
- Yunker, M.B., Macdonald, R.W., Vingarzan, R., Mitchell, R.H., Goyette, D., Sylvestre, S., 2002. PAHs in the Fraser River basin: a critical appraisal of PAH ratios as indicators of PAH source and composition. *Organic Geochemistry* **33**, 489-515.
- Zanobetti, A. and Schwartz, J., 2009. The effect of fine and coarse particulate air pollution on mortality: A national Analysis. *Environmental Health Perspectives* **117**(6), 898-903.
- Zeiger, E., 2001. Mutagens that are not carcinogens: faulty theory or faulty tests?. *Mutation Research/Genetic Toxicology* **492**, 29-38.
- Zhang, S., Peng, S.-C., Chen, T.-H., Wang, J.-Z., 2015. Evaluation of inhalation exposure to carcinogenic PM₁₀-bound PAHs of people at night markets of an urban area in a metropolis in eastern China. *Aerosol and Air Quality Research* **15**, 1944-1954.
- Zhang, W., Lei, T., Lin, Z.-Q., Zhang, H.-S., Yang, D.-F., Xi, Z.-G., Chen, J.-H., Wang, W., 2011. Pulmonary toxicity study in rats with PM₁₀ and PM_{2.5}: Differential responses related to scale and composition. *Atmospheric Environment* **45**, 1034-1041.
- Zhou, H.-C., Zhong, Z.-P., Jin, B.-S., Huang, Y.-J., Xiao, R., 2005. Experimental study on the removal of PAHs using in-duct activated carbon injection. *Chemosphere* **59**, 861-869.

Zhu, C.-S., Cao, J.-J., Shen, Z.-X., Liu, S.-X., Zhang, T., Zhao, Z.-Z., Xu, H.-M., Zhang, E.-K., 2012. Indoor and outdoor chemical components of PM_{2.5} in the rural area of northwestern China. *Aerosol and Air Quality Research* **12**, 1157-1165.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF PUBLICATIONS

- 1) Susira Bootdee, Patsaporn Chalemrom and Somporn Chantara, "Validation and field application of tailor-made nitrogen dioxide passive sampler," International Journal of Environmental Science and Technology, Vol. 9 No.3/ 2012, Page No. 519-526.
- 2) Susira Bootdee and Somporn Chantara, "Emission of Fine Particulate Matter and Nitrogen Dioxide from Incense Burning in Shrines, Chiang Mai, Thailand," International Journal of Environmental Science and Development, Vol. 5/ 2014, Page No. 228-232.
- 3) Susira Bootdee, Somporn Chantara and Tippawan Prapamontol, "Determination of PM_{2.5} and Polycyclic Aromatic Hydrocarbons from Incense Burning Emission at Shrine for Health Risk Assessment," Atmospheric Pollution Research, Doi: 10.1016/j.apr.2016.03.002/ 2016, Page No. 1-10.
- 4) Susira Bootdee and Somporn Chantara, "Emission of Fine Particulate Matter and Nitrogen Dioxide from Incense Burning in Shrines, Chiang Mai, Thailand". 4th Journal Conference on Environmental Science and Development (JCESD 2013 4th), Hong Kong, China, 24-26 October 2013, Page No. 228-232.
- 5) Susira Bootdee, Somporn Chantara, Tippawan Prapamontol, Urai Tengjaroenkul and Pichaya Mungkornasawakul, "PM_{2.5} and Polycyclic Aromatic Hydrocarbons Emitted from Incense Burning at Shrine in Chiang Mai, Thailand." 2014, 4th International Conference on Environment and BioScience (ICEBS 2014), Jinju South Korea, 8-9 October 2014, Page NO.