

REFERENCES

- Abirami P, Rajendran A. *GC-MS analysis of methanol extracts of Vernonia cinerea*. J Exp Biol. 2012; 2: 9-12.
- Agarwal R. *Smoking, oxidative stress and inflammation: Impact on resting energy expenditure in diabetic nephropathy*. BMC Nephrol. 2005; 6: 13.
- Alberg A. *The influence of cigarette smoking on circulating concentrations of antioxidant micronutrients*. Toxicology. 2002; 180: 121-137.
- Amin M, Kapadnis BP. *Heat stable antimicrobial activity of Allium ascalonicum against bacteria and fungi*. Indian J Exp Biol. 2005; 43: 751-754.
- Arias-Carrion O, Stamelou M, Murillo-Rodríguez E, Menendez-Gonzalez M, Poppel E. *Dopaminergic reward system: a short integrative review*. Int Arch Med. 2010; 3: 24. doi: 10.1186/1755-7682-3-24.
- Azevedo MI, Pereira AF, Noqueira RB, Rolim FE, Brito GA, Wong DV, Lima-Junior RC, de Albuquerque Ribeiro R, Vale ML. *The antioxidant effects of the flavonoids rutin and quercetin inhibit oxaliplatin-induced chronic painful peripheral neuropathy*. Mol Pain. 2013; 9: 53. doi: 10.1186/1744-8069-9-53.
- Bargeron LM, Ehmke D, Gonlubol F, Castellanos A, Siegel A, Bing RJ. *Effect of cigarette smoking on coronary blood flow and myocardial metabolism*. Circulation. 1957; 15: 251-257.
- Benowitz NL, Hansson A, Jacob P. *Cardiovascular effects of nasal and transdermal nicotine and cigarette smoking*. Hypertension. 2002; 39: 1107-1112.
- Bielski BH. *The role of metals in aqueous superoxide chemistry*. Basic Life Sci. 1988; 49: 123-130.

Bloomer RJ, Solis AD, Fisher-Wellman KH, Smith WA. *Postprandial oxidative stress is exacerbated in cigarette smokers*. Br J Nutrition. 2008; 99: 1055-1060.

Brodie I. *Tobacco moguls say - cigarettes are not addictive*. The tomes. 1994.

Bronner WE, Beecher GR. *Method for determining the content of catechins in tea infusions by high-performance liquid chromatography*. J Chromatogr A. 1998; 805: 137-142.

Bunyaphraphatsara N. *Medicinal plants indigenous to Thailand. Volume 5*. Department of Pharmacognosy, Faculty of Pharmacy, Mahidol University. Bangkok. 2005; 72-74.

3- CAT Research ELISA™. Labor Diagnostika Nord GmbH & Co. KG (Cat. No. BA E-5600). Germany. 2011. Available from: <http://www.ldn.de>.

Chea A, Hout S, Long C, Marcourt L, Faure R, Azas N. *Antimalarial activity of sesquiterpine lactones from Vernonia cinerea*. Chem Pharm Bull. 2006; 54: 1437-1439.

Chirico S. *High-performance liquid chromatograph-based thiobarbituric acid tests*. Meth Enzymol. 1994;233: 314-318.

Church DE, Pryor WA. *Free radical chemistry of cigarette smoke and its toxicological implications*. Environ Health Perspect. 1985; 64: 111-126.

Cohen C, Welzl H, Battig K. *Effects of nicotine, caffeine, and their combination on locomotor activity in rats*. Pharmacol Biochem Behav. 1991; 40: 121-123.

Craddock R, Hammerschmidt D, White JG, Dalmasso AP, Jacob HS. *Complement (C_{5a})-induced granulocyte aggregation in vitro. A possible mechanism of complement-mediated leukostasis and leukopenia*. J Clin. Invest. 1977; 60: 260-264.

Crowley-Weber CL, Dvorakova K, Crowley C, Bernstein H, Bernstein C, Garewal H, Payne CM. *Nicotine increases oxidative stress, activates NF- κ B and GRP78, induces apoptosis and sensitizes cells to geotoxic/xenobioic stress by a multiple stress inducer, deoxycholate: relevance to colon carcinogenesis.* Chem Biol Interact. 2003; 145: 53-66.

Cryer PE, Haymond MW, Santiago JV, Shah SD. *Norepinephrine and epinephrine release and adrenergic mediation of smoking-associated hemodynamic and metabolic events.* N Engl J Med. 1976; 295: 573-577.

Dhir A, Kulkarni SK. *Involvement of nitric oxide (NO) signaling pathway in the antidepressant action of bupropion, a dopamine reuptake inhibitor.* Eur J Pharmacol. 2007; 568: 177-185.

Dickerson LM, Carek PJ. *Nortriptyline effective for smoking cessation.* J Fam Pract. 2002; 51: 1008.

Dong J, Blier P. *Modification of norepinephrine and serotonin, but not dopamine, neuron firing by sustained bupropion treatment.* Psychopharmacology (Berl). 2001; 155: 52-57.

Droge W. *Free radicals in the physiological control of cell function.* Physiol Rev. 2002; 82: 47-95.

Ezzati M, Lopez AD. *Estimates of global mortality attributable to smoking in 2000.* Lancet. 2003; 362: 847-852.

Fantone JC, Ward PA. *Role of oxygen-derived free radicals and metabolites in leukocyte dependent inflammatory reactions.* Am J Pathol. 1982; 107: 397-418.

Fiore MC, Bailey WC, Cohen SJ. *Treating tobacco use and dependence. Clinical practice guideline.* US Department of Health and man Services, Public Health Service, June 2000.

Fiore MC, Jaen CR, Baker TB. *Clinical practice guideline: treating tobacco use and dependence: 2008 update*. U.S. Department of Health and Human Services, Public Health Service. Retrieved 2011-02-16. 2008.

Fowler JS, Logan J, Wang GJ, Volkow ND. *Monoamine oxidase and cigarette smoking*. Neurotoxicology. 2003; 24: 75-82.

Gamble JS. *Flora of the Presidency of Madras*, Vol. 09, Calcutta: Botanical Survey of India.1957; 699.

Gourlay SG, Stead LF, Benowitz NL. Stead, Lindsay F. *Clonidine for smoking cessation*. Cochrane Database Syst Rev 2004.

Halliwell B. *Cigarette smoking and health: a radical review*. J Roy Soc Health. 1993; 91-96.

Harris DC. *High performance liquid chromatography: analysis of caffeine and benzoic acid*. Experiment 5. In: Quantitative chemical analysis. 5th Edition. WH Freeman and Company: New York. 1999; 17-20.

Ho SC, Tang YL, Lin SM, Liew YF. *Evaluation of peroxynitrite-scavenging capacities of several commonly used fresh spices*. Food Chem. 2010; 119: 1102-1107.

Irving DW, Yamamoto T. *Cigarette smoking and cardiac output*. Br Heart J. 1963; 25:126-132.

Ito Y, Ito M. *Suppressive effect of (-)-Epigallocatechin gallate on aflatoxin B1-induced chromosome aberrations in rat bone marrow cells*. J Health Sci. 2001; 47: 248-257.

Iwalewa EO, Iwalewa OJ, Adeboye JO. *Analgesic, antipyretic, anti-inflammatory effects of methanol, chloroform and ether extracts of Vernonia cinerea less leaf*. J Ethnopharmacol. 2003; 86: 229-234.

Jonathan AP. *Antioxidant: train longer, train harder*. Dallington, London: P2P Publishing Ltd. 2007.

Kapoor D, Jones TH. *Smoking and hormones in health and endocrine disorders*. Eur J Endocrinol. 2005; 152: 491-499.

Keely SC, Jone SB. *Distribution of pollen types in Vernonia (Vernonieae: Compositae)*. Syst Bot. 1979; 4: 195-202.

Khoo HE, Ismail A. *Determination of daidzein and genistein contents in Magifera fruit*. Mal J Nut. 2008; 14: 189-198.

Kirkham P, Spooner G, Rahman I, Rossi A. *Macrophage phagocytosis of apoptotic neutrophils is compromised by matrix proteins modified by cigarette smoke and lipid peroxidation products*. Biochem Biophys Res Commun. 2004; 318: 32-37.

Kobayashi K. *Role of Catecholamine Signaling in Brain and Nervous System Functions: New Insights from Mouse Molecular Genetic Study*. J Investig Dermatol Symp Proc. 2001; 6: 115-121.

Koob GF, Volkow ND. *Neurocircuitry of addiction*. Neuropsychopharmacology. 2010; 35: 217-238.

Kopin IJ. *Metabolism of the catecholamines*. Z Klin Chem. 1964; 4: 115-123.

Latha RM, Geetha T, Varalakshmi P. *Effect of Vernonia cinerea less flower extract in adjuvant-induced arthritis*. Gen Pharmacol. 1998; 31: 601-606.

Law W, Salick J. *Human-induced dwarfing of Himalayan snow lotus, Saussurea laniceps (Asteraceae)*. Proc Natl Acad Sci U S A. 2005; 102: 10218-10220.

Lee HJ, Lee JH. *Effects of medicinal herb tea on the smoking cessation and reducing smoking withdrawal symptoms*. Am J Chin Med. 2005; 33: 127-138.

Leelarungrayub D, Pratanaphon S, Pothongsunun P, Sriboonreung T, Yankai A, Bloomer RJ. *Vernonia cinerea Less. supplementation and strenuous exercise reduce smoking rate: relation to oxidative stress status and beta-endorphin release in active smokers*. J Int Soc Sports Nutr. 2010, 7:21. doi: 10.1186/1550-2783-7-21.

Leelaprakash G, Mohan D, Sivajothi V. *Antioxidant and hepatoprotective activities of Vernonia cinerea extract against CCl₄ induced hepatotoxicity in albino rats.* Int J Pharm Sci Rev Res. 2011; 10: 30-34.

Lhieochaiphant SA. *Phytochemical study of Vernonia cinera Less.* In [Master's thesis] Chaingmai; Graduate school. Chiangmai university. Chiang Mai. 1985.

Lin KW. *Ethnobotanical study of medicinal plants used by the Jah Hut people in Malaysia.* Indian J Med Sci. 2005; 59: 156-161.

Lulla H, Chen SS, Sena FJ. *Simutaneous determination of nitrate and nitrite in toothpastes by high-performance liquid chromatography.* J Pharm Sci. 1984; 73: 1004-1006.

Mackay J, Eriksen M, Shafey O. *The tobacco atlas.* Atlanta GA: American Cancer Society (2nd ed). 2006.

Mangathayaru K, Thirumurugan D, Patel PS, Pratap DVV, David DJ, Karthikeyan J. *Isolation and identification of nicotine from Leucas aspera (Willd) Link.* Indian J Pharm Sci. 2006; 68: 88-90.

Mazumder UK, Gupta M, Manikandan L, Bhattacharya PK, Haldar PK, Roy S. *Evaluation of anti-inflammatory activity of Vernonia cinerea Less. extracts in rat.* Phytomedicine. 2003, 10: 185-188.

Misra TN, Singh RS, Srivastava R, Pandey HS, Prasad C, Singh S. *A new triterpenoidal from Vernonia cinerea.* Planta Med. 1993; 59: 458-460.

Misra TN, Singh RS, Upadhyay J, Srivastava R. *Chemical constituents of Vernonia cinerea. Part I. Isolation and spectral studies of triterpenes.* J Natural Prod. 1984; 47: 368-372.

Mundel T, David AJ. *Effect of transdermal nicotine administration on exercise endurance in men.* Exp Physiol. 2006; 91: 705-713.

Nakamura Y, Ohto Y, Murakami A, Ohigashi H. *Superoxide scavenging activity of Rosmarinic acid from Perilla frutescens Britton Var. acuta f. viridis*. J Agric Food Chem. 1998; 46: 4545-4550.

National List of Essential Medicines (NLEM). Available from: http://www.thaihof.org/sites/default/files/herbal_book_56_0.pdf. Accessed 7 September 2013.

Nides M, Rand C, Dolce J, Murray R, O'Hara P, Voelker H. *Weight gain as a function of smoking cessation and 2-mg nicotine gum use among middle-aged smokers with mild lung impairment in the first 2 years of the lung health study*. Health Psychol. 1994; 13: 354-361.

OECD. *Guidelines for the Testing of Chemicals, Revised Draft Guideline: Acute Oral Toxicity*. Paris, Organization for Economic Co-operation and Development. 2000: 423.

Okamoto M, Kita T, Okuda H, Tanaka T, Nakashima T. "Effects of aging on acute Toxicity of nicotine in rats". Pharmacol Toxicol. 1994; 75: 1-6.

O'Neill MF, Dourish CT, Iversen SD. *Evidence for an involvement of D1 and D2 dopamine receptors in mediating nicotine-induced hyperactivity in rats*. Psychopharmacology. 1991; 104: 343-350.

Paterson NE. *Behavioural and pharmacological mechanisms of bupropion's anti-smoking effects: Recent preclinical and clinical insights*. Eur J Pharmacol. 2009; 603: 1-11.

Pierce RC, Kumaresan V. *The mesolimbic dopamine system: The final common pathway for the reinforcing effect of drugs of abuse?*. Neurosci and Biobehav Rev. 2006; 30: 215-238.

Polshettiwar SA, Ganjiwale RO, Wadher SJ, Yeole PG. *Spectrophotometric estimation of total tanins in some Ayurvedic eye drops*. Indian J Pharmaceu Sci. 2007; 69; 574-576.

Povirk LF, Shuker D E. *DNA damage and mutagenesis induced by nitrogen mustards.* Mutat Res. 1994; 318: 205-226.

Prasopthum A, Pouyfung P, Saraput S, Srisook E, Rongnparut P. *Inhibition effects of Vernonia cinerea active compounds against cytochrome P450 2A6 and human monoamine oxidases, possible targets for reduction of tobacco dependence.* Drug Metabol Pharmacokinet. 2015; 30: 174-181.

Pratheeshkumar P, Kuttan G. *Antimetastatic potential of vernolide-A, a sesquiterpenoid from Vernonia cinerea L.* Hum Exper Toxicol. 2012; 31: 66-80.

Preston RJ, Dean BJ, Galloway S, Holden H, McFee AF, Shelby M. *Mammalian In Vivo Cytogenetic assays: Analysis of chromosome aberrations in bone marrow cells.* Mutat Res. 1987; 189: 157-165.

Prochazka AV. *New developments in smoking cessation.* Chest. 2000; 117: 169-175.

Pryor WA, Tamura M, Dolley MM, Bremovic P, Hales BF, Church DF. *Reactive oxy-radicals from cigarette smoke and their physiological effects.* In *Oxy-radicals and their Scavenger Systems. Cellular and Medical Aspects.* Eds R.A. Greenwald & G. Cohen. Amsterdam: Elsevier. 1983; 2: 185-192.

Pryor WA, Stone K. *Oxidants in cigarette smoke, radicals, hydrogen peroxide, peroxy nitrate, and peroxy nitrite.* Ann New York Acad Sci. 1993; 686: 12-27.

Rossi S, Singer S, Shearman R, Sershen H, Lajtha A. *The effects of cholinergic and dopaminergic antagonists on nicotine-induced cerebral neurotransmitter changes.* Neurochem Res. 2005; 30: 541-558.

Re R, Pellegrini N, Proteggente A, Pannala A, Yand M, Rice-Evans C. *Antioxidant activity applying an improved ABTS radical cation decolorization assay.* Free Radic Bio Med. 1999; 26: 1231-1237.

Rumley AG, Woodward M, Rumley A, Rumley J, Lowe GDO. *Plasma lipid peroxides' relationships to cardiovascular risk factors and prevalent cardiovascular disease.* Q J Med. 2004; 97: 809-816.

Russell MA, Wilson C, Patel UA, Feyerabend C, Cole PV. *Plasma nicotine levels after smoking cigarettes with high, medium, and low nicotine yields.* Br Med J. 1975; 2: 414-416.

Schleriser K, Harwat M, Hohm V, Bitsch R. *Assessment of antioxidant activity by using different in vitro methods.* Free Radiac Res. 2002; 36: 177-187.

Seyoum A, Asres K, El-Fiky EK. *Structure-radical scavenging activity relationships of flavonoids.* Phytochemistry. 2006; 67: 2058-2070.

Singh J, Budhiraja S. *Partial nicotinic acetylcholine ($\alpha 4\beta 2$) agonists as promising new medications for smoking cessation.* Indian J Pharmcol. 2008; 40: 191-196.

Singleton VL, Rossi J A Jr. *Colorimetry of total phenolics with phosphomolybdc-Phosphotungstic acid reagents.* Am J Enol Vitic. 1965; 16: 144-158.

Slemmer JE, Martin BR, Damai MI. *Buropion is a nicotine antagonist.* J Pharmacol Exp Therapeut. 2000; 295: 321-327.

Stead LF, Perera R, Bullen C, Mant D, Lancaster T. *Nicotine replacement therapy for smoking cessation.* Cochrane Database Syst Rev. 2008: CD000146.

Stratton K, Shetty P, Wallace R, Bonderant S, *Clearing the Smoke: Assessing the Science Base for Tobacco Harm Reduction.* Washington: National Academy Press; 2001.

Sumanont Y, Murakami M, Tohda O, Vajragupta K, Watanabe H. *Evaluation of the nitric oxide radical scavenging activity of manganese complexes of curcumin and its derivative.* Biol Pharm Bull. 2004; 27: 170-173.

Tice RR, Hayashi M, MacGregor JT, Anderson D, Blakey DH, Holden HE. *Report from the Working Group on the in Vivo Mammalian bone marrow chromosomal aberration test.* Mutat Res. 1994; 312: 305-312.

Tokusoglu O, Unal MK, Yildirim Z. *HPLC-UV and GC-MS characterizstion of the flavonol aglycons querceatin, kaempferol, an myricetin in tomato pastes and other tomato-based products.* Acta Chromatographica. 2003; 13: 196-207.

Tong F, Gross AD, Dolan MC, Coats JR. *The phenolic monoterpenoid carvacrol inhibits the blinding of nicotine to the housefly nicotinic acetylcholine receptor.* 2012: Pest Manag Sci. 2013; 69: 775-780.

Toyang NJ, Verpoorte R. *A review of the medicinal potentials of plants of the genus Vernonia (Asteraceae).* J Ethnopharmacol. 2013; 146: 681-723.

Valko M, Leibfritz D, Moncola J, Cronin MTD, Mazur M, Telser J. *Free radicals and antioxidants in normal physiological functions and human disease.* Int J Biochem Cell Biol. 2007; 39: 44-84.

Vezina P, McGehee DS, Green WN. *Exposure to nicotine and sensitization of nicotine-induced behaviors.* Prog Neuropsychopharmacol Biol Psychiatry. 2007; 31: 1625-1638.

Wagena EJ, Knipschild P, Zeegers MP. *Should nortriptyline be used as a first-line aid to help smokers quit? Results from a systematic review and meta-analysis.* Addiction. 2005; 100: 317-326.

Webster KO, Hong SR, Johnston JR YB, Henson PM. *Biological effects of the human complement fragments C_{5a} and C_{5ades} Arg on neutrophil function.* Immunopharmacology. 1980; 2: 201-219.

Wongwiwatthanankit S, Benjanakaskul P, Songsak T, Suwanamajo S, Verachai V. *Efficacy of Vernonia Cinerea for smoking cessation.* J Health Res. 2009; 23: 31-36.

Wongwiwatthanankit S. *Role of pharmacists in smoking cessation program. in: Jindavijag, B. Ambulatory pharmaceutical care.* Bangkok: Thai Hospital Pharmacist Association (1st ed). 2003; 153-174.

World Health Organization (WHO). *Environmental health criteria 51. Guide to short-term tests for detecting mutagenic and carcinogenic chemicals.* 1985.

World Health Organization. *WHO report on the global tobacco epidemic 2008: the MPOWER Package.* Geneva, Switzerland. 2008.

Yildiz D, Liu YS, Ercal N, Armstrong DW. *Comparison of pure nicotine-and smokeless tobacco extract-induced toxicities and oxidative stress.* Arch Environ Contam Toxicol. 1999; 37: 434-439.

Zhang M, Cao J, Dai X, Chen X, Wang Q. *Flavonoid contents and free radical scavenging activity of extracts from leaves, stems, rachins and toots of Dryopteris erythrosora.* Iran J Phar Res. 2012; 11: 991-997.

Zickler P. "Nicotine's Multiple Effects on the Brain's Reward System Drive Addiction"
Available from: http://archives.drugabuse.gov/NIDANotes/NN_Voll7N6/Nicotine.html. Accessed at NIDA Notes, 2003; 17.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF PUBLICATIONS / OUTPUT

- 1) Ketsuwan N, Leelarungrayub J, Kothan S, Singhatong S. Antioxidant Compounds and Activities of the Stem, Flower and Leaf Extracts of the Anti-Smoking Thai Medicinal Plant: *Vernonia cinerea* Less. *Drug Design, Development and Therapy*. 2017; 11: 383-391.
- 2) Ketsuwan N, Leelarungrayub J, Banchonglikitkul C. Effects of Thai Medicinal Plant; *Vernonia cinerea* Less. Extracts on Catecholamine, Oxidative Stress and Chromosome Aberration in Nicotine-Treated Rats. *Bull Chiang Mai Assoc Med Sci*. In press 2017.
- 3) Ketsuwan N, Leelarungrayub D, Banchonglikitkul C. Antioxidant activity and Capacity of *Vernonia Cinerea L.* for stop smoking *in Vitro* and *in Vivo*. The 15th World Conference on Tobacco or Health (WCTOH 2012). March 20-24, 2012, Singapore (Poster presentation).

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved