

CONTENTS

	Page
Acknowledgement	c
Abstract in Thai	d
Abstract in English	f
List of Tables	i
List of Figures	j
Chapter 1 Introduction	1
- Obesity and gut microbiota	1
- Gut microbiota targeting: a new therapeutic approach using probiotics in obesity and metabolic syndrome	3
Chapter 2 Literature review	4
- Alteration of gut microbiota composition by high-fat diet associates with an increased gut inflammation	4
- Gut dysbiosis: a contributing factor of metabolic endotoxemia	5
- Role of the low-grade inflammation in insulin resistance and obesity	7
- Gut microbiota manipulation: a potential way for diet-induced obesity treatment	9
- Probiotic <i>Lactobacillus</i> treatment: a long history of the promising therapy for obesity and metabolic syndrome	11
Chapter 3 Objectives and hypothesis of study	13
- Obesity and gut microbiota	13
- Hypothesis of the study	13
- Scope of study	14
- Expecting benefits	15

Chapter 4 Materials and methods	16
- Animal study	16
- Metabolic endotoxemia	22
- Rat fecal and colon content bacterial cultures	22
- Rat tissue pro-inflammatory cytokine gene expressions	23
- Statistical analysis	24
Chapter 5 Results	25
- Probiotic <i>Lactobacillus paracasei</i> ST11 (HP4) improves metabolic parameter in obese rat by decreasing serum total cholesterol levels	25
- Attenuation of systemic and local low-grade inflammations in diet-induced obese rat by probiotic <i>L. paracasei</i> ST11 (HP4)	28
- High fat diet consumption results in mild alterations of gut microbiota viable counts and independent of probiotic <i>L. paracasei</i> ST11 (HP4) administration	30
Chapter 6 Discussion	35
Chapter 7 Summary	38
References	39
Curriculum Vitae	49

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved

LIST OF TABLES

	Page
Table 1 Normal diet (ND) composition	17
Table 2 High-fat diet (HFD) composition	17
Table 3 Primer pairs for quantitative real-time RT-PCR of rat tissue	24
Table 4 Metabolic parameters at the 12 th week of the male Wistar rats fed by normal or high fat diets compared to the baselines.	26
Table 5 The roles of probiotic <i>L. paracasei</i> ST11 (HP4) on rat metabolic parameters.	27



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF FIGURES

	Page
Figure 1 Prolonged consumption of high-fat diet resulting in altered gut microbiota composition (gut dysbiosis) and increased gut inflammatory tone.	9
Figure 2 Experimental design.	14
Figure 3 Metabolic endotoxemia in the obese rats.	29
Figure 4 Rat gut pro-inflammatory cytokine gene profile.	30
Figure 5 The represented gut microbiota viable counts in obese and lean rats.	32
Figure 6 Gut microbiota profiles in the probiotic-treated rats.	34