

REFERENCES

- Aburahma, M.H., "Bile salts-containing vesicles: promising pharmaceutical carriers for oral delivery of poorly water-soluble drugs and peptide/protein-based therapeutics or vaccine," *Drug Deliv.*, Vol. 23, No. 6, 2014, pp. 1847-1867.
- Afonso, L.O.B., Campbell, P.M., Devlin, R.H., and Donaldson, E.M., "The effect of aromatase inhibitor fadrozole and two polynuclear aromatic hydrocarbons on sex steroid secretion by ovarian follicles coho salmon," *Gen Comp Endocrinol.*, Vol. 106, 1997, pp. 169-174.
- Ahima, R.S. and Flier, J.S., "Adipose tissue as an endocrine organ," *Trends Endocrinol. Metab.*, Vol. 11, 2000, pp. 327-332.
- Ahsan, F., Rivas, I.P., Khan, M.A., and Torres Suárez, A.I., "Targeting to macrophages: role of physicochemical properties of particulate carriers--liposomes and microspheres--on the phagocytosis by macrophages," *J Control Release.*, Vol. 79, No. 1-3, 2002, pp. 29 -40.
- Akdogan, H. A., and Sen A., "Characterization of drug metabolizing enzymes and assessment of aging in the gilthead seabream (*Sparus aurata*) liver," *Veterinari Medicina*, Vol.55, No. 9, 2010, pp. 463–471.
- Alcántar-Vázquez, J.P., Moreno-de La Torre, R., Calzada-Ruiz, D., and Antonio-Estrada, C., "Production of YY-male of Nile tilapia *Oreochromis niloticus* (Linnaeus, 1758) from atypical fish," *Lat Am J Aquat Res.*, Vol. 42, 2014, pp. 644-648.
- Al-mahallawi, A.M., Abdelbary, A.A., and Aburahma M.H., "Investigation the potential of employing bilosomes as a novel vesicular carrier for transdermal delivery of tenoxicam," *Int J Pharm.*, Vol. 485, 2015, pp. 329-340.
- Al-Saden, A.A, Whateley, T.L. and Florence, A.T., "Poloxamer association in aqueous solution," *J Colloid Interf Sci.*, Vol. 90, 1982, pp. 303-309.

Andersson, A.M. and Skakkebaek, NE., "Exposure to exogenous estrogens in food: possible impact on human development and health," *Eur J Endocrinol.*, Vol. 140, 1999, pp. 477-485.

Ankley, G.T., Kahl, M.D., Jensen, K.M., Hornung, M.W., Korte, J.J., Makynen, E.A., and Leino, R.L., "Evaluation of the aromatase inhibitor fadrozole in a short-term reproduction assay with the fathead minnow (*Pimephales promelas*)," *Toxicol Sci.*, Vol. 67, No.1, 2002, pp. 121-30.

Arai, M.A., Uemura, K., Hamahiga, N., Ishikawa, N., Koyano, T., Kowithayakorn, T., Kaddar, T., Carreau, M., and Ishibashi, M., "Naturally occurring FANCF-Hes1 complex inhibitors from *Wrightia religiosa*," *Med. Chem. Commun.*, No. 6, 2015, pp. 455-460.

Arora, D., Khurana, B., Kumar, M.S., and Vyas, S.P., "Oral immunization against Hepatitis B virus using mannosylated bilosomes," *Int J Rec Adv Pharm Res.*, Vol. 1, 2011, pp. 45-51.

Arunothayanun, P., Turton, J.A., Uchegbu, I.F., and Florence, A.T., "Preparation and *in vitro/in vivo* evaluation of luteinizing hormone releasing hormone (LHRH)-loaded polyhedral and spherical/tubular niosomes," *J Pharm Sci.*, Vol. 88, 1999, pp. 34-38.

Attili, A.F., Angelico, M., Cantafora, A., Alvaro, D., and Capocaccia, L., "Bile acid-induced liver toxicity: relation to the hydrophobic-hydrophilic balance of bile acids," *Med Hypotheses.*, Vol. 19, No. 1, pp. 57-69.

Auclair, K., Moenne-Loccoz, P., and Ortiz de Montellano PR., "Roles of the proximal heme thiolate ligand in cytochrome p450(cam)," *J Am Chem Soc.*, Vol. 123, 2001, pp. 4877-4885.

Ayorinde, F.O., Gelain, S.V., Johnson, J.H.Jr., and Wan, L.W., "Analysis of some commercial polysorbate formulations using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry," *Rapid Commun. Mass Spectrom.*, Vol. 14, No. 22, 2000, pp. 2116-2124.

Baker, J., Solar, I.I., and Donaldson E.M., "Masculinization of Chinook salmon (*Oncorhynchus tshawytscha*) by immersion treatments using 17-alpha-

methyltestosterone around the time of hatching,” *Aquaculture*, Vol. 72, 1988, pp. 359-367

Baker, T.R., Peterson R.E., and Heidema, W., “Early Dioxin Exposure Causes Toxic Effects in Adult Zebrafish,” *Toxicol Sci.*, Vol. 135 No. 1, 2013, pp. 241-250.

Bar-Ilan, O., Albrecht, R.M., Fako, V.E., and Furgeson, D.Y., “Toxicity assessments of multisized gold and silver nanoparticles in zebrafish embryos,” *Small*, Vol. 5, No. 16, 2009, pp. 1897-1910

Batrakova, E.V. and Kabanov, A.V., “Pluronic block copolymers: Evolution of drug delivery concept from inert nanocarriers to biological response modifiers,” *J Control Release.*, Vol. 130, No. 2, 2008, pp. 98-106.

Batrakova, E.V., Li, S., Li, Y., Alakhov, V.Y., Elmquist, W.F., and Kabanov, A.V., “Distribution kinetics of a micelle-forming block copolymer Pluronic P85,” *J Control Release.*, Vol. 100, No. 3, 2004, pp. 389-97.

Bayindir, Z.S. and Yuksel, N., “Characterization of niosomes prepared with various nonionic surfactants for paclitaxel oral delivery,” *J Pharm Sci.*, Vol. 99, 2010, pp. 2049-2060.

Bennett, E., Mullen, A.B., and Ferro, V.A., “Translational modifications to improve vaccine efficacy in an oral influenza vaccine,” *Methods*, Vol. 49, No. 4, 2009, pp. 322-327.

Böhne, A., Heule, C., Boileau, N. and Salzburger, W., “Expression and sequence evolution of aromatase cyp19a1 and other sexual development genes in east African cichlid fishes,” *Mol Biol Evol.*, Vol. 30, 2013, pp. 2268-2285.

Bonfield, K., Amato, E., Bankemper, T., Agard, H., Steller, J., Keeler, J.M., Roy, D., McCallum, A., Paula, S., and Ma, L., “Development of a new class of aromatase inhibitors: Design, synthesis and inhibitory activity of 3-phenylchroman-4-one (isoflavanone) derivatives,” *Bioorgan Med Chem.*, Vol. 20, 2012, pp. 2603-2613.

Born, S.L., Api, A.M., Ford, R.A., Lefever, F.R., and Hawkins, D.R., “Comparative metabolism and kinetics of coumarin in mice and rats,” *Food Chem Toxicol.*, Vol. 41, No. 2, 2003, pp. 247-58.

Braunbeck, T. and Lammer, E., *Background paper on Fish Embryo Toxicity Assays*, German Federal Environment Agency. UBA Contract number 203 85 422, 2006, pp. 1-40.

Brewster, M.E. and Loftsson, T., "Cyclodextrins as pharmaceutical solubilizer", *Adv Drug Deliv Rev.*, Vol. 59 No. 7, 2007, pp. 645-666.

Brodie, A.M.H. and Njar, V.C.O., "Aromatase inhibitors and breast cancer," *Semin Oncol.*, Vol. 23, 1997, pp. 10-20.

Burton, R.F., "The dependence of normal arterial blood-pH on sodium concentration in teleost fish," *Comp Biochem Physiol A Mol Integr Physiol*, Vol. 114, No. 2, 1996, pp. 111-116.

Chaiyana, W., Schripsema, J., Ingkaninan, K., and Okonogi, S., "3'-R/Shydroxyvoacamine, a potent acetylcholinesterase inhibitor from *Tabernaemontana divaricate*," *Phytomed.* 20, 2013, pp. 543-548.

Chakraborty, S., Basu, S., Lahiri, A., and Basak, S., "Inclusion of chrysin in β -cyclodextrin nanocavity and its effect on antioxidant potential of chrysin: A spectroscopic and molecular modeling approach," *J Mol Struct.*, Vol. 977, 2010, pp. 180-188.

Chang, C., Yang, M., Wen, H., and Chern, J., "Estimation of total flavonoid content in propolis by two complementary colorimetric methods," *J Food Drug Anal.*, Vol. 10, 2002, pp. 178-182.

Chen, S., "Aromatase and breast cancer," *Front Biosci.*, Vol. 3, 1998, pp. 922-933.

Chevalier, Y., "New Surfactants: New Chemical Functions and Molecular Architectures," *Curr Opin Colloid Interface Sci.*, Vol. 7, 2002, pp. 3-11.

Chiappetta, D.A. and Sosnik, A., "Poly(ethylene oxide)-poly(propylene oxide) block copolymer micelles as drug delivery agents: Improved hydrosolubility, stability and bioavailability of drugs," *Eur J Pharm Biopharm.*, Vol. 66, 2007, pp. 303-317.

Chou, D.K., Krishnamurthy, R., Randolph, T.W., Carpenter, J.F., and Manning, M.C., "Effects of Tween 20 and Tween 80 on the stability of Albutropin during agitation," J Pharm Sci., Vol. 94, No. 6, 2005, pp. 1368-1381.

Conacher, M., Alexander, J., and Brewer, J.M. "Oral immunization with peptide and protein antigens by formulation in lipid vesicles incorporating bile salts (bilosomes)", Vaccine. Vol. 19, No. 20-22, 2001, pp. 2965-2974.

Darkoh, C., Lichtenberger, L.M., Ajami, N., Dial, E.J., Jiang, Z.D., and DuPont, H.L., "Bile Acids Improve the Antimicrobial Effect of Rifaximin," Antimicrob Agents Chemother., Vol. 54, No. 9, 2010, pp. 3618-3624.

Deka, D.C., Kumar, V., Prasad, C., Kumar, K., Gogoi, B.J., Singh, I., Srivastava, R.B., "Oroxylum indicum– a medicinal plant of North East India: An overview of its nutritional, remedial, and prophylactic properties," J Appl Pharm Sci., Vol. 3, No. Suppl. 1, 2013, pp. S104-s112.

Dranow, D.B., Tucker, R.P., and Draper, B.W., "Germ cells are required to maintain a stable sexual phenotype in adult zebrafish," Dev Biol., Vol. 376, 2013, pp. 43-50.

Echeverri, F., and Suarez, G.E., "Flavonoids from *Passiflora foetida* and deterrent activity," Revista Latinoamericana de Quimica, Vol. 20, 1989, pp.6-7.

Eddy, N.O., Ekwumengbo, P.A., and Mamza, P.A.P., "Ethanol extract of *Terminalia catappa* as a green inhibitor for the corrosion of mild steel in H₂SO₄," Green Chem Lett Rev., Vol. 2, No. 4, 2009, pp. 223-231.

Endringer, D.C., Guimarães, K.G., Kondratyuk, T.P., Pezzuto, J.M., and Braga, F.C., "Selective Inhibition of Aromatase by a Dihydroisocoumarin from *Xyris pterygoblephara*," J Nat Prod., Vol. 71, No. 6, 2008, pp. 1082-1084.

Evans, D.H. and Claiborne, J.B., *The physiology of fishes*, 2nd Ed., Marine science series. CRC Press, 1998, pp. 519, ISBN 0-8493-8427-3.

Feist, S.W., Lang, T., Stentiford, G.D., and Köhler A., "The use of liver pathology of the European flatfish, dab (*Limanda limanda* L.) and flounder (*Platichthys flesus* L.) for monitoring biological effects of contaminants," ICES Tech Mar Environ Sci. Vol. 38, 2004, pp. 42. ISBN 87-7482-024-9

Fenske, M. and Segner, H., "Aromatase modulation alters gonadal differentiation in developing zebrafish (*Danio rerio*)," *Aquat Toxicol.*, Vol. 67, 2004, pp. 105-126.

Forlano, P.M., Schlinger, B.A., and Bass, A.H., "Brain aromatase: new lessons from non-mammalian model systems," *Front Neuroendocrinol.*, Vol. 27, No. 3, 2006, pp. 247-274.

Freitas, C. and Muller, R.H., "Effect of light and temperature on zeta potential and physical stability in solid lipid nanoparticle (SLNTM) dispersions," *Int J Pharm.*, Vol. 168, 1998, pp. 221-229.

Frode, T.S., and Medeiros, Y.S., "Animal models to test drugs with potential antidiabetic activity," *J Ethnopharmacol.*, Vol. 115, 2008, pp. 173-183.

Gami, B., Pathak, S., and Parabia, M., "Ethnobotanical, phytochemical and pharmacological review of *Mimusops elengi* Linn.," *Asian Pac J Trop Biomed*, Vol. 2, No. 9, 2012, pp. 743-748.

Gao, Z., Wang, H., Wallat, G., Yao, H., Rapp, D., and O'Bryant, P., "Effects of a nonsteroidal aromatase inhibitor on gonadal differentiation of bluegill sunfish (*Lepomis macrochirus*)," *Aquac Res.*, Vol. 41, 2010, pp. 1282-1289.

Gelain, S.V., Johnson, J.H. Jr., and Wan, L.W., "Analysis of some commercial polysorbate formulations using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry," *Rapid Commun Mass Spectrom.*, Vol. 14, No. 22, 2000, pp. 2116-2124.

Gentile, P., Chiono, V., Carmagnola, I., and Hatton, P.V., "An Overview of Poly(lactic-co-glycolic) Acid (PLGA)-Based Biomaterials for Bone Tissue Engineering," *Int J Mol Sci.*, Vol. 15, 2014, pp. 3640-3659.

Glaser, N., Adams, D.J., Boeker, A., and Krausch, G., Janus particles at liquid-liquid interfaces. *Langmuir*, Vol. 22, 2006, pp.5227-5229.

Golan, M. and Levavi-Sivan, B., "Artificial masculinization in tilapia involves androgen receptor activation," *Gen Comp Endocrinol.*, Vol. 207, 2014, pp. 50-55.

Goldsmith, P., "Zebrafish as a pharmacological tool: the how, why, and when," *Curr Opin Pharmacol.*, Vol. 4, No. 5, 2004. pp. 1-9.

Gormaz, J.G., Fry, J.P., Erazo, M., and Love, D.C., "Public health perspectives on Aquaculture," *Curr Environ Health Rep.*, Vol.1, 2014, pp. 227-238.

Goudie, C.A., Redner, B.D., Simco, B.A., and Davis K.B., "Feminization of channel catfish by oral administration of steroid sex hormones," *Trans Am Fish Soc.*, Vol. 112, 1983, pp. 670-672.

Gould, S. and Scott, R.C., "2-Hydroxypropyl-beta-cyclodextrin (HP- β -CD): a toxicology review," *Food Chem Toxicol.*, Vol. 43, No. 10, 2005, pp. 1451-1459.

Govender, T., Stolnik, S., Garnett, M.C., Illum, L., and Davis S.S., "PLGA nanoparticles prepared by nanoprecipitation: drug loading and release studies of a water soluble drug," *J Controlled Release.*, Vol. 57, 1999, pp. 171-185.

Green, B., Veverica, K., and Fitzpatrick, M., *Fry and fingerling production. Dynamics of Pond Aquaculture*, Egna, H.S. and Boyd, C. Eds. CRC Press, 1997, pp. 215-243. ISBN 9781566702744.

Guengerich, F.P., "Cytochrome P450: what have we learned and what are the future issues?," *Drug Metab Rev.*, Vol. 36, 2004, pp.159-197.

Hendy, R.J., Butterworth, K.R., Gaunt, I.F., Kiss, I.S., and Grasso, P., "Long-term toxicity study of sorbitan monostearate (Span 60) in mice," *Food Cosmet Toxicol.*, Vol.16, No. 6, 1978, pp. 527-534.

Hill, A.J., Teraoka, H., Heideman, W., and Peterson, R.E., "Zebrafish as a model vertebrate for investigating chemical toxicity," *Toxicol Sci.* Vol. 86, 2005, pp. 6-19.

Hodek, P., Trefil, P., and Stiborová, M., "Flavonoids-potent and versatile biologically active compounds interacting with cytochromes P450," *Chem Biol. Interact.*, Vol. 139, 2002, pp. 1-21.

Hofmann AF., "The continuing importance of bile acids in liver and intestinal disease," *Arch Intern Med.*, Vol. 159, No. 22, 1999, pp. 2647-2658.

Hofmann, A.F., Hagey, L.R., and Krasowski, M.D., "Bile salts of vertebrates: structural variation and possible evolutionary significance," J Lipid Res., Vol. 51, No. 2, 2010, pp. 226-246.

Holm, R., Müllertz, A., and Mu, H., "Bile salts and their importance for drug absorption," Int J Pharm., Vol. 453, No. 1, 2013, pp. 44-55.

Holy, C.E., Dang, S.M., Davies, J.E., and Shoichet, M.S., "In vitro degradation of a novel poly(lactide-co-glycolide) 75/25 foam," Biomaterials, Vol. 20, 1999, pp. 1177-1185.

Hong, Y., Li, H., Yuan, Y.C., and Chen, S., "Molecular characterization of aromatase," Ann N Y Acad Sci., Vol. 1155, 2009, pp. 112-120.

Ingale, A.G., and Hivrale, A.U., "Pharmacological studies of *Passiflora* sp. and their bioactive compounds," Afr J Plant Sci., Vol. 4, No. 10, 2010, pp. 417-426.

Ingram, A.I., Butterworth, K.R., Gaunt, I.F., Grasso, P., and Gangolli, S.D., "Short-term toxicity study of sorbitan mono-oleate (Span 80) in rats," Food Cosmet Toxicol., Vol.16, No. 6, 1978, pp. 535-542.

Iwata, N., Mukai, T., Hara, S., Endo T., and Tomoda A., "Rapid and large scale isolation of microsomal fraction of mouse liver by lyophilization and low speed centrifugation," Tohoku J Exp Med., Vol. 180, 1996, pp. 65-71.

Jain, S., Harde, H., Indulkar, A., and Agrawal, A.K., "Improved stability and immunological potential of tetanus toxoid containing surface engineered bilosomes following oral administration", Nanomedicine, Vol. 10, No. 2, 2014, pp. 431-440.

Jana, K., Yin. X., Schiffer, R.B., Chen, JJ., Pandey, A.K., Stocco, D.M., Grammas, P. and Wang, X., "Chrysin, a natural flavonoid enhances steroidogenesis and steroidogenic acuteregulatory protein gene expression in mouse Leydig cells," J Endocrinol., Vol. 197, 2008, pp. 315-323.

Jindal, N. and Mehta, S.K., "Nevirapine loaded Poloxamer 407/Pluronic P123 mixed micelles: optimization of formulation and in vitro evaluation," Colloid Surface B. Biointerfaces., Vol. 129, 2015, pp. 100-106.

Kamboj, A., and Saluja, A.K., "Ageratum conyzoides L.: a review on its phytochemical and pharmacological profile," Int J Green Pharm., Vol. 2, 2008, pp. 59-68.

Khatoon, S., "A comprehensive review on *spondias pinnata*," IJAPS., Vol. 2, No. 4, 2015, pp. 1-6.

Khonkarn, R., Mankhetkorn, S., Talelli, M., Hennink, W.E., and Okonogi, S., "Cytostatic effect of xanthone-loaded mPEGb-p(HPMAM-Lac2) micelles towards doxorubicin-sensitive and resistant cancer cells," Colloids Surf B Biointerfaces., Vol. 94, 2012, pp. 266-273.

Kime, D.E., "'Classical' and 'non-classical' reproductive steroids in fish," Rev Fish Biol Fish., Vol. 3, 1993, pp.160-180.

Kishida, M. and Callard, G.V., "Distinct cytochrome P450 aromatase isoforms in zebrafish (*Danio rerio*) brain and ovary are differentially programmed and estrogen regulated during early development," Endocrin., Vol. 142, 2001, pp. 740-750.

Kohli, G., Clelland, E. and Peng, C., "Potential targets of transforming growth factor β 1 during inhibition of oocyte maturation in zebrafish," Reprod Biol Endocrinol., Vol. 3, 2005, pp. 53-62.

Komatsu, T., Nakamura, S., Nakamura, M., "Masculinization of female golden rabbitfish *Siganus guttatus* using an aromatase inhibitor treatment during sex differentiation", Comp Biochem Physiol C Toxicol Pharmacol., Vol. 143, No. 4, 2006, pp. 402-409.

Kozlov, M., Melik-Nubarov, N., Batrakova, E., and Kabanov, A., "Relationship between Pluronic block copolymer structure, critical micellization concentration and partitioning coefficients of low molecular mass solutes," Macromolecules, Vol. 33, 2000, pp. 3305-3313.

Kumar, S. and Pandey, A., "Chemistry and Biological Activities of Flavonoids: An Overview," Sci World J., 2013, pp.1-16.

Kumari, A., and Sharma, R.A., "A review on *Millingtonia hortensis* Linn.," Int J Pharm Sci Rev Res., Vol. 19, No. 2, 2013, pp. 85-92.

Kunzemann, J., and Herrmann, K., "Isolation and identification of flavon(ol)-O-glycosides in caraway (*Carum carvi* L.), fennel (*Foeniculum vulgare* Mill.), anise (*Pimpinella anisum* L.), and coriander (*Coriandrum sativum* L.), and of flavon-C-glycosides in anise. I. Phenolics of spices," *Z Lebensm Unters Forsch.*, Vol. 164, No. 3, 1977, pp. 194-200.

Kwon, H.Y., Lee, J.Y., Choi, S.W., Jang, Y., and Kim, J.H., "Preparation of PLGA nanoparticles containing estrogen by emulsification-diffusion method," *Colloid Surf A*, Vol. 182, 2001, pp. 123-130.

Laemmli, U.K., "Cleavage of structural proteins during assembly of the head of bacteriophage T4," *Nature*, Vol. 227, 1970, pp. 680-685.

Landge, L.J. and Kalse, A.T., "Phytochemical analysis of flowers of *millingtonia hortensis* linn.," *DAMA Inter.*, Vol. 1, No. 2, 2014, pp. 34-38.

Lavoie, C., and Paiement, J., "Topology of molecular machines of the endoplasmic reticulum: a compilation of proteomics and cytological data," *Histochem Cell Biol.*, Vol. 129, 2008, pp. 117-128.

Le Dévédec, F., Strandman, S., Hildgen, P., Leclair, G., Zhu, X.X., "PEGylated bile acids for use in drug delivery systems: enhanced solubility and bioavailability of itraconazole," *Mol Pharm.*, Vol. 10, No. 8, 2013, pp. 3057-3066.

Lee, P.S., Pankhurst, N., and King, H.R., "Effects of aromatase inhibitors on *in vitro* steroidogenesis by Atlantic salmon (*Salmo salar*) gonadal and brain tissue," *Comp Biochem Physiol A Mol Integr Physiol.*, Vol. 145, No. 2, 2006, pp. 195-203.

Lee, Y.M., Seo, J.S., Kim, I.C., Yoon, Y.D., and Lee, J.S., "Endocrine disrupting chemicals (bisphenol A, 4-nonylphenol, 4-tert-octylphenol) modulate expression of two distinct cytochrome P450 aromatase genes differently in gender types of the hermaphroditic fish *Rivulus marmoratus*," *Biochem Biophys Res Commun.*, Vol. 345, No. 2, 2006, pp. 894-903.

Li, L., Bonneton, F., Tohme, M., Bernard, L., Chen, X.Y. and Laudet V. "In Vivo Screening Using Transgenic Zebrafish Embryos Reveals New Effects of HDAC

Inhibitors Trichostatin A and Valproic Acid on Organogenesis,” PLoS One., Vol. 11, No. 2, 2016 pp. e0149497.

Lineweaver, H., and Burk, D., “The Determination of Enzyme Dissociation Constants,” J Am Chem Soc., Vol. 56, No. 3, 1934, pp. 658-666.

Lo, C.T., Jahn, A., Locascio, L.E., and Vreeland, W.N., “Controlled self-assembly of monodisperse niosomes by microfluidic hydrodynamic focusing,” Langmuir, Vol. 26, 2010, pp. 8559-8566.

Loftsson, T., and Duchêne, D., “Cyclodextrins and their pharmaceutical applications,” Int J Pharm., Vol. 329, No. 1-2, 2007, pp. 1-11.

Lønning, P.E., “Exemestane for Breast Cancer Prevention: A Feasible Strategy?,” Vol. 11, 2005, pp. 918s – 924s.

López1, J.J.B., Velez, J.C.Q., Alfonso, H.O., Barreiro-Sanchez, F., and Angel, M.O., “Effectiveness of the aromatase (P450 Arom) inhibitors Letrozole and Exemestane for masculinization of red tilapia (*Oreochromis spp.*),” Rev Colomb Cienc Pecu., Vol. 27, 2014, pp. 47-53.

Loucks, E., and Carvan, M.J. “Strain-dependent effects of developmental ethanol exposure in zebrafish,” Neurotoxicol Teratol., Vol. 26, 2004, pp. 745-755.

Lu, L.C., Peter, S.J., Lyman, M.D., Lai, H.L., Leite, S.M., Tamada, J.A., Vacanti, J.P., and Langer, R., “Mikos, A.G. In vitro degradation of porous poly(L-lactic acid) foams. Biomaterials, Vol. 21, 2000, pp. 1595-1605.

Lubzens, E., Young, G., Bobe, J. and Cerdà, J., “Oogenesis in teleosts: how eggs are formed,” Gen Comp Endocrinol., Vol. 165, 2010, pp. 367-389.

Mainardes, R.M. and Evangelista, R.C., “PLGA nanoparticles containing praziquantel: effect of formulation variables on size distribution,” Int Journal Pharm., Vol. 290, 2005, pp. 137-144.

Mair, G.C., Abucay, J.S., Skibinski, O.F., Abella T.A., and Beardmore. J.A., “Genetic manipulation of sex ratio for the large scale production of all-male tilapia *Oreochromis niloticus* L.,” Can J Fish Aquat Sci., Vol. 54, 1997, pp. 396-404.

Mandal, S., and Mandal, M., "Coriander (*Coriandrum sativum* L.) essential oil: Chemistry and biological activity," Asian Pac J Trop Biomed., Vol. 5, No. 6, 2015, pp. 421-428.

Mann, J.F., Ferro, V.A., Mullen, A.B., Tetley, L., Mullen, M., Carter, K.C., Alexander, J., and Stimson, W.H., "Optimisation of a lipid based oral delivery system containing A/Panama influenza haemagglutinin," Vaccine, Vol. 22, No. 19, 2004, pp. 2425-2429.

Mann, J.F., Scales, H.E., Shakir, E., Alexander, J., Carter, K.C., Mullen, A.B., and Ferro, V.A., "Oral delivery of tetanus toxoid using vesicles containing bile salts (bilosomes) induces significant systemic and mucosal immunity," Methods, Vol. 38, No. 2, 2006, pp. 90-95.

Mann, J.F., Shakir, E., Carter, K.C., Mullen, A.B., Alexander, J., and Ferro, V.A., "Lipid vesicle size of an oral influenza vaccine delivery vehicle influences the Th1/Th2 bias in the immune response and protection against infection," Vaccine, Vol. 27, No. 27, 2009, pp. 3643-3649.

Manosroi, A., Jantrawut, P., Manosroi, J., "Anti-inflammatory activity of gel containing novel elastic niosomes entrapped with diclofenac diethylammonium," Int J Pharm., Vol. 360, 2008, pp. 156-163.

Matsumoto, T., Nakamura, S., Fujimoto K., Ohta, T., Ogawa, K., Yoshikawa, M., and Matsuda, H., "Structure of constituents isolated from the flower buds of *Cananga odorata* and their inhibitory effects on aldose reductase," J Nat Med., Vol. 68, No. 4, 2014, pp. 709-716.

Mayol, L., Quaglia, F., Borzacchiello, A., Ambrosio, L. and Rotonda, M.I.L., "A novel poloxamers/hyaluronic acid *in situ* forming hydrogel for drug delivery: rheological, mucoadhesive and *in vitro* release properties", Eur J Pharm Biopharm., Vol. 70, 2008, pp. 199-206.

Memisoglu-Bilensoy, E., Sen, M. and Hincal, A.A., "Effect of drug physicochemical properties on *in vitro* characteristics of amphiphilic cyclodextrin nanospheres and nanocapsules," J Microencapsul., Vol. 23, No. 1, 2006, pp. 59-68.

Meunier, B, de Visser, S.P. and Shaik, S. “Mechanism of oxidation reactions catalyzed by cytochrome p450 enzymes,” Chem Rev., Vol. 104, 2004, pp. 3947-3980.

Mills, L.J., Gutjahr-Gobell, R.E., Zaroogian, G.E., Horowitz, D.B., and Laws, S.C., “Modulation of aromatase activity as a mode of action for endocrine disrupting chemicals in a marine fish,” Aquat Toxicol., Vol. 147, 2014, pp. 140-150.

Mirzaie, S., Chupani, L., Asadabadi, E.B., Shahverdi, A.R. and Jamalan, M., “Novel inhibitor discovery against aromatase through virtual screening and molecular dynamic simulation: a computational approach in drug design,” EXCLI J, Vol.12, 2013, pp.168-183.

Moawad, A., Hetta, M., Zjawiony, J.K., Jacob, M.R., Hifnawy, M., Marais, J.P., and Ferreira, D., “Phytochemical investigation of *Cycas circinalis* and *Cycas revoluta* leaflets: moderately active antibacterial bioflavonoids,” Planta Med., Vol. 76, No. 8, 2010, pp.796-802.

Moghimpour, E., Ameri, A., and Handali, S., “Absorption-Enhancing Effects of Bile Salts,” Molecules, Vol. 20, 2015, pp. 14451-14473.

Moore, R.M., Sutton, D.A., and Rosenblum, P.M., “*In vitro* uptake and metabolism of testosterone by goldfish, *Carassius auratus*, mesenteric adipose tissue,” Gen Comp Endocrinol., Vol. 127, 2002, pp. 190-197.

Morlan, Z.U., Rios, R.C., Montes, A.C., Contreras, L.M.M., Segundo, E.P., Quintanar, A.G. and Guerrero, D.Q., “Determination of poloxamer 188 and poloxamer 407 using high-performance thin-layer chromatography in pharmaceutical formulations,” J Pharm Biomed Anal., Vol. 46, 2008, pp.799-803.

Morton, J.F., *Fruits of Warm Climates*. Creative Resources System, Inc., Winterville, North Carolina, USA, 1987, pp. 352-355, ISBN: 0-9610184-1-0

Mura, P., “Analytical techniques for characterization of cyclodextrin complexes in aqueous solution: a review,” J Pharm Biomed Anal., Vol. 101, 2014, pp. 238-250.

Nagahama, Y. and Yamashita, M., “Regulation of oocyte maturation in fish,” Dev Growth Differ., Vol. 50 (Suppl 1), 2008, pp. S195-S219.

Nagaraja, M.S., and Padmaa, M. P., “*Millingtonia hortensis* Linn – a review. Pharmacologyonline,” Vol. 2, 2011, pp.597-602.

Nagarani, G., Abirami, A., and Siddhuraju, P., “A comparative study on antioxidant potentials, inhibitory activities against key enzymes related to metabolic syndrome, and anti-inflammatory activity of leaf extract from different *Momordica* species,” Food Science and Human Wellness, Vol. 3, 2014, pp. 36–46.

Nakamura, M. and Takahashi, H., “Gonadal sex differentiation in *Tilapia mossambica*, with special regard to the time of estrogen treatment effective in inducing complete feminization of genetic males,” Bull Fac Fish. Hokkaido Univ., Vol. 24, 1973, pp. 1-13.

Naksuriya, O., Shi, Y., Van Nostrum, C.F., Anuchapreeda, S., Hennink, W.E. and Okonogi, S., “HPMA-based polymeric micelles for curcumin solubilization and inhibition of cancer cell growth,” Eur J Pharm Biopharm., Vol. 94, 2015, pp. 501-512.

Nguyen, T.A., Liu, B., Zhao, J., Thomas, D.S. and Hook, J.M., “An investigation into the supramolecular structure, solubility, stability and antioxidant activity of rutin/cyclodextrin inclusion complex,” Food Chem., Vol. 136, No. 1, 2013, pp. 186-192.

Oh, K.T., Bronich, T.K., and Kabanov, A.V., “Micellar formulations for drug delivery based on mixtures of hydrophobic and hydrophilic Pluronic block copolymers,” J Control Release., Vol. 94, 2004, pp. 411-422.

Oliveira, R.F., Silva, J.F., and Simões J.M. “Fighting zebrafish: characterization of aggressive behavior and winner-loser effects,” Zebrafish. Vol. 8, No. 2, 2011, pp. 73-81.

Pamanji, R., Yashwanth, B., Bethu, M.S., Leelavathi, S., Ravinder, K., and Venkateswara, J., “Toxicity effects of profenofos on embryonic and larval development of zebrafish (*Danio rerio*),” Environ Toxicol Pharmacol., Vol. 39, 2015, pp. 887-897.

Pandey, A., Bigoniya, P., Raj, V., and Patel, K.K., “Pharmacological screening of *Coriandrum sativum* Linn. for hepatoprotective activity,” J Pharm Bioallied Sci., Vol. 3, No. 3, 2011, pp. 435-441.

Parotta, J. A., *Moringa oleifera* Lam. *Reseda*, horseradish tree. *Moringaceae*. *Horseradish tree family*." USDA Forest Service, International Institute of Tropical Forestry, 1993, pp. 1-6.

Patil, A.S., Lade, B.D., and Paikrao, H.M., "A Scientific Update on *Passiflora foetida*," European J Med Plants., Vol. 5, No. 2, 2015, pp. 145-155.

Patil, A.S., Paikrao, H.M., and Patil, S.R., "*Passiflora foetida* Linn: a complete morphological and phytopharmacological review," Int J Pharm Bio Sci., Vol. 4, No. 1, 2013 pp. 285-296.

Peter, T.C., "Verhandelingen uitgegeeven door de hollandse maatschappy der weetenschappen," te Haarlem, Vol. 20, No. 2, 1782, pp. 424, 426-427.

Pitto-Barry, A., and Barry, N.P.E., "Pluronic® block-copolymers in medicine: from chemical and biological versatility to rationalization and clinical advances," Polym Chem., Vol. 5, No. 10, 2014, pp. 3291-3297.

Prabhakar, K., Afzal, S.M., Surender, G. and Kishan, V., "Tween 80 containing lipid nanoemulsions for delivery of indinavir to brain," Acta Pharm Sin B., Vol. 3, 2013, pp. 345-353.

Preety, A., and Sharma, S., "A review on *Oroxylum indicum* (L.) Vent: an important medicinal tree," Int J Biol Sci., Vol. 6, No. 1, 2016, pp. 7-12.

Premanand, B., Prabakaran, M., Kiener, T.K., and Kwang J., "Recombinant Baculovirus Associated with Bilosomes as an Oral Vaccine Candidate against HEV71 Infection in Mice," Plos One. Vol. 8, No. 2, 2013, pp. 1-12.

Punjabi, Y., Khilnani, V., and Damle, P., "Antibacterial activity of flower extracts of *Nymphaea nouchali*," Pharmacophore, Vol. 5, No. 2, 2014, pp. 352-357.

Raja, M.K.M.M., Sethiya, N.K., and Mishra, S.H., "A comprehensive review on *Nymphaea stellata*: A traditionally used bitter," J Adv Pharm Technol Res., Vol. 1. No. 3, 2010, pp. 311-319.

Rajeshwari, C.U., and Andallu, B., "Isolation and simultaneous detection of flavonoids in the methanolic and ethanolic extracts of *Coriandrum sativum* L. seeds by RP-HPLC," Pak J Food Sci., Vol. 21, No. 1-4, 2011, pp.13-21.

Rasheed, A., Kumar, A., and Sravanthi, V.V.N.S.S., "Cyclodextrins as drug carrier molecule: A review," Sci Pharm., Vol. 76, 2008, pp. 567-598.

Rezaei, S., Nabid, M., Niknejad, H., and Entezami, A., "Multifunctional and thermoresponsive unimolecular micelles for tumor-targeted delivery and site-specifically release of anticancer drugs," Polymer, Vol. 53, No.16, 2012, pp. 3485-3497.

Richards, I.S., and Bourgeois, M., *Phase I reaction and Cytochrom P450. Principles and Practice of Toxicology in Public Health*, 2nd ed., Jones & Bartlett learning, 5 Wall street Burlington, 2014, pp.165, ISBN: 978-1-4496-4526-7.

Ruksana, S., Pandit, N.P., and Nakamura, M., "Efficacy of exemestane, a new generation of aromatase inhibitor, on sex differentiation in a gonochoristic fish," Comp Biochem Physiol C Toxicol Pharmacol. Vol. 152, No. 1, 2010, pp. 69-74.

Sahu, A., Kasoju, N., Goswami, P., and Bora, U., "Encapsulation of curcumin in Pluronic block copolymer micelles for drug delivery applications," J Biomater Appl., Vol. 25, 2011, pp.619-639.

Salminen, K.A., Leppänen, J., Venäläinen, J.I., Pasanen, M., Auriola, S., Juvonen, R.O. and Raunio, H., "Simple, direct, and informative method for the assessment of CYP2C19 enzyme inactivation kinetics," Drug Metab Dispos., Vol. 39, No. 3, 2011, pp. 412-418.

Samstein, R.M., Perica, K., Balderrama, F., Look, M., and Fahmy, T.M., "The use of deoxycholic acid to enhance the oral bioavailability of biodegradable nanoparticles," Biomaterials, Vol. 29, No. 6, 2008, pp. 703-708.

Samuelsen, A.B., "The traditional uses, chemical constituents and biological activities of *Plantago major* L. A review," J Ethnopharmacol., Vol. 71, 2000, pp. 1-21.

Satpathy, G., Tyagi, Y.K., and Gupta, R.K., "Preliminary evaluation of nutraceutical and therapeutic potential of raw *Spondias pinnata* K. Food Res Int., Vol. 44, No. 7, pp. 2076-2087.

Schliecker, G., Schmidt, C., Fuchs S., and Kissel, T., "Characterization of a homologous series of D,L-lactic acid oligomers; a mechanistic study on the degradation kinetics *in vitro*," *Biomaterials*, Vol. 24, 2003, pp. 3835-3844.

Schröder, G., Wehinger, E., Lukacin, R., Wellmann, F., Seefelder, W., Schwab, W., Schröder, J., "Flavonoid methylation: a novel 4'-O-methyltransferase from *Catharanthus roseus*, and evidence that partially methylated flavanones are substrates of four different flavonoid dioxygenases," *Phytochem.*, Vol. 65, No. 8, 2004, pp. 1085-1094.

Segner, H., "Zebrafish (*Danio rerio*) as a model organism for investigating endocrine disruption," *Comp Biochem Physiol C Toxicol Pharmacol.*, Vol. 149, No. 2, 2009, pp. 187-195.

Shailajan, S., and Gurjar, D., "Evaluation of *Mimusops elengi* L. flowers using pharmacognostic approach," *Phcog Commn.*, Vol. 5, No. 1, 2015, pp. 83-92.

Shaya, L., Dejong C., and Wilson, J.Y., "Expression patterns of cytochrome P450 3B and 3C genes in model fish species," *Comp Biochem Physiol C Toxicol Pharmacol.*, Vol. 166, 2014, pp. 115-125.

Shen, Z.G., Fan, Q.X., Yang, W., Zhang, Y.L., Hu, P.P., and Xie, C.X., "Effects of non-steroidal aromatase inhibitor letrozole on sex inversion and spermatogenesis in yellow catfish *Pelteobagrus fulvidraco*," *Biol Bull.*, Vol. 225, No. 1, 2013, pp. 18-23.

Shukla, A., Katare, O.P., Singh, B., and Vyas, S.P., "M-cell targeted delivery of recombinant hepatitis B surface antigen using cholera toxin B subunit conjugated bilosomes," *Int J Pharm.*, Vol. 385, 2010, pp. 47-52.

Shukla, A., Khatri, K., Gupta, P.N., Goyal, A.K., and Meththa, A., and Vyas, S.P., "Oral immunization against hepatitis B using bile salt stabilized vesicles (bilosomes)," *J Pharm Pharm Sci.*, Vol. 11, No. 1, 2008, pp. 59-66.

Shukla, A., Mishra, V., and Kesharwani, P., "Bilosomes in the context of oral immunization: development, challenges and opportunities," *Drug Discov Today.*, Vol. 21, No. 6, 2016, pp. 888-899.

Shukla, A., Singh, B., and Katare, O.P., "Significant systemic and mucosal immune response induced on oral delivery of diphtheria toxoid using nano-bilosomes," *Brit J Pharmacol.*, Vol. 164, No. 2b, 2011, pp. 820-827.

Singh, P., Prabakaran, D., Jain, S., Mishra, V., Jaganathan, K.S., Vyas, S.P., 2004. Cholera toxin B subunit conjugated bile salt stabilized vesicles (bilosomes) for oral immunization," *Int J Pharm.*, Vol. 278, 2004, pp. 379-390.

Song, X., Zhao, Y., Hou, S., Xu, F., Zhao, R., He, J., Cai, Z., Li, Y., and Chen. Q., "Dual agents loaded PLGA nanoparticles: Systematic study of particle size and drug entrapment efficiency," *Eur J Pharm Biopharm.* Vol. 69, No. 2, 2008, pp. 445-53.

Song, X., Zhao, Y., Wu W., Bia,Y., Caia, Z., Chena, Q., Lia, Y. and Hou, S., "PLGA nanoparticles simultaneously loaded with vincristine sulfate and verapamil hydrochloride: systematic study of particle size and drug entrapment efficiency," *Int J Pharm.*, Vol. 350, No. 1-2, 2008, pp. 320-329.

Southon, I.W., *Phytochemical dictionary of the leguminosae*, Vol. 1, 1st ed., Chapman & Hall, 1994, pp. 373. ISBN: 0 412 39770 6.

Spence, R., Gerlach, G., Lawrence, C. and Smith, C., "The behavior and ecology of the zebrafish, *Danio rerio*," *Biol Rev.*, Vol. 83, 2008, pp. 13-34.

Steele, R.E., Mellor, L.B., Sawyer, W.K., Wasvary, J.M., and Browne, L.J., "*In vitro* and *in vivo* studies demonstrating potent and selective estrogen inhibition by the non-steroid aromatase inhibitor CGS16949A," *Steroids*, Vol. 50, 1987, pp. 147-161.

Stolnik, S., Illum, L. and Davis, S.S., "Long circulating microparticulate drug carriers," *Adv Drug Deliv Rev.*, Vol. 16, 1995, pp. 195-214.

Suede, A., Tewtrakul S., and Panichayupakaranant, P., "Anti-HIV-1 integrase activity of *Mimusops elengi* leaf extracts," *Pharm Biol.*, Vol. 52, No. 1, 2014, pp. 58-61.

Sun, W., Xie, C., Wang, H. and Hu, Y., "Specific role of tween 80 coating on the target of nanoparticles to the brain," *Biomaterials*, Vol. 25, 2004, pp. 3065-3071.

Surendra Kumar, M., Astalakshmi, N., Jeena chandran, N., Jesmi Jaison, P., Sooraj, P., Raihanath, T., Kavimani, S., and Babu, G., "A review on indian cork tree - *Millingtonia hortensis* linn. F.," Int J Pharm Pharm Sci., Vol. 3, No. 10, 2014, pp. 256-271.

Swain, T., *Flavonoids. In Chemistry and Biochemistry of Plant Pigments*, Vol. 2, 2nd Ed., Academic Press, London, 1976, pp. 166-206. ISBN: 9780122899027.

Tabata, Y., and Ikada Y., "Phagocytosis of polymer microspheres by macrophages", Adv Polym Sci., Vol. 94, 1990, pp. 107-141.

Tachakittirungrod, S., Okonogi, S., and Chowwanapoonpohn, S., "Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract," Food Chem., Vol. 103, 2007, pp. 381-388

Takatsu, K., Miyaoku, K., Roy, S.R., Murono Y., Sago T., Itagaki, H., Nakamura, M. and Tokumoto T., "Induction of female-to-male sex change in adult zebrafish by aromatase inhibitor treatment," Sci Rep., Vol. 3, 2013, pp. 1-7.

Tan, L.T., Lee, L.H., Yin, W.F., Chan, C.K., Abdul Kadir, H., Chan, K.G., and Goh, B.H., "Traditional Uses, Phytochemistry, and Bioactivities of *Cananga odorata* (Ylang-Ylang)," Evid Based Complement Alternat Med., Vol. 896314, 2015, pp. 1-30.

Tchoudakova, A. and Callard, G.V., "Identification of multiple CYP19 genes encoding different cytochrome P450 aromatase isozymes in brain and ovary," Endocrin., Vol. 139, 1998, pp. 2179-2189.

Tima, S., Okonogi, S., Ampasavate, C., Pickens, C., Berkland, C., and Anuchapreeda, S., "Development and Characterization of FLT3-Specific Curcumin Loaded Polymeric Micelles as a Drug Delivery System for Treating FLT3-Overexpressing Leukemic Cells," J Pharm Sci., Vol. 105, No. 12, 2016, pp. 3645-3657.

Tokarz, J., Möller, G., Hrabě de Angelis, M., and Adamski, J., "Steroids in teleost fishes: A functional point of view," Steroids, Vol. 103, 2015, pp. 123-144.

Tong, S.K., Chiang, E.F., Hsiao, P.H., and Chung, B., "Phylogeny, expression and enzyme activity of zebrafish cyp19 (P450 aromatase) genes," J Steroid Biochem Mol Biol., Vol. 79, No. 1-5, 2001, pp. 299-303.

Toro, R.D., Betti, V., and Spampinato, S., "Biocompatibility and integrin-mediated adhesion of human osteoblasts to poly(dl-lactide-co-glycolide) copolymers," *Eur J Pharm Sci.*, Vol. 21, 2004, pp. 161-169.

Uchegbu, I.F., and Vyas, S.P., "Non-ionic surfactant based vesicles (niosomes) in drugdelivery," *Int. J. Pharm.*, Vol. 172, 1998, pp. 33-70.

Uchegbu, I.F., *Synthetic Surfactant Vesicles: Niosomes and Other Non-Phospholipid Vesicular Systems*, Harwood Academic, Amsterdam, Netherlands, 1999, pp. 33-70. ISBN: 9789058230119.

Ulubelen, A., Topcu, G., Mabry, T.J., Dellamonica, G., and Chopin, J., "Glycosylflavonoids From *Passiflora foetida* var. hispida and *P. foetida* var. Hibiscifolia," *J Nat Prod.*, Vol. 45, No. 1, 1982, pp.103.

Valdez-Solana, M.A., Mejía-García, V.Y., Téllez-Valencia, A., García-Arenas, G., Salas-Pacheco, J., Alba-Romero, J.J., and Sierra-Campos, E., "Nutritional Content and Elemental and Phytochemical Analyses of *Moringa oleifera* Grown in Mexico," *J Chem.*, Vol. 2015, 2015, pp. 1-9.

Vashist, A., Guptac, Y.K., and Ahmad, S., "Recent advances in hydrogel based drug delivery systems for the human body," *J Mater Chem B.*, Vol. 2, 2014, 147-166.

Vassallo, J.D., Hicks, S.M., Daston, G.P. and Lehman-McKeeman, L.D., "Metabolic detoxification determines species differences in coumarin-induced hepatotoxicity". *Toxicological sciences*, an official journal of the Society of Toxicology, Vol. 80, No. 2, 2004, pp. 249-257.

Venkatalakshmi, P., Vadivel, V., and Brindha, P., "Identification of Flavonoids in Different Parts of *Terminalia catappa* L. Using LC-ESI-MS/MS and Investigation of Their Anticancer Effect in EAC Cell Line Model," *J Pharm Sci & Res.*, Vol. 8, No. 4, 2016, pp. 176-183.

Vieira, O.V., Hartmann, D.O., Cardoso, C.M.P., Oberdoerfer, D., Baptista, M., Santoz, M.A.S., Almeida, L., Ramalho-Santoz, J. and Waz, W.L.C., "Surfactants as microbicides and contraceptive agents: A systematic *in vitro* study," *PLoS ONE*, Vol. 3, No. 8, 2008, pp. 1-12. e2913.

Vongsak, B., Sithisarn, P., Gritsanapan, W., “Simultaneous HPLC quantitative analysis of active compounds in leaves of *Moringa oleifera* Lam.,” *J Chromatogr Sci.*, Vol. 52, No. 7, 2014, pp. 641-645.

Waddad, A.Y., Abbad, S., Yu, F., Munyendo, W.L., Wang, J., Lv, H., and Zhou, J., “Formulation, characterization and pharmacokinetics of Morin hydrate niosomes prepared from various non-ionic surfactants,” *Int J Pharm.*, Vol. 456, 2013, pp. 446-458.

Wang, H.X., Li, D., Xu, C.J., and Liu, X., “Sex-difference on flutamide metabolism in rat liver microsomal cytochrome P450 1A2,” *Yao Xue Xue Bao.*, Vol. 37, No. 8, pp. 608-610.

Wiczowski, W., Romaszko, J., Bucinski, A., Szawara-Nowak, D., Honke, J., Zielinski, H., and Piskula, M.K., “Quercetin from shallots (*Allium cepa* L. var. *aggregatum*) is more bioavailable than its glucosides,” *J Nutr.*, Vol. 138, No. 5, 2008, pp. 885-888.

Wilkh, J.S., McNeil, S.E., Anderson, D.E., and Perrie, Y., “Characterization and optimization of bilosomes for oral vaccine delivery,” *J Drug Target.*, Vol. 21, No. 3, 2013, pp. 291-299.

Wu, X.S., and Wang, N., “Synthesis, characterization, biodegradation, and drug delivery application of biodegradable lactic/glycolic acid polymers. Part II: Biodegradation,” *J Biomater Sci Polym Ed.*, Vol. 12, 2001, pp. 21-34.

Yallapu, M.M, Gupta, B.K, Jaggi, M., Chauhan, S.C., “Fabrication of curcumin encapsulated PLGA nanoparticles for improved therapeutic effects in metastatic cancer cells,” *J Colloid Interface Sci.*, Vol. 351, 2010, pp. 19-29.

Yang, J., Meyers, K.J., van der Heide, J, and Liu, R.H., “Varietal differences in phenolic content and antioxidant and antiproliferative activities of onions,” *J Agric Food Chem.*, Vol. 52, 2004, 6787-6793.

Yao, Y., Xie, Y., Hong, C., Li, G., Shen, H., and Ji G., “Development of a myricetin/hydroxypropyl- β -cyclodextrin inclusion complex: Preparation, characterization, and evaluation,” *Carbohydr. Polym.*, Vol. 110, 2014, pp. 329-337.

Yu, J.N., Zhu, Y., Wang, L., Peng, M., Tong, S.S., Cao, X., Qiu, H., Xu, X.M., “Enhancement of oral bioavailability of the poorly water-soluble drug silybin by sodium

cholate/phospholipid-mixed micelles,” *Acta Pharmacol Sin.*, Vol. 31, No. 6, 2009, pp. 759-764.

Yunomiya, Y., Kunitake, T., Tanaka, T., Sugihara, G., Nakashima, T., “Micellization of mixed system of bile salt and nonionic surfactant: sodium deoxycholate and decanoyl-N-methylglucamide,” *Colloid Interface Sci.*, Vol. 208, 1998, pp. 1- 5.

Zas, P., John, S., “Diabetes and Medicinal Benefits of *Passiflora edulis*,” *Int J Food Sci Nutr Diet.*, Vol. 5, No. 2, 2016, pp. 265-269.

Zeng, X., Tao, W., Mei, L., Huang, L., Tan, C., Feng, S.S., “Cholic acid-functionalized nanoparticles of star-shaped PLGA-vitamin E TPGS copolymer for docetaxel delivery to cervical cancer,” *Biomaterials*, Vol. 34, No. 25, pp. 6058-6067.

Zhao, J., Mak, P., Tchoudakova, A., and Callard, G.V., “Different catalytic properties and inhibitor responses of the goldfish brain and ovary aromatase isozymes,” *Gen Comp Endocrinol.*, Vol. 123, 2001, pp. 180-191.

Zhao, X., Yuan, Z., Fang, Y., Yin, Y., and Feng, L., “Flavonols and Flavones Changes in Pomegranate (*Punica granatum* L.) Fruit Peel during Fruit Development,” *J Agr Sci Tech.*, Vol. 16, 2014, pp. 1649-1659.

Zhu, M., Zheng, X., Shu, Q., Li, H., Zhong, P., Zhang, H., Xu, Y., Wang, L., and Wang, L., “Relationship between the composition of flavonoids and flower colors variation in tropical water lily (*Nymphaea*) cultivars,” *PLoS One*. Vol. 7, No. 4, 2012, pp. 1-11. e34335.