

REFERENCES

- Ahn, H. Y., Lee, J., & Shin, H. J. (2010). Kangaroo care on premature infant growth and maternal attachment and post-partum depression in South Korea. *Journal of Tropical Pediatrics*, 56(5), 342-344.
- Ainsworth, M. (1979). Infant-m other attachment. *American Psychologist*, 34(10), 932-937.
- Akcan, E., Yiğit, R., & Atıcı, A. (2009). The effect of kangaroo care on pain in premature infants during invasive procedures. *Turkish Journal of Pediatrics*, 51(1), 14-18.
- Als, H. (2009). Newborn individualized developmental care and assessment program(NIDCAP): New frontier for neonatal and perinatal medicine. *Journal of Neonatal Perinatal Medicine*, 2(3), 135-147. doi:10.3233/NPM-2009-0061
- Als, H., & Butler, S. (2011). Neurobehavioral development of the preterm infant. In R. J. Martin, A. A. Fanaroff, & M. C. Walsh (Eds.), *Fanaroff & Martin's neonatal perinatal medicine diseases of the fetus and infant* (9th ed., pp. 615-627). St. Louis: Mosby Elsevier.
- Als, H., Duffy, F.H., McAnulty, G., Butler, S.C., Lightbody, L., Kosta, S., . . . Warfield, S. K. (2012). NIDCAP improves brain function and structure in preterm infants with severe intrauterine growth restriction. *Journal of Perinatology*, 32(10), 797-803. doi:10.1038/jp.2011.201
- Als, H., & NIDCAP Federation International. (2013). *Program guide newborn individualized developmental care and assessment program (NIDCAP): An education and training program for health care professionals* (revised ed.). Retrieved from <http://www.nidcap.org/file.aspx?fileid=pg>

- Altimier, L. (2007). The neonatal intensive care unit (NICU) environment. In C. Kenner & J. W. Lott (Eds.), *Comprehensive neonatal care: An interdisciplinary approach* (pp. 480-3490). St. Louis: Saunders Elsevier.
- Amankwaa, L.C., Pickler, R. H., & Boonmee, J. (2007). Maternal responsiveness in mothers of preterm infants. *Newborn and Infant Nursing Reviews*, 7(1), 25-30.
- American College of Obstetricians and Gynecologists. (2013). Medically indicated late-preterm and early-term deliveries. American College of Obstetricians and Gynecologists committee opinion No.560. *Obstetrics & Gynecology*, 121, 908-910.
- American College of Obstetricians and Gynecologists. (2016). *Extremely preterm birth. Frequently Asked Questions FAQ173 Pregnancy.*
- Arockiasamy, V., Holsti, L., & Albersheim, S. (2008). Fathers' experiences in the neonatal intensive care unit: A search for control. *Pediatrics*, 121(2), e215-22.
- Arzani, A., Valizadeh, L., Zamanzadeh, V., & Mohammadi, E. (2015). Mothers' strategies in handling the prematurely born infant: A qualitative study. *Journal of Caring Sciences*, 4(1), 13-24. doi:10.5681/jcs.2015.002
- Askin, D. F. (2009). Health problems of newborns. In M. J. Hockenberry& D. Wilson, (Eds.), *Wong's essentials of pediatric nursing* (8th ed., pp. 243-321). St. Louis: Mosby Elsevier.
- Baía, I., Amorim, M., Silva, S., Kelly-Irving, M., Freitas, C., & Alves, E. (2016). Parenting very preterm infants and stress in neonatal intensive care units. *Early Human Development*, 101, 3-9.
- Baker, B., & McGrath, J. M. (2009). Supporting the maternal experience in the Neonatal ICU. *Family Dynamics*, 9(2), 81-82.
- Ballard, J. L., Khoury, J. C., Weding, K., Wang, L., Eilers-Walsman, B. L., & Lipp, R. (1991). New ballard score, expanded extremely premature infants. *Journal of Pediatrics*, 119(3), 417-423.

- Beer, C., Israel, C., Johnson, S., Marlow, N., Whitelaw, A., & Glazebrook, C. (2013). Twin birth: An additional risk factor for poorer quality maternal interactions with very preterm infants? *Early Human Development*, 89(8), 555-559.
- Benoit, D. (2004). Infant-parent attachment: Definition, types, antecedents, measurement and outcome. *Paediatric Child Health*, 9(8), 541-545.
- Berlin, L.J., Zeanah, C. H., & Lieberman, A. F. (2008). Prevention and intervention programs for supporting early attachment security. In J. Cassidy & R. Shaver (Eds.), *Handbook of attachment theory, research, and clinical applications* (2nd ed., pp. 745-761). New York: Guilford Press.
- Bertelle, V., Sevestre, A., Laou-Hap, K., Nagahapitiye, M. C., & Sizun, J. (2007). Sleep in the neonatal intensive care unit. *Journal of Perinatal & Neonatal Nursing*, 21(2), 140-148.
- Bialoskurski, M., Cox, C. L., & Hayes, J. A. (1999). The nature of attachment in a neonatal intensive care unit. *Journal of Perinatal & Neonate Nursing*, 13(1), 66-77.
- Bjork, M., Thelin, A., Peterson, I., & Hammarlund, K. (2012). A journey filled with emotions-mothers' experiences of breastfeeding their preterm infant in a Swedish neonatal ward. *Breastfeeding Review*, 20(1), 25-31.
- Blanch D'Souza, S. R., Karkada, S., Lewis, L. E., Mayya, S., & Guddattu, V. (2009). Relationship between stress, coping and nursing support of parents of preterm infants admitted to tertiary level neonatal intensive care units of Karnataka, India: A cross-sectional survey. *Journal of Neonatal Nursing*, 15(5), 152-158.
doi:10.1016/j.jnn.2009.07.003
- Blencowe, H., Cousens, S., Oestergaard, M. Z., Chou, D., Moller, A. B., Narwal, R., . . . Lawn, J. E. (2012). National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: A systematic analysis and implications. *Lancet*, 379(9832), 2162-2172.
doi:10.1016/S0140-6736(12)60820-4

Blomqvist, Y. T., & Nyqvist, K. H. (2011). Swedish mothers' experience of continuous kangaroo mother care. *Journal of Clinical Nursing*, 20(9/10), 1472-1480. doi:10.1111/j.1365-2702.2010.03369.x

Bolívar, L. A., & Montalvo, A. (2016). Uncertainty associated to parents of preterm infants hospitalized in neonatal intensive care units. *Investigación y Educación en Enfermería*, 34(2), 360-367.

Boucher, C. A., Brazal, P. M, Graham-Certosini, C., Carnaghan-Sherrard, K., & Feeley, N. (2011). Mothers' breastfeeding experiences in the NICU. *Neonatal Network*, 30(1), 21-28.

Bowlby, J. (1969). *Attachment and loss: Vol 1. Attachment*. New York: Penguin Books.

Bowlby, S. R. (2008, January). *Attachment, what it is, why it is important and what we can do about it to help young children acquire a secure attachment*. Retrieved from <http://www.ecswe.com/downloads/...V1/Chapters-10-12.pdf>

Bracht, M., O'Leary, L., Lee, S. K., & O'Brien, K. (2013). Implementing family-integrated care in the NICU: A parent education and support program. *Advanced Neonatal Care*, 13(2), 115-126. doi:10.1097/ANC.0b013e318285fb5b

Brandon, D. H., Tully, K. P., Silva, S. G., Malcolm, W. F., Murtha, A. P., Turner, B. S., & Holditch-Davis, D. (2011). Emotional responses of mothers of late-preterm and term infants. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 40(6), 719-731. doi:10.1111/j.1552-6909.2011.01290.x

Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3(2), 77-101.

Bretherton, I. (1992). The origins of attachment theory: John Bowlby and Mary Ainsworth. *Developmental Psychology*, 28(5), 759-775.

Broedsgaard, A., & Wagner, L. (2005). How to facilitate parents and their premature infant for the transition home. *International Nursing Review*, 52(3), 196-203.

- Brown, G. (2009). NICU noise and the preterm infant. *Neonatal Network*, 28(3), 165.
- Browne, J. V., & Talmi, A. (2005). Family-Based intervention to enhance infant-parental relationships in the neonatal intensive care unit. *Journal of Pediatric Psychology*, 30(8), 667-677.
- Brummelte, S., Grunau, R. E., Chau, V., Poskitt, K. J., Brant, R., Vinall, J., . . . Miller, S. P. (2012). Procedural pain and brain development in premature newborns. *Annals of Neurology*, 71(3), 385-396. doi:10.1002/ana.22267
- Brunns, D. A., & McCollum, J. A. (2002). Partnerships between mothers and professionals in the NICU: Caregiving, information exchange, and relationships. *Neonatal Network*, 21(7), 15-23.
- Bualuang, P. (2009). *Effects of mothers' empowerment on maternal stress and role in caring for critical premature babies* (Unpublished master's thesis). Khon Kaen University, Thailand.
- Bunmachu, D., & Theunnadee, S. K. (2015). Effects of promotion program on perceived self-efficacy preterm caring behaviors of mothers and health status of preterm babies. *Journal of Nursing and Health Care*, 33(4), 150-158.
- Busse, M., Stromgren, K., Thorngate, L., & Thomas, K. A. (2013). Parent responses to stress: PROMIS in the NICU. *Critical Care Nurse*, 33(4), 52-60. doi:10.4037/ccn2013715
- Bystrova, K., Ivanova, V., Edhborg, M., Matthiesen, A. S., Ransjo-Arvidson, A. B., Mukhamedrakhimov, R., . . . Widstrom, A. M. (2009). Early contact versus separation: Effects on mother-infant interaction one year later. *Birth*, 3(2), 97-109. doi:10.1111/j.1523-536X.2009.00307.x
- Cahill, J. (1996). Patient participation: A concept analysis. *Journal of Advanced Nursing*, 24(3), 561-571.
- Calciolari, G., & Montirocco, R. (2011). Sleep protection in the preterm infants. *Journal of Maternal-Fetal & Neonatal Medicine*, 24, 12-14. doi:103109/14767058.2011.607563

- Callahan, S., Séjourné, N., & Denis, A. (2006). Fatigue and breastfeeding: An inevitable partnership? *Journal of Human Lactation*, 22(2), 182-187.
- Carlo, W. A. (2016). Prematurity and intrauterine growth restriction. In R. M. Kliegman, B. F. Stanton, J. W. St. Geme, III, N. F. Schor, & R. E. Behrman, (Eds.), *Nelson textbook of pediatrics* (20th ed., pp. 821-830). Philadelphia: Elsevier.
- Carlo, W. A., & Ambalavanan, N. (2016). Respiratory distress syndrome. In R. M. Kliegman, B. F. Stanton, J. W. St. Geme, III, N. F. Schor, & R. E. Behrman, (Eds.), *Nelson textbook of pediatrics* (20th ed., pp. 850-858). Philadelphia: Elsevier.
- Chaingam, P., Parktoop, M., & Chaimongkol, N. (2011). Effects of empowerment promoting program on behavior of mothers caring for premature infants. *The Journal of Faculty of Nursing Burapha University*, 19(Suppl. 1), 23-34.
- Chitrada, R. (2004). *Open democracy free thinking for the world: Krengjai*. Retrieved from https://www.opendemocracy.net/arts/article_2135.jsp
- Cho, E.-S., Kim, S.-J., Kwon, M. S., Cho, H., Kim, E. H., Jun, E. M., & Lee, S. (2016). The effects of kangaroo care in the neonatal intensive care unit on the physiological functions of preterm infants, maternal-infant attachment, and maternal stress. *Journal of Pediatric Nursing*, 31(4), 430-438.
doi:10.1016/j.pedn.2016.02.007
- Chomklien, D., & Jerapaet, V. (2008). Effect of father-infant interaction promotion program by massage on father-preterm infant bonding. *Journal of Nursing Science Chulalongkron University*, 20(1), 1-13.
- Chompikul, J., Suthisukon, P., Sueluerm, K., & Dammee, D. (2009). *Relationship in Thai families*. Nakhon Pathom: ASEAN Institute for Health Development, Mahidol University.

- Choowattanapakorn, T. (1999). The social situation in Thailand: The impact on elderly people. *International Journal of Nursing Practice*, 5(2), 95-99.
- Cockcroft, S. (2012). How can family centred care be improved to meet the needs of parents with a premature baby in neonatal intensive care? *Journal of Neonatal Nursing*, 18(3), 105-110.
- Cope, D. G. (2014). Methods and meanings: Credibility and trustworthiness of qualitative research. *Oncology Nursing Forum*, 41(1), 89-91.
- Corvaglia, L., Martini, S., & Faldella, G. (2013). Breastfeeding the preterm infant. *Journal of Pediatric and Neonatal Individualized Medicine*, 2(2), 1-9.
- Coyne, I. T. (1996). Parent participation: a concept analysis. *Journal of Advanced Nursing*, 23(4), 733-740. doi:10.1111/j.1365-2648.1996.tb00045.x
- Cruz, E. V., & Higginbottom, G. (2013). The use of focused ethnography in nursing research. *Nursing Research*, 20(4), 36-43.
- Davidson, M. R., London, M. L., & Ladewig, P. A. W. (2012). *Olds' maternal-newborn nursing women's health across the lifespan* (9th ed.). New Jersey: Pearson.
- DiFazio, R., & Vessey, J. (2011). Nonmedical out-of-pocket expenses: A hidden cost of hospitalization. *Journal of Pediatric Nursing*, 26(1), 78-84. doi:10.1016/j.pedn.2010.01.010
- Dudek-Shriber, L. (2004). Parent stress in the neonatal intensive care unit and the influence of parent and infant characteristics. *American Journal of Occupational Therapy*, 58(5), 509-520.
- Edéll-Gustafsson, U., Angelhoff, C., Johnsson, E., Karlsson, J., & Mörelius, E. (2015). Hindering and buffering factors for parental sleep in neonatal care: A phenomenographic study. *Journal of Clinical Nursing*, 24(5-6), 717-27. doi:10.1111/jocn.12654

- Feeley, N., Gottlieb, L., & Zelkowitz, P. (2005). Infant, mother, and contextual predictors of mother-very low birth weight infant interaction at 9 months of age. *Developmental and Behavioral Pediatrics*, 26(1), 24-33.
- Feldman, R., Eidelman, A. I., Sirota, L., & Weller, A. (2002). Comparison of skin-to-skin (kangaroo) and traditional care: Parenting outcomes and preterm infant development. *Pediatrics*, 110(1), 16-26.
- Fenwick, J., Barclay, L., & Schmied, V. (2008). Craving closeness: A grounded theory analysis of women's experiences of mothering in the special care nursery. *Women & Birth*, 21(2), 71-85.
- Ferber, S. G., Feldman, R., Kohelet, D., Kuint, J., Dollberg, S., Arbel, E., & Weller, A. (2005). Massage therapy facilitates mother–infant interaction in premature infants. *Infant Behavior & Development*, 28(1), 74-81.
- Fernandes, N. G. V., & Silva, E. M. B. (2015). Parents' experience during the hospitalization of the preterm infant. *Revista de Enfermagem Referência*, 4(4), 107-115.
- Field, T. (2010). Postpartum depression effects on early interactions, parenting, and safety practices: A review. *Infant Behavior & Development*, 33(1), 1-6.
- Flacking, R., Ewald, U., Nyqvist, K. H., & Starrin, B. (2006). Trustful bonds: A key to “becoming a mother” and to reciprocal breastfeeding. Stories of mothers of very preterm infants at a neonatal unit. *Social Science & Medicine*, 62(1), 70-80.
- Forcada-Guex, M., Borghini, A., Pierrehumbert, B., Ansermet, F., & Muller-Nix, C. (2011). Prematurity, maternal posttraumatic stress and consequences on the mother-infant relationship. *Early Human Development*, 87(1), 21-26.
- Fowlie, P. W., & McHaffie, H. (2004). Supporting parents in the neonatal unit. *British Medical Journal*, 329(7478), 1336-1338.

- Fraley, R. C., & Spieker, S. J. (2003). Are infant attachment patterns continuously or categorically distributed? A taxometric analysis of strange situation behavior. *Developmental Psychology, 39*(3), 387-404.
- Franck, L. S., Cox, S., Allen, A., & Winter, I. (2005). Measuring neonatal intensive care unit-related parental stress. *Journal of Advanced Nursing, 49*(6), 608-615.
- Franck, L. S., & Spencer, C. (2003). Parent visiting and participation in infant caregiving activities in a neonatal unit. *Birth: Issues in Perinatal Care, 30*(1), 31-35.
- Fraser, D. (2013). Health problems of newborns. In M. J. Hockenberry & D. Wilson (Eds.), *Wong's essentials of pediatric nursing* (9th ed., pp. 228-307). St. Louis: Mosby Elsevier.
- Gambina, I., Soldera, G., Benevento, B., Trivellato, P., Visentin, S., Cavallin, F., . . . Zanardo, V. (2011). Postpartum psychosocial distress and late preterm delivery. *Journal of Reproductive & Infant Psychology, 29*(5), 472-479.
doi:10.1080/02646838.2011.653962
- Gao, H., Xu, G., Gao, H., Dong, R., Fu, H. Wang, D., Zhang, H. (2015). Effect of repeated kangaroo mother care on repeated procedural pain in preterm infants: A randomized controlled trial. *International Journal of Nursing Studies, 52*(7), 1157-1165. doi:10.1016/j.ijnurstu.2015.04.006
- Gathwala, G., Singh, B., & Singh, J. (2010). Effect of kangaroo mother care on physical growth, breastfeeding and its acceptability. *Tropical Doctor, 40*(4), 199-202.
doi:10.1258/td.2010.090513
- Gerner, E. M. (1999). Emotional interaction in a group of preterm infants at 3 and 6 months of corrected age. *Infant and Child Development, 8*(3), 117-128.

Government Public Relations Department. (2010). *In side Thailand: The family lifestyle in Thai society*. Retrieved on from <http://thailand.prd.go.th/viewnews.php?id=4922&a=2>

Gregson, S., & Blacker, J. (2011). Kangaroo care in pre-term or low birth weight babies in a postnatal ward. *British Journal of Midwifery*, 19(9), 568-577.

Hall, E. O. C. (2005). Being in an alien world: Danish parents' lived experiences when a newborn or small child is critically ill. *Scandinavian Journal of Caring Sciences*, 19(3), 179-185.

Hangchaovanich, Y., & Voramongkol, N. (2006). Breastfeeding promotion in Thailand. *Journal of the Medical Association of Thailand*, 89(Suppl. 4), S173-S177.

Harrison, M. J., & Magill-Evans, J. (1996). Mother and father interactions over the first year with term and preterm infants. *Research in Nursing & Health*, 19(6), 451-459.

Harrison, T. M. (2010). Family-centered pediatric nursing care: State of the science. *Journal of Pediatric Nursing*, 25(5), 335-343. doi:10.1016/j.pedn.2009.01.006

Heermann, J. A., Wilson, M. E., & Wilhelm, P. A. (2005). Mothers in the NICU: outsider to partner. *Pediatric Nursing*, 31(3), 176-181.

Higginbottom, G. M., Pillay, J. J., & Boadu, N. Y. (2013). Guidance on performing focused ethnographies with an emphasis on healthcare research. *The Qualitative Report*, 18(9), 1-6.

Higman, W., & Shaw, K. (2008). Nurses' understanding about the delivery of family centered care in the neonatal unit. *Journal of Neonatal Nursing*, 14(6), 193-198.

Hinsilp, C. (2006). *Maternal participation in caring for high-risk neonates* (Unpublished master's thesis). Chiang Mai University, Thailand.

- Hodek, J. M., Schulenburg, J. M., & Mittendorf, T. (2011). Measuring economic consequences of preterm birth-methodological recommendations for the evaluation of personal burden on children and their caregivers. *Health Economics Review*, 1(1), 1-10. doi:10.1186/2191-1991-1-6
- Holloway, I., & Wheeler, S. (2010). *Qualitative research in nursing and healthcare* (3rd ed.). Oxford: Wiley-Blackwell.
- Hollywood, M., & Hollywood, E. (2011). The lived experiences of fathers of a premature baby on a neonatal intensive care unit. *Journal of Neonatal Nursing*, 17(1), 32-40.
- Horowitz, J. A., Bell, M., Trybulski, J., Munro, B. H., Moser, D., Hartz, S. A., . . . Sokol, E. S. (2001). Promoting responsiveness between mothers with depressive symptoms and their infants. *Journal of Nursing Scholarship*, 33(4), 323-329.
- Hutchfield, K. (1999). Family-centered care: A concept analysis. *Journal of Advance Nursing*, 29(5), 1178-1187.
- Jackson, K., Ternestedt, B., & Schollin, J. (2003). From alienation to familiarity: experiences of mothers and fathers of preterm infants. *Journal of Advanced Nursing*, 43(2), 120-129. doi:10.1046/j.1365-2648.2003.02686.x
- Jefferies, A. L., & Canadian Pediatric Society, Fetus and Newborn Committee. (2014). Going home: Facilitating discharge of the preterm infant. *Paediatrics & Child Health*, 19(1), 31-36.
- Jintawet, U. (2005). *Parental practices during their child's admission to pediatric intensive care unit* (Unpublished doctoral dissertation). Chiang Mai University, Thailand.
- Jirapaet, V., & Jirapaet, K. (2007). Patient safety in neonatal practice. In S. Horpaopan (Ed.), *Neonatology 2007* (pp. 1-11). Bangkok: Thana Press.

Johnston, C. C., Filion, F., Campbell-Yeo, M., Goulet, C., Bell, L., McNaughton, K., Walker, C.-D. (2008). Kangaroo mother care diminishes pain from heel lance in very preterm neonates: A crossover trial. *BMC Pediatrics*, 8, 13.
doi:10.1186/1471-2431-8-13

Jurjus, A. (2013). Thailand health care system: An example of universal coverage. *Human & Health*, 24, 28-30.

Kaitza, M., Maytala, H. R., Devora, N., Bergman, L., & Mankutab, D. (2010). Maternal anxiety, mother-infant interactions, and infants' response to challenge. *Infant Behavior & Development*, 33(2), 136-148.

Kennell, J. H., & Klaus, M. H. (1998). Bonding: Recent observations that alter perinatal care. *Pediatrics in Review*, 19(1), 4-12.

Kenner, C., & Ellerbee, S. (2012). Nursing care for high risk newborn. In D. L., Lowdermilk, S. E. Perry, K. Cashion & K. R. Alden (Eds.), *Maternity & women's health care* (pp. 894-930). St. Louis: Mosby Elsevier.

King, M. F. (2008). The high-risk newborn. In S. A. Orshan (Ed.), *Maternity, newborn, and women's health nursing: Comprehensive care across the lifespan* (pp. 911-978). Philadelphia: Lippincott Williams & Wilkins.

Klaus, M. H., & Kennell, J. H. (1982). *Parent-infant bonding* (2nd ed.). St. Louis: Mosby Elsevier.

Klaus, M. H., Kennell, J. H., & Edwards, W. H. (2011). Care of mother, father, and infants. In R. J. Martin, A. A. Fanaroff & M. C. Walsh (Eds.), *Fanaroff & Martin's neonatal-perinatal medicine diseases of the fetus and infant* (9th ed., pp. 615-627). St. Louis: Mosby Elsevier.

Klaus, M. H., Kennell, J. H., & Fanaroff, J. M. (2013). Care of the parents. In A. A. Fanaroff & J. M. Fanaroff (Eds.), *Klaus & Fanaroff's care of the high-risk neonate* (6th ed., pp. 201-224). Philadelphia: Elsevier Saunders.

- Kleberg, A., Hellström-Westas, L., & Widström, A.M. (2007). Mothers' perception of newborn individualized developmental care and assessment program (NIDCAP) as compared to conventional care. *Early Human Development*, 83(1), 403-411.
- Knoblauch, H. (2005). Focused ethnography. *Forum Qualitative Sozialforschung/Forum:Qualitative Social Research*, 6(3), Art. 44.
- Kong, L.-P., Cui, Y., Qiu, Y.-F., Han, S.-P., Yu, Z.-B., & Guo, X.-R. (2013). Anxiety and depression in parents of sick neonates: A hospital-based study. *Journal of Clinical Nursing*, 22(7-8), 1163-1172. doi:10.1111/jocn.12090
- Korja, R., Maunu, J., Kirjavainen, J., Savonlahti, E., Haataja, L., Lapinleimu, H., . . . Lehtonen, L. (2008). Mother-infant interaction is influenced by the amount of holding in preterm infants. *Early Human Development*, 84(4), 257-267.
- Korja, R., Savonlahti, E., Ahlqvist-Björkroth, S., Stolt, S., Haataja, L., & Lapinleimu, H. (2008). Maternal depression is associated with mother-infant interaction in preterm infants. *Acta Paediatrica*, 97(6), 724-730.
- Kristensson-Hallstrom, I. (1999). Strategies for feeling secure influence parents' participation in care. *Journal of Clinical Nursing*, 8(5), 586-592.
- Kruanate, B., Thaunnadee, S., & Chanthapreeda, N. (2006). Effect of kangaroo care on mother-infant attachment, maternal role satisfaction and body weight of preterm infant. *Journal of Faculty Khon Kaen University*, 29(2), 37-47.
- LaMontagne, L. L., Hepworth, J. T., Pawlak, R., & Chiafery, M. (1992). Parental coping and activities during pediatric critical care. *American Journal of Critical Care*, 1(2), 76-80.
- Lantz, B., & Ottosson, C. (2013). Parental interaction with infants treated with medical technology. *Scandinavian Journal of Caring Sciences*, 27(3), 597-607.

- Lee, S. N., Long, A., & Boore, J. (2009). Taiwanese women's experiences of becoming a mother to a very-low-birth-weight preterm infant: A grounded theory study. *International Journal of Nursing Studies*, 46(3), 326-336.
- Lee, S. Y., & Kimble, L. P. (2009). Impaired sleep and well-being in mothers with low-birth-weight infants. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 38(6), 676-685.
- Lee, T. Y., Lee, T. T., & Kuo, S. C. (2009). The experiences of mothers in breastfeeding their very low birth weight infants. *Journal of Advanced Nursing*, 65(12), 2523-2531. doi:10.1111/j.1365-2648.2009.05116.x
- Lektae, P. (2008). *The effect of providing concrete-objective information on anxiety of mothers of preterm infants with respiratory distress syndrome* (Unpublished master's thesis). Chulalongkorn University, Thailand.
- Leonard, A., & Mayers, P. (2008). Parents' lived experience of providing kangaroo care to their preterm infants. *Health SA Gesondheid*, 13(4), 16-27.
- Lincoln, S. Y., & Guba, E. G. (1985). *Naturalistic Inquiry*. Newbury Park: Sage.
- Lindberg, B., Axelsson, K., & Ohrling, K. (2008). Adjusting to being a father to an infant born prematurely: Experiences from Swedish fathers. *Scandinavian Journal of Caring Sciences*, 22(1), 79-85.
- Lindberg, B., & Ohrling, K. (2008). Experience of having a prematurely born infant from the perspective of mother in northern Sweden. *International Journal of Circumpolar Health*, 67(5), 461-471.
- Loftin, R. W., Habli, M., Snyder, C. C., Cormier, C. M., Lewis, D. F., & De Franco, E. A. (2010). Late preterm birth. *Reviews in Obstetrics & Gynecology*, 3(1), 10-19.

- Luecha, P., & Umehara, K. (2013). Thai medicinal plants for promoting lactation in breastfeeding women In S. Zibadi, R. R. Watson, & V. R. Preedy (Eds.), *Handbook of dietary and nutritional aspects of human breast milk* (pp. 645-654). Netherlands: Wageningen Academic.
- Malakouti, J., Jabraeeli, M., Valizadeh, S., & Babapour, J. (2013). Mothers' experience of having a preterm infant in the neonatal intensive care unit, a phenomenological study. *Iran Journal Critical Care Nurse*, 5(4), 172-181.
- Manning, A. N. (2012). The NICU experience: How does it affect the parents' relationship? *Journal of Perinatal and Neonatal Nursing*, 26(4), 353-357.
- Maroney, D. I. (2003). Recognizing the potential effect of stress and trauma on premature infants in the NICU: How are outcomes affected? *Journal of Perinatology*, 23(8), 679-683.
- Martínez, J. G., Fonseca, L. M. M., & Scochi, C. G. S. (2007). The participation of parents in the care of premature children in a neonatal unit: meanings attributed by the health team. *Revista Latino-Americana de Enfermagem (RLAE)*, 15(2), 239-246.
- Marvin, R. S., & Britner, P. A. (2008). Normative development: The ontology of attachment. In J. Cassidy & R. Shaver (Eds.), *Handbook of attachment theory, research, and clinical applications* (2nd ed., pp. 269-294). New York: Guilford Press.
- McAnulty, G., Duffy, F.H., Butler, S., Parad, R., Ringer, S., Zurakowski, D., & Als, H. (2009). Individualized developmental care for a large sample of very preterm infants: Health, neurobehaviour and neurophysiology. *Acta Paediatrica*, 98(12), 1920-1926.

- Melnyk, B. M., Feinstein, N. F., Alpert-Gillis, L., Fairbanks, E., Crean, H. F., Sinkin, R. A., Gross, S. J. (2006). Reducing premature infants' length of stay and improving parents' mental health outcomes with the creating opportunities for parent empowerment (COPE) neonatal intensive care unit program: A randomized, controlled trial. *Pediatrics*, 118(5), e1414-e1427.
- Mercer, J. (2011). Attachment theory and its vicissitudes: Toward an updated theory. *Theory & Psychology*, 21(1), 25-45.
- Ministry of Labour. (2009). *Employee right*. Retrieved from http://www.mol.go.th/employee/rihgt_labor%20low
- Ministry of Public Health. (2013). *Service plan in newborn infants*. Retrieved from http://watphlenghospital.go.th/httpdocs/DATA/Service%20Plan/Service_Plan04.pdf
- Ministry of Public Health. (2014). *Health strategic plan: 5 Flagship projects (B.E.2557)*. Retrieved from <http://www.anamai.moph.go.th/download/download.pdf>
- Ministry of Social Development and Human Security. (2016). *The Prime Minister Regulations about Government Officer Leave B.E. 2555*. Retrieved from https://www.m-society.go.th/ewt_news.php?nid=1261
- Moniem, I. I. A. E., & Morsy, M. A. (2011). The effectiveness of kangaroo technique on preterm infant weight gain. *Journal of American Science*, 7(1), 697-702.
- Mooney, C. G. (2010). *Theories of attachment: An introduction to Bowlby, Ainsworth, Gerber, Brazelton, Kennell, and Klaus*. St. Paul, MN: Redleaf Press.
- Mosqueda, R., Castilla, Y., Perapoch, J., Cruz, D., López-Maestro, M., & Pallás, C. (2013). Staff perceptions on newborn individualized developmental care and assessment program (NIDCAP) during its implementation in two Spanish neonatal units. *Early Human Development*, 89(1), 27-33.

- Mosqueda, R., Castilla, Y., Perapoch, J., Lora, D., López-Maestro, M., & Pallás, C. (2013). Necessary resources and barriers perceived by professionals in the implementation of the NIDCAP. *Early Human Development*, 89(9), 649-653.
- Murray, S. S., & McKinney, E. S. (2010). *Foundations of maternal-newborn and women's health nursing* (5th ed.). Missouri: Saunders Elsevier.
- Nabulsi, M. (2011). Why are breastfeeding rates low in Lebanon? A qualitative study *BMC Pediatrics*, 11, 75. doi:10.1186/1471-2431-11-75
- National Health Security Office. (2016). *National health security office's information*. Retrieved from <http://ebook.dreamnolimit.com/nhso/004/>
- Neill, S. J. (1996). Parent participation 2: findings and their implications for practice. *British Journal of Nursing*, 5(2), 110-117.
- Nethercott, S. (1993). A concept for all the family. Family-centred care: A concept analysis. *Professional Nurses*, 8(12), 794-797.
- NIDCAP Federation International. (2008). *What is the Newborn Individualized Developmental Care and Assessment Program (NIDCAP)?* Retrieved from <http://www.nidcap.org/faq.aspx>
- Nugent, J. K. (2013). The competent newborn and the neonatal behavioral assessment scale: T. Berry Brazelton's legacy. *Journal of Child and Adolescent Psychiatric Nursing*, 26(3), 173-179.
- Pathom-aree, N. (2008). *Maternal participation in caring for newborns in a neonatal intensive care unit* (Unpublished master's thesis). Chiang Mai University, Thailand.
- Patoine, B. (2010). *The vulnerable premature brain rapid neural development in third trimester heightens brain risks*. Retrieved from media/detail.aspx?id=27882

Peters, K. L., Rosychuk, R. J., Henderson, L., Jean Coté, J., McPherson, C., & Tyebkhan, J. M. (2009). Improvement of short- and long-term outcomes for very low birth weight infants: Edmonton NIDCAP trial. *Pediatrics*, 124(4), 1009-1020. doi:10.1542/peds.2008-3808

Petrou, S. (2003). Economic consequences of preterm birth and low birth weight. *International Journal of Obstetrics and Gynaecology*, 110(Suppl. 20), 17-23.

Petrou, S., & Khan, K. (2012). Economic costs associated with moderate and late preterm birth: Primary and secondary evidence. *Seminars in Fetal & Neonatal Medicine*, 17, 170-178

Phanthufak, M., Phumonsakul, S., & Chareonpol, O. (2009). The effect of a maternal role promoting program on maternal-infant attachment, maternal role satisfaction, competency in infant behavioral learning and infant growth. *Ramathibodi Nursing Journal*, 15(2), 149-161.

Pholanun, P., Kantawang, S., & Klunklin, P. (2013). Maternal participation in caring for preterm infants in neonatal intensive care unit and related factors. *Nursing Journal*, 40(1), 89-101.

Pongjaturawit, Y. (2005). *Parent participation in the care of hospitalized young children* (Unpublished doctoral dissertation). Chiang Mai University, Thailand.

Power, N., & Franck, L. (2008). Parent participation in the care of hospitalized children: A systematic review. *Journal of Advanced Nursing*, 62(6), 622-641. doi:10.1111/j.1365-2648.2008.04643.x

Preyde, M., & Ardal, F. (2003). Effectiveness of a parent “buddy” program for mothers of very preterm infants in a neonatal intensive care unit. *Canadian Medical Association Journal*, 168(8), 969-973.

- Pronlerttaveekul, S., Prasopkittikun, T., & Sangperm, P. (2013). Factors associated with mothers' participation in care for hospitalized newborns. *Journal of Nursing Science*, 31(1), 59-69.
- Rabelo, M. Z. S., Chaves, E. M. C., Cardoso, M. V. L. M. L., & Sherlock, M. S. M. (2007). Feelings and expectations of mothers of preterm babies at discharge. *Acta Paulista De Enfermagem*, 20(3), 333-337.
- Rizzo, P., Rea, M., & White, R. (2010). Lighting for today's neonatal intensive care unit. *Newborn & Infant Nursing Reviews*, 10(2), 108-113.
- Rungamornrat, S., Karnjanawanich, W., & Muangyoo, U. (2012). Maternal participation in caring for a premature infant with respirator. *Journal of Nursing Science*, 30(4), 49-60.
- Russell, G., Sawyer, A., Rabe, H., Abbott, J., Gyte, G., Duley, L., & Ayers, S. (2014). Parents' views on care of their very premature babies in neonatal intensive care units: A qualitative study. *BMC Pediatrics*, 14, 230. doi:10.1186/1471-2431-14-230
- Russell, R. B., Green, N. S., Steiner, C. A., Meikle, S., Howse, J. L., Poschman, K., . . . Petrini, J. R. (2007). Cost of hospitalization for preterm and low birth weight infants in the United State. *Pediatrics*, 120(1), e1-e9.
- Rustina, Y. (2005). *Educational program for enhancing parental competency and outcomes of preterm infants* (Unpublished doctoral dissertation). Chiang Mai University, Thailand.
- Rutter, M. (1995). Clinical implications of attachment concepts: Retrospect and prospect. *Journal of Child Psychology and Psychiatry*, 36(4), 549-571.
- Rutter, M. (2008). Implications of attachment theory and research for child care policies. In J. Cassidy & P.R. Shaver (Eds.), *Handbook of attachment: Theory, research, and clinical applications* (2nd ed., pp. 958-974). New York: The Guilford Press.

- Sakunphanit, T. (n.d.). *Universal health care coverage through pluralistic approaches: Experience from Thailand, 2006-2015 Asian decent work decade*. Retrieved from <http://www.ilo.org/public/english/region/asro/bangkok/events/sis/download/paper31.pdf>
- Sangswang, R., Punthmatharith, B., & Prateepchaikul, L. (2010). Effect of kangaroo care on father-preterm infant bonding. *Thai Journal of Nursing Council*, 25(2), 100-110.
- Sawattrakool, N. (2011). *Effects of perceived self-efficacy promotion program on maternal stress and role attainment among mothers of hospitalized preterm infants* (Unpublished master's thesis). Khon Kaen University, Thailand.
- Schepp, K. G. (1995). *Psychometric assessment of the preferred participation scale for parent of hospitalized children*. Unpublished manuscript, University of Washington, School of Nursing, Seatle, WA.
- Schore, J. R., & Schore, A. N. (2008). Modern attachment theory: The central role of affect regulation in development and treatment. *Clinical Social Work Journal*, 36(1), 9-20.
- Sethabouppha, H. (2002). *Buddhist family caregiving: A phenomenological study of family caregiving to the seriously mentally ill in Thailand* (Unpublished doctoral dissertation). University of Virginia, Virginia.
- Shelton, S. L., Meaney-Delman, D. M., Hunter, M., & Lee, S.-Y. (2014). Depressive symptoms and the relationship of stress, sleep, and well-being among NICU mothers. *Journal of Nursing Education and Practice*, 4(8), 70-79.
- Shieh, S.-J., Chen, H.-L., Liu, F.-C., Liou, C.-C., Lin, Y.-H., Tseng, H.-I., & Wang, R. H. (2010). The effectiveness of structured discharge education on maternal confidence, caring knowledge and growth of premature newborns. *Journal of Clinical Nursing*, 19(23-24), 3307-3313.

- Skene, C., Franck, L., Curtis, P., & Gerrish, K. (2012). Parent involvement in neonatal comfort care. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 41(6), 786-797. doi:10.1111/j.1552-6909.2012.01393.x
- Smith, G. C., Gutovich, J., Smyser, C., Pineda, R., Newnham, C., Tjoeng, T. H., . . . Inder, T. (2011). Neonatal intensive care unit stress is associated with brain development in preterm infants. *Annals of Neurology*, 70(4), 541-549. doi:10.1002/ana.22545
- Social Security Office. (2015). *In the maternity benefit*. Retrieved from <http://www.sso.go.th/wpr/eng/maternity-benefit.html>
- Somlaw, S. (2011). Family centered-care in sick newborn in Prapokkla Hospital. In P. Thaithumyanon (Ed.), *Essential issues in newborn nursery* (pp. 270-275). Bangkok: Tana Press.
- Srilamai, N., & Teerarungsikul, N. (2015). Effectiveness of maternal perceived self-efficacy enhancement program on caring for preterm babies. *Journal of Nursing and Education*, 8(2), 83-94.
- Srimala, S., Yenbut, J., & Urharmnuay, M. (2013). Discharge planning practices for preterm infants in neonatal intensive care unit, one of tertiary hospitals, northern region. *Nursing Journal*, 40(3), 21-29.
- Srisuparp, P. (2008, March). *Newborn care service in 12th decade of Siriraj*. Paper presented at the Siriraj Conference, Prasong Tuchinda Lecture Room, Siriraj Hospital, Bangkok, Thailand. Retrieved from http://www.ped.si.mahidol.ac.th/site_data/mymaindata_pedsi/999999/file/siriraj120/18/newbornInCen12.pdf
- Stadtler, A. C., Brandt, K. A., Novak, J. C., & Beauchesne, M. A. (2013). Reflections on T. Berry Brazelton, MD's influence on pediatric nursing. *Journal of Child and Adolescent Psychiatric Nursing*, 26(4), 234-238.

Stevens, E. E., Gazza, E., & Pickler, R. (2014). Parental experience learning to feed their preterm infant. *Advanced Neonatal Care*, 14(5), 354–361.
doi:10.1097/ANC.0000000000000105

Stewart, N. (2012). *Paternity leave in Thailand*. Retrieved from <http://msna.biz/paternity-leave-in-thailand>

Stull, M. K., & Deatrick, J. A. (1986). Measuring parental participation: Part I. *Issues in Comprehensive Pediatric Nursing*, 9(3), 157-165.

Suknithi, J., Thampanichawat, W., Wichiencharoen, K., & Lerthamatewe, W. (2012). Impact of oral stimulation program on nursing mothers' knowledge of oral stimulation and prematurely born infants' sucking ability. *Thai Journal of Nursing Council*, 27(1), 78-91.

Supapannachart, S. (2013). *Public health news*. Retrieved from <http://www.thairath.co.th/content/331737>

Supaporn, J., Klunklin, P., & Urharmnuay M. (2013). Maternal participation in caring for neonates with jaundice receiving phototherapy and related factors. *Nursing Journal*, 40(1), 115-126.

Swift M., & Scholten I. (2009). Not feeding, not coming home; parental experiences of infant feeding difficulties and family relationships in a neonatal unit. *Journal of Clinical Nursing*, 19(1-2), 249-258.


Taechaboonsermsak, P. (Ed.). (2014). *Herb increasing breast milk production*. Retrieved from http://www.ph.mahidol.ac.th/%E0% B8%88%E0% B8%B8%E0% B8%A5%E0% B8%AA%E0% B8%B2%E0% B8%A3/57/16_119.pdf

Tandberg, B. S., Sandtro, H. P., Vardal, M., & Ronnestad, A. (2013). Parents of preterm evaluation of stress and nursing support. *Journal of Neonatal Nursing*, 19, 317e-326e.

- Tepmalapunsiri, P., Chaimongkol, N., & Pongjaturawit, Y. (2011). Relationships between parent participation to care for sick newborn and quality of nursing care as perceive by the parent. *Journal of Faculty of Nursing Burapha University*, 19(1), 91-101.
- Thongkhong-uam, V. (2009). *Experiences of parents with premature infants* (Unpublished master's thesis). Thammasat University, Thailand.
- Tongo, O. O., Orimadegun, A. E., Ajayi, S. O., & Akinyinka, O. O. (2009). The economic burden of preterm/very low birth weight care in Nigeria. *Journal of Tropical Pediatrics*, 55(4), 262-264.
- Toral-López, I., Fernández-Alcántara, M., González-Carrión, P., Cruz-Quintana, F., Rivas-Campos, & Nieves Pérez-Marfil, N. (2016). Needs perceived by parents of preterm infants: Integrating care into the early discharge process. *Journal of Pediatric Nursing*, 31, 99-108.
- United Nations Children's Fund. (2010). *Situation analysis of children and women in Thailand 2011*. Bangkok: The United Nations Children's Fund Office for Thailand.
- United Nations Children's Fund. (2015). *Nutrition*. Retrieved from https://www.unicef.org/nutrition/index_24824.html
- van der Pal, S. M., Maguire, C. M., Cessie, S. L., Veen, S., Wit, J. M., Walther, F. J., & Bruil, J. (2007). Staff opinions regarding the newborn individualized developmental care and assessment program (NIDCAP). *Early Human Development*, 83(7), 425-432.
- Varvara, B., Effrossine, T., Despoina, K., Konstantinos, D., & Matziou, V. (2016). Effects of neonatal intensive care unit nursing conditions in neonatal NREM sleep. *Journal of Neonatal Nursing*, 22(4), 115-123.

- Velandia, M., Matthisen, A. S., Uvnäs-Moberg, K., & Nissen, E. (2010). Onset of vocal interaction between parents and newborns in skin-to-skin contact immediately after elective cesarean section. *Birth*, 37(3), 192-201. doi:10.1111/j.1523-536X.2010.00406.x
- Vinall, J., Miller, S. P., Bjornson, B. H., Fitzpatrick, K. P. V., Poskitt, K. J., Brant, R., . . . Grunau, R. E. (2014). Invasive procedures in preterm children: Brain and cognitive development at school age. *Pediatrics*, 133(3), 412-421.
- Wachman, E. M., & Lahav, A. (2011). The effects of noise on preterm infants in the NICU. *Archives of Disease in Childhood-- Fetal & Neonatal Edition*, 96(4), F305-F309. doi:10.1136/adc.2009.182014
- Wheeler, B. J. (2013). Health promotion of the newborn and family. In M. J. Hockenberry & D. Wilson (Eds.), *Wong's essentials of pediatric nursing* (9th ed., pp. 185-227). St. Louis: Mosby Elsevier.
- White-Trauta, R., Norra, K. F., Fabiyic, C., Rankinb, K. M., Li, Z., & Liu, L. (2013). Mother-infant interaction improves with a developmental intervention for mother-preterm infant dyads. *Infant Behavior & Development*, 36(4), 694-706.
- Wigert, H., Hallstrom, A. L., & Berg, M. (2008). Conditions for parents' participation in the care of their child in neonatal intensive care-a field study. *BMC Pediatric*, 8(3), 1-9.
- Wongjarupan, B., Sukvattananan, B., Phdungsittichok, S., Thanapongporn, S., Lokham, C., & Khorana, M. (2007). Effectiveness of infants massage on maternal-infant bonding attachment and premature infant's behavior cues [Abstract]. *Thai Pediatric Journal*, 14(1).
- Wongsith, M. (1991). Attitude toward family values in Thai society. In *Report on a Thai family and household survey* (pp. 69-101). Bangkok, Thailand: Institute of population studies, Chulalongkorn University.

- World Health Organization. (2015). *Preterm birth*. Retrieved from
<http://www.who.int/mediacentre/factsheets/fs363/en/>
- Ygge, B. M. (2004). *Parental involvement in pediatric hospital care implications for clinical practice and quality of care*. Acta Universitatis Upsaliensis.
- Comprehensive summaries of uppsala dissertations from the Faculty of Medicien.
- Zaichkin, J. (2008). The healthy newborn. In S. A. Orshan (Ed.), *Maternity, newborn, and women's health nursing: Comprehensive care across the lifespan* (pp. 785-870). Philadelphia: Lippincott Williams & Wilkins.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved