

REFEREFCS

- Abd-Allah, E.F. 1995. Biological control of tomato wilt disease caused by *Fusarium oxysporum* f. sp. *lycopersici*. Ph.D. (Dissertation) in Botany, Faculty of Science, Zagazig University, Egypt.
- Abd-Allah, E.F. 2001. *Streptomyces plicatus* as a model biocontrol agent. Folia Microbiol (Praha) 46(4): 309-314.
- Abdel-Fattah, G.M. and Al-Amri, S.M. 2012. Induced systemic resistance in tomato plants against *Fusarium oxysporum* f. sp. *lycopersici* by different kinds of compost. African Journal of Biotechnology 11(61): 12454-12463.
- Abdul Baki, A.A. and Anderson, J.D. 1973. Vigor determination in soybean by multiple criteria. Crop Science 13: 630-633.
- Agrios, G.N. 1988. Plant Pathology, 3rd ed. Academic Press, Inc.: New York. 803 pp.
- Agrios, G.N. 1997. Plant Pathology. 4th ed. San Diego: Academic Press. 635 pp.
- Aimé, S., Cordier, C., Alabouvette, C. and Olivain, C. 2008. Comparative analysis of PR gene expression in tomato inoculated with virulent *Fusarium oxysporum* f. sp. *lycopersici* and the biocontrol strain *F. oxysporum* Fo47. Physiological and Molecular Plant Pathology 73: 9-15.
- Alabouvette, C., Lemanceau, P. and Steinberg, C. 1993. Recent advances in biological control of *Fusarium* wilts. Pesticides Science Sci. 37(4): 365-373.
- Alam, M.Z., Mancchur, M.A. and Anwar, M.N. 2004. Isolation, purification, characterization of cellulolytic enzymes produced by the isolate *Streptomyces omiyaensis*. Pakistan Journal of Biological Sciences 7(10): 1647-1653.
- Aldesuquy, H.S., Mankarios, A.T. and Awad, H.A. 1998. Effect of some antitranspirants on growth, metabolism and productivity of saline-treated wheat plants. Induction of stomatal closure, inhibition of transpiration and improvement of leaf turgidity. Acta Botanica Hungarica 41(1-4): 1-10.
- Aldesuquy, H.S., Mansour, F.A. and Abo-Hamed, S.A. 1998. Effect of the culture filtrates of *Streptomyces* on growth and productivity of wheat plants. Folia Microbiologica 43(5): 465-470.

- Alekhyia, G. and Gopalakrishnan, S. 2014. Characterization of antagonistic *Streptomyces* as potential biocontrol agent against fungal pathogens of chickpea and sorghum. *The Philippine Agricultural Scientist* 97(2): 191-198.
- Alexander, L.J. and Tucker, C.M. 1945. Physiological specialization in the tomato wilt fungus *Fusarium oxysporum* f. sp. *lycopersici*. *Journal of Agricultural Research* 70: 303-313.
- Alexander, M. 1977. *Introduction to soil microbiology*. Wiley, New York. 467 pp.
- Alexopoulos, C., Mims, C. and Blackwell, M. 1996. *Introductory mycology*. 4th ed. New York: John Wiley & Sons, Inc. 869 pp.
- Anderson, A.S. and Wellington, E.M. 2001. The taxonomy of *Streptomyces* and related genera. *International Journal of Systematic and Evolutionary Microbiology* 51(3): 797-814.
- Angelova, Z., Georgiev, S. and Roos, W. 2006. Elicitation of plants. *Biotechnology and Biotechnological Equipment* 20(2) 72-83.
- Anitha, A. and Rabeeth. M. 2009. Control of *Fusarium* wilt of tomato by bioformulation of *Streptomyces griseus* in green house condition. *African Journal of Basic and Applied Sciences* 1(1-2): 9-14.
- Armstrong, G.M. and Armstrong, J.K. 1968. *Formae speciales* and races of *Fusarium oxysporum* causing a tracheomycosis in the syndrome of disease. *Phytopathology* 58: 1242-1246.
- Armstrong, G.M. and Armstrong, J.K. 1981. *Formae speciales* and races of *Fusarium oxysporum* causing wilt disease. pp. 391-399. In: Nelson, P.E., Toussoun, T.A. and Cook, R.J. (eds.). *Fusarium: Disease, biology, and taxonomy*. The Pennsylvania State University Press, University Park.
- Baharlouei, A., Sharifi-Sirchi, G.R. and Shahidi Bonjar, G.H. 2010. Identification of an antifungal chitinase from a potential biocontrol agent, *Streptomyces plicatus* strain 101, and its new antagonistic spectrum of activity. *The Philippine Agricultural Scientist* 93(4): 439-445.
- Banik, S. and Dey, B.K. 1982. Available phosphate content of an alluvial soil as influenced by inoculation of some isolated phosphate-solubilizing microorganisms. *Plant Soil* 69: 353-364.

- Bargabus, R.L., Zidack, N.K., Sherwood, J.E. and Jacobsen, B.J. 2003. Oxidative burst elicited by *Bacillus mycoides* isolate Bac J, a biological control agent, occurs independently of hypersensitive cell death in sugar beet. *Molecular Plant-Microbe Interactions* 16(12): 1145-1153.
- Basil, A.J., Strap, J.L., Knotek-Smith, H.M. and Crowford, D.L. 2004. Studies on the microbial populations of the rhizosphere of big sagebrush (*Artemisia tridentate*). *Journal of Industrial Microbiology and Biotechnology* 31: 278-288.
- Baz, M., Tran, D., Kettani-Halabi, M., Samri, S.E., Jamjari, A., Biligui, B., Meimoun, P., El-Maarouf-Bouteau, H., Garmier, M., Saindrenan, P., Ennaji, M.M., Barakate, M. and Bouteau, F. 2012. Calcium- and ROS-mediated defence responses in BY2 tobacco cells by nonpathogenic *Streptomyces* sp. *Journal of Applied Microbiology* 112: 782-792.
- Beaubois, E.L., Girard, S., Lallechere, S., Davies, E., Paladian, F., Bonnet, P., Ledoigt, G. and Vian, A. 2007. Intercellular communication in plants: evidence for two rapidly transmitted systemic signals generated in response to electromagnetic field stimulation in tomato. *Plant, Cell & Environment* 30: 834-844.
- Beauşéjour, J., Clermont, N. and Beaulieu, C. 2003. Effect of *Streptomyces melanosporofaciens* strain EF-76 and of chitosan on common scab of potato. *Plant and Soil* 256:463-468.
- Beecher, G.R. 1998. Nutrient content of tomatoes and tomato products. Article in *Proceedings of The Society for Experimental Biology and Medicine* 218(2): 98-100.
- Belfanti, E., Silfverberg-Dilworth, E., Tartarini, S., Patocchi, A., Barbieri, M., Zhu, J., Vinatzer, B. A., Gianfranceschi, L., Gessler, C. and Sansavini, S. 2004. The HcrVf2 gene from a wild apple confers scab resistance to a transgenic cultivated variety. *Proceedings of the National Academy of Sciences, USA* 101: 886-890.
- Benhamou, N. and Theriault, G. 1992. Treatment with chitosan enhances resistance of tomato plants to the crown and root rot pathogen *Fusarium oxysporum* f. sp. *radicis-lycopersici*. *Physiological and Molecular Plant Pathology* 41: 33-52.
- Bennett, R.N. and Wallsgrove, R.M. 1994. Tanksley review no. 72: Secondary metabolites in plant defence mechanisms. *New Phytologist* 127: 617-633.

- Berdy, J. 2005. Bioactive microbial metabolites. *The Journal of Antibiotics* 58: 1-26.
- Berrocal-Lobo, M. and Molina, A. 2004. Ethylene response factor 1 mediates *Arabidopsis* resistance to the soilborne fungus *Fusarium oxysporum*. *Molecular Plant-Microbe Interactions Journal* 17: 763-770.
- Bettini, P., Cosi, E., Pellegrini, M.G., Turbanti, L., Vendramin, G.G. and Buiatti, M. 1998. Modification of competence for in vitro response to *Fusarium oxysporum* in tomato cells, III. PR-Protein gene expression and ethylene evolution in tomato cell lines transgenic for phytohormone-related bacterial genes. *Theoretical and Applied Genetics* 98: 575-583.
- Beyer, M. and Diekmann, H. 1985. The chitinase system of *Streptomyces* sp. ATCC 1238 and its significance for fungal cell wall degradation. *Applied Microbiology Biotechnology* 23: 140-146.
- Boller, T. 1995. Chemoperception of microbial signals in plant cells. *Annual Review of Plant Physiology and Plant Molecular Biology* 46: 189-214.
- Bonaldi, M., Kunova, a., Sardi, P., Cortesi, P. and Saracchi, M. 2011. *Streptomyces* as possible biocontrol agents against soil-borne pathogens. *Journal of Plant Pathology* 93(4): S4.26-S4.27.
- Boominathan, U. and Sivakumaar, P.K. 2013. *Bacillus megaterium* (AUM72)-mediated induction of defense related enzymes to enhance the resistance of turmeric (*Curcuma longa* L.) to *Pythium aphanidermatum* causing rhizome rot. *Agricultura* 10(1-2): 1-8.
- Boonying, W. 2010. Characterization and control of carbendazim-resistant *Colletotrichum* spp. in Chili. M.S. Thesis in Agriculture, Chiang Mai University, Thailand.
- Booth, C. 1971. The genus *Fusarium*. Commonwealth Mycological Institute, Kew, Surrey, United Kingdom. 237 pp.
- Bost, S. C. 2001. First Report of *Fusarium oxysporum* f. sp. *lycopersici* race 3 on tomato in Tennessee. *Plant Disease* 85(7): 802.
- Boukaew, S., Chuenchit, S. and Petcharat, V. 2010. Evaluation of *Streptomyces* spp. for biological control of *Sclerotium* root and stem rot and *Ralstonia* wilt of chili pepper. *Biological Control* 56(3): 365-374.

- Bournival, B.L., Scott, J.W. and Vallejos, C.E. 1989. An isozyme marker for resistance to race 3 of *Fusarium oxysporum* f. sp. *lycopersici* in tomato. Theoretical and Applied Genetics 78: 489-494.
- Bowles, D.J. 1990. Defense-related proteins in higher plants. Annual Review of Biochemistry 59: 873-907.
- Buchanan, R.E. 1917. Studies in the nomenclature and classification of the bacteria. II. The primary subdivisions of the schizomycetes. Journal of Bacteriology 2: 155-164.
- Bunyatratchata, W., Saksirirat, W., Sirithorn, P. and Teerakulpisut, P. 2005. Race identification of *Fusarium* wilt pathogen of tomato, *Fusarium oxysporum* f. sp. *lycopersici* by pathogenic reaction on standard differential host. Khon Kaen Agricultural Journal 33(2): 95-107.
- Burgess, L.W. 1981. General ecology of the fusaria. pp. 225-235. In: Nelson, P.E., Toussoun, T.A. and Cook, R.J. (eds.). *Fusarium: Disease, biology, and taxonomy*. The Pennsylvania State University Press, University Park.
- Burgess, L.W., Summerell, B.A., Bullock, S., Gott, K.P. and Bakhous, D. 1994. Laboratory manual for *Fusarium* research. *Fusarium* Research Laboratory. Department of Crop Science, University of Sydney and Royal Botanic Gardens. 133 pp.
- Cachinero, J.M., Hervas, A., Jimenez-Diaz, R.M. and Tena, M. 2002. Plant defense reactions against *Fusarium* wilt in chickpea induced by incompatible race 0 of *Fusarium oxysporum* f. sp. *ciceris* and nonhost isolates of *F. oxysporum*. Plant Pathology 51: 765-776.
- Cai, G., Gale, L.R., Schneider, R.W., Kistler, H.C., Davis, R.M., Elias, K.S. and Miyao, E.M. 2003. Origin of race 3 of *Fusarium oxysporum* f. sp. *lycopersici* at a single site in California. Phytopathology 93(8): 1014-1022.
- Chaisiri, C. 2010. Efficiency of actinomycetes for controlling *Fusarium oxysporum* f. sp. *capsici* causing wilt disease of chili. Bachelor Special Problems in Agriculture, Chiang Mai University, Thailand.

- Chakraborty, S., Khopade, A., Kokare, C., Mahadik, K. and Chopade, B. 2009. Isolation and characterization of novel α -amylase from marine *Streptomyces* sp. D1. *Journal of Molecular Catalysis B: Enzymatic* 58: 17-23.
- Challis, G.L. and Hopwood, D.A. 2003. Synergy and contingency as driving forces for the evolution of multiple secondary metabolite production by *Streptomyces* species. *Proceedings of the National Academy of Sciences* 100(Suppl 2): 14555-14561.
- Chandrashekara, K.N., Chandrashekara, C., Chakravathi, M. and Manivannan, S. 2012. Biological control of plant disease. pp: 147-166. *In*: Singh, V.K., Singh, Y. and Singh, A. (eds.). *Eco-friendly innovative approaches in plant disease management*. International Book Distributors, India.
- Chantima, C. 2010. Efficiency of actinomycetes for controlling *Fusarium moniliforme* of seed rice. Bachelor Special Problems in Agriculture, Chiang Mai University, Thailand.
- Chater, K.F. 1993. Genetics of differentiation in *Streptomyces*. *Annual Review of Microbiology* 47: 685-713.
- Chen, S.C., Liu, A.R., Wang, F.H. and Ahammed, G.J. 2009. Combined overexpression of chitinase and defensin genes in transgenic tomato enhances resistance to *Botrytis cinerea*. *African Journal of Biotechnology* 8(20): 5182-5188.
- Cheng, G., Liu, F., Huang, Y., Yang, H., Yao, J., Shen, H. and Xu, J. 2014. Colonization of *Streptomyces felleus* YJ1 and its effects on disease resistant-related enzymes of oilseed rape. *Journal of Agricultural Science* 6(5): 26-33.
- Cheong, Y.H., Kim, C.Y., Chun, H.J., Moon, B.C., Park, H.C., Kim, J.K., Lee, S.H., Han, C.D., Lee, S.Y. and Cho, M.J. 2000. Molecular cloning of a soybean class III β -1,3-glucanase gene that is regulated both developmentally and in response to pathogen infection. *Plant Science* 154: 71-81.
- Chester, K., 1933. The problem of acquired physiological immunity in plants. *The Quarterly Review of Biology*. 8: 275-324.
- Chet, I., Shapira, R., Ordentlich, A. and Oppenheim, A.B. 1990. Mechanisms of biocontrol of soil-borne plant pathogens by rhizobacteria. *Plant and Soil* 129: 85-92.

- Cocaliadis, M.F., Fernández-Muñoz, R., Pons, C., Orzaez, D. and Granell, A. 2014. Increasing tomato fruit quality by enhancing fruit chloroplast function. A double-edged sword. *Journal of Experimental Botany* 65(16): 4589-4598.
- Conn, V.M., Walker, A.R. and Franco, C.M.M. 2008. Endophytic actinobacteria induce defense pathways in *Arabidopsis thaliana*. *Molecular Plant-Microbe Interactions* 21(2): 208-218.
- Conrath, U., Pieterse, C.M. and Mauch-Mani, B. 2002. Priming in plant-pathogen interactions. *Trends in Plant Science* 7: 210-216.
- Correll, J.C. 1991. The relationship between formae speciales, races and vegetative compatibility groups in *Fusarium oxysporum*. *Phytopathology* 81: 1061-1064.
- Crawford, D.L., Lynch, J.M., Whipps, J.M. and Ousley, M.A. 1993. Isolation and characterization of actinomycete antagonists of a fungal root pathogen. *Applied and Environmental Microbiology* 59: 3899-3905.
- Davies, J.N. and Hobson, G.E. 1981. The constituents of tomato fruit-the influence of environment, nutrition and genotype. *CRC Critical Reviews in Food Science and Nutrition* 15: 205-280.
- Davis, R.M., Kimble, K.A. and Farrar, J.J. 1988. A third race of *Fusarium oxysporum* f. sp. *lycopersici* identified in California. *Plant Disease* 72: 453.
- De Cal, A., García-Lepe, R. and Melgarejo, P. 2000. Induced resistance by *Penicillium oxalicum* against of *Fusarium oxysporum* f. sp. *lycopersici*: histological studies of infected and induced tomato stems. *Phytopathology* 90: 260-268.
- De Oliveira, M.F., Da Silva, M.G. and Van Der Sand, S.T. 2010. Anti-phytopathogen potential of endophytic actinobacteria isolated from tomato plants (*Lycopersicon esculentum*) in southern Brazil, and characterization of *Streptomyces* sp. R18(6), a potential biocontrol agent. *Research in Microbiology* 161(7): 565-572.
- Delaney, T.P. 1997. Genetic dissection of acquired resistance to disease. *Plant Physiology* 113: 5-12.
- Dheda, K., Huggett, J.F., Bustin, S.A., Johnson, M.A., Rook, G. and Zumla, A. 2004. Validation of housekeeping genes for normalizing RNA expression in real-time PCR. *BioTechniques* 37: 112-119.

- Dixon, R.A. 1986. The phytoalexin response: elicitation, signaling, and control of host gene expression. *Biological reviews of the Cambridge Philosophical Society* 61: 239-292.
- Duffey, S.S. and Felton, G.W. 1989. Plant enzymes in resistance to insects. pp. 289-313. *In: Whitaker, R. and Sonnet, P.E. (eds.). Biocatalysis in agricultural biotechnology.* American Chemical Society, Toronto.
- Duijff, B.J., Alabouvette, C. and Lemanceau, P. 1996. Involvement of induced systemic resistance in the control of fusarium wilt of tomato by *Fusarium oxysporum* strain FO47 and *Pseudomonas fluorescens* strain WCS417r. *IBOC/Integrated Control of Noxious Animals and Plants/WPRS Bulletin* 19: 120-124.
- Durrant, W.E. and Dong, X. 2004. Systemic acquired assistance. *Annual Review of Phytopathology* 42: 185-209.
- Ebel, J. and Cosio, E.G. 1994. Elicitors of plant defense responses. *International Review of Cytology* 148: 1-36.
- Elad, Y., Lifshitz, R. and Baker, R. 1985. Enzymatic activity of the mycoparasite *Pythium nunn* during interaction with host and non-host fungi. *Physiological Plant Pathology* 27: 131-148.
- Elena, K. and Pappas, A.C. 2006. Race distribution, vegetative compatibility and pathogenicity of *Fusarium oxysporum* f. sp. *melonios* in Greece. *Journal of Phytopathology* 154: 250-255.
- Elias, K.S. and Schneider, R.W. 1991. Vegetative compatibility groups in *Fusarium oxysporum* f. sp. *lycopersici*. *Phytopathology* 81(2): 159-162.
- Elias, K.S. and Schneider, R.W. 1992. Genetic diversity within and among races and vegetative compatibility groups of *Fusarium oxysporum* f. sp. *lycopersici* as determined by isozyme analysis. *Phytopathology* 82: 1421-1472.
- El-Sersy, N.A., Abd-Elnaby, H., Abou-Elela, G.M., Ibrahim, H.A.H. and El-Toukhy, N.M.K. 2010. Optimization, economization and characterization of cellulase produced by marine *Streptomyces ruber*. *African Journal of Biotechnology* 9(38): 6355-6364.
- El-Shanshoury, A.E.R., El-Sououd, S.M.A., Awadalla, O.A. and El-Bandy, N.B. 1996. Effects of *Streptomyces corchorusii*, *Streptomyces mutabilis*, pendimethalin, and

- metribuzin on the control of bacterial and *Fusarium* wilt of tomato. Canadian Journal of Botany 74(7): 1016-1022.
- El-Tarabily K.A. 2008. Promotion of tomato (*Lycopersicon esculentum* Mill.) plant growth by rhizosphere competent 1-aminocyclopropane-1-carboxylic acid deaminase-producing *Streptomyces* actinomycetes. Plant and Soil 308: 161-174.
- El-Tarabily, K.A., Hardy, G.E.S.J., Sivasithamparam, K., Hussein, A.M. and Kurtboke, D.I. 1997. The potential for the biological control of cavity-spot disease of carrots, caused by *Pythium coloratum*, by streptomycete and non-streptomycete actinomycetes. New Phytologist 137: 495-507.
- El-Tarabily, K.A., Soliman, M.H., Nassar, A.H., Al-hassani, H.A., Sivasithamparam, K., McKenna, F. and Hardy, G.E.S.T.J. 2000. Biological control of *Sclerotinia minor* using a chitinolytic bacterium and actinomycetes. Plant Pathology 49: 573-583.
- Errakhi, R., Bouteau, F., Lebrihi, A. and Barakate, M. 2007. Evidences of biological control capacities of *Streptomyces* spp. against *Sclerotium rolfsii* responsible for damping-off disease in sugar beet (*Beta vulgaris* L.). World Journal of Microbiology and Biotechnology 23(11): 1503-1509.
- Evangelista-Martínez, Z. 2014. Isolation and characterization of soil *Streptomyces* species as potential biological control agents against fungal plant pathogens. World Journal of Microbiology and Biotechnology 30(5): 1639-1647.
- Fairbairn, D.A., Priest, F.G. and Stark, J.R. 1986. Extracellular amylase synthesis by *Streptomyces limosus*. Enzyme and Microbial Technology 8(2): 89-92.
- Falk, A., Feys, B.J., Frost, L.N., Jones, J.D.G., Daniels, M.J. and Parker, J.E. 1999. EDS1, an essential component of *R* gene-mediated disease resistance in *Arabidopsis* has homology to eukaryotic lipases. Proceedings of the National Academy of Sciences 96: 3292-3297.
- FAO, 2015. The State of food insecurity in the world. (Online). Available: <http://faostat.fao.org/site/339/default.aspx> (February 6, 2015).
- FAO. 2007. The vegetable sector in Thailand a review. (RAP Publication : 1999/38).

- FAOSTAT. 2011. The FAO (Food and Agricultural Organization of the United State Nations) Statistical Database. (online). Available: <http://faostat.fao.org/site/339/default.aspx> (February 6, 2015).
- Ferraz, H.G.M., Resende, R.S., Silveira, P.R., Andrade, C.C.L., Milagres, E.A., Oliveira, J.R. and Rodrigues, F.Á. 2014. Rhizobacteria induces resistance against *Fusarium* wilt of tomato by increasing the activity of defense enzymes. *Bragantia*, Campinas 73(3): 274-283.
- Flårdh, K. and Buttner, M.J. 2009. *Streptomyces* morphogenetics: dissecting differentiation in a filamentous bacterium. *Nature Reviews Microbiology* 7: 36-49.
- Fletcher, J.T. 1994. *Fusarium* stem and fruit rot of sweet peppers in the glasshouse. *Plant Pathology* 43(1): 225-227.
- Flor, H.H. 1971. Current status of the gene-for-gene concept. *Annual Review of Phytopathology* 9:275-296.
- Fokkema, N.J. 1978. Fungal antagonism in the phyllosphere. *Annals of Applied Biology* 89: 115-117.
- Franklin, T.J., Snow, G.A., Barrett-Bee, K.J. and Nolan, R.D. 1989. Antifungal, antiprotozoal and antiviral agents. pp. 137-161. *In*: Franklin, T.J. and Snow, G.A. (eds.). *Biochemistry of antimicrobial action*, 4th ed. Chapman & Hall Ltd., New York.
- Frindlender, M., Inbar, J. and Chet, I. 1993. Biological control of soil borne plant pathogens by β -1,3-glucanase producing *Pseudomonas cepacia*. *Soil Biology and Biochemistry* 25: 1211-1221.
- Getha, K. and Vikineswary, S. 2002. Antagonistic effects of *Streptomyces violaceusniger* strain G10 on *Fusarium oxysporum* f. sp. *cubense* race 4: Indirect evidence for the role of antibiosis in the antagonistic process. *Journal of Industrial Microbiology and Biotechnology* 28: 303-310.
- Getha, K., Vikineswary, S., Wong, W.H., Seki, T., Ward, A. and Goodfellow, M. 2005. Evaluation of *Streptomyces* sp. strain G10 for suppression of *Fusarium* wilt and rhizosphere colonization in pot-grown banana plantlets. *Journal of Industrial Microbiology and Biotechnology* 32(1): 24-32.

- Glare, E.M., Divjak, M., Bailey, M.J. and Walters, E.H. 2002. β -Actin and GAPDH housekeeping gene expression in asthmatic airways is variable and not suitable for normalising mRNA levels. *Thorax* 57: 765-770.
- Glazebrook, J., Rogers, E.E and Ausubel, F.M. 1996. Isolation of *Arabidopsis* mutants with enhanced disease susceptibility by direct screening. *Genetics* 143: 973-982.
- Goel, N. and Paul, P. K. 2014. Induction of systemic resistance in tomato by fruit extracts of *Azadirachta indica*. *Reviews of Literature* 2(2): 1-27.
- Gómez-Vásquez, R., Day, R., Buschmann, H., Randles, S., Beeching, J.R. and Cooper, R.M. 2004. Phenylpropanoids, phenylalanine ammonia lyase and peroxidases in elicitor-challenged cassava (*Manihot esculenta*) suspension cells and leaves. *Annals of Botany* 94(1): 87-97.
- Goodfellow, M. and Williams, S.T. 1983. Ecology of actinomycetes. *Annual Review of Microbiology* 37: 189-216.
- Goodfellow, M., Lacey, J., Athalye, M., Embley, T. M. and Bowen, T. 1989. *Saccharopolyspora gregorii* and *Saccharopolyspora hordei*: two new actinomycete species from fodder. *Journal of general microbiology* 135: 2125-2139.
- Goodfellow, M., Williams, S.T. and Mordarski, M. 1988. Actinomycetes in biotechnology. Academic Press, London. 501 pp.
- Gordon, T.R. and Mattyn, R.D. 1997. The evolutionary biology of *Fusarium oxysporum*. *Annual Review of Phytopathology* 35: 111-128.
- Gottlieb, D., Bhattacharyya, P.K., Anderson, H.W. and Carter, H.E. 1994. Some properties of an antibiotic obtained from a species of *Streptomyces*. *Journal of Bacteriology* 55: 409-417.
- Grattidge, R. 1982. Occurrence of a third race of *Fusarium* wilt of tomatoes in Queensland. *Plant Disease* 66(2) :165-166.
- Grattidge, R. and O'Brien, R.G. 1982. Occurrence of a third race of *Fusarium* wilt of tomatoes in Queensland. *Plant Disease* 66: 165-166.
- Gust, B., Challis, G.L., Fowler, K., Kieser, T. and Chater, K.F. 2003. PCR-targeted *Streptomyces* gene replacement identifies a protein domain needed for

- biosynthesis of the sesquiterpene soil odor geosmin. Proceedings of the National Academy of Sciences 100: 1541-1546.
- Hamdali, H., Bouizgarne, B., Hafidi, M., Lebrihi, A., Virolle, M. J., and Ouhdouch, Y. 2008a. Screening for rock phosphate solubilizing Actinomycetes from Moroccan phosphate mines. Applied Soil Ecology 38: 12-19.
- Hamdali, H., Hafidi, M., Virolle, M. J. and Ouhdouch, Y. 2008b. Rock phosphate solubilizing Actinomycetes: screening for plant growth promoting activities. World Journal of Microbiology and Biotechnology 24: 2565-2575.
- Hammerschmidt, R. and Kuc, J., 1995. Induced resistance to disease in Plants. Kluwer Academic Publishers, Dordrecht, The Netherlands. 182 pp.
- Hammond-Kosack, K.E. and Jones, J.D.G. 2000. Responses to Plant Pathogens. pp. 1102-1156. In: Buchanan, B.B. (eds.), Gruissem, W. and Jones, R.L. Biochemistry and molecular biology of plants. 1st ed. American Society of Plant Physiology, Rockville, Maryland, USA.
- Handelsman, J. and Stabb, E.V. 1996. Biocontrol of soilborne plant pathogens. The Plant Cell 8: 1855-1869.
- Hardy, G.E.St.J. and Sivasithamparam, K. 1995. Antagonism of fungi and actinomycetes isolated from composted eucalyptus bark to *Phytophthora drechsleri* in a steamed and non-steamed composted eucalyptus bark-amended container medium. Soil Biology and Biochemistry 27(2): 243-246.
- Hayakawa H. 2008. Studies on the isolation and distribution of rare actinomycetes in soil. Actinomycetologica 22: 12-19
- Höegen, E., Strömberg, A. Pihlgren, U. and Kombrink, E. 2002. Primary structure and tissue-specific expression of the pathogenesis-related protein *PR-1b* in potato. Molecular Plant Pathology 3(5):329-345.
- Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T. and Williams, S.T. 1994. Bergey's Manual of Systematic Bacteriology. William & Wilkin, Baltimore. 787 pp.
- Hopwood, D.A. 2007. *Streptomyces* in nature and medicine: The antibiotic makers. Oxford: Oxford University Press New York. 250 pp.

- Huang, C.C. and Lindhout, P. 1997. Screening for resistance in wild *Lycopersicon* species to *Fusarium oxysporum* f. sp. *lycopersici* race 1 and race 2. *Euphytica* 93: 145-153.
- Huertas-Gonzalez, M.D., Ruiz-Roldan, M.C. and Di Pietro, A. 1999. Cross protection provides evidence for race-specific avirulence factors *Fusarium oxysporum*. *Physiological and Molecular Plant Pathology* 54: 63-72.
- Hurbert, J.J. and Helton, A.W. 1967. A translocated resistance phenomenon in *Prunus domestica* induced by initial infection with *Cytospora cineta*. *Phytopathology* 57: 1094-1098.
- Ishikawa, T., Morimoto, Y., Madhusudhan, R., Sawa, Y., Shibata, H., Yabuta, Y., Nishizawa, A. and Shigeoka, S. 2005. Acclimation to diverse environmental stresses caused by a suppression of cytosolic ascorbate peroxidase in tobacco by-2 cells. *Plant and Cell Physiology* 46: 1264-1271.
- Islam, M.R., Madhaiyan, M., Deka Boruah, H.P., Yim, W., Lee, G., Saravanan, V.S., Fu, Q., Hu, H. and Sa, T. 2009. Characterization of plant growth-promoting traits of three-living diazotrophic bacteria and their inoculation effects on growth and nitrogen uptake of crop plants. *Journal of Microbiology and Biotechnology* 19: 1213-1222.
- ISTA. 1993. International rules for seed testing. *Seed Science and Technology* 21: 1-288.
- ISTA. 1999. International rules for seed testing. *Seed Science and Technology* 27(Suppl): 340 pp.
- Ito, S., Nagata, A., Kai, T., Takahara, H. and Tanaka, S. 2005. Symptomless infection of tomato plants by tomatinase producing *Fusarium oxysporum* formae speciales non-pathogenic on tomato plants. *Physiological and Molecular Plant Pathology* 66: 183-191.
- Jach, G., Gornhardt, B., Mundy, J., Logemann, J., Pinsdorf, E., Leah, R., Schell, J. and Maas, C. 1995. Enhanced quantitative resistance against fungal disease by combinatorial expression of different barley antifungal proteins in transgenic tobacco. *The Plant Journal* 8: 97-109.

- Jaiyen, W. 2010. Efficiency of actinomycetes for controlling *Fusarium oxysporum* f.sp. *lycopersici* causing tomato wilt. Bachelor Special Problems in Agriculture, Chiang Mai University, Thailand.
- Jang, H.D.J. and Chen, K.S. 2003. Production and characterization of thermostable cellulases from *Streptomyces* transformant T3-1. *World Journal of Microbiology and Biotechnolog.* 19: 263-268.
- Janisiewicz, W.J. and Korsten, L. 2002. Biological control of postharvest diseases of fruits. *Annual Review of Phytopathology* 40: 411-444.
- Janssen, P.H., Yates, P.S., Grinton, B.E., Taylor, P.M. and Sait, M. 2002. Improved culturability of soil bacteria and isolation in pure culture of novel members of the divisions *Acidobacteria*, *Actinobacteria*, *Proteobacteria*, and *Verrucomicrobia*. *Applied and Environmental Microbiology* 68: 2391-2396.
- Jarvis, W.R. 1988. *Fusarium* crown and root rot of tomatoes. *Phytoprotection* 69: 49-64.
- Jarvis, W.R. 1988. *Fusarium* crown rot and root rot of tomatoes. *Phytoprotection* 69: 49-64.
- Joffe, A.Z. 1986. *Fusarium* species: Their biology and toxicology. J. Wiley & Sons, New York, USA. 588 pp.
- Jog, R., Nareshkumar, G. and Rajkumar, S. 2012. Plant growth promoting potential and soil enzyme production of the most abundant *Streptomyces* spp. from wheat rhizosphere. *Journal of Applied Microbiology* 113(5): 1154-1164.
- Johnson, G.I. and Sangchote, S. 1994. Control of postharvest diseases of tropical fruits: challenges for the 21st century. pp. 140-167. *In: Champ, B.R., Highley, E., and Johnson, G. I. (eds.). Post-harvest Handling of Tropical Fruit.* Australian Center for International Agricultural Research, Canberra.
- Jones, J.B., Jones, J.P., Stall, R.E. and Zitter, T.A. 1991. Compendium of tomato diseases. American Phytopathological Society, St. Paul, MN. 73 pp.
- Jones, J.P. 1991. *Fusarium* wilt. pp. 24. *In: Jones, J.B., Jones, J.P., Stall, R.E. and Zitter, T.A. (eds.). Compendium of tomato diseases.* St Paul, Minnesota: APS.
- Jones, J.P. and Crill, P. 1974. Susceptible of “resistant” tomato cultivars to *Fusarium* wilt. *Phytopathology* 64: 1507-1510.

- Jones, J.P., Jones, J.B. and Miller, J.W. 1982. *Fusarium* wilt of tomato. Florida Department of Agriculture and Consumer Services, the Division of Plant Industry. Plant Pathology Circular No. 237.
- Jovicich, E., Cantliffe, D.J. and Hochmuth, G.J. 1999. "Elephant's Foot," a plant disorder in hydroponic greenhouse sweet pepper. Proceedings of the Florida State Horticultural Society 112: 310-312.
- Kalakoutsii, L.V. and Arge, N.S. 1976. Comparative aspects of development and differentiation in actinomycetes. Bacteriological Reviews 40: 469-524.
- Kapoor, I.J. 1988. Fungi involved in tomato wilt syndrome in Delhi, Maharashtra and Tamilnadu. Indian Phytopathology 41: 208 -213.
- Kawchuk, L.M., Hachey, J., Lynch, D.R., Kulcsar, F., Van Rooijen, G., Waterer, D.R., Robertson, A., Kokko, E., Byers, R., Howard, R.J., Fischer, R. and Prüfer, D. 2001. Tomato disease resistance genes encode cell surface-like receptors. PNAS, Proceedings of the National Academy of Sciences 98: 6511-6515.
- Keen, N.T. 1990. Gene-for-gene complementarity in plant-pathogen interactions. Annual Review of Genetics 24: 447-463.
- Kekuda, P.T.R., Manasa, M., Poornima, G., Abhipsa, V., Rekha, C., Upashe, S.P. and Raghavendra, H.L. 2013. Antibacterial, cytotoxic and antioxidant potential of *Vitex negundo* var. *negundo* and *Vitex negundo* var. *purpurascens*-A comparative study. Science, Technology and Arts Research Journal 2(3): 59-68.
- Kessman, H., Stauv, T., Hoffmann, C., Maetzke, T. and Herzog, J. 1994. Induction of systemic acquired disease resistance in plants by chemicals. Annual Review of Phytopathology 32: 439-459.
- Khamna, S., Yokota, A., Peberdy, J.F. and Lumyong, S. 2009. Antifungal activity of *Streptomyces* spp. isolated from rhizosphere of Thai medicinal plants. International Journal of Integrative Biology 6(3): 143-147.
- Khan, S.T. 2011. *Streptomyces* associated with a marine sponge *Haliclona* sp.; biosynthetic genes for secondary metabolites and products. Environmental Microbiology 13: 391-403.

- Kieser, T., Bibb, M.J., Buttner, M.J., Chater, K.F. and Hopwood, D.A. 2000. Practical *Streptomyces* genetics: John Innes Foundation, Norwich Research Park, Colney, Norwich NR4 7UH, UK. 613 pp.
- Kirankumar, R., Jagadeesh, K.S., Krishnaraj, P.U. and Patil, M.S. 2008. Enhanced growth promotion of tomato and nutrient uptake by plant growth promoting rhizobacterial isolates in presence of Tobacco Mosaic Virus pathogen. *Journal of Agricultural Science* 21: 309 - 311.
- Knapp, S. 2002. Tobacco to tomatoes: a phylogenetic perspective on fruit diversity in the Solanaceae. *Journal of Experimental Botany* 53: 2001-2022.
- Knoester, M., Pieterse, C.M.J., Bol, J.F. and Van Loon, L.C. 1999. Systemic resistance in *Arabidopsis* induced by rhizobacteria requires ethylene-dependent signaling at the site of application. *Molecular Plant-Microbe Interactions Journal* 12: 720-727.
- Kobayashi, A., Koguchi, Y., Kanzaki, H., Kajiyama, S. and Kawazu, K. 1994. A new type of antimicrobial phenolics produced by plant peroxidase and its possible role in the chemical defense systems against plant pathogens. *Z Naturforsch C* 49: 411-414.
- Kommedahl, T., Christensen, J.J. and Frederiksen, R.A. 1970. A half century of research in Minnesota on flax wilt caused by *Fusarium oxysporum*. *Agricultural Experiment Station Technical Bulletin*. 273 pp.
- Kormanec, J., Ševíková, B., Halgasová, N., Knirschová, R., Ezuchová, B. 2000. Identification and transcriptional characterization of the gene encoding the stress-response σ factor σ^H in *Streptomyces coelicolor* A3(2). *FEMS Microbiology Letters* 189: 31-38.
- Kumar P., and Sood A.K., 2002, Control of bacterial wilt of tomato with VAM and bacterial antagonists, *Indian Phytopatholog.*, 55(4): 513-515.
- Kurth, F., Mailänder, S., Bönn, M., Feldhahn, L., Herrmann, S., Große, I., Buscot, F., Schrey, S.D. and Tarkka, M.T. 2014. *Streptomyces*-induced resistance against oak powdery mildew involves host plant responses in defense, photosynthesis, and secondary metabolism pathways. *Molecular Plant-Microbe Interactions Journal* 27(9): 891-900.

- Lacey, J. 1973. Actinomycetes in soils, composts and fodders. pp. 231–251. *In*: Sykes, G. and Skinner, F.A. Actinomycetales: Characteristics and practical importance. London: Academic Press.
- Lahdenperä, M.L. 1987. The control of *Fusarium* wilt of carnation with a *Streptomyces* preparation. *Acta Horticulturae* 216: 85-92.
- Lambais, M.R. and Mehdy, M.C. 1998. Spatial distribution of chitinases and β -1,3-glucanase transcripts in bean arbuscular mycorrhizal roots under low and high soil phosphate conditions. *The New Phytologist* 140: 33-42.
- Laterrot H. 1976. Localisation chromosomique de I2 chez la tomato controlant la resistance au pathotype 2 de *Fusarium oxysporum* f. sp. *lycopersici*. *Ann Amélior Plant* 26: 485-491.
- Lazzarini, A., Cavaletti, L., Toppo, G. and Marinelli, F. (2000). Rare genera of actinomycetes as potential producers of new antibiotics. *Antonie van Leeuwenhoek* 78: 399-405.
- Lechevalier, H.A. and Waksman, S.A. 1962. The actinomycetes. III. Antibiotics of actinomycetes. The Williams & Wilkins Co., Baltimore. 430 pp.
- Lee, F.J., Lin, L.W. and Smith, J.A. 1990. Model peptides reveal specificity of N alpha-acetyltransferase from *Saccharomyces cerevisiae*. *The Journal of Biological Chemistry* 265(20): 11576-11580.
- Legrand, M., Kauffmann, S., Geoffroy, P. and Fritig, B. 1987. Biological function of pathogenesis-related proteins: Four tobacco pathogenesis-related proteins are chitinases. *Proceeding of National Academy of Sciences* 84: 6750-6754.
- Lehr, N.A., Schrey, S.D., Hampp, R. and Tarkka, M.T. 2008. Root inoculation with a forest soil streptomycete leads to locally and systemically increased resistance against phytopathogens in Norway spruce. *New Phytologist* 177: 965-976.
- Leonardi, C., Ambrosino, P., Esposito, F. and Fogliano, V., 2000. Antioxidant activity and carotenoid and tomatine contents in different typologies of fresh consumption tomatoes. *Journal of Agricultural and Food Chemistry* 48: 4723-4727.
- Leslie, J.F. and Summerell, B.A. 2006. The *Fusarium* laboratory manual. Blackwell Publishing, Iowa, USA. 388 pp.

- Leubner-Metzger, G. and Meins, F.J. 1999. Functions and regulation of plant β -1,3-glucanases (PR-2). pp. 77-105. In: Datta, S.K. and Muthukrishnan, S. (eds.). Pathogenesis-related proteins in plants. CRC Press, Boca Raton, Florida.
- Lhakchaiyagul, A. n.d. Tomato. (Online). Available: http://www.agriman.doae.go.th/home/news/Year%202013/018_Lycopersicon%20esculentum.pdf (September 5, 2014).
- Li, Q.Q., Luo, K. and Lin, W. 2006. Analysis on the colonization of entophytic bacteria B47 and its control on tomato bacterial wilt. *Acta Phytopathologica Sinica* 33(4): 363-368.
- Li, W.L., Faris, J.D., Muthukrishnan, S., Liu, D.J., Chen, P.D. and Gill, B.S. 2001. Isolation and characterization of novel cDNA clones of acidic chitinases and β -1,3-glucanases from wheat spikes infected by *Fusarium graminearum*. *Theoretical and Applied Genetics* 102: 353- 362.
- Lian, L.L., Xie, L.Y. and Chen, J. M. 2011. Colonization of biocontrol strain EN5 and its effects on rhizosphere soil microbial communities. *Plant Protection* 37(2): 31-35.
- Lima, L.H., De Marco, J.L., Ulhoa, C.J. and Felix, C.R. 1999. Synthesis of a *Trichoderma* chitinase which affects the *Sclerotium rolfsii* and *Rhizoctonia solani* cell walls. *Folia Microbiologica* 44: 45-49.
- Liu, L., Kloepper, J.W., and Tuzun, S. 1995. Induction of systemic resistance in cucumber against bacterial angular leaf spot by plant growth-promoting rhizobacteria. *Phytopathology* 85: 843-847.
- Livak, K.J. and Schmittgen, T.D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods* 25(4): 402–408.
- Lokesha, N.M. and Benagi, V.L. 2007. Biocontrol management of pigeonpea dry root caused by *Macrophomina phaseolina*. *Karnataka Journal of Agricultural Sciences* 20(1): 54-56.
- Long, L.K., and Xiao, C.G. 2003. Preliminary study on the colonization of endophytic bacterium 01-144 in tomato root and stem. *Microbiology* 30(5): 53-56.
- Lumyong, P. and Inwang, B. 1984. Study on late blight of yomato. Agricultural technical report No. 4. Multiple Cropping Center. Chiang Mai University. 25 pp.

- Lyon, G.D. and Newton, A.C. 1999. Implementation of elicitor mediated induced resistance in agriculture. pp. 299-318. *In*: Agrawal, A.A., Tuzun, S. and Bent, E. (eds.). Induced plant defenses against pathogens and herbivores. Biochemistry, ecology and agriculture american phytopathological Society, St. Paul, MN.
- Mahadevan, B. and Crawford, D. 1997. Properties of the chitinase of the antifungal biocontrol agent *Streptomyces lydicus* WYECIOS. *Enzyme and Microbial Technology* 20:489-493.
- Maleck, K., Levine, A., Eulgem, T., Morgan, A., Schmid, J., Lawton, K.A., Dangl, J.L. and Dietrich, R.A. 2000. The transcriptome of *Arabidopsis thaliana* during systemic acquired resistance. *Nature Genetics* 26: 403-410.
- Malhotra, S.K. and Vashistha, R.N. 1993. Genetic of resistance to *Fusarium* wilt race 1 in current tomato (*Lycopersicon pimpinellifolium*). *Indian Journal of Agricultural Sciences* 63: 246-347.
- Mangels, A.R., Holden, J.M., Beecher, G.R., Forman, M.R. and Lanza, E. 1993. Carotenoid content of fruit and vegetables: an evaluation of analytic data. *Journal of the American Dietetic Association* 9(3): 284-296.
- Marasas, W.F.O, Nelson, P.E. and Tousson, T.A. 1984., Toxigenic species of *Fusarium*: Identity and mycotoxicology: Pennsylvania State University Press, 328 pp.
- Marlatt, M.L., Correll, J.C., Kaufmann, P. and Cooper, P.E. 1996. Two genetically distinct populations of *Fusarium oxysporum* f. sp. *lycopersici* race3 in the United States. *Plant Disease* 80(12): 1336-1342.
- Massee, G. 1895. The "sleepy disease" of tomatoes. *Gardeners' chronicle* 3(17): 707-708.
- Mauch, F., Hadwiger, L.A. and Boller, T. 1988. Antifungal hydrolases in pea tissue I. Purification and characterization of two chitinases and two β -1,3-glucanases differentially regulated during development and in response to fungal infection. *Plant Physiology* 87: 325-333.
- Mauch, F., Mauch-Mani, B. and Boller, T. 1988. Antifungal hydrolases in pea tissue. II. Inhibition of fungal growth by combinations of chitinase and β -1,3-glucanase. *Plant Physiology* 88: 936-942.

- Mba, C.C. 1997. Rock phosphate solubilizing *Streptosporangium* isolates from casts of tropical earthworms. *Soil Biology and Biochemistry* 29: 381-385.
- McGovern, R.J. 2015. Management of tomato diseases caused by *Fusarium oxysporum*. *Crop Protection* 73(2015): 78-92.
- McGrath, D.J. and Toleman, M.A. 1983. Breeding and selection for resistance to *Fusarium* wilt race 3. Proceedings of 4th Tomato Quality Workshop. 104 pp.
- McGrath, D.J., Gillespie, D. and Vawdrey, L. 1987. Inheritance of resistance to *Fusarium oxysporum* f. sp. *lycopersici* to race2 and race 3 in *Lycopersicum pinnelli*. *Australian Journal of Agricultural Research* 38: 729-733.
- Mellouli, L.R.G., Kammoun, A., Mezghani, M. and Bejar, S. 1996. Characterization and molecular cloning of thermostable alpha-amylase from *Streptomyces* sp.To1. *Biotechnology Letters* 18(7): 809-814.
- Mes, J.J., Wit, R., Testerink, C.S., De Groot, F., Haring, M.A. and Cornelissen, B.J.C. 1999. Loss of a virulence and reduced pathogenicity of a gamma-irradiated of *Fusarium oxysporum* f. sp. *lycopersici*. *Phytopathology* 89: 1131-1137.
- Messenger, B. and Braun, A. 2000. Alternatives to methyl bromide for the control of soil-borne diseases and pests in California. (Online). Available: http://www.cdpr.ca.gov/docs/dprdocs/methbrom/mb_main.htm (February 6, 2015).
- Miller, J.J., Liljeroth, E., Henken, G. and Van Veen, J.A. 1989. Fluctuations in the fluorescent pseudomonad and *Actinomycetes* populations of rhizosphere and rhizoplane during the growth of spring wheat. *Canadian Journal of Microbiology* 36: 254-258.
- Misawa, T. and Kuninaga, S. 2010. The first report of tomato foot rot caused by *Rhizoctonia solani* AG-3 PT and AG-2-Nt and its host range and molecular characterization. *Journal of General Plant Pathology* 76(5): 310-319.
- Mitsuhara, I., Iwai, T., Seo, S., Yanagawa, Y., Kawahigasi, H., Hirose, S., Ohkawa, Y. and Ohashi, Y. 2008. Characteristic expression of twelve rice *PR1* family genes in response to pathogen infection, wounding, and defense-related signal compounds (121/180). *Molecular Genetics and Genomics* 279:415–427.

- Modted, W. 2012. Efficiency test of actinomycetes and some fungicides in controlling fungi causing dirty panicles of rice. Bachelor Special Problems in Agriculture, Chiang Mai University, Thailand.
- Moss, M.O. and Smith, J.E. 1984. The Applied Mycology of *Fusarium*. Cambridge, UK: Cambridge University Press. 175 pp.
- Muiru, W.M., Mutitu, E.W. and Mukunya, D.M. 2008. Identification of selected actinomycete isolates and characterization of their antibiotic metabolites. Journal of Biological Sciences 8(6): 1021-1026.
- Mukta, C. 2010. The efficiency of actinomycetes in controlling bakanae disease of Rice. Bachelor Special Problems in Agriculture, Chiang Mai University, Thailand.
- Muntañola- Cvetkovic, M., Vukojevic J. and Mihaljcevic, M. 2000. Differential growth inhibition of *Diaporthe* and *Phomopsis* isolates by the metabolic activity of five actinomycetes. Journal of Phytopathology 148: 289-295.
- Mushtaq, M. and Hashmi, M.H. 1997. Fungi associated with wilt disease of *Capsicum* in Sindh. Pakistan Journal of Botany 29: 217-222.
- Nelson, P.E., Dignani, M.C. and Anaissie, E.J. 1994. Taxonomy, biology, and clinical aspects of *Fusarium* species. Clinical Microbiology Reviews 7: 479-504.
- Nelson, P.E., Toussoun, T.A. and Marasas, W.F.O. 1983. *Fusarium* species: an illustration manual for identification. University Park, Pennsylvania State University Press, Pennsylvania, USA. 193 pp.
- Nemec, S., Datnoff, L.E. and Strandberg, J. 1996. Efficacy of biocontrol agents in planting mixes to colonize plant roots and control root diseases of vegetables and citrus. Crop Protection 15(8): 735-742.
- Neuhaus, J.M. 1999. Plant chitinases (*PR-3*, *PR-4*, *PR-8*, *PR-11*). pp. 77-105. In: Datta, S.K. and Mathukrishnan, S. (eds.). "Pathogenesis related proteins in plants". CRC Press, Boca Raton.
- Nguyen, J., Francou, F., Virolle, M.J. and Guérineau, M. 1997. Amylase and chitinase genes in *Streptomyces lividans* are regulated by *reg1*, a pleiotropic regulatory gene. Journal of Bacteriology 179(20): 6383-6390.
- Niki, T., Mitsuhashi, I., Seo, S., Ohtsubo, N. and Ohashi, Y. 1998. Antagonistic effect of salicylic acid and jasmonic acid on the expression of pathogenesis-related (*PR*)

- protein genes in wounded mature tobacco leaves. *Plant and Cell Physiology* 39: 500-507.
- Nuandee, N. 2010. Genetic characterization and control of carbendazim-resistant *Cercospora* spp. using actinomycetes. M.S. Thesis in Agriculture, Chiang Mai University, Thailand.
- OAE. 2014. Agriculture statistics of Thailand 2014: Office of agricultural economics. (Online). Available: http://www.oae.go.th/download/download_journal/2558/yearbook57.pdf (June 5, 2015).
- Olmstead, R.G. and Bohs, L. 2007. A summary of molecular systematic research in *Solanaceae*: 1982–2006. pp. 255-268. In: Spooner, D.M., Bohs, L., Giovannoni, J., Olmstead, R.G. and Shibata, D. (eds.). *Solanaceae* VI: Genomics meets biodiversity. Proceedings of the 6th International Solanaceae Conference. Acta Horticulturae 745. International Society for Horticultural Science, Leuven.
- Omura, S., Ikeda, H., Ishikawa, J., Hanamoto, A., Takahashi, C., Shinose, M., Takahashi, Y., Horikawa, H., Nakazawa, H., Osonoe, T., Kikuchi, H., Shiba, T., Sakaki, Y. and Hattori, M. 2001. Genome sequence of an industrial microorganism *Streptomyces avermitilis*: deducing the ability of producing secondary metabolites. Proceedings of the National Academy of Sciences of the United States of America 98.
- Ouhdouch, Y., Barakate, M. and Finance, C. 2001. Actinomycetes of Moroccan habitats: Isolation and screening for antifungal activities. *European Journal of Soil Biology* 37: 69-74.
- Pakdaman, B.S., Goltapeh, E.M., Soltani, B.H., Talebi, A.A., Nadepoor, M., Kruszevska, J.S., Pilsyk, S., Sarrocco, S. and Vannacci, G. 2013. Toward the quantification of confrontation (dual culture) test: A case study on the biological control of *Pythium aphanidermatum* with *Trichoderma asperelloides*. *Journal of Biofertilizers and Biopesticides* 4:2.
- Pal, K.K. and McSpadden Gardener, B. 2006. Biological control of plant pathogens. The Plant Health Instructor. (online) Available: <http://www.apsnet.org/edcenter/advanced/topics/Documents/PHI-BiologicalControl.pdf>.

- Park, S.Y., Kang, H.O., Jang, H.S., Lee, J.K., Koo, B.T. and Yum, D.Y. 2005. Identification of extracellular N-acylhomoserine lactone acylase from a *Streptomyces* sp and its application to quorum quenching. *Applied and Environmental Microbiology* 71: 2632-2641.
- Parker, C.A., Ruvira, A.D., Moore, K.J., and Wong, P.T.W. 1985. Ecology and management of soil-borne plant pathogens. APS Press, St. Paul, M. N. 385 pp.
- PathologyFlint, M.L. and Dreistadt, S.H. 1998. Clark, Jack K., ed. Natural enemies handbook: The illustrated guide to biological pest control. University of California Press. ISBN 978-0-520-21801-7.
- Patzer, S.I. and Volkmar, B. 2010). Gene cluster involved in the biosynthesis of griseobactin, a catechol-peptide siderophore of *Streptomyces* sp. ATCC 700974. *Journal of Bacteriology* 192: 426-435.
- Peralta, I.E., Knapp, S. and Spooner, D.M. 2006. Nomenclature for wild and cultivated tomatoes. *Tomato Genetics Cooperative Report*. 56: 6-12.
- Petrizzelli, L., Kunz, C., Waldvogel, R., Meins, F. and Leubner-Metzger, G. 1999. Distinct ethylene and tissue-specific regulation of β -1,3-glucanases and chitinases during pea seed germination. *Planta* 209: 195-201.
- Pieterse, C.M.J., Van Wees, S.C.M., Hoffland, E., Van Pelt, J.A. and Van Loon, L.C. 1996. Systemic resistance in *Arabidopsis* induced by biocontrol bacteria is independent of salicylic acid accumulation and pathogenesis-related gene expression. *Plant Cell* 8: 1225-1237.
- Pieterse, C.M.J., Van Wees, S.C.M., Van Pelt, J.A., Knoester, M., Laan, R., Gerrits, H., Weisbeek, P.J. and Van Loon, L.C. 1998. A novel signaling pathway controlling induced systemic resistance in *Arabidopsis*. *Plant Cell* 10: 1571-1580.
- Pieterse, C.M.J., Van Wees, S.C.M., Van Pelt, J.A., Knoester, M., Laan, R., Gerrits, H., Weisbeek, P.J. and Van Loon, L.C. 1998. A novel signalling pathway controlling induced systemic resistance in *Arabidopsis*. *Plant Cell* 10: 1571-1580.
- Prapangdee, B., Kuekulvong, C. and Mongkolsuk, S. 2008. Antifungal potential of extracellular metabolites produced by *Streptomyces hygroscopicus* against phytopathogenic fungi. *International Journal of Biological Sciences, Short Research Communication* 4: 330-337.

- Ramamoorthy, V., Raguchander, T. and Samiyappan, R. 2002. Induction of defense-related proteins in tomato roots treated with *Pseudomonas fluorescens* Pf1 and *Fusarium oxysporum* f. sp. *lycopersici*. Plant and Soil 239: 55-68.
- Ramamoorthy, V., Viswanathan, R., Raguchander, T., Prakasam, V. and Samiyappan, R. 2001. Induction of systemic resistance by plant growth promoting rhizobacteria in crop plants against pests and diseases. Crop Protection 20: 1-11.
- Ramyabharathi, S.A., Meena, B. and Raguchander, T. 2012. Induction of chitinase and β -1,3-glucanase PR proteins in tomato through liquid formulated *Bacillus subtilis* EPCO 16 against *Fusarium* wilt. Journal of Today's Biological Sciences: Research and Review 1(1): 50-60.
- Registeri, R., Taghavi, S.M. and Banihashemi, Z. 2012. Effect of root colonizing bacteria on plant growth and *Fusarium* wilt in *Cucumis melo*. Journal of Agricultural Science and Technology 14: 1121-1131.
- Reis, A., Costa, H., Boiteux, L.S. and Lopes, C.A. 2005. First Report of *Fusarium oxysporum* f. sp. *lycopersici* Race 3 on Tomato in Brazil. Fitopatologia Brasileira 30(4): 426-428.
- Rivelli, V.C. 1989. A wilt of pepper incited by *Fusarium oxysporum* f. sp. *capsici*, f.sp.nov. M.S. Thesis, Louisiana State University, Baton Roug.
- Rodriguez-Kabana, R., Godoy, G., Morgan-Jones, G. and Shelby, R.A. 1983. The determination of soil chitinase activity: Conditions for assay and ecological studies. Plant and Soil 75: 95-106.
- Romaguera, A., Menge, U., Breves, R. and Diekmann, H. 1992. Chitinases of *Streptomyces olivaceoviridis* and significance of processing for multiplicity. Journal of Bacteriology 174(11): 3450-3454.
- Ross, A.F. 1961. Systemic acquired resistance by localized virus infection in plants. Virology 14: 340-358.
- Rowe, R. . 1980. Comparative pathogenicity and host ranges of *Fusarium oxysporum* isolates causing crown and root rot of greenhouse and field-grown tomatoes in North America and Japan. Phytopathology 70: 1143-1148.
- Ryals, J., Uknes, S. and Ward, E. 1994. Systemic acquired resistance. Plant Physiology 104: 109-112.

- Ryals, J., Ward, E. and Metraux, J.P. 1992. Systemic acquired resistance: an inducible defense mechanism in plants. pp. 205-229. *In*: Wray, J.L. (ed.). Inducible plant proteins: Their biochemistry and molecular Biology. Cambridge: Cambridge Univ. Press.
- Ryals, J.A., Neuenschwander, U.H., Willits, M.G., Molina, A., Steiner, H.Y. and Hunt, M.D. 1996. Systemic acquired resistance. *Plant Cell* 8: 1809-1819.
- Sabaratnam, S. and Traquair, J.A. 2002. Formulation of a *Streptomyces* biocontrol agent for the suppression of *Rhizoctonia* damping-off in tomato transplants. *Biological Control* 23(3): 245-253.
- Saengnak, V. 2012. Phylogeny and efficacy of soil chitinolytic actinomycetes in controlling mango anthracnose. M.S. Thesis in Agriculture, Chiang Mai University, Thailand.
- Saengnak, V., Duangtip, J. and Nalumpang, S. 2016. Controlling postharvest pathogenic fungi of fruits and maize by *Streptomyces* culture filtrates. The 38th National graduate research conference (NGRC), 19 – 20 February 2016, at The Graduate School, Naresuan University, Phitsanulok, Thailand.
- Sahlin, E., Savage, G.P. and Lister, C.E. 2004. Investigation of the antioxidant properties of tomatoes after processing. *Journal of Food Composition and Analysis* 17: 635-647.
- Saito, A., Fujii, T., Yoneyama, T. and Miyashita, K. 1998. *glkA* is involved in glucose repression of chitinase production in *Streptomyces lividans*. *Journal of Bacteriology* 180: 2911-2914.
- Sarfatti, M., Abu-Abied, M., Katan, J. and Zamir, D., 1991. RFLP mapping of I1, a new locus in tomato conferring resistance against *Fusarium oxysporum* f. sp. *lycopersici* race 1. *Theoretical and Applied Genetics* 82: 22-26.
- Schenk, P.M., Kazan, K., Wilson, I., Anderson, J.P., Richmond, T., Somerville, S.C. and Manners, J.M. 2000. Coordinated plant defense responses in *Arabidopsis* revealed by cDNA microarray analysis. *PNAS, Proceedings of the National Academy of Sciences* 97: 11655-11660.
- Scott, J.W. and Jones, J.P. 1989. Monogenic resistance in tomato to *Fusarium oxysporum* f. sp. *lycopersici* race 3. *Euphytica* 40: 49-53.

- Seipke, R.F., Kaltenpoth, M. and Hutchings, M.I. 2012. *Streptomyces* as symbionts: an emerging and widespread theme? FEMS Microbiology Reviews 36(4): 862-876.
- Sela-Buurlage, M.B., Budai-Hadrian, O., Pan, Q., Carmel-Goren, L., Vunsch, R., Zamir, D. and Fluhr, R. 2001. Genome-wide dissection of *Fusarium* resistance in tomato reveals multiple complex loci. Molecular Genetics and Genomics 265: 1104-1111.
- Sheu, Z.M. and Wang, T.C. 2006. First report of race 2 of *Fusarium oxysporum* f. sp. *lycopersici*, the causal agent of *Fusarium* wilt on tomato in Taiwan. Plant Disease 90(1): 111.
- Shimizu, M., Yazawa, S. and Ushijima, Y. 2009. A promising strain of endophytic *Streptomyces* sp. for biological control of cucumber anthracnose. Journal of General Plant Pathology 75: 27-36.
- Shirling, E.B. and Gottlieb, D. 1966. Methods for characterization of *Streptomyces* species. International Journal of Systematic Bacteriology 16: 313-340.
- Sibounnavong, P. 2012. Screening of *Emericella nidulans* for biological control of tomato *Fusarium* wilt in Lao PDR. International Journal of Agricultural Technology 8(1): 241-258.
- Sibounnavong, P., Kanokmedhakul, S. and Soyong, K. 2012. The role of *Emericella rugulosa* as a bio-control agent for controlling *Fusarium* wilt of tomato. African Journal of Agricultural Research 7(34): 4782-4789.
- Siegel, B.Z. 1993. Plant peroxidases-a organismic perspective. Plant Growth Regulation 12: 303-312.
- Silvar, C., Merino, F. and Díaz, J. 2008. Differential activation of defense-related genes in susceptible and resistant pepper cultivars infected with *Phytophthora capsici*. Journal of Plant Physiology 165: 1120-1124.
- Singh R.S., 2005, Plant diseases, 8th Ed.. Oxford & IBH Publishing Co.Pvt Ltd., New Delhi. 78 pp.
- Singh, P.P., Shin, Y.C., Park, C.S and Chung, Y.R. 1999. Biological control of *Fusarium* wilt of cucumber by chitinolytic bacteria. Phytopathology 89: 92-99.
- Singleton, L.L., Mihail, J.D. and Rush, C.M. 1992. Methods for research on soilborne phytopathogenic Fungi. APS Press, 266 pp.

- Sivan, A. and Chet, I. 1989. Degradation of fungal cell walls by lytic enzymes of *Trichoderma harzianum*. *Journal of General Microbiology* 135: 675-682.
- Smith, I.M., Dunez, J., Phillips, D.H., Lelliott, R.A. and Archer, S.A. 1988. European handbook of plant diseases. Blackwell Scientific Publications: Oxford. 583 pp.
- Sowndhararajan, K. and Kang, S.C. 2012. *In vitro* antagonistic potential of *Streptomyces* sp. AM-S1 against plant and human pathogens. *Journal of Agricultural Chemistry and Environment* 1(1): 41-47.
- Soytong, K. 1989. Biological control of plant pathology. Kasetsart University Press, Bangkok. 362 pp.
- Spadaro, D., Garibaldi, A. and Gullino, M.L. 2004. Control of *Botrytis cinerea* and *Penicillium expansum* on apple combining a biocontrol agent with hot water dipping and acibenzolar-S-methyl, baking soda, or ethanol application. *Postharvest Biology and Technology* 33: 141-151.
- Sridevi, G., Parameswari, C., Sabapathi, N., Raghupathy, V. and Veluthambi, K. 2008. Combined expression of chitinase and β -1,3-glucanase genes in indica rice (*Oryza sativa* L.) enhances resistance against *Rhizoctonia solani*. *Plant Science* 175(3): 283-290.
- Srivastava, S., Patel, J.S., Singh, H.B., Sinha, A. and Sarma, B.K. 2015. *Streptomyces rochei* SM3 induces stress tolerance in chickpea against *Sclerotinia sclerotiorum* and NaCl. *Journal of Phytopathology* 163(7-8): 583-592.
- Stackebrandt, E., Liesack, W. and Witt, D. 1992. Ribosomal RNA and rDNA sequence analyses. *Gene* 115: 255-260.
- Stackebrandt, E., Rainey, F.A. and Ward-Rainey, N.L. 1997. Proposal for a new hierarchic classification system, *Actinobacteria* classis nov. *International Journal of Systematic and Evolutionary* 47: 479-491.
- Sticher, L., Mauch-Mani, B. and Métraux, J.P. 1997. Systemic acquired resistance. *Annual Review of Phytopathology* 35: 235-270.
- Stirling, M. and Stirling, G. 1997). Disease management: Biological control. pp. 427-439. *In*: Brown, J.F. (eds.) and Ogle, H.J. Plant pathogens and plant diseases. Rockvale Publications: Armidale, NSW.

- Summerell, B.A., Salleh, B. and Leslie, J.F. 2003. A utilitarian approach to *Fusarium* identification. *Plant Disease* 87(2): 117-128.
- Suwan, N., Boonying, W. and Nalumpang, S. 2012. Antifungal activity of soil actinomycetes to control chilli anthracnose caused by *Colletotrichum gloeosporioides*. *Journal of Agriculture Technology* 8(2): 725-737.
- Suzuki, T., Higgins, P.J. and Crawford, D.R. 2000. Control selection for RNA quantitation. *BioTechniques* 29: 332-337.
- Synder, W.C. and Hans, H.N. 2003. *Fusarium oxysporum* f. sp. *lycopersici* (Sacc.) and prepared by Wong, M.Y. PP728 Soilborne Plant Pathogen Class Project, Spring.
- Synder, W.C. and Hansen, H.N. 1940. The species concept in *Fusarium*. *American Journal of Botany* 27: 64-67.
- Taechowisan, T., Lu, C., Shen, Y. and Lumyong, S. 2005. Secondary metabolites from endophytic *Streptomyces aureofaciens* CMUAc130 and their antifungal activity. *Microbiology* 151: 1691–1695.
- Taheri, P. and Tarighi, S. 2011. Cytomolecular aspects of rice sheath blight caused by *Rhizoctonia solani*. *European Journal of Plant Pathology* 129(4): 511-528.
- Taheri, P. and Tarighi, S. 2012. The role of pathogenesis-related proteins in the tomato-*Rhizoctonia solani* interaction. *Journal of Botany* 2012: 1-6.
- Takefumi, H., Motosama, S., Ryosuke, F., Yasuko, J., Takayuki, K., Akira, T., Kikuo, S. and Hiroshi, S. 2005. Isolation of novel bacteria and actinomycetes using soil extract agar medium. *Journal of Bioscience and Bioengineering* 99: 485-492.
- Takegawa, K., Tabuchi, M., Yamaguchi, S., Kondo, A., Kato, I., and Iwahara, S. 1995. Synthesis of neoglycoproteins using oligosaccharide-transfer activity with endo- β -N-acetylglucosaminidase. *The Journal of Biological Chemistry* 270: 3094-3099.
- Takizawa, M., Colwell, R.R. and Hill, R.T. 1993. Isolation and diversity of actinomycetes in the Chesapeake Bay. *Applied and Environmental Microbiology* 59: 997-1002.
- Tan, H.M., Cao, L.X., He, Z.F., Su, G.J, Lin, B. and Zhou, S.N. 2006. Isolation of endophytic actinomycetes from different cultivars of tomato and their activities against *Ralstonia solanacearum* *in vitro*. *World Journal of Microbiology and Biotechnology* (22): 1275-1280.

- Thakur, M. and Sohal, B.S. 2013. Role of elicitors in inducing resistance in plants against pathogen infection: A Review. *ISRN Biochemistry* 2013: 1-10.
- Thellin, O., Zorzi, W., Lakaye, B., De Borman, B., Coumans, B., Hennen, G., Grisar, T., Igout, A. and Heinen, E.. 1999. Housekeeping genes as internal standards: use and limits. *Journal of Biotechnology* 75: 291-295.
- Thotree, P., Knongnuch, C. and Nalumpang, S. 2011. Efficiency of actinomyces culture medium for controlling *Colletotrichum* sp. causing chilli anthracnose disease. *Agricultural Science Journal* 42(1): 163-166
- Tjamos, S.E., Flemetakis, E., Paplomatas, E.J. and Katinakis, P. 2005. Induction of resistance to *Verticillium dahliae* in *Arabidopsis thaliana* by the biocontrol agent K-165 and pathogenesis-related proteins gene expression. *Molecular Plant-Microbe Interactions* 18(6) 555-561.
- Tokala, R.K., Strap, J.L., Jung, C.M., Crawford, D.L., Salove, M.H., Deobald, L.A., Bailey, J.F. and Morra, M.J. 2002. Novel plant-microbe rhizosphere interaction involving *Streptomyces lydicus* WYEC108 and the pea plant (*Pisum sativum*). *Applied and Environmental Microbiology* 68(5): 2161-2171.
- Trejo-Estrada, S.R., Rivas Sepulveda, I. and Crawford, D.L. 1998. *In vitro* and *in vivo* antagonism *Streptomyces violaceusniger* YCED9 against fungal pathogens of turfgrass. *World Journal of Microbiology and Biotechnology* 14:865-872.
- Tuzun, S. and Kuc, J. 1991. Plant immunization: an alternative to pesticides for control of plant diseases in green house and field. pp. 30-40. *In*: Bay-Peterson, J. (eds.). The biological control of plant diseases. Food and Fertilizer Technology Centre, Taiwan.
- Uknes, S., Mauch-Mani, B., Moyer, M., Potter, S., Williams, S., Dincher, S., Chandler, D., Slusarenko, A., Ward, E., and Ryals, J. 1992. Acquired resistance in *Arabidopsis*. *Plant Cell* 4: 645-656.
- Valenzuela-Ureta, J.G., Lawn, D.A., Heisey, R.F., and Zamudio-Guzman, V 1996. First report of *Fusarium* wilt race 3, caused by *Fusarium oxysporum* f sp. *lycopersici* of tomato in Mexico. *Plant Disease* 80(1): 105.
- Vallad G.E. and Goodman, R.M. 2004. Systemic acquired resistance and induced systemic resistance in conventional agriculture. *Crop Science* 44: 1920-1934.

- Vallad, G.E. and Huang, C.H. 2010. Evaluation of biopesticides and fungicides for management of *Fusarium* wilt and southern blight on tomato. Plant Disease Management Reports 5: V061 (APSnet).
- Valois, D., Fayad, K., Barasubive, T., Garon, M., Dery, C., Brezezinski, and Beaulieu, C. 1996. Glucanolytic actinomycetes antagonistic to *Phytophthora fragariae* var. *rubi*, the causal agent of raspberry root rot. Applied and Environmental Microbiology 62(5): 1630-1635.
- van der Ent, S., Van Hulten, M.H.A., Pozo, M.J., Czechowski, T., Udvardi, M.K., Pieterse, C.M.J. and Ton, J. 2009. Priming of plant innate immunity by rhizobacteria and β -aminobutyric acid: differences and similarities in regulation. New Phytologist 183: 419-431.
- van der Ent, S., Van Wees, S.C.M and Pieterse, C.M.J. 2009. Jasmonate signaling in plant interactions with resistance-inducing beneficial microbes. Phytochemistry 70: 1581-1588.
- van Guilder, H.D., Vrana, K.E. and Freeman, M.W. 2008. Twenty-five years of quantitative PCR for gene expression analysis. BioTechniques 44: 619-626.
- van Kan, J.A.L., Joosten, M.H.A.J., Wagemakers, C.A.M., van der Berg-Velthuis, G.C.M and de Wit, P.J.G.M. 1992. Differential accumulation of mRNAs encoding extracellular and intracellular *PR* proteins in tomato induced by virulent and avirulent races of *Cladosporium fulvum*. Plant Molecular Biology 20: 513-527.
- van Loon, L.C. and Van Kammen, A. 1970. Polyacrylamide disc electrophoresis of the soluble leaf proteins from *Nicotiana tabacum* var 'Samsun' and Samsun NN. II. Changes in protein constitution after infection with tobacco mosaic virus. Virology 40: 199-211.
- van Loon, L.C. and van Strien, E.A. 1999. The families of pathogenesis-related proteins, their activities, and comparative analysis of *PR-1* type proteins. Physiological and Molecular Plant Pathology 55: 85-97.
- van Loon, L.C., Bakker, P.A.H.M. and Pieterse, C.M.J. 1998. Systemic resistance induced by rhizosphere bacteria. Annual Review of Phytopathology 36: 453-483.

- van Loon, L.C., Bakker, P.A.H.M. and Pieterse, C.M.J. 2002. Prospects and challenges for practical application of rhizobacteria-mediated induced systemic resistance. IOBC/WPRS Bulletin 25(6): 75-82.
- van Loon, L.C., Rep, M. and Pieterse, C.M.J. 2006. Significance of inducible defense-related proteins in infected plants. Annual Review of Phytopathology 44: 135-162.
- van Wees, S.C.M., de Swart, E.A.M., van Pelt, J.A., van Loon, L.C. and Pieterse, C.M.L. 2000. Enhancement of induced disease resistance by simultaneous activation of salicylate- and jasmonate-dependent defense pathways in *Arabidopsis thaliana*. PNAS, Proceedings of the National Academy of Sciences 97: 8711-8716.
- Viriya, J. 2010. Efficiency of endophytic actinomycetes in controlling seed pathogens of rice. Bachelor Special Problems in Agriculture, Chiang Mai University, Thailand.
- Virolle, M.J. and Bibb, M.J. 1988 Cloning, characterization and regulation of an α -amylase gene from *Streptomyces limosus*. Molecular Microbiology 2: 197-208.
- Vogelsang, R. and Barz, W. 1993. Purification, characterization and differential hormonal regulation of a β -1,3-glucanase and two chitinases from chickpea (*Cicer arietinum* L.). Planta 189: 60-69.
- Waksman, S.A. 1959. Strain specificity and production of antibiotic substances. X. Characterization and classification of species within the *Streptomyces griseus* group. Proceedings of the National Academy of Sciences 45(7): 1043-1047.
- Waksman, S.A. and Henrici, A.T. 1943. The nomenclature and classification of the Actinomycetes. Journal of Bacteriology 46(4): 337-341.
- Walker, J.C. 1971. *Fusarium* wilt of tomato. American Phytopathological Society Monograph No. 6. St Paul, Minnesota: APS.
- Ward, E.R., Uknes, S.J., Williams, S.C., Dincher, S.S., Wiederhold, D.L., Alexander, D.C., Ahl-Goy, P., Métraux, J.P. and Ryals, J.A. 1991. Coordinate gene activity in response to agents that induce systemic acquired resistance. Plant Cell 3: 1085-1094.

- Watve, M.G., Tickoo, R., Jog, M.M. and Bhole, B.D., 2001. How many antibiotics are produced by the genus *Streptomyces*? Archives of Microbiology 176: 386-390.
- Weindling, R. 1932. *Trichoderma lignorum* a parasite of other soil fungi. Phytopathology 22: 837-845.
- Weller, D.M. 1988. Biological control of soil borne plant pathogens in the rhizosphere with bacteria. Annual Review of Phytopathology 26: 379-407.
- Went, F.W. 1944. Morphological observations on the tomato plant. Bulletin of the Torrey Botanical Club 71(1): 77-92.
- White, R.F. 1979. Acetylsalicylic acid (aspirin) induces resistance to tobacco mosaic virus in tobacco. Virology 99: 410-412.
- Williams, S.T., Goodfellow, M., Alderson, G., Wellington, E.M.H., Sneath, P.H. and Sakin, M.J. 1983. Numerical classification of *Streptomyces* and related genera. Journal of General Microbiology 129: 1743-1813.
- Williams, S.T., Goodfellow, M., Wellington, E.M.H., Vickers, J.C., Alderson, G., Sneath, P.H.A., Sackin, M.J. and Mortimer, A.M. 1983. A probability matrix for identification of some *Streptomyces*. Journal of General Microbiology 129: 1815-1830.
- Wilson, C.L., Wisniewski, M.E., Biles, C.L., McLaughlin, R., Chalutz, E. and Droby, S. 1991. Biological control of post-harvest diseases of fruits and vegetables: alternatives to synthetic fungicides. Crop Protection 10: 172-177.
- Windels, C.E. 1992. *Fusarium*. pp. 115-128. In: Singleton, L.L., Mihail, J.D. and Rush, C.M. (eds.). Methods for research on soilborne phytopathogenic fungi. APS Press. Minnesota.
- Witt, D. and Stackebrandt, E. 1990. Unification of the genera *Streptoverticillium* and *Streptomyces*, and amendment of *Streptomyces* Waksman and Henrici 1943, 339AL. Systematic and Applied Microbiology 13: 361-371.
- Wittmann, S., Shareck, F., Kluepfel, D. and Morosol, R. 1994 Purification and characterization of the CelB endoglucanase from *Streptomyces lividans* 66 and DNA sequence of the encoding gene. Applied and Environmental Microbiology 60: 1701-1703.

- Wong, M.Y. 2003. *Fusarium oxysporum* f. sp. *lycopercisi* (Sacc.) W.C. Snyder and H.N. Hans. PP728 soilborne plant pathogen class project. (Online). Available: http://www.cals.ncsu.edu/course/pp728/Fusarium/Fusarium_oxysporum.htm (March 17, 2014).
- Xu, L., Li, Q. and Jiang, C. 1996. Diversity of soil actinomycetes in Yunnan, China. *Applied and Environmental Microbiology* 62: 244-248.
- Xue, L., Charest, P.M. and Jabaji-Hare, S.H. 1998. Systemic induction of peroxidases, 1,3- β -glucanases, chitinases, and resistance in bean plants by binucleate *Rhizoctonia* species. *The American Phytopathological Society* 88(4): 359-365.
- Yuan, W.M. and Crawford, D.L. 1995. Characterization of *Streptomyces lydicus* WYEC108 as a potential biocontrol agent against fungal root and seed rots. *Applied and Environmental Microbiology* 61(8): 3119-3128.
- Zarandi, M.E., Bonjar, G.H.S. and Dehkaei, F.P. 2013. *In vitro* antagonistic antifungal-activity of *Streptomyces* isolate 339 against *Magnaporthe oryzae*. *American Journal of Agricultural and Biological Sciences* 8(3): 212-216.
- Zhou, T. and Paulitz, T.C. 1994. Induced resistance in the biocontrol of *Pythium aphanidermatum* by *Pseudomonas* spp. on cucumber. *Journal of Phytopathology* 142(1): 51-63.
- Zhu, J., He, F.H., Song, S.H., Wang, J. and Yu, J., 2008. How many human genes can be defined as housekeeping with current expression data? *BMC Genomics* 9: 172-183.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved