

REFERENCES

- 2015, W. H. R. (2015). Cardiovascular diseases (CVDs).
- Ammar, K. A., Redfield, M. M., Mahoney, D. W., Johnson, M., Jacobsen, S. J., & Rodeheffer, R. J. (2008). Central Obesity: Association with Left Ventricular Dysfunction and Mortality in the Community. *Am Heart J*, 156(5), 975-981.
- Apaijai, N., Pintana, H., Chattipakorn, S. C., & Chattipakorn, N. (2012). Cardioprotective effects of metformin and vildagliptin in adult rats with insulin resistance induced by a high-fat diet. *Endocr*, 3878-3885.
- Apaijai, N., Pintana, H., Chattipakorn, S. C., & Chattipakorn, N. (2013a). Effects of vildagliptin versus sitagliptin, on cardiac function, heart rate variability and mitochondrial function in obese insulin-resistant rats. *Br J Pharmacol*, (5), 1050.
- Aubin, M. C., Lajoie, C., Clement, R., Gosselin, H., Calderone, A., & Perrault, L. P. (2008). Female rats fed a high-fat diet were associated with vascular dysfunction and cardiac fibrosis in the absence of overt obesity and hyperlipidemia: therapeutic potential of resveratrol. *J Pharmacol Exp Ther*, 325(3), 961-968.
- Backhed, F., Ding, H., Wang, T., Hooper, L. V., Koh, G. Y., Nagy, A., & al., e. (2004). The gut microbiota as an environmental factor that regulates fat storage. *Proc Natl Acad Sci U S A*, 101(44), 15718-15723.
- Bayston, K. F., & Cohen, J. (1990). Bacterial endotoxin and current concepts in the diagnosis and treatment of endotoxaemia. *J Med Microbiol*, 31(2), 73-83.
- Berg, A. H., & Scherer, P. E. (2005). Adipose Tissue, Inflammation, and Cardiovascular Disease. *Circ Res*, 939-949.

- Boudina, S. e. a. (2009). Contribution of impaired myocardial insulin signaling to mitochondrial dysfunction and oxidative stress in the heart. *Circ*, *119*(9), 1272-1283.
- Bristow, M. R., Krause-Steinrauf, H., Nuzzo, R., Liang, C. S., Lindenfeld, J., Lowes, B. D., et al. (2004). Effect of baseline or changes in adrenergic activity on clinical outcomes in the beta-blocker evaluation of survival trial. *Circ*, *110*(11), 1437-1442.
- Buettner, R., Parhofer, K. G., Woenckhaus, M., Wrede, C. E., Kunz-Schughart, L. A., Scholmerich, J., & Bollheimer, L. C. (2006). Defining high-fat-diet rat models: metabolic and molecular effects of different fat types. *J Mol Endocrinol*, *36*(3), 485-501. doi: 10.1677/jme.1.01909
- Cai, H., & Harrison, D. G. (2000). Endothelial Dysfunction in Cardiovascular Diseases: The Role of Oxidant Stress. *Circ Res*, *87*(10), 840-844.
- Camilleri, M. (2016). High-Fat Diet, Dysbiosis, and Gastrointestinal and Colonic Transit: Is There a Missing Link? *Cell Mol Gastroenterol Hepatol*, *2*(3), 257-258.
- Canale, M. P., Manca di Villahermosa, S., Martino, G., Rovella, V., Noce, A., De Lorenzo, A., & Di Daniele, N. (2013). Obesity-related metabolic syndrome: mechanisms of sympathetic overactivity. *Int J Endocrinol*, *2013*, 865965.
- Cani, P. D., Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A. M., Delzenne, N. M., & al., e. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*, *57*(6), 1470-1481.
- Cani, P. D., Bibiloni, R., Knauf, C., Waget, A., Neyrinck, A. M., Delzenne, N. M., et al. (2008). Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*, *57*(6), 1470-1481.

- Cani, P. D., Neyrinck, A. M., Fava, F., Knauf, C., Burcelin, R. G., Tuohy, K. M., et al. (2007). Selective increases of bifidobacteria in gut microflora improve high-fat-diet-induced diabetes in mice through a mechanism associated with endotoxaemia. *Diabetologia*, 50(11), 2374-2383.
- Cavallini, D. C. U., Bedani, R., Bomdespacho, L. Q., Vendramini, R. C., & Rossi, E. A. (2009). Effects of probiotic bacteria, isoflavones and simvastatin on lipid profile and atherosclerosis in cholesterol-fed rabbits: a randomized double-blind study. *Lipids Health Dis*, 8, 1-1.
- Chen, J. J., Wang, R., Li, X. F., & Wang, R. L. (2011). Bifidobacterium longum supplementation improved high-fat-fed-induced metabolic syndrome and promoted intestinal Reg I gene expression. *Exp Biol Med (Maywood, N.J.)*, 236(7), 823-831.
- Chen, L., Liu, W., Li, Y., Luo, S., Liu, Q., Zhong, Y., et al. (2013). Lactobacillus acidophilus ATCC 4356 attenuates the atherosclerotic progression through modulation of oxidative stress and inflammatory process. *Int Immunopharmacol*, 17(1), 108-115.
- Chen, Y. R., & Zweier, J. L. (2014). Cardiac mitochondria and reactive oxygen species generation. *Circ Res*, 114(3), 524-537.
- Cook, S. A., Varela-Carver, A., Mongillo, M., Kleinert, C., Khan, M. T., Leccisotti, L., & al., e. (2010). Abnormal myocardial insulin signalling in type 2 diabetes and left-ventricular dysfunction. *Eur Heart J*, 31(1), 100-111.
- Corthésy, B., Gaskins, H. R., & Mercenier, A. (2007). Cross-Talk between Probiotic Bacteria and the Host Immune System. *J Nutr*, 137(3), 781S-790S.
- de Luca, C., & Olefsky, J. M. (2008). Inflammation and Insulin Resistance. *FEBS Letters*, 582(1), 97-105.
- Di Lisa, F., Blank, P. S., Colonna, R., Gambassi, G., Silverman, H. S., Stern, M. D., et al. (1995). Mitochondrial membrane potential in single living adult rat

cardiac myocytes exposed to anoxia or metabolic inhibition. *J Physiol*, 486 (Pt 1), 1-13.

- Ding, S., Chi, M. M., Scull, B. P., Rigby, R., Schwerbrock, N. M., Magness, S., et al. (2010). High-fat diet: bacteria interactions promote intestinal inflammation which precedes and correlates with obesity and insulin resistance in mouse. *PloS One*, 5(8).
- Doron, S., & Gorbach, S. L. (2006). Probiotics: their role in the treatment and prevention of disease. *Expert Rev Anti Infect*, 4(2), 261-275.
- Draznin, B. (2006). Molecular Mechanisms of Insulin Resistance: Serine Phosphorylation of Insulin Receptor Substrate-1 and Increased Expression of p85 α : The Two Sides of a Coin. *Diabetes*, 55(8), 2392-2397.
- Ebel, B., Lemetais, G., Beney, L., Cachon, R., Sokol, H., Langella, P., & Gervais, P. (2014). Impact of probiotics on risk factors for cardiovascular diseases. A review. *Crit Rev Food Sci Nutr*, 54(2), 175-189.
- Eckel, R. H., Grundy, S. M., & Zimmet, P. Z. (2005). The metabolic syndrome. *Lancet*, 365(9468), 1415-1428.
- Elin, R. J., & Wolff, S. M. (1976). Biology of endotoxin. *Annu Rev Med*, 27, 127-141.
- Evans, J. L., Maddux, B. A., & Goldfine, I. D. (2005). The molecular basis for oxidative stress-induced insulin resistance. *Antioxid Redox Signal*, 7(7-8), 1040-1052.
- Fak, F., & Backhed, F. (2012). *Lactobacillus reuteri* prevents diet-induced obesity, but not atherosclerosis, in a strain dependent fashion in Apoe^{-/-} mice. *PloS One*, 7(10).
- Fåk, F., & Bäckhed, F. (2012). Prevents Diet-Induced Obesity, but not Atherosclerosis, in a Strain Dependent Fashion in Mice. *PloS One*, 7(10).

- Festi, D., Schiumerini, R., Eusebi, L. H., Marasco, G., Taddia, M., & Colecchia, A. (2014). Gut microbiota and metabolic syndrome. *World J Gastroenterol*, 20(43), 16079-16094.
- Friedewald, W. T., Levy, R. I., & Fredrickson, D. S. (1972). Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge. *Clin Chem*, 18(6), 499-502.
- Gan, X. T., Ettinger, G., Huang, C. X., Burton, J. P., Haist, J. V., Rajapurohitam, V., et al. (2014a). Probiotic administration attenuates myocardial hypertrophy and heart failure after myocardial infarction in the rat. *Circ Heart Fail*, 7(3), 493.
- Gerritsen, J., Smidt, H., Rijkers, G. T., & de Vos, W. M. (2011). Intestinal microbiota in human health and disease: the impact of probiotics. *Genes Nutr*, 6(3), 209-240.
- Ghanadian, R., Lewis, J. G., & Chisholm, G. D. (1975). Serum testosterone and dihydrotestosterone changes with age in rat. *Steroids*, 25(6), 753-762.
- Gobbetti, M., Cagno, R. D., & De Angelis, M. (2010). Functional microorganisms for functional food quality. *Crit Rev Food Sci Nutr*, 50(8), 716-727.
- Gomez-Guzman, M., Toral, M., Romero, M., Jimenez, R., Galindo, P., Sanchez, M., et al. (2015a). Antihypertensive effects of probiotics Lactobacillus strains in spontaneously hypertensive rats. *Mol Nutr Food Res*, 59(11), 2326-2336.
- Gomez-Guzman, M., Toral, M., Romero, M., Jimenez, R., Galindo, P., Sanchez, M., et al. (2015b). Antihypertensive effects of probiotics Lactobacillus strains in spontaneously hypertensive rats. *Mol Nutr Food Res*, 59(11), 2326-2336.
- Grassi, G. (1998). Role of the sympathetic nervous system in human hypertension. *J Hypertens*, 16(12 Pt 2), 1979-1987.

- Grassi, G., Dell'Oro, R., Facchini, A., Quarti Trevano, F., Bolla, G. B., & Mancia, G. (2004). Effect of central and peripheral body fat distribution on sympathetic and baroreflex function in obese normotensives. *J Hypertens*, 22(12), 2363-2369.
- Grassi, G., Vailati, S., Bertinieri, G., Seravalle, G., Stella, M. L., Dell'Oro, R., & Mancia, G. (1998). Heart rate as marker of sympathetic activity. *J Hypertens*, 16(11), 1635-1639.
- Grundy, S. M. (2004). Obesity, metabolic syndrome, and cardiovascular disease. *J Clin Endocrinol Metab*, 89(6), 2595-2600.
- Haenel, H., & Bendig, J. (1975). Intestinal flora in health and disease. *Prog Food Nutr Sci*, 1(1), 21-64.
- Hariri, M., Salehi, R., Feizi, A., Mirlohi, M., Kamali, S., & Ghiasvand, R. (2015). The effect of probiotic soy milk and soy milk on anthropometric measures and blood pressure in patients with type II diabetes mellitus: A randomized double-blind clinical trial. *ARYA Atheroscler*, 11(Suppl 1), 74-80.
- Hasnan, J., Yusof, M. I., Damitri, T. D., Faridah, A. R., Adenan, A. S., & Norbaini, T. H. (2010). Relationship between apoptotic markers (Bax and Bcl-2) and biochemical markers in type 2 diabetes mellitus. *Singapore Med J*, 51(1), 50-55.
- Herder, C., Schneitler, S., Rathmann, W., Haastert, B., Schneitler, H., Winkler, H., et al. (2007). Low-grade inflammation, obesity, and insulin resistance in adolescents. *J Clin Endocrinol Metab*, 92(12), 4569-4574.
- Howell, T. H. (1988). Metchnikoff and prolongation of life. *Age and Ageing*, 17(6), 420-421.
- Hsieh, F.C., Lee, C.L., Chai, C.Y., Chen, W.T., Lu, Y.C., & Wu, C.S. (2013). Oral administration of *Lactobacillus reuteri* GMNL-263 improves insulin

resistance and ameliorates hepatic steatosis in high fructose-fed rats. *Nutr Met, 10*, 35-35.

Inthachai, T., Lekawanvijit, S., Kumfu, S., Apaijai, N., Pongkan, W., Chattipakorn, S. C., & Chattipakorn, N. (2015a). Dipeptidyl peptidase-4 inhibitor improves cardiac function by attenuating adverse cardiac remodelling in rats with chronic myocardial infarction. *Exp Physiol, 100*(6), 670.

Inthachai, T., Lekawanvijit, S., Kumfu, S., Apaijai, N., Pongkan, W., Chattipakorn, S. C., & Chattipakorn, N. (2015b). Dipeptidyl peptidase-4 inhibitor improves cardiac function by attenuating adverse cardiac remodelling in rats with chronic myocardial infarction. *Exp Physiol, 100*(6), 667-679.

Jensen, J., Rustad, P. I., Kolnes, A. J., & Lai, Y.-C. (2011). The role of skeletal muscle glycogen breakdown for regulation of insulin sensitivity by exercise. *Front Physiol, 2*.

Jones, M. L., Martoni, C. J., Parent, M., & Prakash, S. (2012). Cholesterol-lowering efficacy of a microencapsulated bile salt hydrolase-active *Lactobacillus reuteri* NCIMB 30242 yoghurt formulation in hypercholesterolaemic adults. *Br J Nutr, 107*(10), 1505-1513. \

Juskewitch, J. E., Knudsen, B. E., Platt, J. L., Nath, K. A., Knutson, K. L., Brunn, G. J., & Grande, J. P. (2012). LPS-induced murine systemic inflammation is driven by parenchymal cell activation and exclusively predicted by early MCP-1 plasma levels. *Am J Pathol, 180*(1), 32-40.

Kahn, S. E., Hull, R. L., & Utzschneider, K. M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature, 444*(7121), 840-846.

Kaur, J. (2014). A Comprehensive Review on Metabolic Syndrome. *Cardiol Res Pract, 21*.

Kim, J.A., Wei, Y., & Sowers, J. R. (2008). Role of Mitochondrial Dysfunction in Insulin Resistance. *Circ Res, 401-414*.

- Klein, M., Sanders, M. E., Duong, T., & Young, H. A. (2010). Probiotics: from bench to market. *Ann N Y Acad Sci s, 1212 Suppl 1*, E1-14.
- Kolwicz, S. C., Jr., Purohit, S., & Tian, R. (2013). Cardiac metabolism and its interactions with contraction, growth, and survival of cardiomyocytes. *Circ Res, 113*(5), 603-616.
- Kotsis, V., Stabouli, S., Papakatsika, S., Rizos, Z., & Parati, G. (2010). Mechanisms of obesity-induced hypertension. *Hypertension Research, 33*(5), 386-393.
- Krege, J. H., Hodgin, J. B., Hagaman, J. R., & Smithies, O. (1995). A Noninvasive Computerized Tail-Cuff System for Measuring Blood Pressure in Mice. *Hypertension, 25*(5), 1111-1115.
- Kyriakis, J. M., & Avruch, J. (1996). Sounding the alarm: protein kinase cascades activated by stress and inflammation. *J Biol Chem, 271*(40), 24313-24316.
- La Rovere, M. T., Bigger, J. T., Jr., Marcus, F. I., Mortara, A., & Schwartz, P. J. (1998). Baroreflex sensitivity and heart-rate variability in prediction of total cardiac mortality after myocardial infarction. ATRAMI (Autonomic Tone and Reflexes After Myocardial Infarction) Investigators. *Lancet, 351*(9101), 478-484.
- Lam, V., Su, J., Koprowski, S., Hsu, A., Tweddell, J. S., Rafiee, P., . . . Baker, J. E. (2012). Intestinal microbiota determine severity of myocardial infarction in rats. *The FASEB Journal, 26*(4), 1727-1735.
- Lau, D. C., Dhillon, B., Yan, H., Szmitko, P. E., & Verma, S. (2005). Adipokines: molecular links between obesity and atherosclerosis. *American Journal of Physiology: Heart and Circulatory Physiology, 288*(5), H2031-2041.
- Laugerette, F., Vors, C., Geloën, A., Chauvin, M. A., Soulage, C., Lambert-Porcheron, S., et al. (2011). Emulsified lipids increase endotoxemia: possible role in early postprandial low-grade inflammation. *J Nutr Biochem, 22*(1), 53-59.

- Le Barz, M., Anhê, F. F., Varin, T. V., Desjardins, Y., Levy, E., Roy, D., et al. (2015). Probiotics as Complementary Treatment for Metabolic Disorders. *Diabetes Metab Res Rev*, 39(4), 291-303.
- Lee, Y. J., Choi, D. Y., Choi, I. S., Han, J. Y., Jeong, H. S., Han, S. B., et al. (2011). Inhibitory effect of a tyrosine-fructose Maillard reaction product, 2,4-bis(p-hydroxyphenyl)-2-butenal on amyloid-beta generation and inflammatory reactions via inhibition of NF-kappaB and STAT3 activation in cultured astrocytes and microglial BV-2 cells. *J Neuroinflammation*, 8, 132.
- Lekawanvijit, S., Kompa, A. R., Manabe, M., Wang, B. H., Langham, R. G., Nishijima, F., et al. (2012). Chronic kidney disease-induced cardiac fibrosis is ameliorated by reducing circulating levels of a non-dialysable uremic toxin, indoxyl sulfate. *PloS One*, 7(7).
- Liao, D., Carnethon, M., Evans, G. W., Cascio, W. E., & Heiss, G. (2002). Lower heart rate variability is associated with the development of coronary heart disease in individuals with diabetes: the atherosclerosis risk in communities (ARIC) study. *Diabetes*, 51(12), 3524-3531.
- Licht, C. M., Vreeburg, S. A., van Reedt Dortland, A. K., Giltay, E. J., Hoogendijk, W. J., DeRijk, R. H., et al. (2010). Increased sympathetic and decreased parasympathetic activity rather than changes in hypothalamic-pituitary-adrenal axis activity is associated with metabolic abnormalities. *J Clin Endocrinol Metab*, 95(5), 2458-2466.
- Lim, S. M., Jeong, J. J., Woo, K. H., Han, M. J., & Kim, D. H. (2016). *Lactobacillus sakei* OK67 ameliorates high-fat diet-induced blood glucose intolerance and obesity in mice by inhibiting gut microbiota lipopolysaccharide production and inducing colon tight junction protein expression. *Nutr Res*, 36(4), 337-348.

- Lin, Y.Y., Hsieh, P.S., Cheng, Y.J., Cheng, S.M., Chen, C.N., Huang, C.Y., et al. (2016). Anti-apoptotic and Pro-survival Effects of Food Restriction on High-Fat Diet-Induced Obese Hearts. *Cardiovasc Toxicol*, 1-12.
- London, L. E., Kumar, A. H., Wall, R., Casey, P. G., O'Sullivan, O., Shanahan, F., et al. (2014). Exopolysaccharide-producing probiotic Lactobacilli reduce serum cholesterol and modify enteric microbiota in ApoE-deficient mice. *J of Nutr*, 144(12), 1956-1962.
- Mackowiak, P. A. (2013). Recycling Metchnikoff: Probiotics, the Intestinal Microbiome and the Quest for Long Life. *Front Public Health*, 1, 52.
- Madamanchi, N. R., & Runge, M. S. (2007). Mitochondrial Dysfunction in Atherosclerosis. *Circ Res*, 100(4), 460-473.
- Malliani, A. (1999). The Pattern of Sympathovagal Balance Explored in the Frequency Domain. *News Physiol Sci*, 14, 111-117.
- Manco, M., Putignani, L., & Bottazzo, G. F. (2010a). Gut microbiota, lipopolysaccharides, and innate immunity in the pathogenesis of obesity and cardiovascular risk. *Endocr Res*, 31(6), 826.
- Manco, M., Putignani, L., & Bottazzo, G. F. (2010b). Gut microbiota, lipopolysaccharides, and innate immunity in the pathogenesis of obesity and cardiovascular risk. *Endocr Re*, 31(6), 817-844.
- Mateos, R., Lecumberri, E., Ramos, S., Goya, L., & Bravo, L. (2005). Determination of malondialdehyde (MDA) by high-performance liquid chromatography in serum and liver as a biomarker for oxidative stress. Application to a rat model for hypercholesterolemia and evaluation of the effect of diets rich in phenolic antioxidants from fruits. *J Chromatogr B Analyt Technol Biomed Life Sci.*, 827(1), 76-82.

- Mehta, J. L., Rasouli, N., Sinha, A. K., & Molavi, B. (2006). Oxidative stress in diabetes: a mechanistic overview of its effects on atherogenesis and myocardial dysfunction. *Int J Biochem Cell Biol* 38(5-6), 794-803.
- Million, M., Angelakis, E., Paul, M., Armougom, F., Leibovici, L., & Raoult, D. (2012). Comparative meta-analysis of the effect of *Lactobacillus* species on weight gain in humans and animals. *Microb Pathog*, 53(2), 100-108.
- Montgomery, M. K., & Turner, N. (2015). Mitochondrial dysfunction and insulin resistance: an update. *Endocr Connect*, 4(1), R1-r15.
- Moreira, A. P., & al., e. (2012). Influence of a high-fat diet on gut microbiota, intestinal permeability and metabolic endotoxaemia. *Br J Nutr*, 108(5), 801-809.
- Morgan, M. J., & Liu, Z. (2011). Crosstalk of reactive oxygen species and NF- κ B signaling. *Cell Res*, 21(1), 103-115.
- Muniyappa, R., & Sowers, J. R. (2013). Role of Insulin Resistance in Endothelial Dysfunction. *Rev Endocr Metab Disord*, 14(1), 5-12.
- Musso, G., Gambino, R., & Cassader, M. (2010). Obesity, Diabetes, and Gut Microbiota: The hygiene hypothesis expanded?. *Diabetes Care*, 2277-2284.
- Nagarajan, V., Gopalan, V., Kaneko, M., Angeli, V., Gluckman, P., Richards, A. M., et al. (2013). Cardiac function and lipid distribution in rats fed a high-fat diet: in vivo magnetic resonance imaging and spectroscopy. *Am J Physiol Heart Circ Physiol*, 304(11), H1495-1504.
- Neves, A. L., et al. (2013). Metabolic endotoxemia: a molecular link between obesity and cardiovascular risk. *J Mol Endocrino*, 51(2), R51-64.
- Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., & al., e. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet*, 384(9945), 766-781.

- Novalija, E., Kevin, L. G., Eells, J. T., Henry, M. M., & Stowe, D. F. (2003). Anesthetic preconditioning improves adenosine triphosphate synthesis and reduces reactive oxygen species formation in mitochondria after ischemia by a redox dependent mechanism. *Anesthesiology*, *98*(5), 1155-1163.
- Novotny Nunez, I., Maldonado Galdeano, C., de Moreno de LeBlanc, A., & Perdigon, G. (2015). Lactobacillus casei CRL 431 administration decreases inflammatory cytokines in a diet-induced obese mouse model. *Nutr*, *31*(7-8), 1000-1007. doi: 10.1016/j.nut.2015.02.006
- Organization, W. H. (2016). Obesity and overweight
- Orlando, A., Refolo, M. G., Messa, C., Amati, L., Lavermicocca, P., Guerra, V., et al. (2012). Antiproliferative and proapoptotic effects of viable or heat-killed Lactobacillus paracasei IMPC2.1 and Lactobacillus rhamnosus GG in HGC-27 gastric and DLD-1 colon cell lines. *Nutr Cancer*, *64*(7), 1103-1111.
- Osborn, O., & Olefsky, J. M. (2012). The cellular and signaling networks linking the immune system and metabolism in disease. *Nature Med*, *18*(3), 363-374.
- Ouyang, W., Rutz, S., Crellin, N. K., Valdez, P. A., & Hymowitz, S. G. (2011). Regulation and functions of the IL-10 family of cytokines in inflammation and disease. *Annu Rev Plant Physiol Plant Mol Biol*, *29*, 71-109.
- Parekh, P. J., Arusi, E., Vinik, A. I., & Johnson, D. A. (2014). The Role and Influence of Gut Microbiota in Pathogenesis and Management of Obesity and Metabolic Syndrome. *Front Endocrinol*, *5*.
- Park, K. Y., Kim, B., & Hyun, C. K. (2015). Lactobacillus rhamnosus GG Reverses Insulin Resistance but Does Not Block Its Onset in Diet-Induced Obese Mice. *J Microbiol Biotechnol*, *25*(5), 753-757.
- Penders, J., Thijs, C., Vink, C., Stelma, F. F., Snijders, B., Kummeling, I., et al. (2006). Factors influencing the composition of the intestinal microbiota in early infancy. *Pediatrics*, *118*(2), 511-521.

- Pintana, H., Apaijai, N., Pratchayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2012). Effects of metformin on learning and memory behaviors and brain mitochondrial functions in high fat diet induced insulin resistant rats. *Life Sci*, *91*(11-12), 409-414.
- Pipatpiboon, N., Pintana, H., Pratchayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2013). DPP4-inhibitor improves neuronal insulin receptor function, brain mitochondrial function and cognitive function in rats with insulin resistance induced by high-fat diet consumption. *Eur J Neurosci*, *37*(5), 839-849.
- Pipatpiboon, N., Pintana, H., Pratchayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2013). DPP4-inhibitor improves neuronal insulin receptor function, brain mitochondrial function and cognitive function in rats with insulin resistance induced by high-fat diet consumption. *Eur J Neurosci*, *37*(5), 839-849.
- Pipatpiboon, N., Pratchayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2012a). PPARgamma agonist improves neuronal insulin receptor function in hippocampus and brain mitochondria function in rats with insulin resistance induced by long term high-fat diets. *Endocrinology*, *153*(1).
- Pipatpiboon, N., Pratchayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2012b). PPARgamma agonist improves neuronal insulin receptor function in hippocampus and brain mitochondria function in rats with insulin resistance induced by long term high-fat diets. *Endocrinology*, *153*(1), 329-338. doi: 10.1210/en.2011-1502
- Pipatpiboon, N., Sripecthwandee, J., Chattipakorn, S. C., & Chattipakorn, N. (2015). Effects of PPARgamma agonist on heart rate variability and cardiac mitochondrial function in obese-insulin resistant rats. *Int J Cardiol*, *201*, 121-122.

- Poirier, P., Giles, T. D., Bray, G. A., Hong, Y., Stern, J. S., Pi-Sunyer, F. X., & Eckel, R. H. (2006). Obesity and Cardiovascular Disease: Pathophysiology, Evaluation, and Effect of Weight Loss: An Update of the 1997 American Heart Association Scientific Statement on Obesity and Heart Disease From the Obesity Committee of the Council on Nutrition, Physical Activity, and Metabolism. *Circ*, *113*(6), 898-918. doi: 10.1161/circulationaha.106.171016
- Pongkan, W., Pintana, H., Jaiwongkam, T., Kredphoo, S., Sivasinprasasn, S., Chattipakorn, S. C., & Chattipakorn, N. (2016). Vildagliptin reduces cardiac ischemic-reperfusion injury in obese orchietomized rats. *J Endocrinol*, *231*(1), 81-95.
- Pongkan, W., Pintana, H., Sivasinprasasn, S., Jaiwongkam, T., Chattipakorn, S. C., & Chattipakorn, N. (2016). Testosterone deprivation accelerates cardiac dysfunction in obese male rats. *Journal of Endocrinology*, *229*(3), 209-220.
- Prachayasakul, W., Chattipakorn, N., & Chattipakorn, S. C. (2014a). Estrogen restores brain insulin sensitivity in ovariectomized non-obese rats, but not in ovariectomized obese rats. *Metab Clin Exp*, *63*(6), 851-859.
- Prachayasakul, W., Kerdphoo, S., Petsophonakul, P., Pongchaidecha, A., Chattipakorn, N., & Chattipakorn, S. C. (2011). Effects of high-fat diet on insulin receptor function in rat hippocampus and the level of neuronal corticosterone. *Life Sciences*, *88*(13-14), 619-627.
- Prachayasakul, W., Sa-Nguanmoo, P., Sivasinprasasn, S., Pintana, H., Tawinvisan, R., Srietchwande, J., . . . Chattipakorn, S. C. (2015). Obesity accelerates cognitive decline by aggravating mitochondrial dysfunction, insulin resistance and synaptic dysfunction under estrogen-deprived conditions. *Horm Behav*, *72*, 68-77.
- Qiao, Y., Sun, J., Xia, S., Li, L., Li, Y., Wang, P., . . . Le, G. (2015). Effects of different *Lactobacillus reuteri* on inflammatory and fat storage in high-fat diet-induced obesity mice model. *J Funct Foods*, *14*, 424-434.

- Reaven, G. M. (1988). Banting lecture 1988. Role of insulin resistance in human disease. *Diabetes*, 37(12), 1595-1607.
- Reid, G., Younes, J. A., Van der Mei, H. C., Gloor, G. B., Knight, R., & Busscher, H. J. (2011). Microbiota restoration: natural and supplemented recovery of human microbial communities. *Nat Rev Microbiol*, 9(1), 27-38.
- Ritchie, S. A., & Connell, J. M. (2007). The link between abdominal obesity, metabolic syndrome and cardiovascular disease. *Nutr Metab Cardiovasc Dis*, 17(4), 319-326.
- Riva, C., Chevrier, C., Pasqual, N., Saks, V., & Rossi, A. (2001). Bcl-2/Bax protein expression in heart, slow-twitch and fast-twitch muscles in young rats growing under chronic hypoxia conditions. *Mol Cell Biochem*, 226(1-2), 9-16.
- Rosca, M. G., & Hoppel, C. L. (2009). New aspects of impaired mitochondrial function in heart failure. *J Bioenerg Biomembr*, 41(2), 107-112.
- Rosca, M. G., & Hoppel, C. L. (2013). Mitochondrial dysfunction in heart failure. *Heart Fail Rev*, 18(5).
- Ruiz-Meana, M., Garcia-Dorado, D., Miro-Casas, E., Abellan, A., & Soler-Soler, J. (2006). Mitochondrial Ca²⁺ uptake during simulated ischemia does not affect permeability transition pore opening upon simulated reperfusion. *Cardiovasc Res*, 71(4), 715-724.
- Salaj, R., Štofilová, J., Šoltsová, A., Hertelyová, Z., Hijová, E., Bertková, I., et al. (2013). The Effects of Two *Lactobacillus plantarum* Strains on Rat Lipid Metabolism Receiving a High Fat Diet.
- Samniang, B., Shinlapawittayatorn, K., Chunchai, T., Pongkan, W., Kumfu, S., Chattipakorn, S. C., et al. (2016). Vagus Nerve Stimulation Improves Cardiac Function by Preventing Mitochondrial Dysfunction in Obese-Insulin Resistant Rats. *Sci Rep*, 6, 19749.

- Sartor, R. B., & Mazmanian, S. K. (2012). Intestinal Microbes in Inflammatory Bowel Diseases. *Am J Gastroenterol Suppl*, 1(1), 15-21.
- Shen, J., Obin, M. S., & Zhao, L. (2013). The gut microbiota, obesity and insulin resistance. *Molecular aspects of medicine*. 39-58.
- Sheth, P., Delos Santos, N., Seth, A., LaRusso, N. F., & Rao, R. K. (2007). Lipopolysaccharide disrupts tight junctions in cholangiocyte monolayers by a c-Src-, TLR4-, and LBP-dependent mechanism. *Am J Physiol Gastrointest Liver Physiol*, 293(1), G308-G318.
- Sirilun, S., Chaiyasut, C., Kantachote, D., & Luxananil, P. (2010). Characterisation of non human origin probiotic lactobacillus plantarum with cholesterol-lowering property. *Afr J Microbiol Res*, 4(10), 994-1000.
- Sivasinprasasn, S., Sa-nguanmoo, P., Prachayasakul, W., Kumfu, S., Chattipakorn, S., & Chattipakorn, N. (2015). Obese-insulin resistance accelerates and aggravates cardiometabolic disorders and cardiac mitochondrial dysfunction in estrogen-deprived female rats. *AGE*, 37(2), 1-11.
- Sivitz, W. I., & Yorek, M. A. (2010). Mitochondrial Dysfunction in Diabetes: From Molecular Mechanisms to Functional Significance and Therapeutic Opportunities. *Antioxid Redox Signal*, 12(4), 537-577.
- Sowers, J. R. (2003a). Obesity as a cardiovascular risk factor. *Am J Prev Med*, 115 Suppl 8A, 37s-41s.
- Sowers, J. R. (2003b). Obesity as a cardiovascular risk factor. *Am J Med*, 37S-41S.
- Stoll, G., & Bendszus, M. (2006). Inflammation and atherosclerosis: novel insights into plaque formation and destabilization. *Stroke*, 37(7), 1923-1932.
- Sun, J. P., Xu, T. Y., Lee, A. P., Yang, X. S., Liu, M., Li, Y., et al. (2015). Early diastolic dyssynchrony in relation to left ventricular remodeling and function in hypertension. *INT j cardiac imag*, 179, 195-200.

- Sun, W., Zhang, Z., Chen, Q., Yin, X., Fu, Y., Zheng, Y., et al. (2014). Magnolia extract (BL153) protection of heart from lipid accumulation caused cardiac oxidative damage, inflammation, and cell death in high-fat diet fed mice. *Oxid Med Cell Longev*, 2014, 205849.
- Tanida, M., Shen, J., Maeda, K., Horii, Y., Yamano, T., Fukushima, Y., & Nagai, K. (2008). High-fat diet-induced obesity is attenuated by probiotic strain *Lactobacillus paracasei* ST11 (NCC2461) in rats. *Obes Res Clin Pract*, 2(3), 1-2.
- Thephinlap, C., Phisalaphong, C., Lailerd, N., Chattipakorn, N., Winichagoon, P., Vadolas, J., et al. (2011). Reversal of cardiac iron loading and dysfunction in thalassemic mice by curcuminoids. *Med Chem*, 7(1), 62-69.
- Thummasorn, S., Kumfu, S., Chattipakorn, S., & Chattipakorn, N. (2011a). Granulocyte-colony stimulating factor attenuates mitochondrial dysfunction induced by oxidative stress in cardiac mitochondria. *Mitochondrion*, 11(3).
- Thummasorn, S., Kumfu, S., Chattipakorn, S., & Chattipakorn, N. (2011b). Granulocyte-colony stimulating factor attenuates mitochondrial dysfunction induced by oxidative stress in cardiac mitochondria. *Mitochondrion*, 11(3), 457-466.
- Tilg, H., & Kaser, A. (2011). Gut microbiome, obesity, and metabolic dysfunction. *J Clin Invest*, 121(6), 2126-2132.
- Tomaro-Duchesneau, C., Saha, S., Malhotra, M., Jones, M. L., Labbe, A., Rodes, L., et al. (2014). Effect of orally administered *L. fermentum* NCIMB 5221 on markers of metabolic syndrome: an in vivo analysis using ZDF rats. *Appl Microbiol Biotechnol*, 98(1), 115-126.
- Toral, M., Gomez-Guzman, M., Jimenez, R., Romero, M., Sanchez, M., Utrilla, M. P., et al. (2014). The probiotic *Lactobacillus coryniformis* CECT5711 reduces

the vascular pro-oxidant and pro-inflammatory status in obese mice.

Clinical Science (London, England: 1979), 127(1), 33-45.

- Tsimikas, S., Willeit, J., Knoflach, M., Mayr, M., Egger, G., Notdurfter, M., et al. (2009). Lipoprotein-associated phospholipase A2 activity, ferritin levels, metabolic syndrome, and 10-year cardiovascular and non-cardiovascular mortality: results from the Bruneck study. *Eur Heart J*, 30(1), 107-115.
- Tsuji, K., Steindler, K. A., & Harrison, S. J. (1980). Limulus amoebocyte lysate assay for detection and quantitation of endotoxin in a small-volume parenteral product. *Applied and Environmental Microbiology*, 40(3), 533-538.
- Turnbaugh, P. J., Backhed, F., Fulton, L., & Gordon, J. I. (2008). Diet-induced obesity is linked to marked but reversible alterations in the mouse distal gut microbiome. *Cell Host Microbe*, 3(4), 213-223.
- Verbrugge, F. H., Dupont, M., Steels, P., Grieten, L., Malbrain, M., Tang, W. H., & Mullens, W. (2013). Abdominal contributions to cardiorenal dysfunction in congestive heart failure. *J Am Coll Cardiol*, 62(6), 485-495.
- Vinik, A. I., & Ziegler, D. (2007). Diabetic cardiovascular autonomic neuropathy. *Circ*, 115(3), 387-397.
- Wallace, D. C. (1999). Mitochondrial diseases in man and mouse. *Science*, 283(5407), 1482-1488.
- Wang, J., Tang, H., Zhang, C., Zhao, Y., Derrien, M., Rocher, E., & et al. (2015). Modulation of gut microbiota during probiotic-mediated attenuation of metabolic syndrome in high fat diet-fed mice. *ISME J*, 9(1), 1-15.
- Wang, L.X., Liu, K., Gao, D.W., et al. (2013). Protective effects of two *Lactobacillus plantarum* strains in hyperlipidemic mice. *World J Gastroenterol*, 19(20), 3150-3156.

- Wang, Y., Xu, N., Xi, A., Ahmed, Z., Zhang, B., & Bai, X. (2009). Effects of *Lactobacillus plantarum* MA2 isolated from Tibet kefir on lipid metabolism and intestinal microflora of rats fed on high-cholesterol diet. *Appl Microbiol Biotechnol*, 84(2), 341-347.
- Wilcox, G. (2005b). Insulin and Insulin Resistance. *Clinical Biochemist*, 26(2), 19-39.
- Wu, G. D., Chen, J., Hoffmann, C., Bittinger, K., Chen, Y.Y., Keilbaugh, S. A., et al. (2011). Linking long-term dietary patterns with gut microbial enterotypes. *Sci*, 334(6052), 105-108.
- Xydakis, A. M., Case, C. C., Jones, P. H., Hoogeveen, R. C., Liu, M. Y., Smith, E. O., . . . Ballantyne, C. M. (2004). Adiponectin, inflammation, and the expression of the metabolic syndrome in obese individuals: the impact of rapid weight loss through caloric restriction. *J Clin Endocrinol Metab*, 89(6), 2697-2703.
- Yin, Y.N., Yu, Q. F., Fu, N., Liu, X.W., & Lu, F.G. (2010). Effects of four Bifidobacteria on obesity in high-fat diet induced rats. *World J Gastroenterol*, 16(27), 3394-3401.
- Yusuf, S., Reddy, S., Ôunpuu, S., & Anand, S. (2001). Global Burden of Cardiovascular Diseases: Part I: General Considerations, the Epidemiologic Transition, Risk Factors, and Impact of Urbanization. *Circ*, 104(22), 2746-2753.
- Zemse, S. M., Chiao, C. W., Hilgers, R. H. P., & Webb, R. C. (2010). Interleukin-10 inhibits the in vivo and in vitro adverse effects of TNF- α on the endothelium of murine aorta. *Am J Physiol Heart Circ Physiol*, 299(4), H1160-1167.
- Zoetendal, E. G., Vaughan, E. E., & de Vos, W. M. (2006). A microbial world within us. *Molecular Microbiology*, 59(6), 1639-1650.