

## REFERENCES

- [1] Fàbrega A., Vila, J., “*Salmonella* Enterica Serovar Typhimurium Skills To Succeed in the Host: Virulence and Regulation,” *Clinical Microbiology Reviews*, Vol. 26, No. 2. April 2013, pp. 308–341.
- [2] Arguello H., Carvajal A., Collazos J. A., García-Feliz C., Rubio P., “Prevalence and Serovars of *Salmonella enterica* on Pig Carcasses, Slaughtered Pigs and the Environment of Four Spanish Slaughterhouses,” *Food Research International*, Vol. 45, No. 2. March 2012, pp. 905–912.
- [3] Le Hello S., Brisabois A., Accou-Demartin M., Josse A., Marault M., Francart S., Da Silva N.J., Weill, F.-X., “Foodborne Outbreak and Nonmotile *Salmonella enterica* Variant, France,” *Emerging Infectious Diseases* Vol. 18, No. 1. January 2012, pp 132–134.
- [4] Fàbrega, A., and Vila, J., “*Salmonella* Enterica Serovar Typhimurium Skills To Succeed in the Host: Virulence and Regulation,” *Clinical Microbiology Reviews* Vol. 26, No. 2. April 2013, pp. 308–341.
- [5] Kim Y. S., Lee S. H., Kim S. H., Joo Y., Bahk, G. J., “Investigation of the Experience of Foodborne Illness and Estimation of the Incidence of Foodborne Disease in South Korea,” *Food Control* Vol. 47, No. 0. January 2015, pp. 226–230.
- [6] Gonzales-Barron U.A., Redmond G., Butler F., “A risk characterization model of *Salmonella* Typhimurium in Irish fresh pork sausages,” *Food Reserch International*, Vol. 45, No. 2. March 2012, pp. 1184–1193.
- [7] Pui C. F., Woan C.W., Lay C. Chai, R.T., Jeyaletchumi P., Noor Hidayah M. S., Ubong A., Farinazleen M.G., Yoke K.C., Son R., “*Salmonella*: A Foodborne Pathogen,” *International Food Research Journal* Vol.18, No. 2. 2011, pp. 465–473.
- [8] Mürmann L., Dos Santos M.C., Cardoso M., “Prevalence, genetic characterization and antimicrobial resistance of *Salmonella* isolated from fresh pork sausages in Porto Alegre, Brazil,” *Food Control*, Vol. 20, No. 1. Jan 2009, pp. 191–195.

- [9] Berends B.R., Van Knapen F., Snijders J.M., Mossel D.A., “Identification and quantification of risk factors regarding Salmonella spp. on pork carcasses,” *International Journal of Food Microbiology*, Vol. 36, No. 2. May 1997, pp. 199–206.
- [10] Delhalle L., Saegerman C., Farnir F., Korsak N., Maes D., Messens W., De Sadeleer L., De Zutter, L., “Salmonella surveillance and control at post-harvest in the Belgian pork meat chain,” *Food Microbiology*, Vol. 26, No. 3. May 2009, pp. 265–271.
- [11] Lo Fo Wong D.M., Hald T., Van der Wolf P., Swanenburg M., “Epidemiology and control measures for Salmonella in pigs and pork,” *Livestock Production Science*, Vol.76, No. 3. Sep 2002, pp. 215–222.
- [12] Gomes-Neves E., Antunes P., Tavares A., Themudo P., Cardoso M.F., Gärtner F., Costa J.M., Peixe L., “Salmonella cross-contamination in swine abattoirs in Portugal: Carcasses, meat and meat handlers,” *International Journal of Food Microbiology*, Vol. 157, No,1. Apr 2012, pp. 82–87.
- [13] Jawetz E., Melnick J.L., Adelberg E.A., “Review of Medical Microbiology,” Appleton & Lange, Norwalk, Conn, 1954, pp. 244-248.
- [14] Schwaiger K., Huther S., Hölzel C., Kämpf P., Bauer, J., “Prevalence of antibiotic-resistant enterobacteriaceae isolated from chicken and pork meat purchased at the slaughterhouse and at retail in Bavaria, Germany,” *International Journal of Food Microbiology*, Vol. 154, No. 3. 15 Mar 2012, pp. 206–211.
- [15] Rostagno M.H., Callaway T.R., “Pre-harvest risk factors for Salmonella enterica in pork production,” *Food Reserch International*, Vol. 45, No.2. Mar 2012, pp. 634–640.
- [16] Van Boxstael S., Dierick K., Van Huffel X., Uyttendaele M., Berkvens D., Herman L., Bertrand S., Wildemauwe C., Catry B., Butaye P., Imberechts H., “Comparison of antimicrobial resistance patterns and phage types of Salmonella Typhimurium isolated from pigs, pork and humans in Belgium between 2001 and 2006,” *Food Reserch International*, Vol. 45, No.2. March 2012, pp. 913–918.

- [17] Mc Mahon M.S., Blair I.S., Moore J.E., Mc Dowell D.A., “The rate of horizontal transmission of antibiotic resistance plasmids is increased in food preservation-stressed bacteria,” *Journal Applied Microbiology* Vol. 103, No. 5. Nov 2007, pp. 1883–1888.
- [18] Giedraitienė A., Vitkauskienė A., Naginienė R., Pavilionis, A., “Prevalence and Serovars of Salmonella Enterica on Pig Carcasses, Slaughtered Pigs and the Environment of Four Spanish Slaughterhouses,” *Food Research International* Vol. 45, No. 2. March 2012, pp. 905–912.
- [19] Werner G., Coque T. M., Franz C. M. A. P., Grohmann E., Hegstad K., Jensen L. B., van Schaik W., Weaver K., Werner G., Coque T. M., Franz C. M. A. P., Grohmann E., Hegstad K., Jensen L. B., van Schaik W., and Weaver K., “Antibiotic Resistant enterococci—Tales of a Drug Resistance Gene Trafficker,” *International Journal of Medical Microbiology* Vol. 303, No. 6–7. 2013, pp. 360–79.
- [20] Kelly B. G., Vespermann A., Bolton, D. J., “The Role of Horizontal Gene Transfer in the Evolution of Selected Foodborne Bacterial Pathogens,” *Food and Chemical Toxicology* Vol. 47, No. 5. May 2009, pp. 951–968.
- [21] Nield, B., “Recovery of New Integron Classes from Environmental DNA,” *FEMS Microbiology Letters* Vol. 195, No. 1. February 2001, pp. 59–65.
- [22] Rowe-Magnus, D. A. & Mazel, D., “The Role of Integrons in Antibiotic Resistance Gene Capture,” *International Journal of Medical Microbiology* Vol. 292, No. 2. January 2002, pp. 115–125.
- [23] Sandvang, D., Aarestrup, F. M., Jensen, L. B., “Characterisation of Integrons and Antibiotic Resistance Genes in Danish Multiresistant Salmonella Enterica Typhimurium DT104,” *FEMS Microbiology Letters* Vol. 160, No. 1. March 1998, pp. 37–41.
- [24] Hall, R. M., Collis, C. M., “Antibiotic Resistance in Gram-Negative Bacteria: The Role of Gene Cassettes and Integrons,” *Drug Resistance Updates* Vol. 1, No. 2. January 1998, pp. 109–119.

- [25] Campioni F., Bergamini A.M.M., Falcão J.P., “Genetic diversity, virulence genes and antimicrobial resistance of Salmonella Enteritidis isolated from food and humans over a 24-year period in Brazil,” *Food Microbiology*, Vol. 32, No.2 . Dec 2012, pp. 254–264.
- [26] Madadgar O., Hassan T., Taghi Z.S., Mouhammad M., Mahdi M.F., Mahdi F., “Evaluation of Random Amplified Polymorphic DNA Analysis and Antibiotic Susceptibility Application in Discrimination of Salmonella Typhimurium Isolates in Iran,” *The New Microbiologica* Vol. 31, No. 2. April 2008, pp. 211–16.
- [27] Liu W., Liu B., Zhu X., Yu S., Shi X., “Diversity of Salmonella isolates using serotyping and multilocus sequence typing,” *Food Microbiology*. Vol. 28, No. 6. Sep 2011, pp. 1182–1189.
- [28] Boonmar S., Bangtrakulnonth A., Pornrunangwong S., Terajima J. Watanabe H., Kaneko K.I., Ogawa M., “Epidemiological analysis of Salmonella enteritidis isolates from humans and broiler chickens in Thailand by phage typing and pulsed-field gel electrophoresis,” *Journal of Clinical Microbiology*, Vol. 36, No. 4. Apr 1998, pp. 971–974.
- [29] Ridley A.M., Threlfall E.J., Rowe B., “Genotypic characterization of Salmonella Enteritidis phage types by plasmid analysis, ribotyping, and pulsed-field gel electrophoresis,” *Journal of Clinical Microbiology*, Vol. 36, No. 8. Aug 1998, pp. 2314–2321.
- [30] Maslow J.N., Mulligan M.E., Arbeit R.D., “Molecular epidemiology: application of contemporary techniques to the typing of microorganisms,” *Clinical Infectious Disease: An Official Publication of the Infectious Diseases Society of America*, Vol. 17, No. 2, Aug 1993, pp. 153–162.
- [31] Sabat A. J., Budimir D.N., Sá-Leão R., van Dijk J. m, Laurent F., Grundmann H., Friedrich A. W., ESCMID Study Group of Epidemiological Markers (ESGEM), “Overview of Molecular Typing Methods for Outbreak Detection and Epidemiological Surveillance,” *Euro Surveillance: Bulletin Européen Sur Les Maladies Transmissibles = European Communicable Disease Bulletin* Vol.18, No. 4, 2013, e(20380).

- [32] Harbottle H., White D. G., McDermott P. F., Walker R. D., Zhao S., “Comparison of Multilocus Sequence Typing, Pulsed-Field Gel Electrophoresis, and Antimicrobial Susceptibility Typing for Characterization of Salmonella Enterica Serotype Newport Isolates,” *Journal of Clinical Microbiology* Vol. 44, No. 7. July 2006, pp. 2449–2457.
- [33] Torpdahl M., Skov M.N., Sandvang D., Baggesen D.L., “Genotypic characterization of Salmonella by multilocus sequence typing, pulsed-field gel electrophoresis and amplified fragment length polymorphism,” *Journal of Microbiological Methods*, Vol.63, No. 2005, pp. Nov 2005, pp. 173–184.
- [34] Leekitcharoenphon P., Nielsen E. M., Kaas R. S., Lund O., Aarestrup, F. M., “Evaluation of Whole Genome Sequencing for Outbreak Detection of Salmonella Enterica,” *PloS One* Vol. 9, No. 2. 2014, pp. e87991.
- [35] Boonkhot P., Pakpoom T., Panuwat Y., Chairroj P., Nipa C., Prapas P., “Class 1 Integrons Characterization and Multilocus Sequence Typing of Salmonella Spp. from Swine Production Chains in Chiang Mai and Lamphun Provinces, Thailand,” *The Japanese Journal of Veterinary Research* Vol. 63, No. 2. May 2015, pp. 83–94.
- [36] Maiden M.C.J., Jansen van Rensburg M.J., Bray J.E., Earle S.G., Ford S.A., Jolley K.A., McCarthy N.D., “MLST Revisited: The Gene-by-Gene Approach to Bacterial Genomics,” *Nature Reviews. Microbiology* Vol, 11, No. 10. October 2013, pp. 728–736.
- [37] Hasman H., Saputra D., Sicheritz-Ponten T., Lund O., Svendsen C.A., Frimodt-Møller N., Aarestrup F.M., “Rapid Whole-Genome Sequencing for Detection and Characterization of Microorganisms Directly from Clinical Samples,” *Journal of Clinical Microbiology* Vol. 52, No. 1. January 2014, pp. 139–146.
- [38] Corvin A., Craddock N., Sullivan P. F., “Genome-Wide Association Studies: A Primer,” *Psychological Medicine* Vol. 40, No. 7. July 2010, pp. 1063–1077.
- [39] Sheppard S.K., Xavier D., Guillaume M., Alicia T., Keith A.J., David J. K., Stephen D.B., Martin C. J. M., Julian P., Daniel F., “Genome-Wide Association Study Identifies Vitamin B5 Biosynthesis as a Host Specificity Factor in *Campylobacter*,” *Proceedings of the National Academy of Sciences of the United States of America* Vol. 110, No. 29. July 2013, pp. 11923–11927.

- [40] Cheung P.-Y., Kam K.M., "Salmonella in Food Surveillance: PCR, Immunoassays, and Other Rapid Detection and Quantification Methods," *Salmonella in Foods: Evolution, Strategies and Challenges* Vol. 45, No. 2. March 2012, pp. 802–808.
- [41] Olsen S. J., Bishop R., Brenner F.W., Roels T.H., Bean N., Tauxe R.V., Slutsker L., "The Changing Epidemiology of Salmonella: Trends in Serotypes Isolated from Humans in the United States, 1987-1997," *The Journal of Infectious Diseases* Vol. 183, No. 5. March 2001, pp. 753–761.
- [42] Swanenburg M., Urlings H.A.P., Snijders J.M.A., Keuzenkamp D.A., van Knapen F., "Salmonella in slaughter pigs: prevalences, serotypes and critical control points during slaughter in two slaughterhouses," *International Journal of Food Microbiology*, Vol. 70, No.3. 8 Nov 2001, pp. 243–254.
- [43] Braden C.R., "Salmonella Enterica Serotype Enteritidis and Eggs: A National Epidemic in the United States," *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America* Vol. 43, No. 4. August 2006, pp. 512–517.
- [44] Padungtod P., Kaneene J.B., "Salmonella in food animals and humans in northern Thailand," *International Journal of Food Microbiology*, Vol. 108, No. 3. 1 May 2006, pp. 346–354.
- [45] Chen S., Zhao S., White D.G., Schroeder C.M., Lu R., Yang H., McDermott P.F., Ayers S., Meng J., "Characterization of Multiple-Antimicrobial-Resistant Salmonella Serovars Isolated from Retail Meats," *Applied and Environmental Microbiology* Vol. 70, No. 1. January 2004, pp. 1–7.
- [46] Dorn-in S., Fries R., Padungtod P., Kyule M.N., Baumann M.P., Srikitjakarn, L., Chantong W., Sanguangiat A., Zessin K.H. 2009, "A cross-sectional study of Salmonella in pre-slaughter pigs in a production compartment of northern Thailand," *Preventive Veterinary Medicine*, Vol. 88, No.1. 1 Jan 2009, pp. 15–23.
- [47] Pulsrikarn C., Chaichana P., Pornruangwong S., Morita Y., Yamamoto S., Boonmar S., "Serotype, antimicrobial susceptibility, and genotype of Salmonella Isolates from swine and pork in Sa Kaew province, Thailand," *The Thai Journal of Veterinary Medicine*, Vol. 42, No. 1. 2012, pp. 21–28.

- [48] Visscher C.F., Klein G., Verspohl J., Beyerbach M., Stratmann-Selke J., Kamphues J., “Serodiversity and serological as well as cultural distribution of Salmonella on farms and in abattoirs in Lower Saxony, Germany,” *International Journal of Food Microbiology*, Vol. 146, No. 1. 15 Mar 2011, pp. 44–51.
- [49] Prendergast D.M., Duggan S.J., Gonzales-Barron U., Fanning S., Butler F., Cormican M., Duffy G., “Prevalence, numbers and characteristics of Salmonella spp. on Irish retail pork,” *International Journal of Food Microbiology*, Vol. 131, No. 2. 31 May 2009, pp. 233–239.
- [50] Phillips I., Casewell M., Cox T., De Groot B., Friis C., Jones R., Nightingale C., Preston R., Waddell J. “Does the use of antibiotics in food animals pose a risk to human health? A critical review of published data,” *Journal of Antimicrobial Chemotherapy*, Vol. 53, No. 1. Jan 2004, pp. 28–52.
- [51] Tadee P., Kumpapong K., Sinthuya D., Yamsakul .P, Chokesajjawatee N., Nuanualsuwan S., Pornsukarom S., Molla B.Z., Gebreyes W.A., Patchanee P., “Distribution, quantitative load and characterization of Salmonella associated with swine farms in upper-northern Thailand,” *Journal of Veterinary Science*, Vol. 15, No. 2. Jun 2012, pp. 327–334.
- [52] Jacoby G.A., “AmpC Beta-Lactamases,” *Clinical Microbiology Reviews* Vol. 22, No. 1. January 2009, pp. 161–182.
- [53] Bradford P.A. “Extended-Spectrum Beta-Lactamases in the 21st Century: Characterization, Epidemiology, and Detection of This Important Resistance Threat,” *Clinical Microbiology Reviews* Vol. 14, No. 4. October 2001, pp. 933–951.
- [54] Molla B., Miko A., Pries K., Hildebrandt G., Klee J., Schroeter A., Helmuth R., “Class 1 Integrons and Resistance Gene Cassettes among Multidrug Resistant Salmonella Serovars Isolated from Slaughter Animals and Foods of Animal Origin in Ethiopia,” *Acta Tropica* Vol. 103, No. 2. August 2007, pp. 142–149.
- [55] Jawetz E., Melnick J.L., Adelberg E.A., “Review of medical microbiology” 16th ed, Lange Medical Publication, Los Altos, 1954, pp.244-248.
- [56] Zali M.R., Alebouyeh M., Tajbakhsh M., “Emergence of Resistant Salmonella Spp.; New Challenges, New Trends,” *Gastroenterology and Hepatology From Bed to Bench* Vol. 4, No. 3. 2011, pp. 99–101.

- [57] Molla B., Miko A., Pries K., Hildebrandt G., Kleer J., Schroeter A., Helmuth R., “Class 1 Integrons and Resistance Gene Cassettes among Multidrug Resistant Salmonella Serovars Isolated from Slaughter Animals and Foods of Animal Origin in Ethiopia,” *Acta Tropica* Vol. 103, No. 2. August 2007, pp. 142–149.
- [58] Tadee P., Boonkhot P., Patchanee P., “Quantification of Contamination Levels and Particular Risk of Salmonella Spp. in Pigs in Slaughterhouses in Chiang Mai and Lamphun Provinces, Thailand,” *The Japanese Journal of Veterinary Research* Vol. 62, No. 4. November 2014, pp. 171–179.
- [59] Van Hoek A.H.A.M., de Jonge R., van Overbeek W.M., Bouw E., Pielaat A., Smid J.H., Malorny B., Junker E., Löfström C., Pedersen K., Aarts H.J., Heres, L., “A quantitative approach towards a better understanding of the dynamics of Salmonella spp. in a pork slaughter-line,” *International Journal of Food Microbiology*, Vol. 153, No.1. 1 Feb 2012, pp. 45–52.
- [60] Tadee P., Boonkhot P., Patchanee P., “Comparative Phenotypic and Genotypic Characterization of Salmonella Spp. in Pig Farms and Slaughterhouses in Two Provinces in Northern Thailand,” *PloS One* Vol. 10, No. 2. 2015, pp. e0116581.
- [61] Bio-Rad Laboratories. 2000. Chelex® 100 and Chelex 20 Chelating Ion Exchange Resin Instruction Manual. CA 94547
- [62] Patchanee P., Zewde B.M., Tadesse D.A., Hoet A., Gebreyes W.A., “Characterization of Multidrug-Resistant Salmonella Enterica Serovar Heidelberg Isolated from Humans and Animals,” *Foodborne Pathogens and Disease* Vol. 5, No. 6. December 2008, pp. 839–851.
- [63] Willford J., Manley W., Rebelein T., Goodridge L.D., “Pulsed Field, Ribotype and Integron Analysis of Multidrug Resistant Isolates of Salmonella Enterica Serovar Newport,” *Food Research International* Vol. 40, No. 8. October 2007, pp. 975–981.
- [64] Clinical and Laboratory Standards Institute (CLSI), Performance standards for antimicrobial disc susceptibility test; Approved standard-Tenth Edition. CLSI document M02-A10. Wayne, PA: Clinical and Laboratory Standards Institute, 2011.



- [65] Hata E., Katsuda K., Kobayashi H., Uchida I., Tanaka K., Eguchi M., “Genetic Variation among *Staphylococcus Aureus* Strains from Bovine Milk and Their Relevance to Methicillin-Resistant Isolates from Humans,” *Journal of Clinical Microbiology* Vol. 48, No. 6. June 2010, pp. 2130–2139.
- [66] Wannaprasat W., Padungtod P., Chuanchuen R., “Pulsed Field, Ribotype and Integron Analysis of Multidrug Resistant Isolates of *Salmonella Enterica* Serovar Newport,” *Food Research International* Vol. 40, No. 8. October 2007, pp. 975–981.
- [67] Cohen, M.L., “Epidemiology of Drug Resistance: Implications for a Post—Antimicrobial Era,” *Science* Vol. 257, No. 5073. August 1992, pp. 1050–1055.
- [68] Ahmed A.M., Shimamoto T., Shimamoto T., “Characterization of Integrons and Resistance Genes in Multidrug-Resistant *Salmonella Enterica* Isolated from Meat and Dairy Products in Egypt,” *International Journal of Food Microbiology* Vol. 189. No. 0. October 2014, pp. 39–44.
- [69] Sharma R., Sharma C., Kapoor B., “Antibacterial Resistance: Current Problems and Possible Solutions,” *Indian Journal of Medical Sciences* Vol. 59, No. 3. 2005, pp. 120.
- [70] Caleja C., de Toro M., Gonçalves A., Themudo P., Vieira-Pinto M., Monteiro D., Rodrigues J., Sáenz Y., Carvalho C., Igrejas G., Torres C., Poeta P., “Antimicrobial Resistance and Class I Integrons in *Salmonella Enterica* Isolates from Wild Boars and Bísaro Pigs,” *International Microbiology: The Official Journal of the Spanish Society for Microbiology* Vol. 14, No. 1. March 2011, pp. 19–24.
- [71] Guerra B., Soto S.M., Argüelles J.M., Mendoza M.C., “Multidrug Resistance Is Mediated by Large Plasmids Carrying a Class 1 Integron in the Emergent *Salmonella Enterica* Serotype [4,5,12:i:-],” *Antimicrobial Agents and Chemotherapy* Vol. 45, No. 4. April 2001, pp. 1305–1308.
- [72] Antunes P., Machado J., Peixe L., “Characterization of Antimicrobial Resistance and Class 1 and 2 Integrons in *Salmonella Enterica* Isolates from Different Sources in Portugal,” *Journal of Antimicrobial Chemotherapy* Vol. 58, No. 2. August 2006, pp. 297–304.

- [73] Randall L.P., Cooles S.W., Osborn M.K., Piddock L.J.V., Woodward M.J., “Antibiotic Resistance Genes, Integrons and Multiple Antibiotic Resistance in Thirty-Five Serotypes of *Salmonella* Enterica Isolated from Humans and Animals in the UK,” *Journal of Antimicrobial Chemotherapy* Vol. 53, No. 2. February 2004, pp. 208–216.
- [74] Stokes H.W., Gillings M.R., “Gene Flow, Mobile Genetic Elements and the Recruitment of Antibiotic Resistance Genes into Gram-Negative Pathogens,” *FEMS Microbiology Reviews* Vol. 35, No. 5. September 2011, pp. 790–819.
- [75] Alberts B., Johnson A., Lewis J., Raff M., Roberts K., Walter P., “Molecular Biology of the Cell,” 5th ed, Garland Science, New York, 2008, pp. 433-434
- [76] Patrick A.D., Weill F.X. “Antigenic formula of *Salmonella* serovars,” WHO Collaborating Center for Reference and Research on *Salmonella*. 2007, pp1-66.
- [77] Soyer Y., Switt A.M., Davis M.A., Maurer J., McDonough P.L., Schoonmaker-Bopp D.J., Dumas N.B., Root T., Warnick L.D., Gröhn Y.T., Wiedmann M., “*Salmonella* enterica serotype 4,5,12:i:-, an emerging *Salmonella* serotype that represents multiple distinct clones,” *Journal of Clinical Microbiology*, Vol. 47, No. 11. Nov 2009, pp. 3546-3556.
- [78] Phasipol P., Chokesajjawatee N., Luangtongkum T., “Comparison of Repetitive Sequence-Based Polymerase Chain Reaction (Rep-PCR) and Pulsed-Field Gel Electrophoresis (PFGE) for Genetic Characterization of *Arcobacter* Spp,” *The Thai Journal of Veterinary Medicine* Vol. 2, No. 43. 2013, pp. 307–311.
- [79] Nemoy L.L., Kotetishvili M., Tigno J., Keefer-Norris A., Harris A.D., Perencevich E.N., Johnson J.A., Torpey D., Sulakvelidze A., Morris J.G., Stine, O.C., “Multilocus Sequence Typing versus Pulsed-Field Gel Electrophoresis for Characterization of Extended-Spectrum Beta-Lactamase-Producing *Escherichia Coli* Isolates,” *Journal of Clinical Microbiology* Vol. 43, No. 4. April 2005, pp. 1776–1781.
- [80] Giovannini A., Prencipe V., Conte A., Marino L., Petrini A., Pomilio F., Rizzi V., Migliorati G., “Quantitative risk assessment of *Salmonella* spp. infection for the consumer of pork products in an Italian region,” *Food Control*, Vol. 15, No. 2. Mar 2004, pp. 139–144.

- [81] Quintavalla S., Larini S., Mutti P., Barbuti, S., “Evaluation of the thermal resistance of different Salmonella serotypes in pork meat containing curing additives,” *International Journal of Food Microbiology*, Vol. 67, No.1. 20 Jul 2001, pp.107–114.
- [82] Sirichote P., Bangtrakulnonth A., Tianmanee K., Unahalekhaka A., Oulai A, Chittaphithakchai P., Kheowrod W., Hendriksen R.S., “Serotype and antimicrobial resistance of Salmonella enterica spp. in central Thailand, 2001-2006,” *Southeast Asian Journal Tropical Public Health*, Vol. 41, No. 6. November 2010, pp. 1405-1415.
- [83] Gushulak B.D., MacPherson D.W., “Globalization of Infectious Diseases: The Impact of Migration,” *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America* Vol. 38, No. 12. June 2004, pp. 1742–1748.
- [84] Soto S.M., “Human Migration and Infectious Diseases,” *Clinical Microbiology and Infection: The Official Publication of the European Society of Clinical Microbiology and Infectious Diseases* Vol. 15. No.1. January 2009, pp. 26–28.
- [85] Stevens R.B., “The Occurrence of Salmonella Blegdam in the Philippines,” *Journal of Bacteriology* Vol. 52, No. 1. July 1946, pp. 146–147.
- [86] Sanborn W.R., Vieu J.F., Komalarini S., Sinta., Trenggonowati R., Kadirman I.L., Sumarmo., Aziz A., Sadjimin T., Triwibowo., Atas., Ayam S., “Salmonellosis in Indonesia: Phage Type Distribution of Salmonella Typhi,” *The Journal of Hygiene* Vol. 82, No. 1. February 1979, pp. 143–153.
- [87] Arumugaswamy R.K., Rusul G., Abdul Hamid S.N., Cheah C.T., “Prevalence of Salmonella in Raw and Cooked Foods in Malaysia,” *Food Microbiology* Vol. 12. No. 0. February 1995, pp. 3–8.
- [88] Barralet J., Stafford R., Towner C., Smith P., “Outbreak of Salmonella Singapore Associated with Eating Sushi,” *Communicable Diseases Intelligence Quarterly Report* Vol. 28, No. 4. 2004, pp. 527–528.

- [89] Lee J.H., Han K.H., Choi S.Y., Lucas M.E., Mondlane C., Ansaruzzaman M., Nair G.B., Sack D.A., von Seidlein L., Clemens J.D., Song M., Chun J., Kim D.W.; Mozambique Cholera Vaccine Demonstration Project Coordination Group., “Multilocus Sequence Typing (MLST) Analysis of *Vibrio Cholerae* O1 El Tor Isolates from Mozambique That Harbour the Classical CTX Prophage,” *Journal of Medical Microbiology* Vol. 55, No. Pt 2, February 2006, pp. 165–170.
- [90] Boonmar S., Bangtrakulnonth A., Pornrunangwong S., Terajima J., Watanabe H., Kaneko K., Ogawa M., “Epidemiological Analysis of *Salmonella* Enteritidis Isolates from Humans and Broiler Chickens in Thailand by Phage Typing and Pulsed-Field Gel Electrophoresis,” *Journal of Clinical Microbiology* Vol. 36, No. 4. April 1998, pp. 971–974.
- [91] Ta Y.T., Nguyen T.T., To P.B., Pham da X., Le H.T., Alali W.Q., Walls I., Lo Fo Wong D.M., Doyle M.P., “Prevalence of *Salmonella* on Chicken Carcasses from Retail Markets in Vietnam,” *Journal of Food Protection* Vol. 75, No. 10. October 2012, pp. 1851–1854.
- [92] Association of Southeast Asian Nations. ASEAN Economic Community blueprint, ASEANsecretariat. Indonesia, 2008.
- [93] Mirajkar N.S., Gebhart C.J., “Understanding the Molecular Epidemiology and Global Relationships of *Brachyspira Hyodysenteriae* from Swine Herds in the United States: A Multi-Locus Sequence Typing Approach,” *PLOS ONE* Vol. 9, No. 9. September 2014, pp. e107176.
- [94] Hunter P.R., Gaston M.A., “Numerical index of the discriminatory ability of typing system: an application of Simpson’s index of diversity,” *Journal of Clinical Microbiology*, Vol. 26, No. 11. Nov 1998, pp. 2465-2466.
- [95] Achtman M., Wain J., Weill F.X., Nair S., Zhou Z., Sangal V., Krauland M. G., Hale J.L., Harbottle H., Uesbeck A., Dougan G., Harrison L.H., Brisse S., the *S. enterica* MLST study group., “Multilocus Sequence Typing as a Replacement for Serotyping in *Salmonella* Enterica,” *PLoS Pathogens* Vol. 8, No. 6. 2012, pp. e1002776.

- [96] King S.J., Leigh J.A., Heath P.J., Luque I., Tarradas C., Dowson C.G., Whatmore A.M., "Development of a Multilocus Sequence Typing Scheme for the Pig Pathogen *Streptococcus Suis*: Identification of Virulent Clones and Potential Capsular Serotype Exchange," *Journal of Clinical Microbiology* Vol. 40, No. 10. October 2002, pp. 3671–3680.
- [97] Lee W.S., Hafeez A., Hassan H., Raja N.S., Puthuchery S.D., "Focal Non-Typhoidal *Salmonella* Infections from a Single Center in Malaysia," *The Southeast Asian Journal of Tropical Medicine and Public Health* Vol. 36, No. 3. May 2005, pp. 678–682.
- [98] Dahiya S., Kapil A., Kumar R., Das B.K., Sood S., Chaudhry R., Kabra S.K., Lodha R.K., "Multiple Locus Sequence Typing of *Salmonella Typhi*, Isolated in North India - a Preliminary Study," *The Indian Journal of Medical Research* Vol. 137, No. 5. May 2013, pp. 957–962.
- [99] Wolffs P.F.G, Kari G., Romain T., Mansel W.G., "Direct Quantitation and Detection of *Salmonellae* in Biological Samples without Enrichment, Using Two-Step Filtration and Real-Time PCR," *Applied and Environmental Microbiology* Vol.72, No. 6. June 2006, pp. 3896–3900.
- [100] Makwana P.P., Nayak J.B., Brahmhatt M.N., Chaudhary J. H., "Detection of *Salmonella Spp.* from Chevon, Mutton and Its Environment in Retail Meat Shops in Anand City (Gujarat), India," *Veterinary World* Vol. 8, No. 3. March 2015, pp. 388–392.
- [101] Threlfall E.J., "Antimicrobial Drug Resistance in *Salmonella*: Problems and Perspectives in Food- and Water-Borne Infections," *FEMS Microbiology Reviews* Vol. 26, No. 2. June 2002, pp. 141–148.
- [102] Su L.H., Chiu C.H., Chu C., Ou J.T., "Antimicrobial Resistance in Nontyphoid *Salmonella* Serotypes: A Global Challenge," *Clinical Infectious Diseases* Vol. 39, No. 4, August 2004, pp. 546–551.
- [103] Boonkhot P., Tadee P., Patchanee P., "Serodiversity and Antimicrobial Resistance Profiles of Detected *Salmonella* on Swine Production Chain in Chiang Mai and Lamphun, Thailand," *Acta Scientiae Veterinariae* Vol. 43, no.1, pp. e11263.

- [104] Van B.S., Dierick K., Van H.X., Uyttendaele M., Berkvens D., Herman L., Bertrand S., Wildemaueg C., Catry B., Butaye P., Imberechts H., “Comparison of Antimicrobial Resistance Patterns and Phage Types of Salmonella Typhimurium Isolated from Pigs, Pork and Humans in Belgium between 2001 and 2006,” *Food Research International, Salmonella in Foods: Evolution, Strategies and Challenges* Vol.45, No. 2. March 2012, pp. 913–918.
- [105] Ziech R.E., Lampugnani C., Perin A.P., Sereno M.J., Sfaciotte R.A., Viana C., Soares V.M., Pinto J.P., Bersot L.S., “Multidrug Resistance and ESBL-Producing Salmonella Spp. Isolated from Broiler Processing Plants,” *Brazilian Journal of Microbiology* Vol. 47, No. 1. March 2016, pp. 191–195.
- [106] Ryan E.T., “Troubling News from Asia about Treating Enteric Fever: A Coming Storm,” *The Lancet Infectious Diseases* Vol. 16, No. 5. May 2016, pp. 508–509
- [107] Bradley P., Gordon N.C., Walker T.M., Dunn L., Heys S., Huang B., Earle S., Pankhurst L.J., Anson L., de Cesare M., Piazza P., Votintseva A.A., Golubchik T., Wilson D.J., Wyllie D.H., Diel R., Niemann S., Feuerriegel S., Kohl T.A., Ismail N., Omar S.V., Smith E.G., Buck D., McVean G., Walker A.S., Peto T.E., Crook D.W., Iqbal Z., “Rapid Antibiotic-Resistance Predictions from Genome Sequence Data for Staphylococcus Aureus and Mycobacterium Tuberculosis,” *Nature Communications* Vol. 6 No. 0. December 2015, pp. 10063.
- [108] Gordona N.C., Priceb J.R., Coleb K., Everittc R., Morgand M., Finneya J., Kearns A.M., Pichone B., Younga B., Wilsona D.J., Llewelyn M.J., Paulf J., Petoa T.E.A., Crooka D.W., Walkera A.S., Golubchika T., “Prediction of Staphylococcus Aureus Antimicrobial Resistance by Whole-Genome Sequencing,” *Journal of Clinical Microbiology* Vol. 52, No. 4. April 2014, pp. 1182–1191.
- [109] Tyson G.H., McDermott P.F., Li C., Chen Y., Tadesse D.A., Mukherjee S., Bodeis-Jones S., Kabera C., Gaines S.A., Loneragan G.H., Edrington T.S., Torrence M., Harhay D.M., Zhao S., “WGS Accurately Predicts Antimicrobial Resistance in Escherichia Coli,” *Journal of Antimicrobial Chemotherapy* Vol. 70, No. 10. October 2015, pp. 2763–2769.

- [110] Joseph B., Otta S. K., Karunasagar I., Karunasagar I. "Biofilm Formation by Salmonella Spp. on Food Contact Surfaces and Their Sensitivity to Sanitizers," *International Journal of Food Microbiology* Vol. 64, No. 3, March 2001, pp. 367–372.
- [111] Chmielewski R.A.N., Frank J.F., "Biofilm Formation and Control in Food Processing Facilities," *Comprehensive Reviews in Food Science and Food Safety* Vol. 2, No. 1. January 2003, pp. 22–32.
- [112] Van H.R., Michiels C.W., "Biofilm Formation and the Food Industry, a Focus on the Bacterial Outer Surface," *Journal of Applied Microbiology* Vol. 109, No. 4. October 2010, pp. 1117–1131.
- [113] Pascoe B., Méric G., Murray S., Yahara K., Mageiros L., Bowen R., Jones N.H., Jeeves R.E., Lappin-Scott H.M., Asakura H., Sheppard S.K., "Enhanced Biofilm Formation and Multi-Host Transmission Evolve from Divergent Genetic Backgrounds in *Campylobacter Jejuni*," *Environmental Microbiology* Vol. 17, No. 11, November 2015, pp. 4779–4789.
- [114] Silva G.J.D., Mendonça N., "Association between Antimicrobial Resistance and Virulence in *Escherichia Coli*," *Virulence* Vol. 3, No. 1 January 2012, pp. 18–28.
- [115] Beceiro A., Tomás M., Bou G., "Antimicrobial Resistance and Virulence: A Successful or Deleterious Association in the Bacterial World?" *Clinical Microbiology Reviews* Vol 26, No. 2. April 2013, pp. 185–230.
- [116] Pui C.F., Wong W.C., Chai L.C., Lee H.Y., Tang J.Y.H., Noorlis A., Farinazleen M.G., Cheah Y.K., Son R., "Biofilm Formation by *Salmonella Typhi* and *Salmonella Typhimurium* on Plastic Cutting Board and Its Transfer to Dragon Fruit," *International Food Research Journal* Vol. 18, No. 1. 2011, pp. 31–38.
- [117] Köser C.U., Ellington M.J., Peacock S.J., "Whole-Genome Sequencing to Control Antimicrobial Resistance," *Trends in Genetics* Vol. 30, No. 9. September 2014, pp. 401–407.
- [118] Corvin A., Craddock N., Sullivan, P. F. "Genome-Wide Association Studies: A Primer," *Psychological Medicine* Vol. 40, No. 7. July 2010, pp.1063–1077.

- [119] McArthur A.G., Waglehner N., Nizam F., Yan A., Azad M.A., Baylay A.J., Bhullar K., Canova M.J., De Pascale G., Ejim L., Kalan L., King A.M., Koteva K., Morar M., Mulvey M.R., O'Brien J.S., Pawlowski A.C., Piddock L.J., Spanogiannopoulos P., Sutherland A.D., Tang I., Taylor P.L., Thaker M., Wang W., Yan M., Yu T., Wright G.D., "The Comprehensive Antibiotic Resistance Database," *Antimicrobial Agents and Chemotherapy* Vol. 57, No. 7. July 2013, pp. 3348–3357.
- [120] Read T.D., Massey R.C., "Characterizing the Genetic Basis of Bacterial Phenotypes Using Genome-Wide Association Studies: A New Direction for Bacteriology," *Genome Medicine* Vol. 6, No. 11, November 2014, pp. 109.
- [121] Earle S.G., Wu C.H., Charlesworth J., Stoesser N., Gordon N.C., Walker T.M., Spencer C.C.A., Iqbal Z., Clifton D.A., Hopkins K.L., Woodford N., E. Smith G., Ismail N., Llewelyn M.J., Peto T.E., Crook D.W., McVean G., Walker A.S., Wilson D.J., "Identifying Lineage Effects When Controlling for Population Structure Improves Power in Bacterial Association Studies," October 2015.
- [122] Falush D., Bowden R., "Genome-Wide Association Mapping in Bacteria?" *Trends in Microbiology* Vol. 14, No. 8. August 2006, pp. 353–355.
- [123] Bankevich A., Nurk S., Antipov D., Gurevich A.A., Dvorkin M., Kulikov A.S., Lesin V.M., Nikolenko S.I., Pham S., Prjibelski A.D., Pyshkin A.V., Sirotkin A.V., Vyahhi N., Tesler G., Alekseyev M.A., Pevzner P.A., "SPAdes: A New Genome Assembly Algorithm and Its Applications to Single-Cell Sequencing," *Journal of Computational Biology* Vol.19, No. 5. April 2012, pp. 455–477.
- [124] Jolley K.A., Maiden M.C., "BIGSdb: Scalable Analysis of Bacterial Genome Variation at the Population Level," *BMC Bioinformatics* Vol. 11, No. 0. 2010, pp. 595.
- [125] Méric G., Yahara K., Mageiros L., Pascoe B., Maiden M. C. J., Jolley K. A., Sheppard S. K., "A Reference Pan-Genome Approach to Comparative Bacterial Genomics: Identification of Novel Epidemiological Markers in Pathogenic *Campylobacter*," *PLOS ONE* Vol. 9, No. 3. March 2014, pp. e92798.



- [126] Swanenburg M., Urlings H.A., Snijders J.M., Keuzenkamp D.A., Knapen van F., “Salmonella in Slaughter Pigs: Prevalence, Serotypes and Critical Control Points during Slaughter in Two Slaughterhouses,” *International Journal of Food Microbiology* Vol. 70, No. 3. November 2001, pp. 243–254.
- [127] Li Y., Cai Y., Tao J., Kang X., Jiao Y., Guo R., Wang G., Pan Z., Jiao X., “Salmonella Isolated from the Slaughterhouses and Correlation with Pork Contamination in Free Market,” *Food Control* Vol. 59. No. 0. January 2016, pp. 591–600.
- [128] Alberts ., Alexander J., Julian L., Martin R., Keith R., Peter W., “The Molecular Genetic Mechanisms That Create Specialized Cell Types,” 4<sup>th</sup> ed, In *Molecular Biology of the Cell*, New York, Garland Science, 2002.
- [129] Beloin C., Ghigo J.M., “Finding Gene-Expression Patterns in Bacterial Biofilms,” *Trends in Microbiology* Vol. 13, No. 1. January 2005, pp. 16–19.
- [130] Niba E.T. E., Naka Y., Nagase M., Mori H., Kitakawa M., “A Genome-Wide Approach to Identify the Genes Involved in Biofilm Formation in *E. Coli*,” *DNA Research: An International Journal for Rapid Publication of Reports on Genes and Genomes* Vol. 14, No. 6. 2007, pp. 237–246.
- [131] Foley S.L., Zhao S., Walker R.D., “Comparison of Molecular Typing Methods for the Differentiation of Salmonella Foodborne Pathogens,” *Foodborne Pathogens and Disease* Vol. 4, No. 3. 2007, pp. 253–276.
- [132] Robilotti E., Kamboj M., “Integration of Whole-Genome Sequencing into Infection Control Practices: The Potential and the Hurdles,” *Journal of Clinical Microbiology* Vol. 53, No. 4. April 2015, pp. 1054–1055.

Copyright © by Chiang Mai University  
All rights reserved

## LIST OF PUBLICATION

1. Kumpapong K, Sinthuya D, Tadee P, **Boonkhot P** , Patchanee P, “Risk factor for the herd level of *Salmonella* in swine production, northern Thailand,” 52<sup>nd</sup> Kasetsart university annual conference, 2014, Page No.193-201.
2. Rungrudeesombatkit R, Sukroongruang P, Choksajjawatee N, Pornaem S, Santiyanont P, **Boonkhot P**, Tadee P, Patchanee P. Repetitive Sequence-Based PCR (rep-PCR) technique in differentiation of *Salmonella* serotype Rissen and Typhimurium from swine farm of northern Thailand. 52<sup>nd</sup> Kasetsart university annual conference, 2014, Page No. 202-210.
3. Tadee P, **Boonkhot P**, Kumpapong K, Patchanee P, “Prevalence and contamination level of *Salmonella* in slaughtering processes in Chiang Mai and Lamphun,” 52<sup>nd</sup> Kasetsart university annual conference, 2014, Page No. 211-221.
4. Kumpapong K, Sinthuya D, Tadee P, **Boonkhot P** , Patchanee P, “Serotypes and Antimicrobial Resistance of *Salmonella* spp.from Swine Breeder in Chiang Mai-Lamphun Infectious disease,” Thai Journal of Animal Science, Vol.1 No.2. 2014, Page No. 139-142.
5. Tadee P, **Boonkhot P**, Patchanee P, “Quantification and expected numbers of *Salmonella* spp. in Slaughter pigs in Chiang Mai and Lamphun, Thailand,” Japanese journal of Veterinary Reserch. Vol. 62 No. 4. October, 2014.
6. Tadee P, **Boonkhot P**, Pornreuangwong S, Patchanee P, “Comparative phenotypic and genotypic characterization of *Salmonella* spp. in pig production and processing in two provinces in Thailand,” PLOS ONE. Vol.10 No.2. Feb 2015.
7. **Boonkhot P**., Tadee P., “Serodiversity and Antimicrobial Resistance Profiles of Detected *Salmonella* on Swine Production Chain in Chiang Mai and Lamphun, Thailand,” Acta Scientiae Veterinariae Vol. 43, no.1, pp. e11263.
8. **Boonkhot P**., Pakpoom T., Panuwat Y., Chairroj P., Nipa C., Prapas P., “Class 1 Integrons Characterization and Multilocus Sequence Typing of *Salmonella* Spp. from Swine Production Chains in Chiang Mai and Lamphun Provinces, Thailand,” The Japanese Journal of Veterinary Research Vol. 63, No. 2. May 2015, pp. 83–94.

9. Patchanee P., **Boonkhot P.**, Kittiwat, N., Tadee P., Chotinun S., “Dissemination of salmonella enterica sequence types among asean economic community countries,” Southeast Asian Journal of Tropical Medicine and Public Health Vol. 46, No.4, Jul 2015, pp.707



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved