

REFERENCES

- Adenan N.S., Yusoff F.M. and Shariff M. Effect of salinity and temperature on the growth of diatoms and green algae. *Journal of Fisheries and Aquatic Science*. 2013. 8(2):397. ISSN 1816-4927.
- Alakananda B., Mahesh M. and Ramachandra T. Role of environmental variables in diatom distribution in urban wetlands of Peninsular India. *Diatom*. 2013. 29:1-11.
- Ali M., Abdus S., Saima J. and Zahra T. Studies on biodiversity in relation to seasonal variations in water of river. Institute of Pure and Applied Biology. Bahauddin Zakariya University. Multan. Pakistan. *Pakistan Journal of Biological Sciences*. 2003. 6(21):1840-1844.
- Anderson N.J. Miniview: diatoms, temperature and climatic change. *European Journal of Phycology*. 2000. 35(4):307-314. ISSN 0967-0262.
- Atazadeh I., Kelly M., Sharifi M. and Beardall J. The effects of copper and zinc on biomass and taxonomic composition of algal periphyton communities from the River Gharasou, Western Iran. *Oceanological and Hydrobiological Studies*. 2009. 38(3):3-14. ISSN 1897-3191.
- Atlas R.M. and Bartha R. *Microbial ecology* (2nd ed.). The Benjamin publishing company, Menlo park, California. 1987.
- Aw M.S., Simovic S., Addai-Mensah J. and Losic D. Silica microcapsules from diatoms as new carrier for delivery of therapeutics. *Nanomedicine*. 2011. 6(7):1159-1173. ISSN 1743-5889.
- Barber H.G. and Haworth E.Y. *A guide to the morphology of the diatom frustule: with a key to the British freshwater genera*. Freshwater Biological Association. 1981. ISBN 0900386428.

Barbosa M.J., Hoogakker J. and Wijffels R.H. Optimisation of cultivation parameters in photobioreactors for microalgae cultivation using the A-stat technique. *Biomolecular Engineering*. 2003. 20(4):115-123. ISSN 1389-0344.

Bartual A. and Gálvez J. Growth and biochemical composition of the diatom *Phaeodactylum tricornutum* at different pH and inorganic carbon levels under saturating and subsaturating light regimes. *Botanica Marina*. 2002. 45(6):491-501. ISSN 0006-8055.

Beal C.M., Hebner R.E., Romanovicz D., Mayer C.C. and Connelly R. Progression of lipid profile and cell structure in a research-scale production pathway for algal biocrude. *Renewable Energy*. 2013. 50:86-93. ISSN 0960-1481.

Belkova N.L., Tazaki K., Zakharova J.R. and Parfenova V.V. Activity of bacteria in water of hot springs from southern and central Kamchatskaya geothermal provinces, Kamchatka Peninsula. Russia. *Microbial Research*. 2007. 162:99–107.

Berard A., Dorigo U., Humbert J.F. and Leboulanger C. Application of the Pollution-Induced Community Tolerance (PICT) method to algal communities: its values as a diagnostic tool for ecotoxicological risk assessment in the aquatic environment. *Annales de Limnologie*. 2002. p. 247-261.

Bere T. and Tundisi J. G. Influence of land-use patterns on benthic diatom communities and water quality in the tropical Monjolinho hydrological basin. São Carlos-SP. Brazil. *Water SA*. 2011. 37: 93–102.

Bergstrom C., McKeel C. and Patel S. Effects of pH on algal abundance: A model of Bay Harbor. Michigan. 2007.

Bischoff H.W. and Bold H.C. Some soil algae from Enchanted Rock and related algal species. University of Texas. 1963.

Blank C.E., Cady S.L. and Pace N.R. Microbial composition of near-boiling silica-depositing thermal springs throughout Yellowstone National Park. *Applied Environmental Microbiology*. 2002. 68:5123–5135.

Blinn D.W. Diatom community structure along physicochemical gradients in saline lakes. *Ecology*. 1993. 74(4):1246-1263. ISSN 1939-9170.

Bonch-Osmolovskaya E.A., Miroshnichenko M.L., Slobodkin A.I., Sokolova T.G., Karpov G.A., Kostrikina N.A. *et al.* Biodiversity of anaerobic lithotrophic prokaryotes in terrestrial hot springs of Kamchatka. *Microbiology*. 1999. 68: 343–351.

Bortolotti F., Tagliaro F. and Manetto G. Objective diagnosis of drowning by “the diatom test”- A Critical Review. *Forensic Science Review*. 2004. 16(2):135-148. ISSN 1042-7201.

Bradbury P., Cumming B. and Laird K. A 1500-year record of climatic and environmental change in Elk Lake. Minnesota III: measures of past primary productivity. *Journal of Paleolimnol*. 2002. 27:321–340.

Cameron N. The use of diatom analysis in forensic geoscience. *Geological Society*. London. Special Publications. 2004. 232(1):277-280. ISSN 0305-8719.

Cantonati M., Corradini G., Jüttner I. and Cox E.J. Diatom assemblages in high mountain streams of the Alps and the Himalaya. *Beiheft zur Nova Hedwigia*. 2001. 123:37-61.

Cantonati M., Gerecke R. and Bertuzzi E. Springs of the alps—sensitive ecosystems to environmental change: from biodiversity assessments to long-term studies. *Hydrobiologia*. 2006. 562(1):59-96. ISSN 0018-8158.

Cantonati M. and Spitale D. The role of environmental variables in structuring epiphytic and epilithic diatom assemblages in springs and streams of the Dolomiti Bellunesi National Park (south-eastern Alps). *Fundamental and Applied Limnology/Archiv für Hydrobiologie*. 2009. 174(2):117-133. ISSN 1863-9135.

Castenholz R. Ecology of blue-green algae in hot springs. *Botanical Monographs*. 1973. ISSN 0068-0389.

Cequier-Sánchez E., Rodríguez C., Ravelo A.G. and Zárate R. Dichloromethane as a solvent for lipid extraction and assessment of lipid classes and fatty acids from samples

of different natures. *Journal of Agricultural and Food Chemistry*. 2008. 56(12):4297-4303. ISSN 0021-8561.

Chonglakmanee C., Bunnopas S., Charoenpravat A., Nakinbodee V., Nakornsri N., Dhreeradilok P. *et al.* (eds.). 1983. Geological Map of Thailand, Scale 1:1,000,000. Geological Survey Division. Royal Thai Department of Mineral Resources. Bangkok.

Chapman D. *The algae*. Springer. 1973. ISBN 1349279102.

Chen G.Q., Jiang Y. and Chen F. Fatty acid and lipid class composition of the eicosapentaenoic acid-producing microalga, *Nitzschia laevis*. *Food Chemistry*. 2007. 104(4):1580-1585. ISSN 0308-8146.

Chen Y.C. The biomass and total lipid content and composition of twelve species of marine diatoms cultured under various environments. *Food Chemistry*. 2012. 131(1):211-219. ISSN 0308-8146.

Chiovitti A., Bacic A., Burke J. and Wetherbee R. Heterogeneous xylose-rich glycans are associated with extracellular glycoproteins from the biofouling diatom *Craspedostaurus australis* (Bacillariophyceae). *European Journal of Phycology*. 2003. 38(4):351-360. ISSN 0967-0262.

Chisti Y. Biodiesel from microalgae beats bioethanol. *Trends in Biotechnology*. 2008. 26(3):126-131. ISSN 0167-7799.

Chuamuangphan N. The potential of hot springs in the west of Thailand for health tourism and sustainability. *Economic and Social Development: Book of Proceedings*. 2015. p. 54.

Chuecas L. and Riley J. Component fatty acids of the total lipids of some marine phytoplankton. *Journal of the Marine Biological Association of the United Kingdom*. 1969. 49(1):97-116. ISSN 1469-7769.

Cleve P.T. and Grunow A. Beiträge zur Kenntniss der arctischen Diatomeen. Kongl. Boktryckeriet. 1880.

Cocquyt C. and Van de Vijver B. La Calera: Diatom composition of a Peruvian hot spring in the Colca Canyon. Proceedings of the 1st Central European diatom meeting. 2007. p. 31-33.

Cole J.K., Peacock J.P., Dodsworth J.A., Williams A.J., Thompson D.B., Dong H. *et al.* Sediment microbial communities in Great Boiling Spring are controlled by temperature and distinct from water communities. The ISME Journal: doi:10.1038/ismej.2012.1157. 2012.

Costa K.C., Navarro J.B., Shock E.L., Zhang C.L., Soukup D. and Hedlund B.P. Microbiology and geochemistry of great boiling and mud hot springs in the United States Great Basin. Extremophiles. 2009. 13:447–459.

Covarrubias Y., Cantoral-Uriz E.A., Casas-Flores J.S. and García-Mezaa J.V. Thermophile mats of microalgae growing on the woody structure of a cooling tower of a thermoelectric power plant in central Mexico. Revista Mexicana de Biodiversidad. 2016. 87(2):277-287. ISSN 1870-3453.

Cox A., Shock E.L. and Havig J.R. The transition to microbial photosynthesis in hot spring ecosystems. Chemical Geology. 2011. 280:344–351.

Cox S.C., Menzies C.D., Sutherland R., Denys P.H., Chamberlain C., Teagle D.A.H. Changes in hot spring temperature and hydrogeology of the alpine fault hanging wall, New Zealand, induced by distal south island earthquakes. Geofluids. 2015. 15(1-2):216-239. ISSN 1468-8123.

Cravotta C.A. Size and performance of anoxic limestone drains to neutralize acidic mine drainage. Journal of Environmental Quality. 2003. 32(4):1277-1289. ISSN 1537-2537.

Dallas H. Water temperature and riverine ecosystems: an overview of knowledge and approaches for assessing biotic responses, with special reference to south Africa. Water SA. 2008. 34(3):393-404. ISSN 0378-4738.

Dash A., Panda S.S., Palita S.K., Patra H.K. and Dhal N.K. Spatial and temporal variation of phytoplankton in hot spring of Atri, Odisha, India. Current Botany. 2013. 3(5). ISSN 2220-4822.

Dedić A., Plenković-Moraj A., Borojević K.K. and Hafner D. The first report on periphytic diatoms on artificial and natural substrate in the karstic spring bunica, Bosnia and Herzegovina. *Acta botanica Croatia*. 2015. 74(2):393-406. ISSN 0365-0588.

Delgado C., Ector L., Novais M., Blanco S., Hoffmann L. and Pardo I. Epilithic diatoms of springs and spring-fed streams in Majorca Island (Spain) with the description of a new diatom species *Cymbopleura margalefii* sp. nov. *Fottea*. 2013. 13: 87–104.

Dell'uomo A. Diatoms and other algae from the thermal-sulfur springs of Triponto (central Italy). *Algological studies/archiv für hydrobiologie*, Supplement volume. 1986. p. 79-91.

Denicola D.M. A review of diatoms found in highly acidic environments. *Hydrobiologia*. 2000. 433(1-3):111-122. ISSN 0018-8158.

Dobson M. and Frid C. *Ecology of aquatic systems*. Oxford university press. 2008. ISBN 0199297541.

Dodsworth J.A., Hungate B.A. and Hedlund B.P. Ammonia oxidation, denitrification and dissimilatory nitrate reduction to ammonium in two US Great Basin hot springs with abundant ammonia-oxidizing archaea. *Environmental Microbiology*. 2011. 13:2371–2386.

Dubinsky Z. and Rotem J. Relations between algal populations and the pH of their media. *Oecologia*. 1974. 16(1):53-60. ISSN 0029-8549.

Eaton A.D., Clesari L.S., Rice E.W., Greemberg A.E. and Franson M.A.H. *Standard methods for the Examination of Water and Wastewater*. 21st edition American Public Health Assosiation (APHA), Washington DC. 2005.

Everroad R.C., Otaki H., Matsuura K. and Haruta S. Diversification of bacterial community composition along a temperature gradient at a thermal spring. *Microbes and Environments*. 2012. 27: 374–381.

Foged N. and Cramer J. *Freshwater diatoms in Iceland*. 1974. ISBN 3768209385.

Foged N. *Freshwater diatoms in Ireland*. Bibliography. Phycology. 1977.

Foged N. and Cramer J. *Diatoms in New Zealand, the north island*. 1979. ISBN 376821253x.

Gesierich D. and Kofler W. Epilithic diatoms from rheocrene springs in the eastern Alps (Vorarlberg, Austria). *Diatom Research*. 2010. 25(1):43-66. ISSN 0269-249x.

Geothermica Italiana Slr. Geothermal reconnaissance survey of northern Thailand: UNDP final report. Project no. Tha/002/1982. Pisa. 1984.

Goldman C.R. and Horne A.J. Limnology. In: (Ed.). *Limnology*: MacGraw-Hill. 1983.

Glazier D.S. Springs as model systems for ecology and evolutionary biology: a case study of *Gammarus minus* Say (Amphipoda) in mid-Appalachian springs differing in pH and ionic content. In: Botosaneanu. L. (ed.). *Studies in Crenobiology: The Biology of Springs and Springbrooks*. 1998. 49–62.

Graham J.M., Graham L.E., Zulkifly S.B., Pfleger B.F., Hoover S.W. and Yoshitani J. Freshwater diatoms as a source of lipids for biofuels. *Journal of Phycology*. 2011. p. 27.

Grouneva I., Muth-Pawlak D., Battchikova N. and Aro E.M. Changes in relative thylakoid protein abundance induced by fluctuating light in the diatom *Thalassiosira pseudonana*. *Journal of Proteome Research*. 2016. 15(5):1649-1658. ISSN 1535-3893.

Gu X., Li K., Pang K., Ma Y. and Wang X. Effects of pH on the growth and NH₄-N uptake of *Skeletonema costatum* and *Nitzschia closterium*. *Marine Pollution Bulletin*. 2017. ISSN 0025-326X.

Gumerov V.M., Mardanov A.V., Beletsky A.V., Bonch-Osmolovskaya E.A. and Ravin N.V. Molecular analysis of microbial diversity in the Zavarzin Spring, Uzon Caldera. Kamchatka. *Microbiology*. 2011. 80:244–251.

Guschina I.A. and Harwood J.L. Lipids and lipid metabolism in eukaryotic algae. *Progress in Lipid Research*. 2006. 45(2):160-186. ISSN 0163-7827.

Hall J.R., Mitchell K.R., Jackson-Weaver. O., Kooser A.S., Cron B.R., Crossey L.J., *et al.* Molecular characterization of the diversity and distribution of a thermal spring microbial community by using rRNA and metabolic genes. *Applied Environmental Microbiology*. 2008. 74:4910–4922.

Hamed A. Biodiversity and distribution of blue-green algae/cyanobacteria and diatoms in some of the Egyptian water habitats in relation to conductivity. *Australian Journal of Basic and Applied Sciences*. 2008. 2(1):1-21.

Han F., Wang W., Li Y., Shen G., Wan M. and Wang J. Changes of biomass, lipid content and fatty acids composition under a light–dark cyclic culture of *Chlorella pyrenoidosa* in response to different temperature. *Bioresource Technology*. 2013. 132:182-189. ISSN 0960-8524.

Hildebrand M., Davis A.K., Smith S.R., Traller J.C. and Abbriano R. The place of diatoms in the biofuels industry. *Biofuels*. 2012. 3(2):221-240. ISSN 1759-7269.

Hill M.O., Bunce R.G.H. and Shaw M.W. Indicator species analysis, a divisive polythetic method of classification, and its application to a survey of native pinewoods in Scotland. *Journal of Ecology*. 1975. 63:597-613.

Hobba W.A. Hydrology and geochemistry of thermal springs of the Appalachians. US government printing office. 1979.

Hobbs W.O., Wolfe A.P., Inskeep W.P., Amskold L. and Konhauser K.O. Epipelagic diatoms from an extreme acid environment: Beowulf spring, Yellowstone national park, USA. *Nova Hedwigia*. 2009. 135:71-83.

Hobel C.F.V., Marteinsson V.T., Hreggvidsson G.O. and Kristjansson J.K. Investigation of the microbial ecology of intertidal hot springs by using diversity analysis of 16S rRNA and chitinase genes. *Applied Environmental Microbiology*. 2005. 71:2771–2776.

Hu Q., Sommerfeld M., Jarvis E., Ghirardi M., Posewitz M., Seibert M. and Darzins A. Microalgal triacylglycerols as feedstocks for biofuel production: perspectives and advances. *The Plant Journal*. 2008. 54(4):621-639. ISSN 1365-313X.

Hu Q., Zhang C. and Sommerfeld M. Biodiesel from algae: lessons learned over the past 60 years and future perspectives. *Journal of Phycology*. 2006. p. 12.

Hynes H. The ecology of stream insects. *Annual Review of Entomology*. 1970. 15(1):25-42. ISSN 0066-4170.

Inthasotti T. Seasonal distribution of macroalgae and benthic diatoms in Mae Tang river. Wiang Haeng District. Chiang Mai Province between March 2004 - January 2005. Independent study for Master Degree. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2006a.

Inthasotti T. Diversity of macroalgae and benthic diatoms in kham watershed. Chiang Rai Province. M.S. thesis. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2006b.

Jana B., Pal D. and Sarkar H. Spatial distribution of the biotic community in the thermal gradients of the two hot springs. *Clean-soil, air, water*. 1982. 10:101-108. ISSN 1521-401x.

Jiang H.C., Huang Q.Y., Dong H.L., Wang P., Wang F.P., Li W., et al. RNA-Based Investigation of Ammonia-Oxidizing Archaea in Hot Springs of Yunnan Province, China. *Applied Environmental Microbiology*. 2010. 76:4538–4541.

Jonker C., Van G.C. and Olivier J. Association between physical and geochemical characteristics of thermal springs and algal diversity in Limpopo province, South Africa. *Water SA*. 2013a. 39(1):95-103. ISSN 1816-7950.

Jonker C., Van G.C. and Olivier J. Association between physical and geochemical characteristics of thermal springs and algal diversity in Limpopo province, South Africa. *Water SA*. 2013b. 39(1):95-104. ISSN 0378-4738.

Johansen J.R., Barclay W.R. and Nagle N. Physiological variability within ten strains of *Chaetoceros muelleri* (Bacillariophyceae). *Journal of Phycology*. 1990. 26(2):271-278. ISSN 1529-8817.

Jüttner I., Rothfritz H. and Ormerod S.J. Diatoms as indicators of river quality in the Nepalese Middle Hills with consideration of the effects of habitat-specific sampling. Freshwater Biology. 1996. 36:475-486.

Jüttner I., Rothfritz H. and Ormerod S.J. Diatom communities in Himalayan streams. In: Ecohydrology of High Mountain areas. In: Proceedings of the International conference on Ecohydrology of High Mountain Areas. (S. R. Chalise *et al.* eds.) March 23-28. Kathmandu. Nepal. 1998.

Jüttner I., Chimonides J. and Cox E.J. Morphology, ecology and biogeography of diatom species related to *Achnanthidium pyrenaicum* (Hustedt) Kobayashi (Bacillariophyceae) in streams of the Indian and Nepalese Himalaya. Algological studies. 2011. 136(1):45-76. ISSN 1864-1318.

Kaiser H.F. A note on Guttman's lower bound for the number of common factors. British Journal of Mathematical and Statistical Psychology. 1961. 14(1):1-2. ISSN 2044-8317.

Kanokratana P., Chanapan S., Pootanakit K. and Eurwilaichitr L. Diversity and abundance of bacteria and Archaea in the Bor Khlueng hot spring in Thailand. Journal of Basic Microbiology. 2004. 44:430–444.

Kelly M. and Haworth E. *Bacillariophyta-the diatoms*. The freshwater algal flora of the British Isles. 2002. p. 273-277.

Kent L.E. The thermal waters of the Union of South Africa and South West Africa. Transactions of The Geological Society of South Africa. 1949. 52:231–264.

Kimura K. and Tomaru Y. A unique method for culturing diatoms on agar plates. Plankton and Benthos Research. 2013. 8(1):46-48. ISSN 1880-8247.

Kleinschmidt M. and McMahon V.A. Effect of growth temperature on the lipid composition of *Cyanidium caldarium* I. Class separation of lipids. Plant Physiology. 1970. 46(2):286-289. ISSN 1532-2548.

Knothe G. “Designer” biodiesel: optimizing fatty ester composition to improve fuel properties. Energy & Fuels. 2008. 22:1358–1364.

Kobayashi T. Diatom vegetation of Izu Katase, Yatsu and Yugashima spas. Botanical magazine. Tokyo. 1957. 70:69-74.

Kochasany N. *Fresh Water Ecology Manual*. Chulalongkorn University Press. Bangkok. 1993.

Kociolek J. Freshwater diatom biogeography. *Nova Hedwigia*. 2000. 71:223-241.

Kókai Z., Bácsi I., Török P., Buczkó K., T-Krasznai E., Balogh C., et al. Halophilic diatom taxa are sensitive indicators of even short term changes in lowland lotic systems. *Acta Botanica Croatia*. 2015. 74(2):287-302. ISSN 0365-0588.

Kollár J., Fránková M., Hašler P., Letáková M. and Poulí Čková A. Epiphytic diatoms in lotic and lentic waters - diversity and representation of species complexes. *Fottea*. 2015. 15: 259–271.

Krammer K. and Cramer J. *Die Cymbelloiden diatomeen*, Teil 1. Allemeines und *Encyonema* part. Berlin Stuttgart. 1997a.

Krammer K. and Cramer J. *Die Cymbelloiden diatomeen*. Teil 2. *Encyonema* part. *Encyonopsis* and *Cymbellopsis*. *Bibliotheca diatomologica*. 1997b. 37:1-469.

Krammer K., Cramer J., Gantner A.R.G. and Verlag K.G. *Diatoms of Europe*. Vol. 1. Diatoms of the European inland waters and comparable habitats. The genus *Pinnularia*. Ruggell Liechtenstein. 2000.

Krammer K., Cramer J., Gantner A.R.G. and Verlag K.G. *Diatoms of Europe*. Vol. 4. *Cymbopleura, Delicata, Navicymbula*. Liechtenstein. 2003.

Krammer K. and Lange-Bertalot H. *Diatoms of Europe*. Vol. 3. *Cymbella*. Ruggell Germany. 2002.

Krammer K. and Lange-Bertalot H. *Bacillariophyceae*. Teil 1. *Naviculaceae*. In: Ettl E., Gerloff J. and Heyning H. (Eds.). *Süßwasserflora von Mitteleuropa*. Gustav Fischer Verlag. 876 pls. Stuttgart. 1986.

Krammer K. and Lange-Bertalot H. *Bacillariophyceae*. Teil 2. Epithemiaceae, Surirellaceae. Süßwasserflora von Mitteleuropa. Bd. 2. berg. Von A. Pascher. Gustav Fisher Verlag, Stuttgart. 1988.

Krammer K. and Lange-Bertalot H. *Bacillariophyceae*. Teil 3. Centrales, Fragilariaeae, Eunotiaceae. Süßwasserflora von Mitteleuropa. Bd. 2. berg. Von A., Gustav P., Fisher V. Stuttgart. 1991a.

Krammer K. and Lange-Bertalot H. *Bacillariophyceae*. Teil 4. Achnanthaceae. Kritische Ergänzung zu Navicula. Süßwasserflora von Mitteleuropa. Bd. 2. berg. Von A., Gustav P., Fisher V. Stuttgart. 1991b.

Krammer K. and Lange-Bertalot H. *Bacillariophyceae*. Teil 4. Naviculaceae. Gerloff, H.J., Heynig H. and Mollenhauer D. (Eds.) Süßwasserflora von Mitteleuropa. Bd 2/4. Gustav P., Fisher V. 1991. p. 437.

Krebs J.R. and Davies N.B. Behavioural ecology: an evolutionary approach. John Wiley and Sons. 2009. ISBN 1444313622.

Kristiansen J. Dispersal of freshwater algae - a review. In: (Ed.). Biogeography of Freshwater Algae: Springer. 1996. p.151-157. ISBN 9048147565.

Kruse F. Characterization of active hot-springs environments using multispectral and hyperspectral remote sensing. Applied geologic remote sensing international conference. 1997. p. I-214.

Krzemińska I. Pawlik-Skowrońska B. Trzcińska M. and Tys J. Influence of photoperiods on the growth rate and biomass productivity of green microalgae. Bioprocess and Biosystems Engineering. 2014. 37:735–741.

Kubo K., Knittel K., Amann R., Fukui M. and Matsuura K. Sulfur-metabolizing bacterial populations in microbial mats of the Nakabusa hot spring. Japan. Systematic and Applied Microbiology. 2011. 34:293–302.

Kumar M.S., Ramesh A. and Nagalingam B. An experimental comparison of methods to use methanol and Jatropha oil in a compression ignition engine. *Biomass and Bioenergy*. 2003. 25(3):309-318. ISSN 0961-9534.

Kunpradid T. Diversity of macroalgae and benthic diatoms and their relationships with nutrient compounds in the Ping and Nan rivers. Ph.D. Thesis. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2005.

Lamberti G. The role of periphyton in benthic food webs. *Algal ecology: freshwater benthic ecosystems*. 1996. 72:533-550.

Lange-Bertalot H. *Navicula* sensu stricto. 10 genera separated from *Navicula* sensu lato, *Frustulia*. Diatoms of Europe. 2001. 2:1-526.

Lange-Bertalot H. and Krammer K. *Achnanthes*. eine Monographie der Gattung. 1989.

Lardon L., Helias A., Sialve B., Steyer J.P. and Bernard O. Life-cycle assessment of biodiesel production from microalgae. *Environmental Science and Technology*. 2009. 43(17):6475-6481. ISSN 0013-936X.

Lau C.Y., Hongmei J., Aitchison J.C. and Pointing S.B. Highly diverse community structure in a remote central Tibetan geothermal spring does not display monotonic variation to thermal stress. *FEMS Microbiology Ecology*. 2006. 57: 80–91.

Lavens P. and Sorgeloos P. Manual on the production and use of live food for aquaculture. Food and Agriculture Organization (FAO). 1996. ISBN 9251039348.

Leavitt P., Findlay D.L., Hall R.I. and Smol J.P. Algal responses to dissolved organic carbon loss and pH decline during whole-lake acidification: Evidence from paleolimnology. *Limnology and Oceanography*. 1999. 44(3):757-773. ISSN 0024-3590.

Lebedeva E.V., Off S., Zumbragel S., Kruse M., Shagzhina A., Lücker S., et al. Isolation and characterization of a moderately thermophilic nitrite-oxidizing bacterium from a geothermal spring. *FEMS Microbiology Ecology*. 2011. 75:195–204.

Lebeau T. and Robert J.M. Diatom cultivation and biotechnologically relevant products. Part II: current and putative products. *Applied Microbiology and Biotechnology*. 2003. 60(6):624-632. ISSN 0175-7598.

Leelahakriengkrai P. Diversity and usage of macroalgae and benthic diatoms to monitor water quality of Ping river. Year 2004-2005. M.S. thesis. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2007.

Leelahakriengkrai P. Diversity of benthic diatoms in main rivers of Thailand and preparation of water qualities index. Ph.D. Thesis. Environmental Science Program. Faculty of Science. Chiang Mai University. Chiang Mai. 2011.

Leira M., Meijide-Failde R. and Torres E. Diatom communities in thermo-mineral springs of Galicia (NW Spain). *Diatom Research*. 2017. 32(1): 29-42. ISSN 0269-249X.

Lewmanomont K., Wongrat L. and Supanwanid C. Algae in Thailand. Office of Environmental Policy and Planning. Bangkok. 1995.

Li X.L., Marella T.K., Tao L., Li R., Tiwari A. and Li G. Optimization of growth conditions and fatty acid analysis for three freshwater diatom isolates. *Phycological Research*. 2017. ISSN 1440-1835.

Litchman E. and Klausmeier C.A. Competition of phytoplankton under fluctuating light. *The American Naturalist*. 2001. 157(2):170-187. ISSN 0003-0147.

Macan T. and Maudsley R. The temperature of a moorland fishpond. *Hydrobiologia*. 1966. 27(1-2):1-22. ISSN 0018-8158.

Mangadze T., Wasserman R. J. and Dalu T. Use of Diatom Communities as Indicators of Conductivity and Ionic Composition in a Small Austral Temperate River System. *Water, Air, & Soil Pollution*. 2017. 228(11):428. ISSN 0049-6979.

Mann D.G. The taxa concept in diatoms. *Phycologica*. 1999. 38:437-495.

Mannino A.M. Diatoms from thermal-sulphur waters of "Fiume Caldo" (north-western Sicily). *Cryptogamie-Algologie*. 2007. 28(4):385-396. ISSN 0181-1568.

Martínez-Force E., Ruiz-López N. and Garcés R. Influence of specific fatty acids on the asymmetric distribution of saturated fatty acids in sunflower (*Helianthus annuus* L.) triacylglycerols. *Journal of Agricultural and Food Chemistry*. 2009. 57:1595–1599.

Mcginnis K., Dempster T. and Sommerfeld M. Characterization of the growth and lipid content of the diatom *Chaetoceros muelleri*. *Journal of Applied Phycology*. 1997. 9(1):19-24. ISSN 0921-8971.

Meher L., Dharmagadda V.S. and Naik S. Optimization of alkali-catalyzed transesterification of *Pongamia pinnata* oil for production of biodiesel. *Bioresource Technology*. 2006. 97(12):1392-1397. ISSN 0960-8524.

Mejía R., Gómez-Eichelmann M.C. and Fernández M.S. Fatty acid profile of *Escherichia coli* during the heat-shock response. *Journal of the International Union of Biochemistry and Molecular Biology*. 1999. 47:835–844.

Meyer-Dombard D.R., Shock E.L. and Amend J.P. Archaeal and bacterial communities in geochemically diverse hot springs of Yellowstone National Park, USA. *Geobiology*. 2005. 3:211–227.

Milledge J.J. Commercial application of microalgae other than as biofuels: a brief review. *Reviews in Environmental Science and Biotechnology*. 2011. 10(1):31-41. ISSN 1569-1705.

Miller L. and Berger T. Bacteria identification by gas chromatography of whole cell fatty acids. Hewlett-Packard Application Note 228-38. Hewlett-Packard Co. California. 1985.

Miller S.R., Strong A.L., Jones K.L. and Ungerer M.C. Bar-coded pyrosequencing reveals shared bacterial community properties along the temperature gradients of two alkaline hot springs in Yellowstone National Park. *Applied Environmental Microbiology*. 2009. 75: 4565–4572.

Milligan A.J. and Morel F.M. A proton buffering role for silica in diatoms. *Science*. 2002. 297(5588):1848-1850. ISSN 0036-8075

Morales E.A., Ector L., Fernández E., Novais M.H., Hlúbiková D., Hamilton P., *et al.* The genus *Achnanthidium* Kütz. (Achnanthales, Bacillariophyceae) in Bolivian streams: a report of taxa found in recent investigations. *Algological Studies*. 2011. 136(1):89-130. ISSN 1864-1318.

Mogna M., Cantonati M., Andreucci F., Angeli N., Berta G. and Miserere L. Diatom communities and vegetation of springs in the south-western Alps. *Acta Botanica Croatica*. 2015. 74(2):265-285. ISSN 0365-0588.

Moheimani N.R., Borowitzka M.A., Isdepsky A. and Fon S.S. Standard methods for measuring growth of algae and their composition. In: Borowitzka MA, Moheimani NR (eds) *Algae for biofuels and energy*. Springer, Dordrecht. 2013. pp 265–284.

Mpawenayo B.C.C. and Nindorera A. Diatoms (Bacillariophyta) and other algae from the hot springs of Burundi (central Africa) in relation with the physical and chemical characteristics of the water. *Belgian Journal of Botany*. 2005. 138:152-164.

Nakagawa T. Fukui M. Phylogenetic characterization of microbial mats and streamers from a Japanese alkaline hot spring with a thermal gradient. *The Journal of General Applied Microbiology*. 2002. 48:211–222.

Nakagawa T. Fukui M. Molecular characterization of community structures and sulphur metabolism within microbial streamers in Japanese hot springs. *Applied Environmental Microbiology*. 2003. 69:7044–7057.

Nakkeaw S. Diversity of benthic diatoms during 2011-2012 for water quality index establishment of Wang river. Ph.D. Thesis. Environmental Science Program. Faculty of Science. Chiang Mai University. Chiang Mai. 2015.

Nautiyal R., Nautiyal P. and Singh H.R. Pennate diatom flora of a cold water mountain river, the Alaknanda: II. Suborder Araphideae. *Phykos*. 1996. 35:57-63.

Nautiyal P., Kala K. and Nautiyal R. A preliminary study of the diversity of diatoms in streams of the Mandakini basin Garhwal Himalaya. Biopress. Bristol. 2004. P. 235-269.

Nikulina T.V. and Kociolek J.P. Diatoms from hot springs from Kuril and Sakhalin islands (far east, Russia). In: (ed.). The diatom world: Springer. 2011. p. 333-363.

Oksanen J., Blanchet F. G., Friendly M., Kindt R., Legendre P., McGlinn D. et. al., 2018. vegan: Community Ecology Package. R package version 2.4-6. <https://CRAN.R-project.org/package=vegan>

Olivier J., Van der Walt I.J. and Van Niekerk H.J. Physical and chemical characteristics of thermal springs in the Waterberg area in Limpopo Province, South Africa. Water SA. 2008. 34(2):163–174.

Olivier J., Venter J. and Jonker C. Thermal and chemical characteristics of hot water springs in the northern part of the Limpopo Province, South Africa. Water SA. 2011. 37(4):427–436.

Opute F.I. Lipid and fatty-acid composition of diatoms. Journal of Experimental Botany. 1974. p. 823-835. ISSN 0022-0957.

Osburn M.R., Sessions A.L., Pepe-Ranney C. and Spear J.R. Hydrogen-isotopic variability in fatty acids from Yellowstone National Park hot spring microbial communities. Geochimica et Cosmochimica Acta. 2011. 75:4830–4845.

Otaki H., Everroad R.C., Matsuura K. and Haruta S. Production and consumption of hydrogen in hot spring microbial mats dominated by a filamentous anoxygenic photosynthetic bacterium. Microbes and Environments. 2012. 27:293–299.

Owen R.B., Renaut R. and Jones W.B. Geothermal diatoms: a comparative study of floras in hot spring systems of Iceland, New Zealand, and Kenya. Hydrobiologia. 2008. 610(1):175-192. ISSN 0018-8158.

Pancic M., Hansen P.J., Tammilehto A. and Lundholm N. Resilience to temperature and pH changes in a future climate change scenario in six strains of the polar diatom *Fragilariopsis cylindrus*. Biogeosciences. 2015. 12:4235-4244. ISSN 1726-4170.

Parkinson J. and Gordon R. Beyond micromachining: the potential of diatoms. Trends in Biotechnology. 1999. 17(5):190-196. ISSN 0167-7799.

Pearson A., Huang Z., Ingalls A.E., Romanek C.S., Wiegel J., Freeman K.H., *et al.* Nonmarine crenarchaeol in Nevada hot springs. *Applied and Environmental Microbiology*. 2004. 70(9):5229-5237. ISSN 0099-2240.

Pearson A., Pi Y., Zhao W., Li W., Li Y., Inskeep W., *et al.* Factors controlling the distribution of *Archaeal tetraethers* in terrestrial hot springs. *Applied and Environmental Microbiology*. 2008. 74:3523–3532.

Peerapornpisal Y., Kunpradid T. and Wiyaka P. Diversity of phytoplankton in some wetlands of the Chiang Mai-Lamphun basin, Thailand. *Phycologia*. 2001. 40(4):115. ISSN 0031-8884.

Pekthong T. and Peerapornpisal Y. Fifty one new record species of fresh water diatoms in Thailand. *Chiang Mai Journal of Science*. 2001. 31(1): 85-94.

Pekthong T. Biodiversity of benthic diatoms and their application in monitoring water quality of Mae Sa stream. Doi Suthep- Pui National Park Chiang Mai. Ph.D. Thesis. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2002.

Penderson M. and Hensen P. Effects of high pH on the growth and survival of six marine heterotrophic protists. *The Marine Ecology Progress Series*. 260:33-41. 2003.

Pérez L., Salgueiroa J.L., Maceirasb R., Cancelaa Á. and Sánchez Á. An effective method for harvesting of marine microalgae: pH induced flocculation. *Biomass and Bioenergy*. 2017. 97:20-26. ISSN 0961-9534.

Popovich C.A., Damiani C., Constenla D. and Leonardi P.I. Lipid quality of the diatoms *Skeletonema costatum* and *Navicula gregaria* from the South Atlantic Coast (Argentina): evaluation of its suitability as biodiesel feedstock. *Journal of Applied Phycology*. 2012. 24(1):1-10. ISSN 0921-8971.

Potapova M. and Charles D.F. Diatom metrics for monitoring eutrophication in rivers of the united states. *Ecological Indicators*. 2007. 7(1):48-70. ISSN 1470-160x.

Prestegard S.K., Erga S.R., Steinrücken P., Mjøs S.A., Knutsen G. and Rohloff J. Specific metabolites in a *Phaeodactylum tricornutum* strain isolated from Western Norwegian Fjord Water. *Marine Drugs*. 2016. 14:9. ISSN 1660-3397.

Primack R. Conservation at the population and species level. A Primer of Conservation Biology. Sinauer Associates Inc. Publishers. USA. 2000. p. 121-182.

Primack R.B. *A Primer of Conservation Biology, Second Edition*. Sinauer Associates. Sunderland, MA. 2000. 319 pages.

Pruetworan S. Diversity of macroalgae and benthic diatoms in Mekong River passing Thailand and their application for water quality monitoring. MS. Thesis. Department of Biology. Faculty of Science. Chiang Mai University. Chiang Mai. 2008.

Purcell D., Sompong U., Yim L.C., Barraclough T.G., Peerapornpisal Y. and Pointing S.B. The effects of temperature, pH and sulphide on the community structure of hyperthermophilic streamers in hot springs of northern Thailand. *FEMS Microbiology Ecology*. 2007. 60:456–466.

Quintela A., Almeida S., Terroso D., Ferreira da Silva E., Forjaz V. and Rocha F. Diatom assemblages of thermal and mineral waters from volcanic environments in São Miguel island, Azores. *Diatom Research*. 2013. 28(4):407-417. ISSN 0269-249x.

Raksaskulwong L. Upper paleozoic rocks of Thailand. Proceedings of the symposium on geology of Thailand. Department of mineral resources. Bangkok. 2002. p. 29-34.

Ramingwong T., Ratanasathien B. and Sertsrivanit S. Geothermal energy resources of northern Thailand. Department of geological sciences. Chiang Mai University. 1979.

Reed G. and Klugh A.B. Correlation between hydrogen ion concentration and biota of granite and limestone pools. *Ecology*. 1924. 5(3):272-275. ISSN 1939-9170.

Remmers I.M., Martens D.E., Wijffels R.H. and Lamers P.P. Dynamics of triacylglycerol and EPA production in *Phaeodactylum tricornutum* under nitrogen starvation at different light intensities. *PLOS One*. 2017. 12(4):e0175630. ISSN 1932-6203.

Renaud S., Zhou H.C., Parry D.L., Thinh L.V. and Woo K.C. Effect of temperature on the growth, total lipid content and fatty acid composition of recently isolated tropical microalgae *Isochrysis* sp., *Nitzschia closterium*, *Nitzschia paleacea*, and commercial species *Isochrysis* sp.(clone T. ISO). Journal of Applied Phycology. 1995. 7(6):595-602. ISSN 0921-8971.

Reysenbach A.L., Hamamura N., Podar M., Griffiths E., Ferreira S., Hochstein R., et al. Complete and draft genome sequences of six members of the Aquificales. Journal of Bacteriology. 2009. 191:1992–1993.

Rindle M.R. The Medicinal Springs of South Africa (Supplement). South African Journal of Science. 1916. 13:528–552.

Ross R., Cox E.J., Karayeva N.I., Mann D.G., Paddock T.B.B., Simonsen R., et al. An amended terminology for the siliceous components of the diatom cell. 1979.

Rothfritz H., Jüttner I., Suren A.M. and Ormerod S.J. Epiphytic and epilithic diatom communities along environmental gradients in the Nepalese Himalaya implications for the assessment of biodiversity water quality Arch. Hydrobiologia. 1997. 138: 465-482.

Rott E., Pfister P. and Pipp E. Use of Diatoms for Environmental Monitoring. Institut für Botanik der Universität Innsbruck, Innsbruck. Austria. 1997.

Round F. The biology of the algae. Edward Arnold Ltd. London. England. 1973.

Round F., Crawford R. and Mann D. *The diatoms*. Cambridge university press. New York. NY. 1990.

Rousch J.M., Bingham S.E. and Sommerfeld M.R. Changes in fatty acid profiles of thermo-intolerant and thermo-tolerant marine diatoms during temperature stress. Journal of Experimental Marine Biology and Ecology. 2003. 295(2):145-156. ISSN 0022-0981.

Ryves D., McGowan S. and Anderson N. Development and evaluation of a diatom-conductivity model from lakes in West Greenland. Freshwater Biology. 2002. 47(5): 995-1014. ISSN 1365-2427.

Safonova T.A. Aslamov I.A., Basharina T.N., Chenski A.G., Vereschagin A.L., Glyzina O.Y., *et al.* Cultivation and automatic counting of diatom algae cells in multi-well plastic plates. *Diatom Research*. 2007. 22(1):189-195. ISSN 0269-249X.

Sakthivel R. Microalgae lipid research, past, present: a critical review for biodiesel production, in the future. *Journal of Experimental Sciences*. 2011. 2(10). ISSN 2218-1768.

Sanjay K., Nagendra P.M.N., Anupama S., Yashaswi B.R. and Deepak B. Isolation of diatom *Navicula cryptocephala* and characterization of oil extracted for biodiesel production. *African Journal of Environmental Science and Technology* 2013. 7(1):41-48. ISSN 1996-0786.

Sauli E. and Sarbatly R. Conversion of microalgae to biofuel. *Renewable and Sustainable Energy Reviews*. 2012. 16(6):4316-4342. ISSN 1364-0321.

Scholz B. Effects of varying pH on the growth and physiology of five marine microphytobenthic diatoms isolated from the Solthörn tidal flat (southern north sea, Germany). *Phycologia*. 2014. 53(3):252-264. ISSN 0031-8884.

Seckbach J. *Algae and cyanobacteria in extreme environments*. Springer science and business media. 2007. ISBN 1402061110.

Seite S. Thermal waters as cosmeceuticals: La Roche-Posay thermal spring water example. *Clin Cosmet Investig Dermatol*. 2013. 6:23-28.

Shannon C.E. A mathematical theory of communication. part I, part II. *The Bell System Technical Journal*. 1948. 27:623-656.

Sheehan J., Dunahay T., Benemann J. and Roessler P. A look back at the US Department of Energy's aquatic species program: biodiesel from algae. *National Renewable Energy Laboratory*. 1998.

Sherpa M.T., Das S. and Thakur N. Physicochemical analysis of hot water springs of Sikkim-Polok Tatopani, Borong Tatopani and Reshi Tatopani. Recent Research in Science and Technology. 2013. 5(1). ISSN 2076-5061.

Shi P., Shen H., Wang W., Yang Q. and Xie P. Habitat-specific differences in adaptation to light in freshwater diatoms. Journal of Applied Phycology. 2016. 28(1):227-239. ISSN 0921-8971.

Shikata T., Matsubara T., Yoshida M., Sakamoto S. and Yamaguchi M. Effects of temperature, salinity, and photosynthetic photon flux density on the growth of the harmful diatom *Asteroplanus karianus* in the Ariake Sea, Japan. Fisheries Science. 2015. 81(6):1063-1069. ISSN 0919-9268.

Sicko-Goad L. and Andresen N.A. Effect of growth and light/dark cycles on diatom lipid content and composition I. Journal of Phycology 1991. 27(6):710-718. ISSN 1529-8817.

Simonsen R. Proposals for a standardization of diatom terminology and diagnoses. Nova Hedwigia. Beiheft. 1975. 53:323-354.

Skirnisdottir S., Hreggvidsson G.O., Hjörleifsdottir S., Marteinsson V.T., Petursdottir S.K., Holst O. and Kristjansson J.K. Influence of sulfide and temperature on species composition and community structure of hot spring microbial mats. Applied Environmental Microbiology. 2000. 66:2835–2841.

Smith R.L. and Smith T.M. *Ecology and Field Biology 6th ed.* West Virginia University. Virginia. U.S. 2001.

Smol J.P. and Stoermer E.F. *The diatoms: applications for the environmental and earth sciences.* Cambridge University Press. 2010. ISBN 1139492624.

Sompong U. Biodiversity of algae in some hot spring areas in the upper part of northern Thailand. M.S. Thesis. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2001.

Sompong U., Hawkins P.R., Besley C. and Peerapornpisal Y. The distribution of cyanobacteria across physical and chemical gradients in hot springs in northern Thailand. *FEMS Microbiology Ecology*. 2005. 52: 365–376.

Spear J.R., Walker J.J., McCollom T.M. and Pace N.R. Hydrogen and bioenergetics in the Yellowstone geothermal ecosystem. *Proceeding of the National Academy of Sciences USA*. 2005. 102:2555–2560.

Spilling K., Brynjólfssdóttir Á., Enss D., Rischer H. and Svavarsson H.G. The effect of high pH on structural lipids in diatoms. *Journal of Applied Phycology*. 2013. 25(5):1435-1439. ISSN 0921-8971.

Stavreva V.S. Ecology of the diatomic flora in thermo-mineral springs of Katlanovska Banja in the republic of Macedonia. *Ecologia Balkanika*. 2010. ISSN 1313-9940.

Steinberg C. and Schiefele S. Biological indication of trophy and pollution of running waters. *Zeitschrift für Wasser-und Abwasser-Forschung*. 1988. 21(6):227-234. ISSN 0044-3727.

Stenger-kovács C., Lengye E., Buczkó K., Tóth F.M., Crossetti L.O., Pellinger A., et al. Vanishing world: alkaline, saline lakes in central Europe and their diatom assemblages. *Inland Waters*. 2014. 4(4):383-396. ISSN 2044-205x.

Stevenson R.J. Scale-dependent determinants and consequences of benthic algal heterogeneity. *Journal of The North American Benthological Society*. 1997. 16(1):248-262. ISSN 0887-3593.

Stockner J.G. The ecology of a diatom community in a thermal stream. *British Phycological Bulletin*. 1968. 3(3):501-514. ISSN 0374-6534.

Su Y., Lundholm N. and Ellegaard M. Long-term cultivation of the diatom *Coscinodiscus granii* at different light spectra: effects on frustule morphology. *Journal of Applied Phycology*. 2017. p. 1-5. ISSN 0921-8971.

Subhash G.V., Rohit M.V., Devi M.P., Swamy Y.V. and Mohan S.V. Temperature induced stress influence on biodiesel productivity during mixotrophic microalgae

cultivation with wastewater. Bioresource Technology. 169:789-793. 2014. ISSN 0960-8524.

Subtavewung P.H., Raksaskulwong M. and Tulyatid J. The characteristic and classification of hot springs in Thailand. Proceedings World Geothermal Congress. 2005. p.7.

Sukenik A. and Wahnon R. Biochemical quality of marine unicellular algae with special emphasis on lipid composition I. *Isochrysis galbana*. Aquaculture. 1991. 97(1):61-72. ISSN 0044-8486.

Suphan S. Diversity of macroalgae and benthic diatoms in the area of golden jubilee Thong Pha Phum project. Thong Pha Phum District. Kanchanaburi Province. M.S. Thesis. Biology Department. Faculty of Science. Chiang Mai University. Chiang Mai. 2004.

Suphan S. Benthic diatoms and their application in water quality monitoring of Mekong River in the part of Thailand. Ph.D. Thesis. Department of Biology. Faculty of Science. Chiang Mai University. Chiang Mai. Thailand. 2009.

Suphan S. and Peerapornpisal Y. Fifty three new record species of benthic diatoms from Mekong River and its tributaries in Thailand. Chiang Mai Journal of Science. 37(2): 326-343. 2010.

Taraldsvik M. and Myklestad S. The effect of pH on growth rate, biochemical composition and extracellular carbohydrate production of the marine diatom *Skeletonema costatum*. European Journal of Phycology. 2000. 35(2):189-194. ISSN 0967-0262.

Teoh M.L., Phang S.M. and Chu W.L. Response of Antarctic, temperate, and tropical microalgae to temperature stress. Journal of Applied Phycology. 2013. 25(1):285-297. ISSN 0921-8971.

Thornton D.C. Effect of low pH on carbohydrate production by a marine planktonic diatom (*Chaetoceros muelleri*). International Journal of Ecology. 2009. ISSN 1687-6768.

Tobler D.J., and Benning L.G. Bacterial diversity in five Icelandic geothermal waters: temperature and sinter growth rate effects. Extremophiles. 2011. 15: 473–485.

Vadiveloo A., Moheimani N.R., Cosgrove J.J., Parlevliet D. and Bahri P.A. Effects of different light spectra on the growth, productivity and photosynthesis of two acclimated strains of *Nannochloropsis* sp. Journal of Applied Phycology. 2017. p. 1-10. ISSN 0921-8971.

Van Dam H., Mertens A. and Sinkeldam J. A coded checklist and ecological indicator values of freshwater diatoms from the Netherlands. Aquatic Ecology. 1994. 28(1):117-133. ISSN 1386-2588.

Van der Kamp G. The hydrogeology of springs in relation to the biodiversity of spring fauna: A review. Journal of the Kansas Entomological Society. 1995. 68:4–17.

Villeneuve V. and Pienitz R. Composition diatomifère de quatre sources thermales au Canada, en islande et au japon. Diatom Research. 1998. 13(1):149-175. ISSN 0269-249x.

Vyverman W., Verleyen E., Sabbe K., Vanhoutte K., Sterken M., Hodgson D.A., *et al.* Historical processes constrain patterns in global diatom diversity. Ecology. 2007. 88(8):1924-1931. ISSN 1939-9170.

Wah N.B., Ahmad A.L.B., Chieh D.C.J. and Hwai A.T.S. Changes in lipid profiles of a tropical benthic diatom in different cultivation temperature. Asian Journal of Applied Science and Engineering. 2015. 4(2):91-101. ISSN 2307-9584.

Wang Z. Method for open diatom cultivation: Google Patents. 2014.

Weber K., Sturmer L., Hoover E. and Baker S. The role of water temperature in hard clam aquaculture. Fisheries and aquatic sciences department. Institute of food and agricultural sciences university of Florida. 2007. Document no. Fa151.

Wen Z.Y. and Chen F. Continuous cultivation of the diatom *Nitzschia laevis* for eicosapentaenoic acid production: physiological study and process optimization. Biotechnology Progress. 2002. 18(1):21-28. ISSN 1520-6033.

Wickham H., ggplot2: Elegant Graphics for Data Analysis. Springer-Verlag. 2009. New York.

Winterbourne M. The distribution of algae and insects in hot spring thermal gradients at Waimangu, New Zealand. New Zealand journal of marine and freshwater research. 1969. 3(3):459-465. ISSN 0028-8330.

Yana E. Diversity of macroalgae and benthic diatoms and water quality assessment in some Thai and Lao tributaries of Mekong river in 2007-2008. MS. Thesis. Department of Biology. Faculty of Science. Chiang Mai University. Chiang Mai. 2010.

Yana E. Seasonal variation of benthic diatom diversity in 2011-2012 and establishment of water quality index of Yom river. Ph.D. Thesis. Environmental Science Program. Faculty of Science. Chiang Mai University. Chiang Mai. 2014.

Yongmanitchai W. and Ward O.P. Growth of and omega-3 fatty acid production by *Phaeodactylum tricornutum* under different culture conditions. Applied and Environmental Microbiology. 1991. 57(2):419-425. ISSN 0099-2240.


Zalat A. and Vildary S.S. Distribution of diatom assemblages and their relationship to environmental variables in the surface sediments of three northern Egyptian lakes. Journal of Paleolimnology. 2005. 34(2):159-174. ISSN 0921-2728.

Zheng W., Chen C., Wang Y., Bao K., Wang X. and Chu C. Effects of potassium iodide on the growth and metabolite accumulation of two planktonic diatoms. Journal of Applied Phycology. 2005. 17(4):355-362. ISSN 0921-8971.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF PUBLICATION

Pruetiworanan S. *et al.* Effect of pH on heat tolerance of hot spring diatom *Achnanthidium exiguum* AARL D025–2 in cultivation. Journal of Applied Phycology. 2017. 29(158):1-7. ISSN 0921-8971.



สิทธิ์ของมหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved