

REFERENCES

- Abdel-Tawwab, M., Y. A. Khattab, M. H. Ahmad & A. M. Shalaby (2006) Compensatory growth, feed utilization, whole-body composition, and hematological changes in starved juvenile Nile Tilapia, *Oreochromis niloticus* (L.). *Journal of Applied Aquaculture*, 18, 17-36.
- Abdul-Hamid, A., J. Bakar & G. H. Bee (2002) Nutritional quality of spray dried protein hydrolysate from Black Tilapia (*Oreochromis mossambicus*). *Food Chemistry*, 78, 69-74.
- Ahmad, M. H. (2008) Response of African catfish, *Clarias gariepinus*, to different dietary protein and lipid levels in practical diets. *Journal of the World Aquaculture Society*, 39, 541-548.
- Ahn, C.-B., K.-H. Lee & J.-Y. Je (2010) Enzymatic production of bioactive protein hydrolysates from tuna liver: effects of enzymes and molecular weight on bioactivity. *International Journal of Food Science & Technology*, 45, 562-568.
- Aksnes, A., B. Hope, E. Jönsson, B. T. Björnsson & S. Albrektsen (2006) Size-fractionated fish hydrolysate as feed ingredient for rainbow trout (*Oncorhynchus mykiss*) fed high plant protein diets. I: Growth, growth regulation and feed utilization. *Aquaculture*, 261, 305-317.
- Anderson, D. P. (1992) Immunostimulants, adjuvants, and vaccine carriers in fish: applications to aquaculture. *Annual Review of Fish Diseases*, 2, 281-307.
- AOAC (1990) Official methods of analyses of association of analytical chemist (15th ed.). Washington DC: AOAC.
- Argue, B. J., Z. Liu & R. A. Dunham (2003) Dress-out and fillet yields of channel catfish, *Ictalurus punctatus*, blue catfish, *Ictalurus furcatus*, and their F 1, F 2 and backcross hybrids. *Aquaculture*, 228, 81-90.
- Benjakul, S. & M. T. Morrissey (1997) Protein hydrolysates from Pacific whiting solid wastes. *Journal of Agricultural and Food Chemistry*, 45, 3423-3430.
- Berge, G. M. & T. Storebakken (1996) Fish protein hydrolyzate in starter diets for Atlantic salmon (*Salmo salar*) fry. *Aquaculture*, 145, 205-212.

- Bhaskar, N. & N. S. Mahendrakar (2008) Protein hydrolysate from visceral waste proteins of Catla (*Catla catla*): Optimization of hydrolysis conditions for a commercial neutral protease. *Bioresource Technology*, 99, 4105-4111.
- Bjørnevik, M., Ø. Karlsen, I. A. Johnston & A. Kiessling (2003) Effect of sustained exercise on white muscle structure and flesh quality in farmed cod (*Gadus morhua* L.). *Aquaculture Research*, 34, 55-64.
- Blazer, V. S. (1992) Nutrition and disease resistance in fish. *Annual Review of Fish Diseases*, 2, 309-323.
- Bosworth, B. G., W. R. Wolters, J. L. Silva, R. S. Chamul & S. Park (2004) Comparison of production, meat yield, and meat quality traits of NWAC103 line channel catfish, Norris line channel catfish, and female channel catfish × male blue catfish F1 hybrids. *North American Journal of Aquaculture*, 66, 177-183.
- Cabral, E., M. Bacelar, S. Batista, M. Castro-Cunha, R. Ozório & L. Valente (2011) Replacement of fishmeal by increasing levels of plant protein blends in diets for Senegalese sole (*Solea senegalensis*) juveniles. *Aquaculture*, 322, 74-81.
- Cahu, C. L., J. L. Zambonino Infante, P. Quazuguel & M. M. Le Gall (1999) Protein hydrolysate vs. fish meal in compound diets for 10-day old sea bass *Dicentrarchus labrax* larvae. *Aquaculture*, 171, 109-119.
- Candido, L. M. B. & V. C. Sgarbieri (2003) Enzymatic hydrolysis of Nile tilapia (*Oreochromis niloticus*) myofibrillar proteins: effects on nutritional and hydrophilic properties. *Journal of the Science of Food and Agriculture*, 83, 937-944.
- Caruso, D. & J. Lazard (1999) Subordination stress in Nile tilapia and its effect on plasma lysozyme activity. *Journal of Fish Biology*, 55, 451-454.
- Carvalho, A., A.-M. Escaffre, A. O. Teles & P. Bergot (1997) First feeding of common carp larvae on diets with high levels of protein hydrolysates. *Aquaculture International*, 5, 361-367.
- Chaijan, M., A. Jongjareonrak, S. Phatcharat, S. Benjakul & S. Rawdkuen (2010) Chemical compositions and characteristics of farm raised giant catfish (*Pangasianodon gigas*) muscle. *LWT - Food Science and Technology*, 43, 452-457.

- Chalamaiah, M., B. Dinesh kumar, R. Hemalatha & T. Jyothirmayi (2012) Fish protein hydrolysates: Proximate composition, amino acid composition, antioxidant activities and applications: A review. *Food Chemistry*, 135, 3020-3038.
- Chalamaiah, M., G. N. Rao, D. G. Rao & T. Jyothirmayi (2010) Protein hydrolysates from meriga (*Cirrhinus mrigala*) egg and evaluation of their functional properties. *Food Chemistry*, 120, 652-657.
- Chen, D. & A. Ainsworth (1992) Glucan administration potentiates immune defence mechanisms of channel catfish, *Ictalurus punctatus* Rafinesque. *Journal of Fish Diseases*, 15, 295-304.
- Choi, Y. J., S. Hur, B. D. Choi, K. Konno & J. W. Park (2009) Enzymatic hydrolysis of recovered protein from frozen small croaker and functional properties of its hydrolysates. *Journal of food Science*, 74, C17-C24.
- Company, R., J. Caldach-Giner, S. Kaushik & J. Pérez-Sánchez (1999) Growth performance and adiposity in gilthead sea bream (*Sparus aurata*): risks and benefits of high energy diets. *Aquaculture*, 171, 279-292.
- Dalmo, R., J. Bogwald, K. Ingebrigtsen & R. Seljelid (1996) The immunomodulatory effect of laminaran [β (1, 3)-D-glucan] on Atlantic salmon, *Salmo salar* L., anterior kidney leucocytes after intraperitoneal, peroral and peranal administration. *Journal of fish diseases*, 19, 449-457.
- De Silva, S. S. (2016) Culture based fisheries in Asia are a strategy to augment food security. *Food Security*, 8, 585-596.
- Dekkers, E., S. Raghavan, H. G. Kristinsson & M. R. Marshall (2011) Oxidative stability of mahi mahi red muscle dipped in tilapia protein hydrolysates. *Food Chemistry*, 124, 640-645.
- Demers, N. E. & C. J. Bayne (1997) The immediate effects of stress on hormones and plasma lysozyme in rainbow trout. *Developmental & Comparative Immunology*, 21, 363-373.
- Deng, J., X. Zhang, B. Bi, L. Kong & B. Kang (2011) Dietary protein requirement of juvenile Asian red-tailed catfish *Hemibagrus wyckioides*. *Animal Feed Science and Technology*, 170, 231-238.

- Dong, S., M. Zeng, D. Wang, Z. Liu, Y. Zhao & H. Yang (2008) Antioxidant and biochemical properties of protein hydrolysates prepared from Silver carp (*Hypophthalmichthys molitrix*). *Food Chemistry*, 107, 1485-1493.
- dos Santos, S. D. A., V. G. Martins, M. Salas-Mellado & C. Prentice (2011) Evaluation of functional properties in protein hydrolysates from bluewing searobin (*Prionotus punctatus*) obtained with different microbial enzymes. *Food and Bioprocess Technology*, 4, 1399-1406.
- Einen, O. & A. Roem (1997) Dietary protein/energy ratios for Atlantic salmon in relation to fish size: growth, feed utilization and slaughter quality. *Aquaculture Nutrition*, 3, 115-126.
- Esmerini, P. O., S. M. Gennari & H. F. Pena (2010) Analysis of marine bivalve shellfish from the fish market in Santos city, Sao Paulo state, Brazil, for *Toxoplasma gondii*. *Veterinary parasitology*, 170, 8-13.
- Espe, M., H. Sveier, I. Høggøy & E. Lied (1999) Nutrient absorption and growth of Atlantic salmon (*Salmo salar* L.) fed fish protein concentrate. *Aquaculture*, 174, 119-137.
- Espelid, S., G. B. Løkken, K. Steiro & J. Bøggwald (1996) Effects of cortisol and stress on the immune system in Atlantic salmon (*Salmo salar* L.). *Fish & Shellfish Immunology*, 6, 95-110.
- Færgemand, J., B. Rønsholdt, N. Alsted & T. Borresen (1995) Fillet texture of rainbow trout as affected by feeding strategy, slaughtering procedure and storage post mortem. *Water science and technology*, 31, 225-231.
- Fagbenro, O., K. Jauncey & G. Haylor (1994) Nutritive value of diet containing dried lactic acid fermented fish silage and soybean meal for juvenile *Oreochromis niloticus* and *Clarias gariepinus*. *Aquatic Living Resources*, 7, 79-85.
- FAO (2014) The State of World Fisheries and Aquaculture Opportunities and challenges. Food and agriculture organization of the united nation. Rome.
- FAO (2016) The State of World Fisheries and Aquaculture 2016. Contributing to food security and nutrition for all. Rome., 200 pp.
- Fauconneau, B., H. Alami-Durante, M. Laroche, J. Marcel & D. Vallot (1995) Growth and meat quality relations in carp. *Aquaculture*, 129, 265-297.

- Fisheries, D. o. (2013) Action Plan and Implementation by the Department of Fisheries in Addressing Labour, Issues and Promoting Better Working Conditions in Thailand. Ministry of Agriculture and Cooperatives. Thailand.
- Francis, G., H. P. S. Makkar & K. Becker (2001) Antinutritional factors present in plant-derived alternate fish feed ingredients and their effects in fish. *Aquaculture*, 199, 197-227.
- Gildberg, A., J. Bøgwald, A. Johansen & E. Stenberg (1996) Isolation of acid peptide fractions from a fish protein hydrolysate with strong stimulatory effect on Atlantic salmon (*Salmo salar*) head kidney leucocytes. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 114, 97-101.
- Giri, S., S. Sahoo, B. Paul, S. Mohanty & A. Sahu (2011) Effect of dietary protein levels on growth, feed utilization and carcass composition of endangered bagrid catfish *Horabagrus brachysoma* (Gunther 1864) fingerlings. *Aquaculture Nutrition*, 17, 332-337.
- Gjedrem, T. (1997) Flesh quality improvement in fish through breeding. *Aquaculture International*, 5, 197-206.
- Glencross, B., M. Booth & G. Allan (2007) A feed is only as good as its ingredients—a review of ingredient evaluation strategies for aquaculture feeds. *Aquaculture nutrition*, 13, 17-34.
- Goldberg, R. J. & J. Katz (2007) A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain. *Pain*, 129, 210-223.
- Hanley, F. (1991) Effects of feeding supplementary diets containing varying levels of lipid on growth, food conversion, and body composition of Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture*, 93, 323-334.
- Hansen, A.-C. (2009) Effects of replacing fish meal with plant protein in diets for Atlantic cod (*Gadus morhua* L.).
- Hardy, R. W. (2000) New developments in aquatic feed ingredients, and potential of enzyme supplements. *Avances en Nutrición Acuícola V. Memorias del V Simposium Internacional de Nutrición Acuícola*, 19-22.

- (2010) Utilization of plant proteins in fish diets: effects of global demand and supplies of fishmeal. *Aquaculture Research*, 41, 770-776.
- Harris, J. & D. J. Bird (2000) Modulation of the fish immune system by hormones. *Veterinary immunology and immunopathology*, 77, 163-176.
- Hee, N. & W. Rainboth (1999) The bagrid catfish genus *Hemibagrus* (*Teleostei: Siluriformes*) in central Indochina with a new species from the Mekong River. *Raffles Bulletin of Zoology*, 47, 555-576.
- Hevrøy, E., M. Espe, R. Waagbø, K. Sandnes, M. Ruud & G. I. HEMRE (2005) Nutrient utilization in Atlantic salmon (*Salmo salar* L.) fed increased levels of fish protein hydrolysate during a period of fast growth. *Aquaculture Nutrition*, 11, 301-313.
- Hsu, K.-C. (2010) Purification of antioxidative peptides prepared from enzymatic hydrolysates of tuna dark muscle by-product. *Food Chemistry*, 122, 42-48.
- Itami, T., Y. Yan & Y. Takahashi (1992) Studies on vaccination against vibriosis in cultured Kuruma prawn *Penaeus japonicus*. I. Effect of vaccine concentration and duration of vaccination efficacy. *Journal of Shimonoseki University of Fisheries*, 40, 83-87.
- Izquierdo, M., A. Obach, L. Arantzamendi, D. Montero, L. Robaina & G. Rosenlund (2003) Dietary lipid sources for seabream and seabass: growth performance, tissue composition and flesh quality. *Aquaculture Nutrition*, 9, 397-407.
- Jackson, A. & C. Shepherd. 2012. The future of fishmeal and fish oil. In *Second International Congress on Seafood Technology on Sustainable, Innovative and Healthy Seafood*, 189.
- Jiwyam, W. & N. Nithikulworawong (2014) Stocking density-dependent growth and survival of Asian red-tailed catfish (*Hemibagrus wyckioides*) fries: early nursing in cages. *International Aquatic Research*, 6, 245-250.
- Johnston, I. A. (1999) Muscle development and growth: potential implications for flesh quality in fish. *Aquaculture*, 177, 99-115.
- Johnston, I. A., X. Li, V. L. Vieira, D. Nickell, A. Dingwall, R. Alderson, P. Campbell & R. Bickerdike (2006) Muscle and flesh quality traits in wild and farmed Atlantic salmon. *Aquaculture*, 256, 323-336.

- Johnston, I. A. & H. A. McLay (1997) Temperature and family effects on muscle cellularity at hatch and first feeding in Atlantic salmon (*Salmo salar* L.). *Canadian Journal of Zoology*, 75, 64-74.
- Jollès, P. & J. Jolles (1984) Review of progress in lysozyme research. *Mol. Cell. Biochem*, 53, 165-189.
- Kajita, Y., M. Sakai, M. Kobayashi & H. Kawauchi (1992) Enhancement of non-specific cytotoxic activity of leucocytes in rainbow trout *Oncorhynchus mykiss* injected with growth hormone. *Fish & Shellfish Immunology*, 2, 155-157.
- Kaushik, S., J. Cravedi, J. Lalles, J. Sumpster, B. Fauconneau & M. Laroche (1995) Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*. *Aquaculture*, 133, 257-274.
- Khantaphant, S., S. Benjakul & H. Kishimura (2011) Antioxidative and ACE inhibitory activities of protein hydrolysates from the muscle of brownstripe red snapper prepared using pyloric caeca and commercial proteases. *Process Biochemistry*, 46, 318-327.
- Khosravi, S., H. T. D. Bui, S. Rahimnejad, M. Herault, V. Fournier, S.-S. Kim, J.-B. Jeong & K.-J. Lee (2015) Dietary supplementation of marine protein hydrolysates in fish-meal based diets for red sea bream (*Pagrus major*) and olive flounder (*Paralichthys olivaceus*). *Aquaculture*, 435, 371-376.
- Kim, K. H., Y. J. Hwang & S. C. Bai (1999) Resistance to *Vibrio alginolyticus* in juvenile rockfish (*Sebastes schlegeli*) fed diets containing different doses of aloe. *Aquaculture*, 180, 13-21.
- Klompong, V., S. Benjakul, D. Kantachote & F. Shahidi (2009) Characteristics and Use of Yellow Stripe Trevally Hydrolysate as Culture Media. *Journal of Food Science*, 74, S219-S225.
- Kong, F., J. Tang, B. Rasco, C. Crapo & S. Smiley (2007) Quality changes of salmon (*Oncorhynchus gorbuscha*) muscle during thermal processing. *Journal of Food Science*, 72, S103-S111.
- Kottelat, M. (1998) Fishes of the Nam Theun and Xe Bangfai basins, Laos, with diagnoses of twenty-two new species (Teleostei: Cyprinidae, Balitoridae,

- Cobitidae, Coiidae and Odontobutidae). *Ichthyological Exploration of Freshwaters*, 9, 1-128.
- Kotzamanis, Y. P., E. Gisbert, F. J. Gatesoupe, J. Zambonino Infante & C. Cahu (2007) Effects of different dietary levels of fish protein hydrolysates on growth, digestive enzymes, gut microbiota, and resistance to *Vibrio anguillarum* in European sea bass (*Dicentrarchus labrax*) larvae. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 147, 205-214.
- Kristinsson, H. G. & B. A. Rasco (2000) Fish protein hydrolysates: production, biochemical, and functional properties. *Critical reviews in food science and nutrition*, 40, 43-81.
- Kumari, J. & P. Sahoo (2005) Effects of cyclophosphamide on the immune system and disease resistance of Asian catfish *Clarias batrachus*. *Fish & shellfish immunology*, 19, 307-316.
- Lall, S. (1991a) Nutritional value of fish silage in salmonid diets. *Bulletin of the Aquaculture Association of Canada*, 91, 63-74.
- Lall, S. t. (1991c) Digestibility, metabolism and excretion of dietary phosphorus in fish. *Nutritional strategies and aquaculture waste*, 21-36.
- Li, P., Y.-L. Yin, D. Li, S. W. Kim & G. Wu (2007) Amino acids and immune function. *British Journal of Nutrition*, 98, 237-252.
- Liaset, B., E. Lied & M. Espe (2000) Enzymatic hydrolysis of by-products from the fish-filleting industry; chemical characterisation and nutritional evaluation. *Journal of the Science of Food and Agriculture*, 80, 581-589.
- Ludorf, W. & V. Meyer (1973) Fische und fischereierzeugnisse. *Hamburg-Berlin: Paul Parey Verlag*.
- Lupatsch, I., G. W. Kissil & D. Sklan (2001) Optimization of feeding regimes for European sea bass *Dicentrarchus labrax*: a factorial approach. *Aquaculture*, 202, 289-302.
- Maciel, E. D. S., L. K. Savay-da-Silva, J. S. Vasconcelos, J. G. Sonati, J. A. Galvão, L. K. F. D. Lima & M. Oetterer (2013) Relationship between the price of fish and its quality attributes: a study within a community at the University of São Paulo, Brazil. *Food Science and Technology (Campinas)*, 33, 451-456.

- Melo, C. C. V., R. V. Reis Neto, A. C. Costa, R. T. F. d. Freitas, T. A. Freato & U. N. d. Souza (2013) Direct and indirect effects of measures and reasons morphometric on the body yield of Nile tilapia, *Oreochromis niloticus*. *Acta Scientiarum. Animal Sciences*, 35, 357-363.
- Möck, A. & G. Peters (1990) Lysozyme activity in rainbow trout, *Oncorhynchus mykiss* (Walbaum), stressed by handling, transport and water pollution. *Journal of Fish Biology*, 37, 873-885.
- Mulero, V., M. Esteban, J. Munoz & J. Meseguer (1998) Dietary intake of levamisole enhances the immune response and disease resistance of the marine teleost gilthead seabream (*Sparus aurata* L.). *Fish & Shellfish Immunology*, 8, 49-62.
- Murray, A. L., R. J. Pascho, S. W. Alcorn, W. Fairgrieve, K. Shearer & D. Roley (2003) Effects of various feed supplements containing fish protein hydrolysate or fish processing by-products on the innate immune functions of juvenile coho salmon (*Oncorhynchus kisutch*). *Aquaculture*, 220, 643-653.
- Nates, S. F. 2016. Introduction. In *Aquafeed Formulation*, xiii-xxii. San Diego: Academic Press.
- Neklyudov, A., A. Ivankin & A. Berdutina (2000a) Properties and uses of protein hydrolysates (Review). *Applied Biochemistry and Microbiology*, 36, 452-459.
- Nesse, K. O., A. Nagalakshmi, P. Marimuthu & M. Singh (2011) Efficacy of a fish protein hydrolysate in malnourished children. *Indian Journal of Clinical Biochemistry*, 26, 360-365.
- NRC. 2011. *Nutrient requirements of fish and shrimp*. National academies press.
- Olsen, Y. (2011) Resources for fish feed in future mariculture. *Aquaculture Environment Interactions*, 1, 187-200.
- Parry, R. M., R. C. Chandan & K. M. Shahani (1965) A rapid and sensitive assay of muramidase. *Experimental Biology and Medicine*, 119, 384-386.
- Peres, H. & A. Oliva-Teles (1999) Effect of dietary lipid level on growth performance and feed utilization by European sea bass juveniles (*Dicentrarchus labrax*). *Aquaculture*, 179, 325-334.
- Prasertwattana, P., N. Manee & S. Namtum. 2005. Culture of red-tail mystus, *Hemibagrus wyckiioides*, in earthen ponds with different stocking densities. In

- Proceeding of 7th Technical Symposium on Mekong Fisheries, Ubon Ratchathani, Thailand, November, 15-17.*
- Raa, J. (1996) The use of immunostimulatory substances in fish and shellfish farming. *Reviews in Fisheries Science*, 4, 229-288.
- Raghavan, S., H. G. Kristinsson & C. Leeuwenburgh (2008) Radical scavenging and reducing ability of tilapia (*Oreochromis niloticus*) protein hydrolysates. *Journal of agricultural and food chemistry*, 56, 10359-10367.
- Refstie, S., J. J. Olli & H. Standal (2004) Feed intake, growth, and protein utilisation by post-smolt Atlantic salmon (*Salmo salar*) in response to graded levels of fish protein hydrolysate in the diet. *Aquaculture*, 239, 331-349.
- Reis, L., E. Reutebuch & R. Lovell (1989) Protein-to-energy ratios in production diets and growth, feed conversion and body composition of channel catfish, *Ictalurus punctatus*. *Aquaculture*, 77, 21-27.
- Reis Neto, R. V., R. T. F. d. Freitas, M. A. Serafini, A. C. Costa, T. A. Freato, P. V. Rosa & I. B. Allaman (2012) Interrelationships between morphometric variables and rounded fish body yields evaluated by path analysis. *Revista Brasileira de Zootecnia*, 41, 1576-1582.
- Sakai, M. (1999) Current research status of fish immunostimulants. *Aquaculture*, 172, 63-92.
- Saurabh, S. & P. Sahoo (2008) Lysozyme: an important defence molecule of fish innate immune system. *Aquaculture Research*, 39, 223-239.
- Shahidi, F., X.-Q. Han & J. Synowiecki (1995) Production and characteristics of protein hydrolysates from capelin (*Mallotus villosus*). *Food chemistry*, 53, 285-293.
- Shearer, K. D. (1994) Factors affecting the proximate composition of cultured fishes with emphasis on salmonids. *Aquaculture*, 119, 63-88.
- Shepherd, C. & A. Jackson (2013) Global fishmeal and fish-oil supply: inputs, outputs and marketsa. *Journal of fish biology*, 83, 1046-1066.
- Singpa and Gatphayak (2014) Production efficiency of the growing Red-Tailed Mystus (*Hemibagrus wyckioides*) using water circulation in close housing system. *Thai Journal of Animal Science*, 1, 46-57.
- Siwicki, A., P. Klein, M. Morand, W. Kiczka & M. Studnicka (1998) Immunostimulatory effects of dimerized lysozyme (KLP-602) on the

- nonspecific defense mechanisms and protection against furunculosis in salmonids. *Veterinary immunology and immunopathology*, 61, 369-378.
- Siwicki, A. & M. Studnicka (1987) The phagocytic ability of neutrophils and serum lysozyme activity in experimentally infected carp, *Cyprinus carpio* L. *Journal of fish biology*, 31, 57-60.
- Szlaminska, M., A. Escaffre, N. Charlon & P. Bergot (1993) Preliminary data on semisynthetic diets for goldfish (*Carassius auratus* L.) larvae. *Colloques de l'INRA (France)*.
- Tacon, A. G., M. R. Hasan & R. P. Subasinghe. 2006. *Use of fishery resources as feed inputs to aquaculture development: trends and policy implications*. Food and Agriculture Organization of the United Nations.
- Tacon, A. G. & M. Metian (2008) Global overview on the use of fish meal and fish oil in industrially compounded aquafeeds: trends and future prospects. *Aquaculture*, 285, 146-158.
- (2015) Feed matters: satisfying the feed demand of aquaculture. *Reviews in Fisheries Science & Aquaculture*, 23, 1-10.
- Tacon, A. G., M. R. Metian, M. A. G. Tacon, M. R. Hasan & M. Metian. 2011. *Demand and supply of feed ingredients for farmed fish and crustaceans: trends and prospects*.
- Thammapat, P., P. Raviyan & S. Siriamornpun (2010) Proximate and fatty acids composition of the muscles and viscera of Asian catfish (*Pangasius bocourti*). *Food Chemistry*, 122, 223-227.
- Tippayadara, N., S. Doolgindachbaporn & A. Suksri (2016) Effects of Feeding Rates on Growth Performance, Feed Utilization and Body Composition of Asian Red Tail Catfish (*Hemibagrus wyckiioides*), Cultured in Northeast Thailand. *Pakistan Journal of Biological Sciences*, 19, 57.
- Wahli, T., V. Verlhac, J. Gabaudan, W. Schuep & W. Meier (1998) Influence of combined vitamins C and E on non-specific immunity and disease resistance of rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Journal of Fish Diseases*, 21, 127-138.
- Wilson, R. P. (2002) Amino acids and proteins. *Fish nutrition*, 143.

- Yildiz, H. Y. (2006) Plasma lysozyme levels and secondary stress response in rainbow trout, *Oncorhynchus mykiss* (Walbaum) after exposure to Leteux-Meyer mixture. *Turkish Journal of Veterinary and Animal Sciences*, 30, 265-269.
- Zheng, K., M. Liang, H. Yao, J. Wang & Q. Chang (2012) Effect of dietary fish protein hydrolysate on growth, feed utilization and IGF-I levels of Japanese flounder (*Paralichthys olivaceus*). *Aquaculture Nutrition*, 18, 297-303.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved