

Bibliography

- [Bell et al., 2001] Bell, E. F. and Kennicutt, Jr., R. C., “A Comparison of Ultraviolet Imaging Telescope Far-Ultraviolet and $H\alpha$ Star Formation Rates,” *ApJ*, Vol. 548, February 2001, pp. 681–693.
- [Bennett et al., 2012] Bennett, J., Donahue, M., Schneider, N., and Voit, M., *The Essential Cosmic Perspective*, 6th ed., Pearson Education Inc., 2012.
- [Bevington and Bobinson, 2002] Bevington, P. and Robinson, D., *Data Reduction and Error Analysis for the Physical Sciences*, 3rd ed., McGraw-Hill, 2002.
- [Binney and Merrifield, 1998] Binney, J. and Merrifield, M., *Galactic Astronomy*, Princeton Series in Astrophysics, Princeton University Press, 1998.
- [Boselli and Gavazzi, 2006] Boselli, A. and Gavazzi, G., “Environmental Effects on Late-Type Galaxies in Nearby Clusters,” *PASP*, Vol. 118, April 2006, pp. 517–559.
- [Boselli et al., 2002] Boselli, A., Lequeux, J., and Gavazzi, G., “Molecular gas in normal late-type galaxies,” *A&A*, Vol. 384, March 2002, pp. 33–47.
- [Byrd and Valtonen, 1990] Byrd, G. and Valtonen, M., “Tidal generation of active spirals and S0 galaxies by rich clusters,” *ApJ*, Vol. 350, February 1990, pp. 89–94.
- [Carroll and Ostlie, 2014] Carroll, B. and Ostlie, D., *An introduction to modern astrophysics*, 2nd ed., Pearson Education Inc., 2014.
- [Cohen, 1976] Cohen, J. G., “H-alpha emission from the disks of spiral galaxies,” *ApJ*, Vol. 203, February 1976, pp. 587–592.

- [Codon, 1992] Condon, J. J., “Radio emission from normal galaxies,” *ARA&A*, Vol. 30, 1992, pp. 575–611.
- [de Jong, 1996] de Jong, R. S., “Near-infrared and optical broadband surface photometry of 86 face on disk dominated galaxies. IV. Using color profiles to study stellar and dust content of galaxies,” *A&A*, Vol. 313, September 1996, pp. 377–395.
- [de Vaucouleurs, 1959] de Vaucouleurs, G., *Astrophysik IV: Sternsysteme*, Vol. 11, No. 53, Handbuch der Physik, Springer Berlin Heidelberg, 1959.
- [de Vaucouleurs et al., 1976] de Vaucouleurs, G., de Vaucouleurs, A., and Corwin, J., *Second Reference Catalogue of Bright Galaxies*, Austin, University of Texas Press, 1976.
- [Dressler, 1980] Dressler, A., “Galaxy morphology in rich clusters - Implications for the formation and evolution of galaxies,” *ApJ*, Vol. 236, March 1980, pp. 351–365.
- [Elmegreen, 1998] Elmegreen, D., *Galaxies and Galactic Structure*. Prentice-Hall Inc., 1998.
- [Fossati et al., 2013] Fossati, M., Gavazzi, G., Savorgnan, G., Fumagalli, M., Boselli, A., Gutiérrez, L., Hernández Toledo, H., Giovanelli, R., and Haynes, M. P., “H α 3: an H α imaging survey of HI selected galaxies from ALFALFA. IV. Structure of galaxies in the Local and Coma superclusters,” *A&A*, Vol. 553, May 2013, pp. A91.
- [Fujita, 1998] Fujita, Y., “Quantitative Estimates of Environmental Effects on the Star Formation Rate of Disk Galaxies in Clusters of Galaxies,” *ApJ*, Vol. 509, December 1998, pp. 587–594.
- [Fujita, 2004] Fujita, Y., “Pre-Processing of Galaxies before Entering a Cluster,” *PASJ*, Vol. 56, February 2004, pp. 29–43.

- [Gavazzi et al., 2006] Gavazzi, G., Boselli, A., Cortese, L., Arosio, I., Gallazzi, A., Pedotti, P., and Carrasco, L., “H α surface photometry of galaxies in nearby clusters,” *A&A*, Vol. 446, February 2006, pp. 839–845.
- [Gavazzi et al., 2002] Gavazzi, G., Boselli, A., Pedotti, P., Gallazzi, A., and Carrasco, L., “H α surface photometry of galaxies in the Virgo cluster. IV. The current star formation in nearby clusters of galaxies,” *A&A*, Vol. 396, December 2002, pp. 449–461.
- [Gavazzi et al., 2013] Gavazzi, G., Savorgnan, G., Fossati, M., Dotti, M., Fumagalli, M., Boselli, A., Gutiérrez, L., Hernández Toledo, H., Giovanelli, R., and Haynes, M. P., “H α 3: an H α imaging survey of HI selected galaxies from ALFALFA. III. Nurture builds up the Hubble sequence in the Great Wall,” *A&A*, Vol. 553, May 2013, pp. A90.
- [Girardi et al., 2002] Girardi, M., Manzato, P., Mezzetti, M., Giuricin, G., and Limboz, F., “Observational Mass-to-Light Ratio of Galaxy Systems from Poor Groups to Rich Clusters,” *ApJ*, Vol. 569, April 2002, pp. 720–741.
- [Greaves, 2017] Greaves, J., “Crude USNO B1.0 B1-R1 to B-V transformation” Website: http://www.aerith.net/astro/color_conversion/JG/USNO-B1.0.html, 11 January 2017.
- [Gunn and Gott, 1972] Gunn, J. E. and Gott, III, J. R., “On the Infall of Matter Into Clusters of Galaxies and Some Effects on Their Evolution,” *ApJ*, Vol. 176, August 1972, pp. 1.
- [Henriksen and Byrd, 1996] Henriksen, M. and Byrd, G., “Tidal Triggering of Star Formation by the Galaxy Cluster Potential,” *ApJ*, Vol. 459, March 1996, pp. 82.
- [Hubble, 1929] Hubble, E., “A Relation between Distance and Radial Velocity among Extra-Galactic Nebulae,” *Contributions from the Mount Wilson Observatory*, Vol. 3, 1929, pp. 23–28.

- [James et al., 2004] James, P. A., Shane, N. S., Beckman, J. E., Cardwell, A., Collins, C. A., Etherton, J., de Jong, R. S., Fathi, K., Knapen, J. H., Peletier, R. F., Percival, S. M., Pollacco, D. L., Seigar, M. S., Stedman, S., and Steele, I. A., "The H α galaxy survey. I. The galaxy sample, H α narrow-band observations and star formation parameters for 334 galaxies," *A&A*, Vol. 414, January 2004, pp. 23–43.
- [James et al., 2005] James, P. A., Shane, N. S., Knapen, J. H., Etherton, J., and Percival, S. M., "The H α Galaxy Survey. II. Extinction and [NII] corrections to H α fluxes," *A&A*, Vol. 429, January 2005, pp. 851–867.
- [Jones et al., 2004] Jones, M., Lambourne, R., and Adams, D., *An Introduction to Galaxies and Cosmology*, Cambridge University Press, 2004.
- [Karttunen et al., 2007] Karttunen, H., Kroger, P., Oja, H., Poutanen, M., and Donner, K., *Fundamental Astronomy*, 5th ed., Springer, 2007.
- [Keel et al., 1985] Keel, W. C., Kennicutt, Jr., R. C., Hummel, E., and van der Hulst, J. M., "The effects of interactions on spiral galaxies. I - Nuclear activity and star formation," *AJ*, Vol. 90, May 1985, pp. 708–730.
- [Kennicutt, 1981] Kennicutt, Jr., R. C., "The shapes of spiral arms along the Hubble sequence," *AJ*, Vol. 86, December 1981, pp. 1847–1858.
- [Kennicutt, 1983] Kennicutt, Jr., R. C., "On the evolution of the spiral galaxies in the Virgo cluster," *AJ*, Vol. 88, April 1983, pp. 483–488.
- [Kennicutt, 1988] Kennicutt, Jr., R. C., "Star Formation in Galaxies Along the Hubble Sequence," *ARA&A*, Vol. 36, 1988, pp. 189–232.
- [Kennicutt and Kent, 1983] Kennicutt, Jr., R. C. and Kent, S. M., "A survey of H-alpha emission in normal galaxies," *AJ*, Vol. 88, August 1983, pp. 1094–1107.

- [Kennicutt et al., 1987] Kennicutt, Jr., R. C., Roettiger, K. A., Keel, W. C., van der Hulst, J. M., and Hummel, E., “The effects of interactions on spiral galaxies. II - Disk star-formation rates,” *AJ*, Vol. 93, May 1987, pp. 1011–1023.
- [Koopmann and Kinney, 2004] Koopmann, R. A. and Kenney, J. D. P., “H α Morphologies and Environmental Effects in Virgo Cluster Spiral Galaxies,” *ApJ*, Vol. 613, October 2004, pp. 866–885.
- [Koopmann et al., 2001] Koopmann, R. A., Kenney, J. D. P., and Young, J., “An Atlas of H α and R Images and Radial Profiles of 63 Bright Virgo Cluster Spiral Galaxies,” *ApJS*, Vol. 135, August 2001, pp. 125–154.
- [Kriwattanawong et al., 2011] Kriwattanawong, W., Moss, C., James, P. A., and Carter, D., “The galaxy population of Abell 1367: photometric and spectroscopic data.” *A&A*, Vol. 527, March 2011, pp. A101.
- [Lee et al., 2009] Lee, J. C., Gil de Paz, A., Tremonti, C., Kennicutt, Jr., R. C., Salim, S., Bothwell, M., Calzetti, D., Dalcanton, J., Dale, D., Engelbracht, C., Funes, S. J. J. G., Johnson, B., Sakai, S., Skillman, E., van Zee, L., Walter, F., and Weisz, D., “Comparison of H α and UV Star Formation Rates in the Local Volume: Systematic Discrepancies for Dwarf Galaxies,” *ApJ*, Vol. 706, November 2009, pp. 599–613.
- [Mihos et al., 1992] Mihos, J. C., Richstone, D. O., and Bothun, G. D., “Models of star formation in interacting and merging disk galaxies,” *ApJ*, Vol. 400, November 1992, pp. 153–162.
- [Moore et al., 1996] Moore, B., Katz, N., Lake, G., Dressler, A., and Oemler, A., “Galaxy harassment and the evolution of clusters of galaxies,” *Nature*, Vol. 379, February 1996, pp. 613–616.
- [Moss, 2006] Moss, C., “Enhanced mergers of galaxies in low-redshift clusters,” *MNRAS*, Vol. 373, November 2006, pp. 167–178.

- [Moss and Whittle, 2000] Moss, C. and Whittle, M., “An $H\alpha$ survey of eight Abell clusters: the dependence of tidally induced star formation on cluster density,” *MNRAS*, Vol. 317, September 2000, pp. 667–686.
- [Phillipps, 2005] Phillipps, S., *The Structure and Evolution of Galaxies*. John Wiley & Sons, Ltd., 2005.
- [Planck Collaboration et al., 2014] Planck Collaboration, Ade, P. A. R., Aghanim, N., Alves, M. I. R., Armitage-Caplan, C., Arnaud, M., Ashdown, M., Atrio-Barandela, F., Aumont, J., Aussel, H., and et al., “Planck 2013 results. I. Overview of products and scientific results,” *A&A*, Vol. 571, November 2014, pp. A1.
- [Pohlen et al., 2010] Pohlen, M., Cortese, L., Smith, M. W. L., Eales, S. A., Boselli, A., Bendo, G. J., Gomez, H. L., Papageorgiou, A., Auld, R., Baes, M., Bock, J. J., Bradford, M., Buat, V., CastroRodriguez, N., Chanial, P., Charlot, S., Ciesla, L., Clements, D. L., Cooray, A., Cormier, D., Dwek, E., Eales, S. A., Elbaz, D., Galametz, M., Galliano, F., Gear, W. K., Glenn, J., Griffin, M., Hony, S., Isaak, K. G., Levenson, L. R., Lu, N., Madden, S., O’Halloran, B., Okumura, K., Oliver, S., Page, M. J., Panuzzo, P., Parkin, T. J., Perez-Fournon, I., Rangwala, N., Rigby, E. E., Roussel, H., Rykala, A., Sacchi, N., Sauvage, M., Schulz, B., Schirm, M. R. P., Smith, M. W. L., Spinoglio, L., Stevens, J. A., Srinivasan, S., Symeonidis, M., Trichas, M., Vaccari, M., Vigroux, L., Wilson, C. D., Wozniak, H., Wright, G. S., and Zeilinger, W. W., “Radial distribution of gas and dust in spiral galaxies . The case of M 99 (NGC 4254) and M 100 (NGC 4321),” *A&A*, Vol. 518, July 2010, pp. L72.
- [Redman, 1936] Redman, R. O., “Photometry, Photographic, of the elliptical nebulae,” *MNRAS*, Vol. 96, April 1936, pp. 588.

- [Sandage, 1986] Sandage, A., “Star formation rates, galaxy morphology, and the Hubble sequence,” *A&A*, Vol. 161, June 1986, pp. 89–101.
- [Savchenko and Reshetnikov, 2013] Savchenko, S. S. and Reshetnikov, V. P., “Pitch angle variations in spiral galaxies,” *MNRAS*, Vol. 436, December 2013, pp. 1074–1083.
- [Thomas et al., 2008] Thomas, C. F., Moss, C., James, P. A., Bennett, S. M., Aragón-Salamanca, A., and Whittle, M., “Star-forming galaxies in low-redshift clusters: data and integrated galaxy properties,” *A&A*, Vol. 486, August 2008, pp. 755–761.
- [Vallée, 2002] Vallée, J. P., “Meta study of the Spiral Structure of Our Home Galaxy,” *ApJ*, Vol. 566, February 2002, pp. 261–266.
- [Young et al., 1996] Young, J. S., Allen, L., Kenney, J. D. P., Lesser, A., and Rownd, B., “The Global Rate and Efficiency of Star Formation in Spiral Galaxies as a Function of Morphology and Environment,” *AJ*, Vol. 112, November 1996, pp. 1903.