

REFERENCES

- Akhter, J., Mahmood, K., Malik, K. A., Mardan, A., Ahmad, M., & Iqbal, M. M. (2004). Effects of hydrogel amendment on water storage of sandy loam and loam soils and seedling growth of barley, wheat and chickpea. *Plant Soil and Environment*, 50(10), 463-469.
- Al-Humaid, A. I., & Moftah, A. E. (2007). Effects of hydrophilic polymer on the survival of buttonwood seedlings grown under drought stress. *Journal of Plant Nutrition*, 30(1), 53-66.
- AMAZON. (2017, March 30). Amazon prime air: Retrieved from <https://www.amazon.com/Amazon-Prime-Air/b?node=8037720011>.
- Biocarbon Engineering. (2017, May 1). Overview of operation. Retrieved from <http://www.biocarbonengineering.com/technologies>.
- Birkedal, M., Fischer, A., Karlsson, M., Löf, M., & Madsen, P. (2009). Rodent impact on establishment of direct-seeded *Fagus sylvatica*, *Quercus robur* and *Quercus petraea* on forest land. *Scandinavian Journal of Forest Research*, 24 (4), 298-307.
- Bonn Challenge. (2017, March 30). A global effort. Retrieved from <http://www.bonnchallenge.org/content/challenge>.
- Bunyavejchewin, S., Chamlongrach, Y., Buasalee, R., & Rayangkul, P. (2016). *Trees & Forest of Huai Kha Khaeng Wildlife Sanctuary*. Bangkok: Amarin Printing and Publishing.
- Castro, J., Leverkus, A. B., & Fuster, F. (2015). A new device to foster oak forest restoration via seed sowing. *New Forests*, 46(5-6), 919-929.

CBD (Convention on Biological Diversity). (2017 a, March 30). Brazil biodiversity facts. Retrieved from <https://www.cbd.int/countries/?country=br>.

CBD. (2017 b, March 30). Thailand biodiversity facts. Retrieved from <https://www.cbd.int/countries/?country=th>.

Ceccon, E., González, E. J., & Martorell, C. (2016). Is direct seeding a biologically viable strategy for restoring forest ecosystems? evidences from a meta - analysis. *Land Degradation & Development*, 27(3), 511-520.

Chirino, E., Vilagrosa, A., & Vallejo, V. R. (2011). Using hydrogel and clay to improve the water status of seedlings for dryland restoration. *Plant and soil*, 344(1-2), 99-110.

Da, L. J., & Guo, X. Y. (2014). Ecosystem restoration using the near-natural method in Shanghai. In *Sustainable Living with Environmental Risks* (pp. 203-221). Springer Japan.

Daws, M. I., Garwood, N. C., & Pritchard, H. W. (2006). Prediction of desiccation sensitivity in seeds of woody species: a probabilistic model based on two seed traits and 104 species. *Annals of Botany*, 97(4), 667-674.

De Jr, L., Hong, T. D., Arruda, Y. M. B. C., Mendes, A. M. S., & Ellis, R. H. (2014). Classification of seed storage behaviour of 67 Amazonian tree species. *Seed Science and Technology*, 42(3), 363-392.

Denman, K.L., G. Brasseur, A. Chidthaisong, P. Ciais, P.M. Cox, R.E. Dickinson, D. Hauglustaine, C. Heinze, E. Holland, D. Jacob, U. Lohmann, S Ramachandran, P.L. da Silva Dias, S.C. Wofsy and X. Zhang, (2007): Couplings Between Changes in the Climate System and Biogeochemistry. In: *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M.Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

DNP (Department of National Park, Wildlife and Plant Conservation). (2017, March 30). Flora of Thailand. Retrieved from http://www.dnp.go.th/botany/Botany_Eng/FloraofThailand/flora_Eng.html.

Doust, S. J., Peter, D., Erskine, P. D., & Lamb, D. (2006). Direct seeding to restore rainforest species: Microsite effects on the early establishment and growth of rainforest tree seedlings on degraded land in the wet tropics of Australia. *Forest Ecology and Management*, 234, 333-343.

Doust, S. J., Peter, D., Erskine, P. D., & Lamb, D. (2008). Restoring rainforest species by direct seeding: Tree seedling establishment and growth performance on degraded land in the wet tropics of Australia. *Forest Ecology and Management*, 256, 1178-1188.

Duangpatra, P. (2010). *Soil Conditioners*. Bangkok: Kasetsart University Press.

Dunford, R., Michel, K., Gagnage, M., Piégay, H., & Trémelo, M. L. (2009). Potential and constraints of Unmanned Aerial Vehicle technology for the characterization of Mediterranean riparian forest. *International Journal of Remote Sensing*, 30(19), 4915-4935.

Elliott, S. (2016). The potential for automating assisted natural regeneration of tropical forest ecosystems. *Biotropica*, 48(6), 825-833.

Elliott, S. (2017). Forest restoration concepts and the potential for its automation. Manuscript in preparation.

Elliott, S. D., Blakesley, D., & Hardwick, K. (2013). *Restoring tropical forests: A practical guide*. Richmond, Surrey, UK: Kew Publishing, Royal Botanic Gardens, Kew.

Elliott, S., Navakitbumrung, P., Kuarak, C., Zangkum, S., Anusarnsunthorn, V., & Blakesley, D. (2003). Selecting framework tree species for restoring seasonally dry tropical forests in northern Thailand based on field performance. *Forest Ecology and Management*, 184, 177-191.

Ellis, R. H., Mai-Hong, T., Hong, T. D., Tan, T. T., Xuan-Chuong, N. D., Hung, L. Q., ... & Le-Tam, V. T. (2007). Comparative analysis by protocol and key of seed storage behaviour of sixty Vietnamese tree species. *Seed Science and Technology*, 35(2), 460-476.

FAO (Food and Agriculture Organization of the United Nation). (2015). *Global guidelines for the restoration of degraded forests and landscapes in drylands: Building resilience and benefiting livelihoods*. Berrahmouni, N., Regato, P. & Parfondry, M (eds.). Rome, Food and Agriculture Organization of the United Nations.

FAO. (2016). *State of the World's Forests 2016. Forests and agriculture: Land-use challenges and opportunities*. Rome. Food and Agriculture Organization of the United Nations.

FAO. (2017, March 30). Sustainable Forest Management (SFM) Toolbox. Retrieved from <http://www.fao.org/sustainable-forest-management/toolbox/en/>.

Fields-Johnson, C. W., Zipper, C. E., Burger, J. A., & Evans, D. M. (2012). Forest restoration on steep slopes after coal surface mining in Appalachian USA: Soil grading and seeding effects. *Forest Ecology and Management*, 270, 126-134.

FORRU (Forest Restoration Research Unit). (2006). *How to plant a forest: The principles and practice of restoring tropical forests*. Department of Biology, Faculty of Science, Chiang Mai University, Chiang Mai, Thailand.

FORRU. (2008). *Research for restoring tropical forest ecosystems: A practical guide*. Department of Biology, Faculty of Science, Chiang Mai University, Chiang Mai, Thailand.

FORRU. (Unpublished data). FORRU database. Version 2016. Department of Biology, Faculty of Science, Chiang Mai University, Chiang Mai, Thailand.

Gardner, S., Sidisunthorn, P., & Anusarnsunthorn, V. (2000). *A field guide to forest trees of northern Thailand*. Bangkok. Kobfai Publishing Project.

Goosem, S. P., & Tucker, N. I. J. (1995). *Repairing the rain forest-theory and practice of rainforest re-establishment in North Queensland's wet tropics*. Wet tropics management authority, Cairns, 71 pp.

Green, V. S., & Stott, D. E. (1999, May). Polyacrylamide: A review of the use, effectiveness, and cost of a soil erosion control amendment. In *The 10th International Soil Conservation Organization Meeting* (pp. 384-389). Purdue University and the USDA-ARS National Soil Erosion Research Laboratory.

Guarino, E. D. S. G., & Scariot, A. (2014). Direct seeding of dry forest tree species in abandoned pastures: effects of grass canopy and seed burial on germination. *Ecological Research*, 29(3), 473-482.

Haase, D. L., Landis, T. D., & Dumroese, R. K. (2014). Outplanting. In *Tropical Nursery Manual A Guide to Starting and Operating a Nursery for Native and Traditional Plants*. Wilkinson, K. M., Landis, T. D., Haase, D. L., Daley, B. F., & Dumroese, R. K. (eds). United States Department of Agriculture.

Hardwick, K., Healey, J. R., Elliott, S., & Blakesley, D. (2004). Research needs for restoring seasonal tropical forests in Thailand: accelerated natural regeneration. *New Forests*, 27(3), 285-302.

Hau, C. H. (1997). Tree seed predation on degraded hillsides in Hong Kong. *Forest Ecology and Management*, 99(1), 215-221.

Hau C. H. (1999). The establishment and survival of native trees on degraded hillsides in Hong Kong. Ph.D thesis. The University of Hong Kong.

Hong, T. D., & Ellis, R. H. (1996). *A protocol to determine seed storage behaviour*. International Plant Genetic Resources Institute, Rome, Italy.

Houghton, R. A. (2012). Carbon emissions and the drivers of deforestation and forest degradation in the tropics. *Current Opinion in Environmental Sustainability*, 4(6), 597-603.

Hosonuma, N., Herold, M., De Sy, V., De Fries, R. S., Brockhaus, M., Verchot, L., ... & Romijn, E. (2012). An assessment of deforestation and forest degradation drivers in developing countries. *Environmental Research Letters*, 7(4), 044009.

Hüttermann, A., Zommodi, M., & Reise, K. (1999). Addition of hydrogels to soil for prolonging the survival of *Pinus halepensis* seedlings subjected to drought. *Soil and Tillage Research*, 50(3), 295-304.

IPCC (Intergovernmental Panel on Climate Change). (2013): *Climate Change 2013: The physical science basis. contribution of working group I to the fifth assessment report of the Intergovernmental Panel on Climate Change*. Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1535 pp.

ISTA (International Seed Testing Association). (2006) *International rules for seed testing, rules*. International Seed Testing Association, Zurich, Switzerland.

Jacobs, F. D., & Landis, D. T. (2014). Plant Nutrition and Fertilization. In *Tropical Nursery Manual A Guide to Starting and Operating a Nursery for Native and Traditional Plants*. Wilkinson, K. M., Landis, T. D., Haase, D. L., Daley, B. F., & Dumroese, R. K. (eds). United States Department of Agriculture.

Jayasuriya, K. M. G. G., Wijetunga, S. T. B. A., Baskin, J. M., & Baskin C. C. (2013). Seed dormancy and storage behaviour in tropical Fabaceae: a study of 100 species from Sri Lanka. *Seed Science Research*, 23, 257-269.

Kuaraksa, C., & Elliott, S. (2013). The use of Asian *Ficus* species for restoring tropical forest ecosystems. *Restoration Ecology*, 21(1), 86-95.

Kopachon, S., Suriya, K., Hardwick, K., Pakaad, G., Maxwell, J., Anusarnsunthorn, V., Blakesley D, Garwood, N., & Elliott, S. (1996). Forest restoration research in northern Thailand: 1. The fruits, seeds and seedlings of *Hovenia dulcis* Thunb. (Rhamnaceae). *Nat Hist Bull Siam Soc*, 44,41–52.

- Lal, R. (2005). Forest soils and carbon sequestration. *Forest Ecology and Management*, 220(1), 242-258.
- Lamb, D., Erskine, P. D., & Parrotta, J. A. (2005). Restoration of degraded tropical forest landscapes. *Science*, 310 (5754), 1628-1632.
- Landis, T. D., & Haase, D. L. (2012). Applications of hydrogels in the nursery and during outplanting. In: Haase, D.L., Pinto, J.R., & Riley, L.E. *National Proceedings: Forest and Conservation Nursery Associations*, Fort Collins (CO): USDA Forest Service.
- Margono, B. A., Potapov, P. V., Turubanova, S., Stolle, F., & Hansen, M. C. (2014). Primary forest cover loss in Indonesia over 2000-2012. *Nature Climate Change*, 4(8), 730-735.
- McLaren, K. P., & McDonald, M. A. (2003). The effects of moisture and shade on seed germination and seedling survival in a tropical dry forest in Jamaica. *Forest Ecology and Management*, 183, 61-75.
- Mikkelsen, R. L. (1994). Using hydrophilic polymers to control nutrient release. *Nutrient Cycling in Agroecosystems*, 38(1), 53-59.
- Miyawaki, A. (1993). Restoration of native forests from Japan to Malaysia. In Leith, H. & Lohman, M. (eds). *Restoration of tropical forest ecosystems*. Kluwer Academic Publishers, Dordrecht, The Netherlands. pp 5-24.
- Miyawaki, A. (1998). Restoration of urban green environments based on the theories of vegetation ecology. *Ecological Engineering*, 11(1), 157-165.
- Miyawaki, A. (2004). Restoration of living environment based on vegetation ecology: theory and practice. *Ecological Research*, 19(1), 83-90.
- Naruangsri, K., & Tiansawat, P. (2016). Seed predation of five framework tree species in a degraded forest area of Chiang Mai, Thailand. In *Conservation Asia 2016 conference*, 29 June-2 July 2016, National University of Singapore, Singapore.

NESDB (National Economic and Social Development Board). (1992). Seventh National Economics and Social Development Plan B.E. 2535-2539. Retrieved from http://www.nesdb.go.th/ewt_w3c//ewt_dl_link.php?nid=3782.

ONREP (Office of Natural Resources and Environmental Policy and Planning). (2007). *Thailand Red Data: Vertebrates*. Ministry of Natural Resources and Environment. Bangkok. 98 pages.

Pakkad, G. (2005). *Developing seed storage protocols to optimize production of framework tree species for forest restoration* (Rep.). Biodiversity Research and Training Program (BRT).

Palma, A. C., & Laurance, S. G. (2015). A review of the use of direct seeding and seedling plantings in restoration: what do we know and where should we go?. *Applied Vegetation Science*, 18(4), 561-568.

Paneque-Gálvez, J., McCall, M. K., Napoletano, B. M., Wich, S. A., & Koh, L. P. (2014). Small drones for community-based forest monitoring: An assessment of their feasibility and potential in tropical areas. *Forests*, 5(6), 1481-1507.

Persson, M., Moberg, J., Ostwald, M., & Xu, J. (2013). The Chinese Grain for Green Programme: Assessing the carbon sequestered via land reform. *Journal of Environmental Management*, 126, 142-146.

Pinto, S. R., Melo, F., Tabarelli, M., Padovesi, A., Mesquita, C. A., de Mattos Scaramuzza, C. A., ... & César, R. G. (2014). Governing and delivering a biome-wide restoration initiative: the case of Atlantic Forest Restoration Pact in Brazil. *Forests*, 5(9), 2212-2229.

Pooma, R., & Suddee, S. (eds.). (2014). *Thai plant names Tem Smitinand revised edition 2014*. Bangkok: Office of the Forest Herbarium, Department of National Park, Wildlife and Plant Conservation.

Prentice, I. C., Farquhar, G. D., Fasham, M. J. R., Goulden, M. L., Heimann, M., Jaramillo, V. J., ... & Wallace, D. W. (2001). *The carbon cycle and atmospheric carbon dioxide*. Cambridge University Press.

- RFD (Royal Forest Department). (2015). Forest statistic 1996-2015. Retrieved from <http://forestinfo.forest.go.th/Content.aspx?id=9>.
- Ribeiro, M. C., Metzger, J. P., Martensen, A. C., Ponzoni, F. J., & Hirota, M. M. (2009). The Brazilian Atlantic Forest: How much is left, and how is the remaining forest distributed? Implications for conservation. *Biological conservation*, 142(6), 1141-1153.
- Royal Botanic Gardens Kew. (2017). Seed information database (SID). Version 7.1. Retrieved from data.kew.org/sid/citing.html.
- Sarvaš, M., Pavlenda, P., & Takáčová, E. (2007). Effect of hydrogel application on survival and growth of pine seedlings in reclamations. *J For Sci*, 53(5), 204-209.
- Schirone, B., Salis, A., & Vessella, F. (2011). Effectiveness of the Miyawaki method in Mediterranean forest restoration programs. *Landscape and Ecological Engineering*, 7(1), 81-92.
- Schmidt, L. (2007). *Tropical forest seed*. Springer-Verlag Berlin Heidelberg, 409 pp.
- SER (Society for Ecological Restoration Science & Policy Working Group). (2002). The SER primer on ecological restoration. Retrieved from www.ser.org/.
- Seub Foundation. (2016) *Thailand forest statistic 2015-2016*. Seub Foundation, Bangkok.
- Shono, K., Cadaweng, E. A., & Durst, P. B. (2007). Application of assisted natural regeneration to restore degraded tropical forestlands. *Restoration Ecology*, 15(4), 620-626.
- Stibig, H. J., Achard, F., Carboni, S., Rasi, R., & Miettinen, J. (2014). Change in tropical forest cover of Southeast Asia from 1990 to 2010. *Biogeosciences*, 11(2), 247.
- Silva, R. R., Oliveira, D. R., da Rocha, G. P., & Vieira, D. L. (2015). Direct seeding of Brazilian savanna trees: effects of plant cover and fertilization on seedling establishment and growth. *Restoration Ecology*, 23(4), 393-401.

Sinhaseni, K. (2008). Natural establishment of tree seedlings in forest restoration trials at Ban Mae Sa Mai, Chiang Mai Province. M. Sc. Thesis, Chiang Mai University, Chiang Mai.

Sitthisuwannakul¹, K., Boonpavanitchakul¹, K., Muthitamongkol, P., & Kangwansupamonkon¹, W. (2014). Polymer-layered silicate nanocomposite for slow released fertilizer. *The 4th Thailand international nanotechnology conference 2014*. 26-28 November 2014, Convention center, Thailand Science Park, Pathumthani, Thailand.

Song, X., Peng, C., Zhou, G., Jiang, H., & Wang, W. (2014). Chinese Grain for Green Program led to highly increased soil organic carbon levels: A meta-analysis. *Scientific Reports*, 4, srep04460.

Thapliyal, R. C., & Phartyal, S. S. (2005). Dispersal and germination syndromes of tree seeds in a monsoonal forest in northern India. *Seed Science Research*, 15(1), 29-42.

The Plant List. (2013). Version 1.1. Retrieved from <http://www.theplantlist.org/>.

Toktang, T. (2005). The effects of forest restoration on the species diversity and composition of a bird community in northern Thailand. M. Sc. Thesis, Chiang Mai University, Chiang Mai.

Tunjai, P. (2005). Appropriate tree species and techniques for direct seeding for forest restoration in Chiang Mai and Lamphun Provinces. M. Sc. Thesis, Chiang Mai University, Chiang Mai.

Tunjai, P., & Elliott, S. (2012). Effects of seed traits on the success of direct seeding for restoring southern Thailand's lowland evergreen forest ecosystem. *New Forests*, 43, 319-333.

Tweddle, J. C., Dickie, J. B., Baskin, C. C., & Baskin, J. M. (2003). Ecological aspects of seed desiccation sensitivity. *Journal of Ecology*, 91(2), 294-304.

Ullah, F., Othman, M. B. H., Javed, F., Ahmad, Z., & Akil, H. M. (2015). Classification, processing and application of hydrogels: A review. *Materials Science and Engineering: C*, 57, 414-433.

UN Climate summit. (2014). The New York declaration on forest action statements and action plans. Retrieved from <http://www.un.org/climatechange/summit/wp-content/uploads/sites/2/2014/07/New-York-Declaration-on-Forest---Action-Statement-and-Action-Plan.pdf>

Waiboonya, P.; Sumanochitrapon, W.; Larpkern, P.; Werukamkul, P.; and Ampornpan, L. (2014). *Plant Diversity in Dry Dipterocarp Forest Somdej Ya Learning Community Demonstration School, Bodhivijjala College, Srinakharinwirot University*. 2nd ed. Bangkok: Srinakharinwirot University.

Woods, K., & Elliott, S. (2004). Direct seeding for forest restoration on abandoned agricultural land in northern Thailand. *Journal of Tropical Forest Science*, 16(2), 248-259.

WWF (World Wildlife Fund). (2016). *Living Planet Report 2016. Risk and resilience in a new era*. WWF International, Gland, Switzerland.

Wydhayagarn, C., Elliott, S., & Wangpakapattanawong, P. (2009). Bird communities and seedling recruitment in restoring seasonally dry forest using the framework species method in northern Thailand. *New Forests*, 38, 81-97.

Zahawi, R. A., Dandois, J. P., Holl, K. D., Nadwodny, D., Reid, J. L., & Ellis, E. C. (2015). Using lightweight unmanned aerial vehicles to monitor tropical forest recovery. *Biological Conservation*, 186, 287-295.

Zhang, J., Hu, J., Lian, J., Fan, Z., Ouyang, X., & Ye, W. (2016). Seeing the forest from drones: Testing the potential of lightweight drones as a tool for long-term forest monitoring. *Biological Conservation*, 198, 60-69.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved