

REFERENCES

- Abi-Said M, Amr ZS. Camera trapping in assessing diversity of mammals in Jabal Moussa Biosphere Reserve, Lebanon. *Vertebrate Zoology*. 2011;62:145-152.
- Aerts R, Honnay O. Forest restoration, biodiversity and ecosystem functioning. *BMC Ecology*. 2011;11:1-10.
- Aide TM, Cavelier J. Barriers to tropical lowland forest restoration in the Sierra Nevada de Santa Marta, Colombia. *Restoration Ecology*. 1994; 2:219-229.
- Aleksandrowicz-Trzcińska M, Drozdowski S, Brzeziecki B, Rutkowska P, Jabłońska B. Effects of different methods of site preparation on natural regeneration of *Pinus sylvestris* in Eastern Poland. *Dendrobiology*. 2014;71:73–81.
- Amri E. Variation in pre-dispersal seed predation and seed traits among provenances of *Dalbergia Melanoxylon* (Guill&Perr.). *Plant Physiology and Pathology*. 2014;2(2):1- 6.
- Arnán X, Molowny-Horas R, Rodrigo A, Retana J. Uncoupling the effects of seed predation and seed dispersal by granivorous ants on plant population dynamics. *PLoS ONE*. 2012;7:1-11.
- Arora D. Case Study: Hand-rearing a Barred Buttonquail (*Turnix suscitator*) fledgling. *Rehabber's Den*, 2014.
- Atakan E, Canhilal R, Evaluation of yellow sticky traps at various heights for monitoring cotton insect pests. *Agriculture and Urban Entomology*. 2004;21:15-24.
- Balasubramanian V, Hill JE. *Direct seeding of rice in Asia: emerging issues and strategic research needs for the 21st century*. In: Pandey S, Mortimer M, Wade L, Tuong TP, Lopez K, Hardy B, ed. *Direct seeding: research issues and opportunities*. International Rice Research Institute. 2000:15-39.
- Barton C, Miller J, Sena K, Angel P, French M. Evaluating the use of tree shelters for direct seeding of *Castanea* on a surface mine in Appalachia., *Forests*. 2015;6:3514-3527.
- Barton KE, Hanley ME. Seedling–herbivore interactions: insights into plant defence and regeneration patterns. *Annals of Botany*. 2013;112:643-650.
- Beckage B, Clark JS. Seedling survival and growth of three forest tree species: the role of spatial heterogeneity. *Ecology*. 2003;84:1849-1861.

- Birkedal M. Reforestation by direct seeding of beech and oak: Influence of granivorous rodents and site preparation. Doctoral thesis, Swedish University of Agricultural Sciences Alnarp. 2010.
- Boege K, Marquis RJ. Facing herbivory as you grow up: the ontogeny of resistance in plants. *Trends in Ecology and Evolution*. 2005;20:441-448.
- Borkowski J, Zalewski A, Manor R. Diet composition of golden jackals in Israel. *Annales Zoologici Fennici*. 2011;48:108-118.
- Borror DJ, Triplehorn CA, and Johnson NF. *An introduction of the study of insects*. Philadelphia, Saunders College Publishing; 1989.
- Breugel MV. *Dymanic of secondary forest*. Forest Ecology and Forest Management Group, Centre for Ecosystem Studies, Wageningen University; 2007.
- Brewer SW. Predation and dispersal of large and small seeds of a tropical palm. *OIKOS*. 2001;92:245-255.
- Bricker M, Pearson D, Maron J. Small-mammal seed predation limits the recruitment and abundance of two perennial grassland forbs. *Ecology*. 2010;91:85-92.
- Brodie JF. Effects of seed dispersal by gibbons, sambar, and muntjac on *Choerospondias axillaris* demography, and the disruption of this mutualism by wildlife poaching. Graduate school, University of Montana; 2007.
- Bruel BO, Marques MCM, Brites RM. Survival and growth of tree species under two direct seedling planting systems. *Restoration Ecology*. 2010;4:414-417.
- Carbone C, Gittleman JL. A common rule for the scaling of carnivore density. *Science*. 2002;295:2273-2276.
- Chakravarty S, Ghosh SK, Suresh CP, Dey AN, Shukla G. *Deforestation: causes, effects and control strategies*. In: Okia CA, ed. *Global perspectives on sustainable forest management*. InTech. 2012:3-28.
- Christianini AV, Oliveira PS. The relevance of ants as seed rescuers of a primarily bird-dispersed tree in the Neotropical cerrado savanna. *Oecologia*. 2009;160:735-745.
- Coley PD. Herbivory and defensive characteristics of tree species in a lowland tropical forest. *Ecological Monographs*. 1983;53:209-233.
- Coomes DA, Grubb PJ. Colonization, tolerance, competition and seed-size variation within unctonal groups. *TRENDS in Ecology and Evolution*. 2003;18:283-291.
- Cramer JM, Mesquita RCG, Williamson BG. Forest fragmentation differentially affects

- seed dispersal of large and small-seeded tropical trees. *Biology Conservation*. 2007;137:415-423.
- Cunningham SC, Cavagnaro TR, Nally R, Paul K, Baker PJ, Beringer J, Thomson JR, Thompson RM. Reforestation with native mixed-species plantings in a temperate continental climate effectively sequesters and stabilizes carbon within decades. *Global Change Biology*. 2015;21:1552-1566.
- Davies C, Howard S, Leclerc M, Salinas A. *Forest resources*. UNEP: United Nations Environment Programme; 2013.
- Debeaujon I, Le'on-Kloosterziel KM, Koornneef M. Influence of the testa on seed dormancy, germination, and longevity in *Arabidopsis*. *Plant Physiology*. 2000; 122: 403-441.
- Delang CO, Deforestation in Northern Thailand: the result of Hmong farming practices or Thai development strategies?. *Society and Natural Resources*. 2002;15:483-501.
- De Bondi N, White JG, Stevens M, Cooke R. A comparison of the effectiveness of camera trapping and live-trapping for sampling terrestrial small-mammal communities. *Wildlife Research*. 2010;37:456-465.
- Derroire G. Secondary succession in tropical dry forests: drivers and mechanisms of forest regeneration. Doctoral Thesis Bangor, United Kingdom & Alnarp, Sweden; 2016.
- Di Bitetti MS, Paviolo A, Ferrari CA, De Angelo C, Di Blanco Y. Differential responses to hunting in two sympatric species of brocket deer (*Mazama americana* and *M-Nana*). *Biotropica*. 2008;40:636-645.
- Diserud OH, Ødegaard F. A multiple-site similarity measure. *Biological Letters*. 2007;3:20-22.
- Doust SJ, Erskine PD, Lamb D. Direct seeding to restore rainforest species: microsite effects on the early establishment and growth of rainforest tree seedlings on degraded land in the wet tropics of Australia. *Forest Ecology and Management*. 2006;234:333-343.
- Doust SJ, Erskine PD, Lamb D. Restoring rainforest species by direct seeding: tree seedling establishment and growth performance on degraded land in the wet tropics of Australia. *Forest Ecology and Management*. 2008;256:1178-1188.
- Douglas GB, Dodd MB, Power IL. Potential of direct seeding for establishing native plants into pastoral land in New Zealand. *New Zealand Journal of Ecology*. 2007;31:143-153.

- Duffy JE. Why biodiversity is important to the functioning of real-world ecosystems. *Frontiers in Ecology and the Environment*. 2009;7:437-444.
- Elliott SD, Blakesley D, Hardwick K. *Restoring tropical forests: a practical guide*. Richmond, Surrey, UK: Kew Publishing, Royal Botanic Gardens, Kew; 2013.
- Elliott S, Navakitbumrung P, Kuarak C, Zangkum S, Anusarnsunthorn V, Blakesley D. Selecting framework tree species for restoring seasonally dry tropical forests in northern Thailand based on field performance. *Forest Ecology and Management*. 2003;184:177-191.
- FAO. *State of the World's Forests. Part II Key Issues in the Forest Sector Today*. FAO (Food and Agriculture Organization of the United Nations). 2001. Available at:<http://www.fao.org/docrep/003/y0900e/y0900e05.htm>. Accessed September 6, 2017.
- FAO. *A guide to forest seed handing: chapter 8 seed pretreatment*. FAO (Food and Agriculture Organization of the United Nations). 2017, Available at: <http://www.fao.org/docrep/006/ad232e/ad232e08.htm>. Accessed September 6, 2017.
- FAO. *Global forest resources assessment 2010; Main report*. FAO (Food and Agriculture Organization of the United Nations), Rome; 2010.
- FAO. *State of the World's Forests 2012*. FAO (Food and Agriculture Organization of the United Nations), Rome; 2012.
- Farlee LD. *Direct seeding of fine hardwood tree species*. Proceedings of the seventh walnut council research symposium; 2013.
- Farwig N, Sajita N, Bohning-Gaese K. Conservation value of forest plantations for bird communities in western Kenya. *Forest Ecology and Management*. 2008;255:3885-3892.
- Ferreira AV, Bruna EM, Vasconcelos HL. Seed predators limit plant recruitment in Neotropical savannas. *OIKOS*. 2011;120:1013-1022.
- Fleury M, Silla F, Rodrigues RR, do Coutod HTZ, Galetti M. Seedling fate across different habitats: the effects of herbivory and soil fertility. *Basic and Applied Ecology*. 2015;16:141-151.
- FORRU (Forest Restoration Research Unit). *How to plant a forest: the principles and practice of restoring tropical forests*. Department of Biology, Faculty of Science, Chiang Mai University, Chiang Mai, Thailand; 2006.
- Fricke EC, Tewksbury JJ, Rogers HS. Multiple natural enemies cause distance-dependent mortality at the seed-to-seedling transition. *Ecology Letters*. 2014;17:593-598.

- Fukami T, Lee WG. Alternative stable states, trait dispersion and ecological restoration. *OIKOS*. 2006;113:353-356.
- Gadagkar R, Chandrashekara K, Nair P. Insect species diversity in the tropics: sampling methods and a case study. *Bombay Natural History Society*. 1990;87:337-353.
- Gamfeldt L, Hillebrand H, Jonsson PR, Multiple functions increase the importance of biodiversity for overall ecosystem functioning. *Ecology*. 2008;89:1223-1231.
- Gardner S, Sidisunthorn P, Anusarnsunthorn V. *A field guide to forest trees of Northern Thailand*. Bangkok, Kobfai Publishing Project; 2000.
- Gavloski J. Maximizing the value of beneficial insects on the farm: predators and parasitoids. *Entomologist*. 2017:1-10.
- Geiser F. Reduction of metabolism during hibernation and daily torpor in mammals and birds: temperature effect or physiological inhibition?. *Comparative Physiology B*. 1987;158:25-37.
- Goodale UM, Berlyn GP, Gregoire YG, Tennakoon KU, Ashton MS. Differences in survival and growth among tropical rain forest pioneer tree seedlings in relation to canopy openness and herbivory. *Biotropica*. 2014;46: 183–193.
- Grassman LI. Movements and diet of the leopard cat *Prionailurus bengalensis* in a seasonal evergreen forest in south-central Thailand. *Acta Theriologica*. 2000;45:421-426.
- Gurevitch J, Morrow LL, Wallace A. A meta-analysis of competition in field experiments. *Am Nat*. 1992;140:539-72.
- Hardwick K. Tree colonization of abandoned agricultural clearings in seasonal tropical montane forest in northern Thailand. PhD thesis, University of Wales, Bangor; 1999.
- Hau CH. Tree seed predation on degraded hillsides in Hong Kong. *Forestry Ecology and Management*. 1997;99:215-221.
- Hautier Y, Saner P, Philipson C, Bagchi R, Ong RC, Hector A. Effects of seed predators of different body size on seed mortality in Bornean logged forest. *PLoS ONE*. 2010;5:1-8.
- Hensen I. Seed predation by ants in south-eastern Spain (Desierto de Tabernas, Almería). *Anales de Biología*. 2002;24:89-96.
- Holl KD. *Chapter 9 restoration of tropical forests*. In: van Andel J, Aronson J, ed. *Restoration Ecology: The New Frontier*. Blackwell Publishing Ltd. 2012:103-114.

- Holl KD. Effects of above-and below-ground competition of shrubs and grass on *Calophyllum brasiliense* (Camb.) seedling growth in abandoned tropical pasture. *Forest Ecology and Management*. 1998;109:187-195.
- Hong TD, Ellis RH. *A protocol to determine seed storage behavior*. International Plant Genetic Resources Institute; 1996.
- Hossain F, Elliott S, Chairuangri S. Effectiveness of direct seeding for forest restoration on severely degraded land in Lampang Province, Thailand. *Open Journal of Forestry*. 2014;4:512-519.
- Isbell F, Calcagno V, Hector A, Connolly J, Harpole WS, Reich PB, Scherer-Lorenzen M, Schmid B, Tilman D, van Ruijven J, Weigelt A, Wilsey BJ, Zavaleta ES, Loreau M. High plant diversity is needed to maintain ecosystem services. *Nature*. 2011;477:199-202.
- Janzen DH. Herbivores and number of tree species in tropical forests. *The American Naturalist*. 1970;104:501-528.
- Kopachon S, Suriya K, Hardwick K, Pakaad G, Maxwell JF, Anusarnsunthorn V, Blakesley D, Garwood NC, Elliott S. Forest restoration research in Northern Thailand: the fruits, seeds and seedlings of *Hovenia dilcis* Thumb. (RHAMNACEAE). *Natural History Bulletin of the Siam Society*. 1996;44:41-54.
- Kukielka E, Barasona JA, Cowie CE, Drewe JA, Gortazar C, Cotarelo I, Vicente J. Spatial and temporal interactions between livestock and wildlife in South Central Spain assessed by camera traps. *Preventive Veterinary Medicine*. 2013;112:213-221.
- Kumar V, Ladha JK. Direct seeding of rice; recent developments and future research needs. *Advances in Agronomy*. 2011;111:297-413.
- Kursar TA, Coley PD. Convergence in defense syndromes of young leaves in tropical rainforests. *Biochemical Systematics and Ecology*. 2003;31:929-949.
- Kyereh B, Swaine MD, Thompson J. Effect of light on the germination of forest trees in Ghana. *Ecology*. 1999;87:772-783.
- Lakanavichian S. *Case studies in South and East Asia: forest ownership, forest resource tenure and sustainable forest management*. Chiang Mai University; 2006.
- Lakanavichian S. *Impacts and effectiveness of logging bans in natural forests, Thailand*. In FAO, ed. *Forests out of bounds: impacts and effectiveness of logging bans in natural forests in Asia-Pacific*. FAO Regional Office for Asia and the Pacific; 2001.

- Lakanavichian S. *Trends in forest ownership, forest resources tenure and institutional arrangements: are they contributing to better forest management and poverty reduction?: case study from Thailand*. In: FAO, ed. *Understanding forest tenure in South and Southeast Asia*. Rome. 2006:325-354.
- Lamb D, Gilmour D. *Rehabilitation and restoration of degraded forests*. IUCN, Gland, Switzerland and Cambridge, UK and WWF, Gland, Switzerland; 2003.
- Lamb D. *Ecological restoration*. In: Lamb D, ed. *Regreening the bare hills: tropical forest restoration in the Asia-Pacific region*. Springer, New York. 2011:325-355
- Lamb D, Erskine PD, Parrotta J. Restoration of degraded tropical forest landscapes. *Science*. 2005;310:1628-632.
- Laricchia K. *Effects of height and size exclusion on seed preference among mammalian granivores*. BIOS 35502: Practicum in field biology; 2010.
- Lewis OT, Gripenberg S. Insect seed predators and environmental change. *Applied Ecology*. 2008;45:1593-1599.
- Lewis SL, Malhi Y, Phillips OL. Fingerprinting the impacts of global change on tropical forests. *Philosophical transactions of the royal society biological sciences*. 2004;359:437-462.
- Lindelow A, Bjorkman C. Insects on lodgepole pine in Sweden - current knowledge and potential risks. *Forest Ecology and Management*. 2001;141:107-116.
- Liu X, Wuc P, Songerd M, Caie Q, Hef X, Zhue Y, Shaoc X. Monitoring wildlife abundance and diversity with infra-red camera traps in Guanyinshan Nature Reserve of Shaanxi Province, China. *Ecological Indicators*. 2013;33:121-128.
- Locatelli B, Catterall CP, Imbach P, Kumar C, Lasco R, Marín-Spiotta E, Mercer B, Powers JS, Schwartz N, Uriarte M. Tropical reforestation and climate change: beyond carbon. *Restoration ecology*. 2015:1-7.
- Lof M, Birkedal M. Direct seeding of *Quercus robur* L. for reforestation: the influence of mechanical site preparation and sowing date on early growth of seedlings. *Forest Ecology and Management*. 2009;258:704-711.
- Lu Y, Ranjitkar S, Harrison RD, Xu J, Ou X, Ma X, He J. Selection of native tree species for subtropical forest restoration in Southwest China. *PLOS One*. 2017:1-15.
- Lu Y, Ranjitkar S, Xu J, Ou X, Zhou Y, Ye J, Wu X, Weyerhaeuser H, He J. Propagation of native tree species to restore subtropical evergreen broad-leaved forests in SW China. *Forests*. 2016;12:1-14.

- Magura T, Elek Z, Tóthmérész B. Impacts of non-native spruce reforestation on ground beetles. *European journal of soil biology*. 2002;38:291-295.
- McDonald PJ, Griffiths AD, Nano CEM, Dickman CR, Ward SJ, Luck GW. Landscape-scale factors determine occupancy of the critically endangered central rock-rat in arid Australia: The utility of camera trapping. *Biological Conservation*. 2015;191:93-100.
- Meiners SJ, Handel SN, Pickett STA. Tree seedling establishment under insect herbivory: edge effects and interannual variation. *Plant Ecology*. 2000;151:161-170.
- Melidonis CA, Peter CI. Diurnal pollination, primarily by a single species of rodent, documented in *Protea foliosa* using modified camera traps. *South African Journal of Botany*. 2015;97:9-15.
- Meteorological Department of Thailand. *Climatic data of Ban Nong Hoi, Mae Rim, Chiang Mai*. Meteorological Department of Thailand; 2015.
- Meyer NFV, Esser HJ, Moreno R, Langevelde F, Liefting Y, Oller DR, Vogels CBF, Carver AD, Nielsen CK, Jansen PA. An assessment of the terrestrial mammal communities in forests of Central Panama, using camera-trap surveys. *Nature Conservation*. 2015;26:28-35.
- Mills JN. Herbivory and seedling establishment in post-fire southern California chaparral. *Oecologia*. 1983;6:267-70.
- Miransari M, Smithc DL. Plant hormones and seed germination. *Environmental and Experimental Botany*. 2014;99:110-121.
- Miyawaki A. Restoration of living environment based on vegetation ecology: theory and practice. *Ecological Research*, 2004;19:83-90.
- Mng'omba SA, du Toit ES, Akinnifesi FK. Germination characteristics of tree seeds: spotlight on Southern African tree species. *Tree and Forestry Science and Biotechnology*. 2007;1:1-8.
- Moles AT, Westoby M. Seedling survival and seed size: a synthesis of the literature. *Ecology*. 2004;92:372-383.
- Moles AT, Westoby M. Seed size and plant strategy across the whole life cycle. *OIKOS*. 2006;113;91-105.
- Muller-Landau HC. The tolerance–fecundity trade-off and the maintenance of diversity in seed size. *PNAS*. 2010;107:4242-4247.

- Nabhitabhata J, Lekhakul K, Sa-nguansombat W. *Guide to the birds of Thailand by doctor Boonsong Lekhakul* (Thai version). Bangkok, Thailand; 2012.
- Nilson ME, Hjältén J. Covering pine-seeds immediately after seeding: effects on seedling emergence and on mortality through seed-predation. *Forest Ecology and Management*. 2003;176:449-457.
- NPIC: The National Pesticide Information Center. *Cypermethrin*. Oregon State University Environmental and Molecular Toxicology; 1998.
- NPIC: The National Pesticide Information Center. *Chlorpyrifos, general fact sheet*. Oregon State University Environmental and Molecular Toxicology; 2010
- NRCS: Natural Resources Conservation Service. *Direct seeding of tree, small scale solutions for your farm*. Natural Resources Conservation Service; 2009. Available at:https://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/stelprdb1167382.pdf. Accessed June 12, 2017.
- O'Brein T, G'Kinnarid MF, Wibisono HT. Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape. *Animal Conservation*. 2003;6: 131-139.
- Ochsner P. *Direct seeding in the tropics*. College of Forestry and Natural Resources University of the Philippines, Los Baños; 2001.
- Önemli, F. The effects of soil organic matter on seedling emergence in sunflower (*Helianthus annuus* L.). *Plant, Soil and Environment*. 2004;50:494-499.
- Orians CM, Hochwender CG, Fritz RS, Snall T. Growth and chemical defense in willow seedlings: trade-offs are transient. *Oecologia*. 2010;163:283-290.
- Orrock JL, Levey DJ, Danielson BJ, Damschen EI. Seed predation, not seed dispersal, explains the landscape-level abundance of an early-successional plant. *Ecology*. 2006;94:838-845.
- Palmer MA, Ambrose RF, Poff NL. Ecological theory and community restoration ecology. *Restoration Ecology*. 1997;5:291-300.
- Pakkad G. *Morphological database of fruits and seeds of tree in Doi Suthep-Pui National Park*. Graduate school, Chiang Mai University, 1997.
- Parrotta JA. *Catalysing natural forest restoration on degraded tropical landscapes*. In Elliot S, Kerby J, Blakesley D, Hardwick K, Woods K, Anusarnsunthorn V. *Forest restoration for wildlife conservation*. International Tropical Timber Organization

- and the Forest Restoration Research Unit, Chiang Mai University, Chiang Mai, Thailand. 2000:45-54.
- Percy KE, Jandl R, Hall JP, Lavigne M. The role of forests in carbon cycles, sequestration, and storage. *Newsletter*. 2003;1:1-5.
- Pereira CM, Moura MO, Da-Silva PR. Insect seed predators in *Erythrina falcata* (Fabaceae): identification of predatory species and ecological consequences of asynchronous flowering. *Neotropical Entomology*. 2014;43:193-200.
- Pizo MA, Allmen CV, Morellato LPC. Seed size variation in the palm *Euterpe edulis* and the effects of seed predators on germination and seedling survival. *Acta oecologica*. 2006;29:311-315.
- Pollock KH, Nichols JD, Simons TR, Farnsworth GL, Bailey LL, Sauer JR. Large scale wildlife monitoring studies: statistical methods for design and analysis. *Environmetrics*. 2002;13:105-119.
- Pufal G, Klein AM. Post-dispersal seed predation of three grassland species in a plant diversity experiment. *Plant Ecology*. 2013;6:468-479.
- Qiu BL, Ren SX. Using yellow sticky traps to inspect population dynamics of *Bemisia tabaci* and its parasitoids. *Chinese Bulletin of Entomology*. 2006;43:53-56.
- Radwan A, Hara M, Kleinwachter M, Selmar D. Dehydrin expression in seeds and maturation drying: a paradigm change. *Plant Biology*. 2014;16:853-855.
- RFD. *Forestry statistics of Thailand*. Bangkok, RFD Information Office; 2004. Available at: www.forest.go.th/stat/stat47/TAB1.htm. Accessed September 6, 2017.
- Rocha-Ortega M, Bartimachi A, Neves J, Bruna EM, Vasconcelos HL. Seed removal patterns of pioneer trees in an agricultural landscape. *Plant Ecology*. 2017;218: 737–748.
- Rolando CA. An assessment of the impact of pesticides applied at planting on survival of pines during regeneration, in South Africa. *South African Journal of Botany*. 2006;72:649-655.
- Roberts EH. Predicting the storage life of seeds. *Seed Science and Technology*. 1973;1:499-514.
- Robinson DG. *Pesticide exposure in tree planters*. B.Sc., University of British Columbia; 1985.
- Rovero F, Zimmermann F, Berzi D, Meek P. Which camera trap type and how many do I need? A review of camera features and study designs for a range of wildlife research applications. *Associazione Teriologica Italiana*. 2013;24:148-156.

- Sallabanks R, Courtney SP. Frugivory, seed predation and insect-vertebrate interactions. *Annual Review of Entomology*. 1992;37:377-400.
- Savage J, Fortier AM, Fournier F, Bellavance V. Identification of *Delia* pest species (Diptera: Anthomyiidae) in cultivated crucifers and other vegetable crops in Canada. *Canadian Journal of Arthropod Identification*. 2016;29:1-40.
- Saverimuttu T, Westoby M. Seedling longevity under deep shade in relation to seed size. *Ecology*. 1996;84:681-689.
- Schreeg LA, Kobe RK, Walters MB. Tree seedling growth, survival, and morphology in response to landscape-level variation in soil resource availability in northern Michigan. *Canadian Journal of Forest Research*. 2005;35:263-273.
- Secretariat of the Convention on Biological Diversity. *Forest Biodiversity—Earth's Living Treasure*. Montreal; 2010.
- Sedjo RA. *Forest carbon sequestration: some issues for forest investments*. Resources for the future; 2001.
- Shannon CE, Weaver W. *The mathematical theory of communication*. The University of Illinois Press; 1949.
- Shepherd CR, Shepherd LA. *A naturalist's guide to the mammals of Thailand and Southeast Asia*. Asia Books Co.,Ltd.; 2012.
- Silvanderson K. *PMP's first-ever sticky trap survey captures glue-based control trends*. Pest Management Professiona; 2015.
- Sobral M, Guitian J, Guitian P, Larrinaga AR. Seed predators exert selection on the subindividual variation of seed size. *Plant Biology*. 2013:1-7.
- St-Denis A, Messier C, Kneeshaw D. Seed size, the only factor positively affecting direct seeding success in an abandoned field in Quebec, Canada. *Forests*. 2013;4:500-516.
- Stibig HJ, Achard F, Carbon S, Miettinen J. Change in tropical forest cover of Southeast Asia from 1990 to 2010. *Biogeosciences*. 2014;11:247-258.
- Stocker TF, Qin D, Plattner GK, Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V, Midgley PM. *Climate change 2013: the physical science basis*. IPCC (Intergovernmental Panel on Climate Change); 2013.
- Sunquist M, Rajaratnam L, Ambu L. Diet and habitat selection of the leopard cat (*Prionailurus bengalensis borneoensis*) in an agricultural landscape in Sabah, Malaysian Borneo. *Tropical Ecology*. 2007;23:209-217.

- Takakura K. The specialist seed predator *Bruchinus dorsalis* (Coleoptera: Bruchidae) plays a crucial role in the seed germination of its host plant, *Gleditsia japonica* (Leguminosae). *Functional Ecology*. 2002;16:252-257.
- The Botanical Garden Organization. *BGO plant database*. Research and Development Center, The Botanical Organization, Ministry of Natural Resource and Environment, Thailand. 2011. Available at:http://www.qsbg.org/Database/Botanic_Book%20full%20option/search_page.asp. Accessed September 6, 2017.
- The Plant List. Version 1.1. 2013. Available at:<http://www.theplantlist.org/>. Accessed September 6, 2017.
- Thomas E, Jalonen R, Loo J, Boshier D, Gallo L, Cavers S, Bordács S, Smith P, Bozzano M. Genetic considerations in ecosystem restoration using native tree species. *Forest Ecology and Management*. 2014;333:66-75.
- Tielborger K, Valleriani A. Can seeds predict their future? germination strategies of density-regulated desert annuals. *OIKOS*. 2005;111:235-244.
- Trading Economics. *Thailand - forest area (% of land area)*. Trading Economics. 2017. Available at:<https://tradingeconomics.com/thailand/forest-area-percent-of-land-area-wb-data.html>. Accessed September 16, 2017.
- Tsakaldimi M, Ganatsas P, Jacobs DF. Prediction of planted seedling survival of five Mediterranean species based on initial seedling morphology. *New Forests*. 2012:1-13.
- Tunjai P, Elliott S. Effects of seed traits on the success of direct seeding for restoring southern Thailand's lowland evergreen forest ecosystem. *New Forests*. 2012;43:319-333.
- Tunjai P. *Appropriate tree species and techniques for direct seeding for forest restoration in Chiang Mai and Lamphun Provinces*. Graduate school, Chiang Mai University; 2005.
- Tunjai P. *Direct seeding for restoring tropical lowland forest ecosystems in southern Thailand*. Doctor of Philosophy, Walailak University; 2011.
- Udaiyan K, Muthukumar T, Vasantha K, Greep S, Narmatha Bai V. Effect of fumigant and pesticides on the mycorrhization and nodulation of tree legume seedlings. *Tropical Forest Science*. 2001;13:19-30.
- Upton MS, Mantle BL. *Methods for collecting, preserving and studying insects and other terrestrial arthropods*. 5th edition, The Australian Entomological Society; 2010.
- Vander Wall SB, Kuhn KM, Beck MJ. Seed removal, seed predation, and secondary dispersal. *Ecology*. 2005;86:801-806.

- Vargas RI, Piñero JC, Leblanc L. An overview of pest species of bactrocera fruit flies (Diptera: Tephritidae) and the integration of biopesticides with other biological approaches for their management with a focus on the pacific region. *Insects*. 2015;6:297-318.
- Vaughan C, Heacox C, Rede H, Hill H, Libby C, Locke D. Seed Technology Techniques. Seed Dynamics, 2017. Available at:<http://seeddynamics.com/seedtechnology/techniques#>. Accessed November 6, 2017.
- Verdone M. *A cost-benefit framework for analyzing forest landscape restoration decisions*. Gland, Switzerland: IUCN; 2015.
- Wahungu GM, Catterall CP, Olsen MF. Seedling predation and growth at a rainforest–pasture ecotone, and the value of shoots as seedling analogues. *Forest Ecology and Management*. 2002;162:251-260.
- Waiboonya P. *Developing new techniques of seed storage and direct seeding of native tree species for tropical forest restoration*. Graduate school, Chiang Mai University; 2017.
- Willoughby I, Jinks IR, Gosling P, Kerr G. *Practice guide creating new broadleaved woodland by direct seeding*. Forestry Commission, Edinburgh; 2004.
- Wells K, Bagchi R. Eat in or take away- seed predation and removal by rats (muridae) during a fruiting event in a dipterocarp rainforest. *Raffles Bulletin of Zoology*. 2005;53:281-286.
- Woods K, Elliott S. Direct seeding for forest restoration on abandoned agricultural land in northern Thailand. *Tropical Forest Science*. 2003;16:248-259.
- Wright JS, Sobel AH, Schmidt GA. Influence of condensate evaporation on water vapor and its stable isotopes in a GCM. *Geophysical research letters*. 2009;36:1-5.
- Zhang M, Wang Z, Yi X. Seedling predation of *Quercus mongolica* by small rodents in response to forest gaps. *New Forests*. 2017;48:83-94.
- Zhang ZB, Hinds L, Singleton G, Wang ZW. *Rodent biology and management*. The International Conference on Rodent Biology and Management, held at Beijing, China, 5 - 9 October 1998.