

REFERENCES

- [1] X. Huang, Y. Sun, J. Nie, et al, Using absorbable chitosan hemostatic sponges as a promising surgical dressing, *J. Biological Macromolecules.* 75 (2015) 322–329.
- [2] S. Kumar MP, Local hemostatic agents in the management of bleeding in oral surgery, *Asian Journal of Pharmaceutical and Clinical Research.* 9 (3) (2016) 35–41.
- [3] J.B. Glick, R.R. Kaur, D. Siegel, Achieving hemostasis in dermatology-Part II: Topical hemostatic agents, *J. Indian Dermatol.* 4 (3) (2013) 172–176.
- [4] Y.J. Zhang, B. Gao, X.W. Liu, Topical and effective hemostatic medicines in the battlefield , *J. Clinical and Experimental Medicine.* 8 (1) (2015) 10–19.
- [5] M. Kabiri, S.H. Emami, M. Rafinia, M. Tahriri, Preparation and characterization of absorbable hemostat crosslinked gelatin sponges for surgical application, *J. Current Applied Physics.* 11 (2011) 457–461.
- [6] A.M. Behrens, M.J. Sikorski, Z.J. Wu, et al, Blood-aggregating particles for use as a hemostatic agent, *J. Acta Biomaterialia.* 10 (2014) 701–708.
- [7] J. Barnard, R. Millner, A review of Topical Hemostatic Agents for Use in Cardiac Surgery, *J. Ann Thorac Surg.* 88 (2009) 1378–1383.
- [8] O.E. Ogle, J. Swantek, A. Kamoh, Hemostatic Agents, *J. Dent. Clin N Am.* 55 (2011) 433–439.
- [9] M. Emilia, S. Luca, B. Francesca, et al, Topical hemostatic agents in surgical practice, *J. Transfusion and Apheresis Science.* 45 (2011) 305-311.

- [10] W. Wattanutchariya, W. Changkowchai, Development of Hemostatic Agent from Local Material, Proceeding of the Asia Pacific Industrial Engineering & Management Systems Conference, 2012.
- [11] P.L. Kang, S.J. Chang, I. Manousakas, et al, Development and assessment of hemostasis chitosan dressing, J. Current Applied Physics. 11 (2011) 457–461.
- [12] A. Racksanti, Development of hemostatic material in human body, Science and technology research of Chiang Mai University. (2009) [online]. Available https://stri.cmu.ac.th/article_detail.php?id=52 (26 September 2017).
- [13] K. S. Vyas and S. P. Saha. Comparison of hemostatic agent used in vascular surgery. J. Expert Opin Biol Ther. 13(12) (2013) 1663–1672.
- [14] S. Gomathysankar, A.S. Halim, N.S. Yaacob, Proliferation of Keratinocytes Induced by AdiposeDerived Stem Cells on a Chitosan Scaffold and Its Role in Wound Healing, a Review, J. Archives of Plastic Surgery, 41 (5) (2014) 452–457.
- [15] C.P. Bergmann, A. Stumpf, Dental Ceramic, Microstructure, Properties, and Degradation, J. Biomaterials in Dentistry, (2013) 9–13.
- [16] G.M. Sieger, Hemostatic sponges and method of US, J. Indian Dermatol. (1959) [online]. Available <https://www.google.com/patents/US2899362> (23 February 2017).
- [17] Z.H. Lu, T. Sasaki, Y.Y. Li, et al, Effect of amylose content and rice type on dynamic viscoelasticity of a composite rice starch gel, J. Food Hydrocollids. 23 (2009) 1712–1719.

- [18] T. Bourtoom, and M.S. Chinnan, Preparation and properties of rice starch-chitosan blend biodegradable film, *J. Food Science and Technology.* 41 (2008) 1633–1641.
- [19] S. Punyanita, A. Racksanti, Hemostatic agent made from modified rice starch, *J. NECTEC Technical.* 14 (2003) 396–397.
- [20] A. Uygun, M. Kiristi, L. Oksuz, et al, RF hydrazine plasma modification of chitosan for antibacterial activity and nanofiber application, *J. Carbohydrate Research.* 346 (2011) 259–265.
- [21] S. Wu, Z. Huang, J. Yue, et al, The efficient hemostatic effect of Antarctic krill chitosan is related to its hydration property, *J. Carbohydrate Polymers.* 132 (2015) 295–303.
- [22] B. Yang, X.Y. Li, S. Shi, et al, Preparation and characterization of a novel chitosan scaffold, *J. Carbohydrate Polymer.* 80 (2010) 860–865.
- [23] C.E. Tanase, and L. Spiridon, PLA/chitosan/keratin composites for biomedical applications, *J. Materials Science and Engineering C.* 40 (2014) 242–247.
- [24] Th. V. Woedtke, S. Reuter, K. Masur, K.-D. Weltmann, Plasma for medicine, *J. Physics Reports.* 530 (2013) 291–320.
- [25] P.K. Chu, J.Y. Liu, L.P. Wang, N. Huang, Plasma-surface modification of biomaterials, *J. Materials Science and Engineering.* 36 (2002) 143–206.
- [26] R.S. Juang, C. Huang, Cyclonic plasma activation on microporous poly(vinylidene fluoride) membranes for improving surface hydrophilicity, *J. Taiwan Institute of Chemical Engineers.* 54 (2015) 76–82.
- [27] F. Chen, J. Liu, Y. Cui, et al, Stability of plasma treated superhydrophobic surface under different ambient conditions, *J. Colloid and Interface Science.* 470 (2016) 221–228.


- [28] C. Tendero, C. Tixier, P. Tristant, et al, Atmospheric pressure plasmas: A review, *J. Spectrochimica Acta Part B*. 61 (2006) 2–30.
- [29] I. Wedmore, J.G.M. Manus, A.E. Pusateri, et al, A special report on the Chitosan-based Hemostatic Dressing: Experience in Current Combat Operations, *J. Trauma injure, Infectin, and Critical Care*. 60 (3) (2006) 655–658.
- [30] R. Pippi, M. Santoro, A. Cafolla, The effectiveness of a new method using an extra-alveolar hemostatic agent after dental extractions in older patients on oral anticoagulation treatment: an intrapatient study, *J. Oral and maxillofacial surgery*. 120 (1) (2015) 15–21.
- [31] K.M. Lewis, D. Spazierer, M. D. Urban, Comparison of regenerated and non- regenerated oxidized cellulose hemostatic agent, *J. European Surgery*, 45 (4) (2013) 213–220.
- [32] F. Croisier, C. Jerome, Chitosan-based biomaterials for tissue engineering, *J. European Polymer*. 49 (2013) 780–792.
- [33] L. Littlejohn, B.L. Bennett, B. Drew, Application of Current Hemorrhage Control Techniques for Backcountry Care: Part Two, Hemostatic dressings and Other Adjuncts, *J. Wilderness and environment*. 26 (2015) 246–254.
- [34] GR. Nireesha, L. Divya, C. Sowmya, et al, Lyophilization/Freeze Drying- An Review, *J. Novel Trends in Pharmaceutical Sciences*. 3 (4) (2013) 87–98.
- [35] T. Desmet, R. Morent, N.D. Geyter, et al, Nonthermal Plasma Technology as a Versatile Strategy for Polymeric Biomaterials Surface Modification: A Review, *J. Biomacromolecular the American Chemical Society*. 10 (9) (2009) 2351–2378.

- [36] Z. Ding, J. Chen, S. Gao, et al, Immobilization of chitosan onto poly-L-lactic acid film surface by plasma graft polymerization to control the morphology of fibroblast and liver cells, *J. Biomaterials.* 25 (2004) 1059–1067.
- [37] A. Bogaerts, E. Neyts, R. Gijbels, J.V.D. Mullen, Gas discharge plasmas and their applications, *J. Spectrochimica Acta Part B.* 57 (2002) 609–658.
- [38] Y.S. Lee, H.Seo, H. Wk. C. Kwon, et al, A study on characterization of atmospheric pressure plasma jet according to the driving frequency for biomedical application, *J. Thin Solid Films.* 519 (2011) 7071–7078.
- [39] C.C. Lin, S.J. Fu, Y.C. Lin, et al, Chitosan-coated electrospun PLA fibers for rapid mineralization of calcium phosphate, *J. Biological Macromolecules.* 68 (2014) 39–47.
- [40] J.P. Chen, and C.H.Su, Surface modification of eletrospun PLLA nanofibers by plasma treatment and cationized gelatin immpbilization for cartilage tissue engineering, *J. Acta Biomaterialia.* 7 (2011) 234–243.
- [41] M.H. Zaman, Understanding the Molecular Basis for Differential Binding of Integrins to Collagen and Gelatin. *J. Biophysical* (2007) 17–19.
- [42] P. Olczyk, L. Mencner, K.K. Vashev, The Role of the Extracellular Matrix Components in Cutaneous Wound Healing, Hindawi Publishing Corporation BioMed Research International. (2014) 1–8.
- [43] E.D.L. Hera, M. Gomez, C.M. Rosell, Particle size distribution of rice flour affecting the starch enzymatic hydrolysis and hydration properties, *J. Carbohydrate Polymers.* 98 (2013) 421–427.
- [44] L.H.H.O Damink, P.J. Dijkstra, M.J.A.V. Luyn, et al, Glutaraldehyde as a crosslinking agent for collagen-based biomaterials, *J. Materials Science: Materials in Medicine.* 6 (1995) 460–472.

- [45] I. Migneault, C. Dartiguenave, M.J. Bertrand, et al, Glutaraldehyde: behavior in aqueous solution, reaction with proteins, and application to enzyme crosslinking, *J. BioTechniques*. 37 (5) (2004) 790–802.
- [46] S. Cheruthazhekatt, M. Cernak, P. Slavicek, J. Havel, Gas plasma and plasma modified materials in medicine, *J. Applied Biomedicine*. 8 (2010) 55–66.
- [47] S. Sarapirom, Surface modification of poly (Lactic acid) by Plasma Technique for preferential Protein Adsorption, Department of Applied Physic, Faculty of science, Chiang Mai University (2014).
- [48] G. Fridman, M. Peddinghaus, H. Ayan, et al, Blood Coagulation and Living Sterilization by Floating-Electrode Dielectric Barrier Discharge in Air, *J. Plasma Chem Plasma Process*. 26 (2006) 425–442.
- [49] R. Morent, N. De Geyter, J. Verschuren, et al, Non-thermal plasma treatment of textiles, *J. Surface and Coatings Technology*. 202 (2008) 3427–3449.
- [50] Y. Kumiko, Y. Akihiko, S. Yasuhiro, et al, Hydrophilic Modification of Plastic Surface by Using Microwave Plasma Irradiation, *IHI Engineering Review*. 46 (1) (2013) 29–33.
- [51] F. Rezaei, B. Shokri, M. Sharifian, Atmospheric-pressure DBD plasma-assisted surface modification of polymethyl methacrylate: A study on cell growth/proliferation and antibacterial properties, *J. Applied Surface Science*. 360 (2016) 641–651.
- [52] Y.C. Huang, C.C. Huang, Y.Y. Huang, K.S. Chen, Surface modification and characterization of chitosan or PLGA membrane with laminin by chemical and oxygen plasma treatment for neural regeneration, *J. Biomedical Materials Research Part A*. 10 (2007) 842–851.

- [53] S. Tunma, Modification of polystyrene dish surface by plasma processing for stem cell attachment and proliferation, Department of Nanoscience and Nanotechnology, Faculty of science, Chiang Mai University (2013).
- [54] A. Sarani, N. De Geyter, A.Yu. Nikiforov, et al, Surface modification of PTFE using an atmospheric pressure plasma jet in argon and argon+CO₂, *J. Surface and Coatings technology.* 206 (2012) 2226–2232.
- [55] K.G. Kostov, T.M.C. Nishime, A.H.R. Castro, et al, Surface modification of polymeric materials by atmospheric pressure plasma jet, *J. Applied Surface Science.* 314 (2014) 367–375.
- [56] R. Wang, C. Zhang, X. Liu, et al, Microsecond pulse driven Ar/CF₄ plasma for polymethacrylate surface modification at atmospheric pressure, *J. Applied Surface Science.* 328 (2015) 509–515.
- [57] K.N. Kim, S. M. Lee, A. Mishra, G.Y. Yeom, Atmospheric pressure plasma for surface modification of flexible and printed electronic devices: A review, *J. Thin Solid Film.* 598 (2016) 315–334.
- [58] C.M. Chan, T.M. Ko, H. Hiraoka, Polymer surface modification by plasmas and photons, *J. Surface Science Reports.* 24 (1996) 1–54.
- [59] S.S. Silva, S.M. Luna, M.E. Gomes, et al, Plasma surface modification of chitosan membrane: Characterization and preliminary cell response studies, *J. Macromolecular.* 8 (2008) 568–576.
- [60] E. Kulaga, L. Ploux, V. Roucoules, Effect of ageing and sterilization on plasma multilayer system, *J. Polymer Degradation and Stability.* 116 (2015) 1–13.
- [61] D. Hegemann, H. Brunner, C. Oehr, Plasma treatment of polymers for surface and adhesion improvement, *J. Nuclear Instruments and Methods in Physics Research B.* 208 (2003) 281–286.

- [62] T. Acsente, M.D. Ionita, M. Teodorescu, et al, Surface modification of polymethylmethacrylate foils using an atmospheric pressure plasma jet in presence of water vapors, *J. Thin Solid Films.* 614 A (2015) 25-30.
- [63] B. Cotton, J.B. Holcomb, M. Pommerening, et al, Hemostasis, Surgical Bleeding, and Transfusion, Schwartz's Principles of Surgery, 10th ed (2015).
- [64] L. Eriksson, E. Johansson, C. Wikstrom, Mixture design-design generation, PLS analysis, and model usage, *J. Chemometrics and Intelligent Laboratory Systems.* 43 (1998) 1–24.
- [65] V.K. Frantz, Absorbable cotton, paper and gauze: (Oxidized cellulose), *J. Annals of surgery,* 1 (1943) 116–126.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved