

References

- [1] V. Bernard, "Molecular fluorescence: principles and applications", WCH: Weinheim, Germany, 2001, 37.
- [2] J. R. Lackowicz, "Principle of Fluorescence Spectroscopy, 2006", Springer Science and Business Media, LLC, New York. ISBN, 13,978-970.
- [3] J. E. Kwon and S. Y. Park, "Advanced Organic Optoelectronic Materials: Harnessing Excited-State Intramolecular Proton Transfer (ESIPT) Process", *Advanced Materials*, 23 (32), 2011, 3615-3642.
- [4] J. Zhao, S. Ji, Y. Chen, H. Guo and P. Yang, "Excited state intramolecular proton transfer (ESIPT): from principal photophysics to the development of new chromophores and applications in fluorescent molecular probes and luminescent materials", *Physical Chemistry Chemical Physics*, 14 (25), 2012, 8803-8817.
- [5] S. J. Formosinho and L. G. Arnaut, "Excited-state proton transfer reactions II. Intramolecular reactions", *Journal of Photochemistry and Photobiology A: Chemistry*, 75 (1), 1993, 21-48.
- [6] S. Park, S. Kim, J. Seo and S. Y. Park, "Application of excited-state intramolecular proton transfer (ESIPT) principle to functional polymeric materials", *Macromolecular research*, 16 (5), 2008, 385-395.
- [7] B. M. Uzhinov and M. N. Khimich, "Conformational effects in excited state intramolecular proton transfer of organic compounds", *Russian Chemical Reviews*, 80 (6), 2011, 553-577.
- [8] A. P. Demchenko, K.-C. Tang and P.-T. Chou, "Excited-state proton coupled charge transfer modulated by molecular structure and media polarization", *Chemical Society Reviews*, 42 (3), 2013, 1379-1408.

- [9] W.-H. Chen and Y. Pang, "Excited-state intramolecular proton transfer in 2-(2', 6'-dihydroxyphenyl) benzoxazole: effect of dual hydrogen bonding on the optical properties", *Tetrahedron Letters*, 51 (14), 2010, 1914-1918.
- [10] O. K. Abou-Zied, R. Jimenez, E. H. Z. Thompson, D. P. Millar and F. E. Romesberg, "Solvent-Dependent Photoinduced Tautomerization of 2-(2'-Hydroxyphenyl)benzoxazole", *The Journal of Physical Chemistry A*, 106 (15), 2002, 3665-3672.
- [11] E. L. Roberts, J. Dey and I. M. Warner, "Excited-State Intramolecular Proton Transfer of 2-(2'-Hydroxyphenyl)benzimidazole in Cyclodextrins and Binary Solvent Mixtures", *The Journal of Physical Chemistry A*, 101 (29), 1997, 5296-5301.
- [12] N. Kungwan, F. Plasser, A. J. A. Aquino, M. Barbatti, P. Wolschann and H. Lischka, "The effect of hydrogen bonding on the excited-state proton transfer in 2-(2'-hydroxyphenyl) benzothiazole: a TDDFT molecular dynamics study", *Physical Chemistry Chemical Physics*, 14 (25), 2012, 9016-9025.
- [13] C. Schrieffer, M. Barbatti, K. Stock, A. J. A. Aquino, D. Tunega, S. Lochbrunner, E. Riedle, R. de Vivie-Riedle and H. Lischka, "The interplay of skeletal deformations and ultrafast excited-state intramolecular proton transfer: Experimental and theoretical investigation of 10-hydroxybenzo[h]quinoline", *Chemical Physics*, 347 (1-3), 2008, 446-461.
- [14] A. L. Sobolewski, W. Domcke and C. Hättig, "Photophysics of Organic Photostabilizers. Ab Initio Study of the Excited-State Deactivation Mechanisms of 2-(2'-Hydroxyphenyl)benzotriazole", *The Journal of Physical Chemistry A*, 110 (19), 2006, 6301-6306.
- [15] G. J. Woolfe and P. J. Thistlethwaite, "Direct observation of excited state intramolecular proton transfer kinetics in 3-hydroxyflavone", *Journal of the American Chemical Society*, 103 (23), 1981, 6916-6923.

- [16] P. K. Sengupta and M. Kasha, "Excited state proton-transfer spectroscopy of 3-hydroxyflavone and quercetin", *Chemical Physics Letters*, 68 (2), 1979, 382-385.
- [17] A. S. Klymchenko, G. Duportail, T. Ozturk, V. G. Pivovarenko, Y. Mély and A. P. Demchenko, "Novel Two-Band Ratiometric Fluorescence Probes with Different Location and Orientation in Phospholipid Membranes", *Chemistry & Biology*, 9 (11), 2002, 1199-1208.
- [18] J. Guharay, B. Sengupta and P. K. Sengupta, "Protein–flavonol interaction: fluorescence spectroscopic study", *Proteins: Structure, Function, and Bioinformatics*, 43 (2), 2001, 75-81.
- [19] A. S. Klymchenko and A. P. Demchenko, "Multiparametric probing of intermolecular interactions with fluorescent dye exhibiting excited state intramolecular proton transfer", *Physical Chemistry Chemical Physics*, 5 (3), 2003, 461-468.
- [20] A. P. Demchenko, "The future of fluorescence sensor arrays", *Trends in Biotechnology*, 23 (9), 2005, 456-460.
- [21] S. Sathish, G. Narayan, N. Rao and C. Janardhana, "A Self-Organized Ensemble of Fluorescent 3-Hydroxyflavone-Al (III) Complex as Sensor for Fluoride and Acetate Ions", *Journal of Fluorescence*, 17 (1), 2007, 1-5.
- [22] S. H. Kim, S. Park, J. E. Kwon and S. Y. Park, "Organic Light-Emitting Diodes with a White-Emitting Molecule: Emission Mechanism and Device Characteristics", *Advanced Functional Materials*, 21 (4), 2011, 644-651.
- [23] S. Park, J. E. Kwon, S. H. Kim, J. Seo, K. Chung, S.-Y. Park, D.-J. Jang, B. a. M. n. Medina, J. Gierschner and S. Y. Park, "A white-light-emitting molecule: frustrated energy transfer between constituent emitting centers", *Journal of the American Chemical Society*, 131 (39), 2009, 14043-14049.
- [24] S. Gunduz, A. C. Goren and T. Ozturk, "Facile Syntheses of 3-Hydroxyflavones", *Org. Lett.*, 14 (6), 2012, 1576-1579.

- [25] S. Chen, P. Hou, B. Zhou, X. Song, J. Wu, H. Zhang and J. W. Foley, "A red fluorescent probe for thiols based on 3-hydroxyflavone and its application in living cell imaging", *RSC Advances*, 3 (29), 2013, 11543-11546.
- [26] G. A. Brucker and D. F. Kelley, "Intra-and intermolecular proton transfer in 3-Hydroxyflavone/ammonia complexes", *The Journal of Physical Chemistry*, 93 (13), 1989, 5179-5183.
- [27] M. Itoh, K. Tokumura, Y. Tanimoto, Y. Okada, H. Takeuchi, K. Obi and I. Tanaka, "Time-resolved and steady-state fluorescence studies of the excited-state proton transfer in 3-hydroxyflavone and 3-hydroxychromone", *Journal of the American Chemical Society*, 104 (15), 1982, 4146-4150.
- [28] D. McMorow and M. Kasha, "Proton-transfer spectroscopy of 3-hydroxychromones. Extreme sensitivity to hydrogen-bonding perturbations", *Journal of the American Chemical Society*, 105 (15), 1983, 5133-5134.
- [29] D. McMorow and M. Kasha, "Intramolecular excited-state proton transfer in 3-hydroxyflavone. Hydrogen-bonding solvent perturbations", *The Journal of Physical Chemistry*, 88 (11), 1984, 2235-2243.
- [30] P. K. Mandal and A. Samanta, "Evidence of ground-state proton-transfer reaction of 3-hydroxyflavone in neutral alcoholic solvents", *The Journal of Physical Chemistry A*, 107 (32), 2003, 6334-6339.
- [31] A. J. G. Strandjord and P. F. Barbara, "The proton-transfer kinetics of 3-hydroxyflavone: solvent effects", *The Journal of Physical Chemistry*, 89 (11), 1985, 2355-2361.
- [32] B. J. Schwartz, L. A. Peteanu and C. B. Harris, "Direct observation of fast proton transfer: femtosecond photophysics of 3-hydroxyflavone", *The Journal of Physical Chemistry*, 96 (9), 1992, 3591-3598.
- [33] S. Ameer-Beg, S. M. Ormson, R. G. Brown, P. Matousek, M. Towrie, E. T. J. Nibbering, P. Foggi and F. V. R. Neuwahl, "Ultrafast Measurements of

Excited State Intramolecular Proton Transfer (ESIPT) in Room Temperature Solutions of 3-Hydroxyflavone and Derivatives", *The Journal of Physical Chemistry A*, 105 (15), 2001, 3709-3718.

- [34] A. N. Bader, F. Ariese and C. Gooijer, "Proton Transfer in 3-Hydroxyflavone Studied by High-Resolution 10 K Laser-Excited Shpol'skii Spectroscopy", *The Journal of Physical Chemistry A*, 106 (12), 2002, 2844-2849.
- [35] A. N. Bader, V. G. Pivovarenko, A. P. Demchenko, F. Ariese and C. Gooijer, "Excited state and ground state proton transfer rates of 3-hydroxyflavone and its derivatives studied by shpol'skii spectroscopy: The influence of redistribution of electron density", *The Journal of Physical Chemistry B*, 108 (29), 2004, 10589-10595.
- [36] K. Chevalier, M. M. N. Wolf, A. Funk, M. Andres, M. Gerhards and R. Diller, "Transient IR spectroscopy and ab initio calculations on ESIPT in 3-hydroxyflavone solvated in acetonitrile", *Physical Chemistry Chemical Physics*, 14 (43), 2012, 15007-15020.
- [37] S. Protti and A. Mezzetti, "Solvent effects on the photophysics and photoreactivity of 3-hydroxyflavone: A combined spectroscopic and kinetic study", *Journal of Molecular Liquids*, 205, 2015, 110-114.
- [38] C.-W. Ni, G.-Y. Lin, T.-Y. Wang and M.-L. Ho, "Using Luminescence To Show Intramolecular and Intermolecular Hydrogen Bonding: An Activity for General Chemistry or Physical Chemistry", *Journal of Chemical Education*, 92 (2), 2014, 322-327.
- [39] R. Casadesús, O. Vendrell, M. Moreno, J. M. Lluch and K. Morokuma, "On the intramolecular proton transfer of 3-hydroxyflavone in the first singlet excited state: A theoretical study", *Chemical Physics*, 325 (2-3), 2006, 243-250.

- [40] Y. Jiang and Y. Peng, "Excited-State Intramolecular Proton Transfer Reaction of 3-Hydroxyflavone", *Journal of Cluster Science*, 26 (6), 2015, 1983-1992.
- [41] Y. Dai, J. Zhao, Y. Cui, Q. Wang, P. Song, F. Ma and Y. Zhao, "Study of fluorescence probe transfer mechanism based on a new type of excited-state intramolecular proton transfer", *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 144, 2015, 76-80.
- [42] J. J. W. McDouall, *Computational quantum chemistry: molecular structure and properties in silico*, Royal Society of Chemistry, 2013.
- [43] W. J. Hehre, *A guide to molecular mechanics and quantum chemical calculations*, Wavefunction Irvine, CA, 2003.
- [44] E. G. Lewars, *Computational chemistry: introduction to the theory and applications of molecular and quantum mechanics*, Springer, 2016.
- [45] F. Jensen, *Introduction to computational chemistry*, John Wiley & sons, 2016.
- [46] S. F. Sousa, P. A. Fernandes and M. J. Ramos, "General performance of density functionals", *The Journal of Physical Chemistry A*, 111 (42), 2007, 10439-10452.
- [47] P. W. Atkins and R. S. Friedman, *Molecular quantum mechanics*, Oxford university press, 2011.
- [48] J. B. Foresman and E. Frisch, "Exploring Chemistry with Electronic Structure Methods, (Gaussian, Inc., Pittsburgh, 1996)", Google Scholar,
- [49] M. Barbatti, R. Shepard and H. Lischka, "Computational and methodological elements for nonadiabatic trajectory dynamics simulations of molecules", *Conical Intersections: Theory, Computation and Experiment*, 17, 2011, 415.

- [50] M. Barbatti and K. Sen, "Effects of different initial condition samplings on photodynamics and spectrum of pyrrole", *International Journal of Quantum Chemistry*, 2015.
- [51] M. J. Gwt, H. B. Frisch, G. E. Schlegel, M. A. Scuseria, J. R. Robb, G. Cheeseman, V. Scalmani, B. Barone, G. A. Mennucci and H. Petersson, "Gaussian 09, revision A. 01", Gaussian Inc., Wallingford, 2009
- [52] M. Barbatti, G. Granucci, M. Persico, M. Ruckebauer, M. Vazdar, M. Eckert-Maksić and H. Lischka, "The on-the-fly surface-hopping program system Newton-X: Application to ab initio simulation of the nonadiabatic photodynamics of benchmark systems", *Journal of Photochemistry and Photobiology A: Chemistry*, 190 (2), 2007, 228-240.
- [53] R. Ahlrichs, M. Bär, M. Häser, H. Horn and C. Kölmel, "Electronic structure calculations on workstation computers: The program system turbomole", *Chemical Physics Letters*, 162 (3), 1989, 165-169.
- [54] W. C. Swope, H. C. Andersen, P. H. Berens and K. R. Wilson, "A computer simulation method for the calculation of equilibrium constants for the formation of physical clusters of molecules: Application to small water clusters", *The Journal of Chemical Physics*, 76 (1), 1982, 637-649.
- [55] G.-J. Zhao and K.-L. Han, "Hydrogen bonding in the electronic excited state", *Accounts of chemical research*, 45 (3), 2011, 404-413.
- [56] A. S. Klymchenko and A. P. Demchenko, "3-Hydroxychromone dyes exhibiting excited-state intramolecular proton transfer in water with efficient two-band fluorescence", *New J. Chem.*, 28 (6), 2004, 687-692.
- [57] A. J. A. Aquino, D. Tunega, G. Haberhauer, M. H. Gerzabek and H. Lischka, "Solvent effects on hydrogen bonds a theoretical study", *The Journal of Physical Chemistry A*, 106 (9), 2002, 1862-1871.
- [58] Y. Dai, J. Zhao, Y. Cui, Q. Wang, P. Song, F. Ma and Y. Zhao, "Study of fluorescence probe transfer mechanism based on a new type of excited-state

intramolecular proton transfer", *Spectrochim. Acta Mol. Biomol. Spectrosc.*, 144, 2015, 76-80.

- [59] R. Daengngern, N. Kungwan, P. Wolschann, A. J. A. Aquino, H. Lischka and M. Barbatti, "Excited-state intermolecular proton transfer reactions of 7-azaindole (MeOH) n ($n=1-3$) clusters in the gas phase: on-the-fly dynamics simulation", *The Journal of Physical Chemistry A*, 115 (49), 2011, 14129-14136.
- [60] N. Kungwan, R. Daengngern, T. Piansawan, S. Hannongbua and M. Barbatti, "Theoretical study on excited-state intermolecular proton transfer reactions of 1H-pyrrolo [3, 2-h] quinoline with water and methanol", *Theoretical Chemistry Accounts*, 132 (11), 2013, 1397.
- [61] M. J. S. Dewar, "Multibond reactions cannot normally be synchronous", *Journal of the American Chemical Society*, 106 (1), 1984, 209-219.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved