

## REFERENCES

- [1] P.W. Atkins, R.S. Friedman, Molecular quantum mechanics, 4th ed., Oxford university press Inc., New York, 2005.
- [2] V. Balzani, P. Ceroni, A. Juris, Photochemistry and photophysics: concepts, research, applications, John Wiley & Sons, 2014.
- [3] L.J. Nielsen, S. Eyley, W. Thielemans, J.W. Aylott, Dual fluorescent labelling of cellulose nanocrystals for pH sensing, Chemical Communications, 46, 2010, 8929.
- [4] A.S. Klymchenko, A.P. Demchenko, Electrochromic modulation of excited-state intramolecular proton transfer: the new principle in design of fluorescence sensors, Journal of the American Chemical Society, 124, 2002, 12372.
- [5] Y. Koide, Y. Urano, K. Hanaoka, T. Terai, T. Nagano, Development of an Si-rhodamine-based far-red to near-infrared fluorescence probe selective for hypochlorous acid and its applications for biological imaging, Journal of the American Chemical Society, 133, 2011, 5680.
- [6] V.R. Mishra, N. Sekar, Photostability of Coumarin Laser Dyes-a Mechanistic Study Using Global and Local Reactivity Descriptors, Journal of Fluorescence, 2017, 1.
- [7] C.H. Park, H.J. Lee, J.H. Hwang, K.N. Kim, Y.S. Shim, C.H. Park, S.G. Jung, B.H. Bae, D.J. Lee, Y.W. Park, Optimizing high efficiency OLEDs structure based on thermally activated delayed fluorescence emitter, Blackwell Publishing Ltd.

- [8] M. Savarese, P.A. Netti, N. Rega, C. Adamo, I. Ciofini, Intermolecular proton shuttling in excited state proton transfer reactions: insights from theory, *Physical Chemistry Chemical Physics*, 16, 2014, 8661.
- [9] M. Savarese, E. Bremond, C. Adamo, N. Rega, I. Ciofini, Excited state proton transfer and intramolecular charge transfer in 1, 3 diketone molecules: a density functional theory based investigation, *ChemPhysChem*, 2016.
- [10] W. Liu, L. Tang, B.G. Oscar, Y. Wang, C. Chen, C. Fang, Tracking Ultrafast Vibrational Cooling during Excited-State Proton Transfer Reaction with Anti-Stokes and Stokes Femtosecond Stimulated Raman Spectroscopy, *J. Phys. Chem. Lett.*, 8, 2017, 997.
- [11] C.L. Renschler, L.A. Harrah, Reduction of reabsorption effects in scintillators by employing solutes with large stokes shifts, *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 235, 1985, 41.
- [12] D. Ma, F. Liang, L. Wang, S.T. Lee, L.S. Hung, Blue organic light-emitting devices with an oxadiazole-containing emitting layer exhibiting excited state intramolecular proton transfer, *Chemical physics letters*, 358, 2002, 24.
- [13] W.-H. Chen, Y. Xing, Y. Pang, A highly selective pyrophosphate sensor based on ESIPT turn-on in water, *Organic letters*, 13, 2011, 1362.
- [14] M. Zhang, D. Yang, B. Ren, D. Wang, A TDDFT study on the excited-state intramolecular proton transfer (ESIPT): excited-state equilibrium induced by electron density swing, *Journal of fluorescence*, 23, 2013, 761.
- [15] L. Feng, Z.-M. Liu, J. Hou, X. Lv, J. Ning, G.-B. Ge, J.-N. Cui, L. Yang, A highly selective fluorescent ESIPT probe for the detection of Human carboxylesterase 2 and its biological applications, *Biosensors and Bioelectronics*, 65, 2015, 9.

- [16] C. Li, C. Ma, D. Li, Y. Liu, Excited state intramolecular proton transfer (ESIPT) of 6-amino-2-(2'-hydroxyphenyl) benzoxazole in dichloromethane and methanol: A TD-DFT quantum chemical study, *Journal of Luminescence*, 172, 2016, 29.
- [17] P.-T. Chou, G.-R. Wu, Y.-I. Liu, W.-S. Yu, C.-S. Chiou, Proton-transfer tautomerism in 10-hydroxybenzo [*h*] quinolines: Heavy atom effects and non-hydrogen-bonded photorotamer formation in 77 K glassy matrixes, *The Journal of Physical Chemistry A*, 106, 2002, 5967.
- [18] A.J. Stasyuk, M.K. Cyrański, D.T. Gryko, M. Solà, Acidic C–H Bond as a Proton Donor in Excited State Intramolecular Proton Transfer Reactions, *Journal of chemical theory and computation*, 11, 2015, 1046.
- [19] J.S. Kim, D.T. Quang, Calixarene-derived fluorescent probes, *Chemical Reviews*, 107, 2007, 3780.
- [20] D. Udhayakumari, S. Saravanamoorthy, M. Ashok, S. Velmathi, Simple imine linked colorimetric and fluorescent receptor for sensing Zn 2+ ions in aqueous medium based on inhibition of ESIPT mechanism, *Tetrahedron Letters*, 52, 2011, 4631.
- [21] S. Park, O.-H. Kwon, S. Kim, S. Park, M.-G. Choi, M. Cha, S.Y. Park, D.-J. Jang, Imidazole-based excited-state intramolecular proton-transfer materials: synthesis and amplified spontaneous emission from a large single crystal, *Journal of the American Chemical Society*, 127, 2005, 10070.
- [22] A.L. Sobolewski, W. Domcke, Photophysics of intramolecularly hydrogen-bonded aromatic systems: ab initio exploration of the excited-state deactivation mechanisms of salicylic acid, *Physical Chemistry Chemical Physics*, 8, 2006, 3410.
- [23] B. Liu, H. Wang, T. Wang, Y. Bao, F. Du, J. Tian, Q. Li, R. Bai, A new ratiometric ESIPT sensor for detection of palladium species in aqueous solution, *Chemical Communications*, 48, 2012, 2867.

- [24] J. Wang, Y. Pang, A simple sensitive ESIPT on-off fluorescent sensor for selective detection of Al 3+ in water, RSC advances, 4, 2014, 5845.
- [25] B.K. Paul, N. Guchhait, Modulated photophysics of an ESIPT probe 1-hydroxy-2-naphthaldehyde within motionally restricted environments of liposome membranes having varying surface charges, The Journal of Physical Chemistry B, 114, 2010, 12528.
- [26] B. Deng, M. Ren, X. Kong, K. Zhou, W. Lin, An ESIPT based fluorescent probe for imaging hydrogen sulfide with a large turn-on fluorescence signal, RSC Advances, 6, 2016, 62406.
- [27] S.R. Vazquez, M.C. Rodriguez, M. Mosquera, F. Rodríguez-Prieto, Excited-state intramolecular proton transfer in 2-(3'-hydroxy-2'-pyridyl) benzoxazole. Evidence of coupled proton and charge transfer in the excited state of some o-hydroxyarylbenzazoles, The journal of physical chemistry. A, 111, 2007, 1814.
- [28] C.H. Kim, J. Park, J. Seo, S.Y. Park, T. Joo, Excited state intramolecular proton transfer and charge transfer dynamics of a 2-(2'-hydroxyphenyl) benzoxazole derivative in solution, The Journal of Physical Chemistry A, 114, 2010, 5618.
- [29] R. Wang, D. Liu, K. Xu, J. Li, Substituent and solvent effects on excited state intramolecular proton transfer in novel 2-(2'-hydroxyphenyl) benzothiazole derivatives, Journal of Photochemistry and Photobiology A: Chemistry, 205, 2009, 61.
- [30] P.-T. Chou, Y.-C. Chen, W.-S. Yu, Y.-H. Chou, C.-Y. Wei, Y.-M. Cheng, Excited-state intramolecular proton transfer in 10-hydroxybenzo [h] quinoline, The Journal of Physical Chemistry A, 105, 2001, 1731.
- [31] M. Dommett, R. Crespo-Otero, Excited state proton transfer in 2'-hydroxychalcone derivatives, Physical Chemistry Chemical Physics, 2017.
- [32] R. Daengngern, C. Prommin, T. Rungrotmongkol, V. Promarak, P. Wolschann, N. Kungwan, Theoretical investigation of 2-(iminomethyl)

- phenol in the gas phase as a prototype of ultrafast excited-state intramolecular proton transfer, *Chemical Physics Letters*, 657, 2016, 113.
- [33] M. Kubicki, T. Borowiak, W.Z. Antkowiak, 10-Hydroxybenzo [h] quinoline, *Acta Crystallographica Section C: Crystal Structure Communications*, 51, 1995, 1173.
- [34] S. Takeuchi, T. Tahara, Coherent nuclear wavepacket motions in ultrafast excited-state intramolecular proton transfer: sub-30-fs resolved pump-probe absorption spectroscopy of 10-hydroxybenzo [h] quinoline in solution, *The Journal of Physical Chemistry A*, 109, 2005, 10199.
- [35] M.L. Martinez, W.C. Cooper, P.-T. Chou, A novel excited-state intramolecular proton transfer molecule, 10-hydroxybenzo [h] quinoline, *Chemical physics letters*, 193, 1992, 151.
- [36] E. Idelson, Patent 3,920,667, 1975, pp. 84.
- [37] T. Inazu, The Synthesis of Several Gold Chelates, *Bulletin of the Chemical Society of Japan*, 39, 1966, 1065.
- [38] P.-T. Chou, C.-Y. Wei, Photophysics of 10-Hydroxybenzo [h] quinoline in Aqueous Solution, *The Journal of Physical Chemistry*, 100, 1996, 17059.
- [39] M. Zhou, J. Zhao, Y. Cui, Q. Wang, Y. Dai, P. Song, L. Xia, Theoretical study on the excited-state intramolecular proton-transfer reaction of 10-hydroxybenzo [h] quinoline in methanol and cyclohexane, *Journal of Luminescence*, 161, 2015, 1.
- [40] K. Das, N. Sarkar, A.K. Ghosh, D. Majumdar, D.N. Nath, K. Bhattacharyya, Excited-state intramolecular proton transfer in 2-(2-hydroxyphenyl) benzimidazole and-benzoxazole: effect of rotamerism and hydrogen bonding, *The Journal of Physical Chemistry*, 98, 1994, 9126.
- [41] S. Ameer-Beg, S.M. Ormson, R.G. Brown, P. Matousek, M. Towrie, E.T.J. Nibbering, P. Foggi, F.V.R. Neuwahl, Ultrafast measurements of excited

state intramolecular proton transfer (ESIPT) in room temperature solutions of 3-hydroxyflavone and derivatives, *The Journal of Physical Chemistry A*, 105, 2001, 3709.

- [42] B.K. Paul, A. Samanta, N. Guchhait, Influence of chlorine substitution on intramolecular hydrogen bond energy and ESIPT barrier: Experimental and theoretical measurements on the photophysics of 3, 5-dichlorosalicylic acid, *Journal of Molecular Structure*, 977, 2010, 78.
- [43] G.-Y. Li, T. Chu, TD-DFT study on fluoride-sensing mechanism of 2-(2'-phenylureaphenyl) benzoxazole: the way to inhibit the ESIPT process, *Physical Chemistry Chemical Physics*, 13, 2011, 20766.
- [44] B.K. Paul, N. Guchhait, Density functional theory (DFT) and natural bond orbital (NBO) investigation of intramolecular hydrogen bond interaction and excited-state intramolecular proton transfer (ESIPT) reaction in a five-membered hydrogen-bonding system 2-(1H-pyrazol-5-yl) pyridine: On the possibility of solvent (water)-assisted ESPT, *Computational and Theoretical Chemistry*, 972, 2011, 1.
- [45] Y. Dai, J. Zhao, Y. Cui, Q. Wang, P. Song, F. Ma, Y. Zhao, Study of fluorescence probe transfer mechanism based on a new type of excited-state intramolecular proton transfer, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 144, 2015, 76.
- [46] B.K. Paul, N. Guchhait, TD-DFT investigation of the potential energy surface for Excited-State Intramolecular Proton Transfer (ESIPT) reaction of 10-hydroxybenzo [h] quinoline: Topological (AIM) and population (NBO) analysis of the intramolecular hydrogen bonding interaction, *Journal of Luminescence*, 131, 2011, 1918.
- [47] C. Schriever, M. Barbatti, K. Stock, A.J.A. Aquino, D. Tunega, S. Lochbrunner, E. Riedle, R. de Vivie-Riedle, H. Lischka, The interplay of skeletal deformations and ultrafast excited-state intramolecular proton

- transfer: Experimental and theoretical investigation of 10-hydroxybenzo [*h*] quinoline, *Chemical Physics*, 347, 2008, 446.
- [48] M. Higashi, S. Saito, Direct simulation of excited-state intramolecular proton transfer and vibrational coherence of 10-hydroxybenzo [*h*] quinoline in solution, *The Journal of Physical Chemistry Letters*, 2, 2011, 2366.
- [49] J. Lee, C.H. Kim, T. Joo, Active role of proton in excited state intramolecular proton transfer reaction, *The Journal of Physical Chemistry A*, 117, 2013, 1400.
- [50] S. Chai, S.-L. Cong, Excited state intramolecular proton transfer and substituent effect of 10-hydroxybenzo [*h*] quinoline: A time-dependent density functional theory study, *Computational and Theoretical Chemistry*, 1034, 2014, 80.
- [51] G.A. Parada, T.F. Markle, S.D. Glover, L. Hammarström, S. Ott, B. Zietz, Control over Excited State Intramolecular Proton Transfer and Photoinduced Tautomerization: Influence of the Hydrogen-Bond Geometry, *Chemistry—A European Journal*, 21, 2015, 6362.
- [52] K.L. Schuchardt, B.T. Didier, T. Elsethagen, L. Sun, V. Gurumoorthi, J. Chase, J. Li, T.L. Windus, Basis set exchange: a community database for computational sciences, *Journal of chemical information and modeling*, 47, 2007, 1045.
- [53] D.C. Young, *A Practical Guide for Applying Techniques to Real-World Problems, A Practical Guide for Applying Techniques to Real-Word Problems*, 2001.
- [54] D. Sholl, J.A. Steckel, *Density functional theory: a practical introduction*, John Wiley & Sons, 2011.
- [55] E.G. Lewars, *Computational chemistry: introduction to the theory and applications of molecular and quantum mechanics*, Springer, 2016.

- [56] S.F. Boys, Electronic wave functions. I. A general method of calculation for the stationary states of any molecular system, The Royal Society, pp. 542.
- [57] M. Barbatti, R. Shepard, H. Lischka, Computational and methodological elements for nonadiabatic trajectory dynamics simulations of molecules, Conical Intersections: Theory, Computation and Experiment, 17, 2011, 415.
- [58] S.H. Vosko, L. Wilk, M. Nusair, Accurate spin-dependent electron liquid correlation energies for local spin density calculations: a critical analysis, Canadian Journal of physics, 58, 1980, 1200.
- [59] C. Lee, W. Yang, R.G. Parr, Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density, Physical review B, 37, 1988, 785.
- [60] A.D. Becke, Density-functional thermochemistry. III. The role of exact exchange, The Journal of chemical physics, 98, 1993, 5648.
- [61] O. Treutler, R. Ahlrichs, Efficient molecular numerical integration schemes, The Journal of chemical physics, 102, 1995, 346.
- [62] W. Kohn, A.D. Becke, R.G. Parr, Density functional theory of electronic structure, The Journal of Physical Chemistry, 100, 1996, 12974.
- [63] M.J.Frisch, G.W.Trucks, H.B.Schlegel, G.E.Scuseria, M.A.Robb, J.R.Cheeseman, G. Scalmani, V.Barone, B.Mennucci, G.A.Petersson, H.Nakatsuji, M.Caricato, H.P.H. X. Li, A.F.Izmaylov, G.Z. J.Bloino, J.L.Sonnenberg, M. Hada, M.Ehara, K.Toyota, R.Fukuda, J.Hasegawa, M.Ishida, T.Nakajima, Y.Honda, O.Kitao, H.Nakai, T.Vreven, J.J.A.Montgomery, J.E.Peralta, F.Ogliaro, M.Bearpark, J.J.Heyd, E.Brothers, K.N.Kudin, V.N.Staroverov, R. Kobayashi, J.Normand, K.Raghavachari, A.Rendell, J.C.Burant, S.S.Iyengar, J. Tomasi, M.Cossi, N.Reg, J.M.Millam, M.Klene, J.E.Knox, J.B.Cross, V. Bakken, C.Adamo, J.Jaramillo, R.Gomperts, R.E.Stratmann, O.Yazyev, A.J. Austin, R.Cammi, C.Pomelli, J.W.Ochterski, R.L.Martin, K.Morokuma, V.G. Zakrzewski,

G.A.Voth, P.Salvador, J.J.Dannenberg, S.Dapprich, A.D.Daniels, O.Farkas, J.B.Foresman, J.V.Ortiz, J.Cioslowski, D.J.Fox, Gaussian 09, Revision A, Gaussian, Inc., Wallingford CT, 2009.

- [64] W.C. Swope, H.C. Andersen, P.H. Berens, K.R. Wilson, A computer simulation method for the calculation of equilibrium constants for the formation of physical clusters of molecules: Application to small water clusters, *The Journal of Chemical Physics*, 76, 1982, 637.
- [65] M. Barbatti, A.J.A. Aquino, H. Lischka, C. Schriever, S. Lochbrunner, E. Riedle, Ultrafast internal conversion pathway and mechanism in 2-(2'-hydroxyphenyl) benzothiazole: a case study for excited-state intramolecular proton transfer systems, *Physical Chemistry Chemical Physics*, 11, 2009, 1406.
- [66] N. Kungwan, F. Plasser, A.J.A. Aquino, M. Barbatti, P. Wolschann, H. Lischka, The effect of hydrogen bonding on the excited-state proton transfer in 2-(2'-hydroxyphenyl) benzothiazole: a TDDFT molecular dynamics study, *Physical Chemistry Chemical Physics*, 14, 2012, 9016.
- [67] M. Barbatti, G. Granucci, M. Persico, M. Ruckenbauer, M. Vazdar, M. Eckert-Maksić, H. Lischka, The on-the-fly surface-hopping program system Newton-X: Application to ab initio simulation of the nonadiabatic photodynamics of benchmark systems, *Journal of Photochemistry and Photobiology A: Chemistry*, 190, 2007, 228.
- [68] M. Barbatti, G. Granucci, M. Ruckenbauer, F. Plasser, J. Pittner, M. Persico, H. Lischka, Newton-X: a package for Newtonian dynamics close to the crossing seam, version 1.2, Max-Planck-Institut für Kohlenforschung: Mülheim an der Ruhr, Germany, 2011.
- [69] G.-J. Zhao, K.-L. Han, Early time hydrogen-bonding dynamics of photoexcited coumarin 102 in hydrogen-donating solvents: theoretical study, *The Journal of Physical Chemistry A*, 111, 2007, 2469.

- [70] G.J. Zhao, K.L. Han, Time-dependent density functional theory study on hydrogen-bonded intramolecular charge-transfer excited state of 4-dimethylamino-benzonitrile in methanol, Journal of computational chemistry, 29, 2008, 2010.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved