

CONTENTS

	Page
Acknowledgement	d
Abstract in Thai	e
Abstract in English	g
List of Tables	k
List of Figures	l
Chapter 1 Introduction	1
1.1 Principles and Rationale	1
1.2 Purpose of the study	2
1.3 Research Hypothesis	3
1.4 Research design and Procedures	3
Chapter 2 Literature review	4
2.1 Pulp biology	4
2.2 Pulpal innervation	4
2.3 Vascular supply	5
2.4 Pulpal blood flow	6
2.5 Intravascular and tissue pressures	7
2.6 Tissue pressure in the inflamed pulp	9
2.7 Dentinal fluid	11
2.8 Dentine permeability	12
2.9 Fluid flow through dentine	14
2.10 Formation of the smear layer	15
2.11 Pulpal reactions to dental caries	16
2.12 Pulpal reactions to local anesthetics	17
2.13 Pulpal reactions to cavity, crown and bridge abutment tooth preparation	18
2.13.1 Water coolant, heat and pressure	19

	Page
2.13.2 The remaining dentine thickness	22
2.13.3 The microleakage of the restorations	23
2.14 Pulpal reactions to gingival retraction	24
2.15 Dental cement	25
2.16 Laser Doppler flowmetry	30
 Chapter 3 Materials and Methods	 35
3.1 Patient selection and abutment conditions	35
3.2 Abutment preparation and final impression	36
3.3 Temporary bridge and temporary cementation	38
3.4 Pulpal blood flow recording	39
3.5 Statistical analysis	45
 Chapter 4 Results	 47
4.1 Effect of local anesthesia	47
4.2 Effect of tooth preparation	48
4.3 Effect of gingival retraction	49
4.4 Effect of temporary cementation	50
 Chapter 5 Discussion	 55
 Chapter 6 Conclusion	 63
 References	 64
 Appendix	 74
Appendix A Patient information and data records	75
Appendix B Informed consent	101
 Curriculum Vitae	 104

LIST OF TABLES

	Page
Table 4.1 Mean \pm S.D. of pulpal blood flow values from premolars and molars recorded before and after local anesthesia	48
Table 4.2 Mean \pm S.D. of pulpal blood flow values from premolars and molars recorded after buccal preparation and after complete preparation	49
Table 4.3 Mean \pm S.D. of pulpal blood flow values from premolars and molars recorded after complete preparation and after gingival retraction	50
Table 4.4 The mean \pm S.D. of pulpal blood flow values recorded after complete preparation and 1 day and 7 days after cementation from premolars and molars in Group I and Group II	52
Table 4.5 Adjusted mean \pm S.D. of pulpal blood flow values from premolars and molars in group I and group II	52
Table 4.6 Mean \pm S.D. blood flow values of the un-operated first premolars under seven conditions	53

LIST OF FIGURES

		Page
Figure 2.1	Illustration of capillary, cells, and interstitial fluid	8
Figure 2.2	Schematic build-up of a vicious circle during pulpal inflammation	10
Figure 2.3	Size and density of dentinal tubules	13
Figure 2.4	Scanning electron micrograph of the ground dentine surface	16
Figure 2.5	Scanning electron micrograph of prepared and acid etched dentine	30
Figure 2.6	Diagrammatical illustration of Doppler principle	32
Figure 3.1	Abutment preparation and gingival retraction	37
Figure 3.2	Temporary bridge prepared from the study cast	39
Figure 3.3	Moor Type MBF3D/42 laser Doppler flow meter	40
Figure 3.4	Opaque rubber dam was applied around the crowns of the teeth to reduce the blood flow signals from other tissues	40
Figure 3.5	The tip of the laser probe	41
Figure 3.6	Opaque acrylic stent with the holes to stabilize the laser probe	42
Figure 3.7	Diagram of the experimental set up for pulpal blood flow recording	43
Figure 3.8	The rubber dam and the acrylic stent were applied on the teeth for stabilized the laser probe on the tooth surface	44
Figure 4.1	Blood flow signals recorded before and after local anesthesia and from white card	47
Figure 4.2	Blood flow signals recorded after buccal preparation, after complete preparation and from white card	48
Figure 4.3	Blood flow signals recorded after complete preparation and after gingival retraction	49
Figure 4.4	Blood flow signals recorded after complete preparation, 1 day and 7 days	51