

## REFERENCES

- [1] Gonzalez, R. C., and Thomason, M. G., *Syntactic Pattern Recognition An Introduction*, Addison Wesley Publishing Company, 1978.
- [2] Fu, K.S., *Syntactic Pattern Recognition and Applications*, Prentice-Hall, 1982.
- [3] Torokhti, A., and Howlett, P., *Syntactic Methods in Pattern Recognition*, Academic Press, 1974.
- [4] Bunke, H. and Sanfeliu, A., *Syntactic and Structural Pattern Recognition – Theory and Applications*, World Scientific Publ. Co., 1990.
- [5] J. V. Oliveira and W. Pedrycz, *Advances in Fuzzy Clustering and its Applications*, John Wiley & Sons Publ, USA., 2007.
- [6] L. A. Zadeh, "Fuzzy sets," *Inform. Contr.*, vol. 8, pp. 338-353, 1965.
- [7] R. Bellman, R. Kalaba, and L.A. Zadeh, "Abstraction and pattern classification," *I. Math. Anal. and Appl.* vol.2, pp. 581-586, 1966.
- [8] E.H. Ruspini, "A new approach to clustering," *Inform. and Control* ,vol.15, pp.22-32, 1969.
- [9] J. C. Bezdek, *Pattern Recognition With Fuzzy Objective Function Algorithms*. New York: Plenum, 1981.
- [10] R. Krishnapuram and J. Keller, "A possibilistic approach to clustering," *IEEE Trans. Fuzzy Syst.*, vol. 1, no. 2, pp. 98–110, Apr. 1993.
- [11] P.R. Kersten, "The fuzzy median and fuzzy mad," *Proc. ISUMA/NAFIPS*, College Park MD., pp.85-88, Sept. 1995.

- [12] P.R. Kersten, "Fuzzy order statistics and their application to fuzzy clustering," IEEE Trans. Fuzzy Syst., vol.7, pp. 708 – 712, December 1999.
- [13] N. R. Pal, K. Pal, and J. C. Bezdek, "A mixed c-means clustering model," in IEEE Int. Conf. Fuzzy Systems, Spain, pp. 11–21, 1997.
- [14] R. Pal, K. Pal, J. Keller and J. C. Bezdek, "A Possibilistic Fuzzy c-Means Clustering Algorithm," in IEEE Trans. Fuzzy Systems, Vol.13, No.14, pp. 517-529, 2005.
- [15] Yang, M.S. and Wu, K.L., "Unsupervised Possibilistic Clustering," Pattern Recognition, Vol 39, pp. 5-21, 2006.
- [16] Wu, X., Wu, B., Sun, J., and Fu, H., "Unsupervised Possibilistic Fuzzy Clustering," Journal of Information & Computational Science, Vol 7, No.5, pp. 1075-1080, 2010.
- [17] K. S. Fu and S. Y. Lu, "A clustering procedure for syntactic patterns," IEEE Trans. Syst. Man Cybern, vol. 7, pp. 734-742, October 1977.
- [18] A. Juan and E. Vidal, "On the use of Normalized Edit Distances and an Efficient k-NN Search Technique (k-AESA) for Fast and Accurate String Classification," 2000 Proceedings of 15th International Conference on Pattern Recognition, Barcelona, pp. 676 - 679, 2000.
- [19] J. C. Bezdek, J. Keller, R. Krishnapuram and N. R. Pal, *Fuzzy Models and Algorithms for Pattern Recognition and Image Processing*, Kluwer Academic Publ., USA., 1999.
- [20] Cha, S.H, Shin, Y.C and Srihari, S.N., "Approximate stroke sequence matching algorithm for character recognition and analysis," 5th International Conference on Document Analysis and Recognition, pp. 53–56, 1999.
- [21] Kruzslicz, F., "Improved Greedy Algorithm for Computing Approximate Median Strings," Acta Cybern, pp.331-339, 1999.

- [22] Juan, A., and Vidal, E., “On the use of Normalized Edit Distances and an Efficient k-NN Search Technique (k-AESA) for Fast and Accurate String Classification,” 2000 Proceedings of 15th International Conference on Pattern Recognition, Barcelona, pp. 676 - 679, 2000.
- [23] Martinez, C.D., Juan, A., and Casacuberta, F., “Use of median string for classification,” Proc.15th Int. Conf. on Patt. Rec., vol.2, pp.903 - 906, September 2000.
- [24] C.Zhang, J. Tang and B. Luo, “Shape Edit Distance on Contour based Shapes,” Proceedings of the Sixth International Conference on Intelligent Systems Design and Applications (ISDA'06), 2006.
- [25] Neuhaus, M., and Bunke, H. ,“Edit distance based kernel functions for structural pattern classification,” Pattern Recognition, vol.39, pp. 1852 – 1863, 2006.
- [26] M.C. Yeh and K.T. Cheng, “A String Matching Approach for Visual Retrieval and Classification,” in proceeding of the ACM SIGMOD, 2008.
- [27] S. Zhangl and H. Wang, “Applying Edit Distance to Hand Language Video,” 2010 International Conference on Computer, Mechatronics, Control and Electronic Engineering (CMCE), 2010.
- [28] Deng, J., Hu, J., Chi, H., and Wu, J., “Method of Fuzzy Matching Feature Extraction and Clustering Genome Data,” Second International Conference on Networks Security, Wireless Communications and Trusted Computing, 2010.
- [29] Patil, N., Toshniwal, D. and Garg, K., “An Improved Fuzzy Clustering Method for Text Mining,” IACSIT Hong Kong Conferences, vol.30, 2012.
- [30] P.Chanda, S. Auephanwiriyaikul and N.Theera-Umpon,“ Thai Sign Language Translation System Using Upright Speed-Up Robust Feature and C-Means

Clustering,” 2012 IEEE International Conf. on Fuzzy Systems in part of the 2012 IEEE World Congress on Computational Intelligence (WCCI 2012), June 2012.

- [31] Shen, W., Wanga, Y., Bai, X., Wang, H., and Latecki, L. J., “Shape clustering: Common structure discovery,” Pattern Recognition, vol.46, pp.539–550, 2013.
- [32] He, Y., Chen, S., Pan, Y., and Ni, K., “Using Edit Distance and Junction Feature to Detect and Recognize Arrow Road Marking,” 2014 IEEE 17th International Conference on Intelligent Transportation Systems (ITSC), 2014.
- [33] Putra, M. E.W., and Suwardi, I. S., “Structural off-line handwriting character recognition using approximate subgraph matching and levenshtein distance,” International Conference on Computer Science and Computational Intelligence (ICCSCI 2015), vol.59, pp. 340 – 349, 2015.
- [34] Khan. S., and Ali,S. “Vehicle Plate Matching using License Plate Recognition based on Modified Levenshtein Edit Distance,” International Journal of Computer Applications. Foundation of Computer Science (FCS), NY, USA ,vol. 151, no. 2, 2016.
- [35] Ratnasari, C.I., Kusumadewi, S, and Rosita, L. “A Non-Word Error Spell Checker for Patient Complaints in Bahasa Indonesia,” International Journal of Information Technology, Computer Science and Open Source, vol. 1, No. 1,2017.
- [36] Kopel, M. “A Towards Auto-structuring Harmony Transcription Fuzzy K-nearest Neighbor Algorithm,” Asian Conference on Intelligent Information and Database Systems, pp. 566-574, 2017.
- [37] Yang, M.S., “Survey of Fuzzy Clustering,” Mathl. Comput. Modelling ,vol. 18, no. 11, pp. 1-16, 1993.

- [38] MacQueen, J., "Some methods for classification and analysis of multivariate observations," Proceedings 5<sup>th</sup>, Berkeley Symposium on Mathematical Statistics and Probability, pp. 281-297, 1967.
- [39] Keller, J. M., Gary, M. R., and Givens, J. A., "A Fuzzy K-nearest Neighbor Algorithm," IEEE Trans. On Systems, Man, and Cybernetics, vol. SMC-15, No. 4, 1985.
- [40] Pal, N. R., and Bezdek, J. C., "On Cluster Validity for the Fuzzy c-Means Model," IEEE Trans. Fuzzy Syst., vol 3, No.3, pp. 370–379, 1995.
- [41] Bezdek, J. C., "Cluster validity with fuzzy sets," J. Cybernet., vol. 3, no. 3, pp. 58-72, 1974.
- [42] Bezdek, J. C., "Mathematical models for systematics and taxonomy," in Proc. 8th Int. Conf. Numerical Taxonomy, G. Estabrook, Ed., Freeman, San Francisco, CA, pp. 143-166, 1975.
- [43] Xie, X. L., and Beni, G. A., "Validity measure for fuzzy clustering," IEEE Trans. Pattern Anal. Machine Intell., vol. 3, no. 8, pp. 841-846, 1991.
- [44] Oh, S., "New dataset evaluation method based on category overlap," Computers in Biology and Medicine, vol. 41, no. 2, pp. 115-122, 2011.
- [45] Sebastian, T., Klein, P., and Kimia, B., "On aligning curves," IEEE Trans. Pattern Anal. Mach. Intell., Vol. 25, No. 1, pp. 116–125, 2003.
- [46] Super, B. J., "Learning chance probability functions for shape retrieval or classification," IEEE Workshop on Learning in Computer Vision and Pattern Recognition (at CVPR), Washington, DC, 2004.
- [47] Mohanty, N., Rath, T. M., Lee, A., and Manmatha, R., "Learning Shapes for Image Classification and Retrieval," In Image and Video Retrieval 4th International Conference, CIVR 2005, Singapore, July 20-22, 2005.

- [48] Attalla, E., and, Siy P., “Robust shape similarity retrieval based on contour segmentation polygonal multiresolution and elastic matching,” *Pattern Recognition*, vol.38, pp. 2229-2241, 2005.
- [49] Yang, X., Koknar-Tezel, S., and Latecki, L. J., “Locally Constrained Diffusion Process on Locally Densified Distance Spaces with Applications to Shape Retrieval,” *IEEE Conf. Computer Vision and Pattern Recognition*, pp. 357-364, June 2009.
- [50] Gonzalez, R.C., Woods, R. E., and, Eddins, S. L., *Digital Image Processing Using MATLAB*, New Jersey, Pearson Prentice Hall, 2004.
- [51] Fating, K. and, Ghotkar, A., “Performance analysis of chain code descriptor for hand shape classification,” *International Journal of Computer Graphics & Animation (IJCGA)*, vol. 4, No.2, 2014.
- [52] Lundsteen, C., Phillip, J., and, Granum, E., “Quantitative analysis of 6985 digitized trypsin {G}-banded human metaphase chromosomes,” *Clinical Genetics*, vol 18, pp. 355 – 370, 1980.
- [53] Granum, E., Thomason, M. G. and, Gregor, J., “On the use of automatically inferred {M}arkov networks for chromosome analysis,” in C. Lundsteen and J. Piper (Eds), *Automation of Cytogenetics*, pp. 233 – 251, 1989.
- [54] Granum E. and, Thomason, M. G., “Automatically inferred {M}arkov network models for classification of chromosomal band pattern structures”, *Cytometry*, vol. 11, pp. 26 – 39, 1990.
- [55] Vidal, E., and Castro, M. J., “Classification of Banded Chromosomes using Error-Correcting Grammatical Inference (ECGI) and Multilayer Perceptron (MLP),” In A. Sanfeliu, J. J. Villanueva, and J. Vitrih, editors, *Proc. of the VII SNRFAI*, volume 1, pages 31-36, Bellaterra, Barcelona, 1997.

- [56] Keysers, D., Deselaers, T., Gollan, C., and Ney, H., "Deformation Models for Image Recognition," IEEE Trans. on Pattern Analysis and Machine Intelligence, vol.29, no.8, pp.1422-1435, Aug. 2007.
- [57] Balázs, K., and Fekete, R.B., "Boosting products of base classifiers," Proceedings of the 26th Annual International Conference on Machine Learning, 2009.
- [58] Seewald, A. K., "On the Brittleness of Handwritten Digit Recognition Models," International Scholarly Research Notices Machine Vision, 2012.
- [59] Keysers, D., Dahmen, J., Theiner, T., and Ney, H., "Experiments with an Extended Tangent Distance," 15th Int. Conference on Pattern Recognition , vol.2, pp.38-42, Sept. 2000.
- [60] Auephanwiriyaikul, S., Phitakwinai, S., Suttapak, W., Chanda, P., and Theera-Umpon, N., "Thai sign language translation using Scale Invariant Feature Transform and Hidden Markov Models," Pattern Recognition Letters, vol.34, pp.1291–1298, 2013.
- [61] Lowe, D.G., "Distinctive image features from scale-invariant keypoints," Int. J. Comput. Vision , vol.60, No.2, pp.91–110, 2004.
- [62] Keller, J.M., Gray, M.R., and Givens, J.A., "A fuzzy K-nearest neighbor algorithm", IEEE Transactions on Systems, man and Cybernetics, Vol. SMC-15 (4), pp. 580 – 585, 1985.
- [63] Phitakwinai, S., Auephanwiriyaikul, S., and Theera-Umpon, N., "Thai sign language translation using fuzzy C-means and scale invariant feature transform," Lecture Notes Comput. Sci. vol.5073, pp.1107–1119, 2008.

- [64] Zaki, M.M., and Shaheen, S.I., "Sign language recognition using a combination of new vision based features," *Pattern Recognit. Lett.*, vol.32, pp. 572–577, 2011.
- [65] Al-Rouson, M., Assaleh, K., and Tala'a, A., "Video-based signer-independent Arabic sign language recognition using hidden Markov models," *Appl. Soft Comput.* vol.9, pp.990–999, 2009.
- [66] Gamage, N., Kuang, Y.C., Akmeliawati, R., and Demidenko, S., "Gaussian process dynamical models for hand gesture interpretation in sign language," *Pattern Recognit. Lett.* vol.32, no.15, pp.2009–2014, 2011.
- [67] Klaser, A., Marszałek, M., and Schmid, C., "A Spatio-Temporal Descriptor Based on 3D-Gradients," *BMVC*, 2008.
- [68] Kohonen, T., "Self-Organizing Maps," Springer-Verlag, 1995.
- [69] Viola, P., and Jones, M., "Robust Real-time Object Detection," *Proc. ICCV* pp 1254 – 1259 (2001).
- [70] Tian, Y., Sukthankar, R., and Shah, M., "Spatio temporal Deformable Part Models for Action Detection," *CVPR*, 2013.
- [71] Frigui, H., Rawungyot, S. and Hamdi, A., "Identification of Cardio-Pulmonary Resuscitation (CPR) Scenes in Video Simulating Medical Crises," In *ATSIP*, 2014.
- [72] Panicker, A., Frigui, H, and, Calhoun, A.W., "Identification of Cardio-Pulmonary Resuscitation (CPR) Scenes in Medical Simulation Videos Using Spatio-temporal Gradient Orientations," *Image Processing Theory, Tools and Applications.* pp.365-369, 2015.

## LIST OF PUBLICATION

- 1) **Klomsae, A.**, Auephanwiriyaikul, S. and Theera-Umpon, N., “A String Grammar Fuzzy-Possibilistic C-Medians,” Applied Soft Computing, Vol.57, August 2017, pp.684-695, In Press, doi: 10.1016/j.asoc.2017.04.037
- 2) **Klomsae, A.**, Auephanwiriyaikul, S. and Theera-Umpon, N., “A String Grammar Possibilistic-Fuzzy C-Medians,” Soft Computing: A Fusion of Foundations, Methodologies and Applications, submitted.
- 3) **Klomsae, A.**, Auephanwiriyaikul, S. and Theera-Umpon, N., “A Novel String Grammar Fuzzy C-Medians,” IEEE Int. Conf. Fuzzy Systems., Istanbul, Turkey, August 2015.
- 4) Inkeaw, P., Chueaphun, C., Chaijaruwanich, J., **Klomsae, A.**, Marukatat, S., “Lanna Dharma handwritten character recognition on palm leaves manuscript based on Wavelet transform,” IEEE International Conference on Signal and Image Processing Applications (ICSIPA), 2015.
- 5) **Klomsae, A.**, Chueaphun, C., Sangboon, P., Chaijaruwanich, J., “Image Processing for Lanna Dhama Handwriting Character Recognition on Palm Leaf Manuscript,” Proc.9<sup>th</sup> JCSSE, pp.71-76, 2012.
- 6) **Klomsae, A.**, Chueaphun, C., Akarachinores, K., Chaijaruwanich, J., “Image Feature Extraction Using Ring Projection Wavelet Fractal Feature for Lanna Dhama Handwriting Character Recognition,” Proc.9<sup>th</sup> JCSSE, pp.59-63, 2012.
- 7) Chueaphun, C., Porkaew, C., **Klomsae, A.**, Marukatat, S., Chaijaruwanich, J., “Lanna Dharma Printed Character Recognition Using K-Nearest Neighbor and Template Matching,” Proc.9<sup>th</sup> JCSSE, pp.83-88, 2012.

- 8) Chueaphun, C., **Klomsae, A.**, Marukatat, S., Chaijaruwanich, J., “Lanna Dharma Printed Character Recognition Using K-Nearest Neighbor and Conditional Random Field,” Proc. KDIR, pp.59-63, 2012.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved