

REFERENCES

- Afshari, R., and Hosseini, H. (2014). Non-thermal plasma as a new food preservation method: Its present and future prospect. *Journal of Paramedical Sciences*, 5(1), 2008-4978.
- Ahmed, J., Shivhare, U. S., and Kaur, M. (2002). Thermal colour degradation kinetics of mango puree. *International Journal of Food Properties*, 5(2), 359-366.
- Amvrazi, E. G., and Tsiropoulos, N. G. (2009). Application of single-drop microextraction coupled with gas chromatography for the determination of multiclass pesticides in vegetables with nitrogen phosphorus and electron capture detection. *Journal of Chromatography. A*, 1216(14), 2789-2797.
- AOAC (2000). Official Methods of Analysis of the Association of Official Analytical Chemists. *Assoc. of Official Analytical Chemists*, Washington, DC.
- AOAC (2007.01). Official Methods of Analysis of the Association of Official Analytical Chemists. *Assoc. of Official Analytical Chemists*, Washington, DC.
- Arauz, L. P. (2000). Mango anthracnose: economic impact and current options for integrated management. *Plant Disease*, 84(6), 600-611.
- Arrebola, F. J., Martínez Vidal, J. L., González-Rodríguez, M. J., Garrido-Frenich, A., and Sánchez Morito, N. (2003). Reduction of analysis time in gas chromatography. *Journal of Chromatography A*, 1005(1-2), 131-141.
- Aschi, M., D'Archivio, A. A., Maggi, M. A., Mazzeo, P., and Ruggieri, F. (2007). Quantitative structure-retention relationships of pesticides in reversed-phase high-performance liquid chromatography. *Analytica Chimica Acta*, 582(2), 235-242.
- Bai, Y., Chen, J., Mu, H., Zhang, C., and Li, B. (2009). Reduction of dichlorvos and omethoate residues by O₂ plasma treatment. *Journal of Agricultural and Food Chemistry*, 57(14), 6238-6245.

- Bai, Y., Chen, J., Yang, Y., Guo, L., and Zhang, C. (2010). Degradation of organophosphorus pesticide induced by oxygen plasma: effects of operating parameters and reaction mechanisms. *Chemosphere*, 81(3), 408-414.
- Baier, M., Foerster, J., Schnabel, U., Knorr, D., Ehlbeck, J., Herppich, W. B., and Schlüter, O. (2013). Direct non-thermal plasma treatment for the sanitation of fresh corn salad leaves: Evaluation of physical and physiological effects and antimicrobial efficacy. *Postharvest Biology and Technology*, 84, 81-87.
- Baier, M., Görgen, M., Ehlbeck, J., Knorr, D., Herppich, W. B., and Schlüter, O. (2014). Non-thermal atmospheric pressure plasma: Screening for gentle process conditions and antibacterial efficiency on perishable fresh produce. *Innovative Food Science and Emerging Technologies*, 22, 147-157.
- Baloch, M.K., and Bibi, F. (2012). Effect of harvesting and storage conditions on the post harvest quality and shelf life of mango (*Mangifera indica* L.) fruit. *South African Journal of Botany*, 83, 109-116.
- Banaschik, R., Burchhardt, G., Zocher, K., Hammerschmidt, S., Kolb, J. F., and Weltmann, K. D. (2016). Comparison of pulsed corona plasma and pulsed electric fields for the decontamination of water containing *Legionella pneumophila* as model organism. *Bioelectrochemistry*, 112, 83-90.
- Banaschik, R., Lukes, P., Jablonowski, H., Hammer, M. U., Weltmann, K. D., and Kolb, J. F. (2015). Potential of pulsed corona discharges generated in water for the degradation of persistent pharmaceutical residues. *Water Research*, 84, 127-135.
- Banjongsinsiri, P., Kenney, S., and Wicker, L. (2004). Texture and distribution of pectic substances of mango as affected by infusion of pectinmethylesterase and calcium. *Journal of the Science of Food and Agriculture*, 84(12), 1493-1499.
- Bárdos, L., and Baránková, H. (2010). Cold atmospheric plasma: Sources, processes, and applications. *Thin Solid Films*, 518(23), 6705–6713.
- Barr, D. B. (2008). Biomonitoring of exposure to pesticides. *Journal of Chemical Health and Safety*, 15(6), 20-29.

- Basaran, P., Basaran-Akgul, N., and Oksuz, L. (2008). Elimination of *Aspergillus parasiticus* from nut surface with low pressure cold plasma (LPCP) treatment. *Food Microbiology*, 25(4), 626-632.
- Basfar, A. A., Mohamed, K. A., and Al-Saqer, O. A. (2012). De-contamination of pesticide residues in food by ionizing radiation. *Radiation Physics and Chemistry*, 81(4), 473-478.
- Berardinelli, A., Pasquali, F., Cevoli, C., Trevisani, M., Ragni, L., Mancusi, R., and Manfreda, G. (2016). Sanitisation of fresh-cut celery and radicchio by gas plasma treatments in water medium. *Postharvest Biology and Technology*, 111, 297-304.
- Bermúdez-Aguirre, D., Wemlinger, E., Pedrow, P., Barbosa-Cánovas, G., and Garcia-Perez, M. (2013). Effect of atmospheric pressure cold plasma (APCP) on the inactivation of *Escherichia coli* in fresh produce. *Food Control*, 34(1), 149-157.
- Bhanti, M., and Taneja, A. (2007). Contamination of vegetables of different seasons with organophosphorous pesticides and related health risk assessment in northern India. *Chemosphere*, 69(1), 63-68.
- Bhat, R. (2016). Impact of ultraviolet radiation treatments on the quality of freshly prepared tomato (*Solanum lycopersicum*) juice. *Food Chemistry*, 213, 635-640.
- Bhattacharjee, A. K., and Pandey, B. K. (2010). Dissipation of carbendazim in mango after pre- and post-harvest treatments. *The Journal of Plant Protection Sciences*, 2(1), 65-70.
- Bini Dhouib, I., Annabi, A., Jallouli, M., Marzouki, S., Gharbi, N., Elfazaa, S., and Lasram, M. M. (2016). Carbamates pesticides induced immunotoxicity and carcinogenicity in human: A review. *Journal of Applied Biomedicine*, 14(2), 85-90.
- Blokhina, O., Virolainen, E., and Fagerstedt, K. V. (2003). Antioxidants, oxidative damage and oxygen deprivation stress: a review. *Annals of Botany*, 91(2), 179-194.

- Brandenburg, R., Lange, H., von Woedtke, T., Stieber, M., Kindel, E., and Ehlbeck, J. (2009). Antimicrobial effects of UV and VUV radiation of nonthermal plasma jets. *Ieee Transactions on Plasma Science*, 37(6), 877–883.
- Burlica, R., Shih, K. -Y., and Locke, B. R. (2010). Formation of H₂ and H₂O₂ in a water-spray gliding arc nonthermal plasma reactor. *Industrial and Engineering Chemistry Research*, 49(14), 6342-6349.
- Chen, F., Zeng, L., Zhang, Y., Liao, X., Ge, Y., Hu, X., and Jiang, L. (2009). Degradation behaviour of methamidophos and chlorpyrifos in apple juice treated with pulsed electric fields. *Food Chemistry*, 112(4), 956-961.
- Chen, M., Zhao, Z., Lan, X., Chen, Y., Zhang, L., Ji, R., and Wang, L. (2015). Determination of carbendazim and metiram pesticides residues in rapeseed and peanut oils by fluorescence spectrophotometry. *Measurement*, 73, 313-317.
- Chen, S., Gu, S., Wang, Y., Yao, Y., Wang, G., Jin, Y., and Wu, Y. (2016). Exposure to pyrethroid pesticides and the risk of childhood brain tumors in East China. *Environmental Pollution*, 218, 1128-1134.
- Chutichudet, B., Chutichudet, P., and Trainoak, U. (2016). Effects of 1-MCP on external postharvest qualities and shelf life of ‘Maha Chanok’ mango fruit. *Journal of Agricultural Science*, 8(1), 68-79.
- Codex Alimentarius (2016). Pesticide residues in food and feed. <http://www.fao.org/fao-who-codexalimentarius/standards/pestres/pesticide-detail/en>
- Critzer, F. J., Kelly-Wintenberg, K., South, S. L., and Golden, D. A. (2007). Atmospheric plasma inactivation of foodborne pathogens on fresh produce surfaces. *Journal of Food Protection*, 70(10), 2290-2296.
- Darko, G., and Akoto, O. (2008). Dietary intake of organophosphorus pesticide residues through vegetables from Kumasi, Ghana. *Food and Chemical Toxicology: An International Journal Published for the British Industrial Biological Research Association*, 46(12), 3703-3706.
- Dasan, B. G., Mutlu, M., and Boyaci, I. H. (2016). Decontamination of *Aspergillus flavus* and *Aspergillus parasiticus* spores on hazelnuts via atmospheric pressure

- fluidized bed plasma reactor. *International journal of food microbiology*, 216, 50-59.
- Daundkar, P. S., and Rampal, S. (2014). Evaluation of ameliorative potential of selenium on carbendazim induced oxidative stress in male goats. *Environmental Toxicology and Pharmacology*, 38(3), 711-719.
- Ekefan, E. J., Simons, S. A, Nwankiti, A. O., and Peters, J. C. (2000). Semi-selective medium for isolation of *Colletotrichum gloeosporioides* from soil. *Experimental Agriculture*, 36(3), 313–321.
- Elez Garofulić, I., Režek Jambrak, A., Milošević, S., Dragović-Uzelac, V., Zorić, Z., and Herceg, Z. (2015). The effect of gas phase plasma treatment on the anthocyanin and phenolic acid content of sour cherry Marasca (*Prunus cerasus* var. Marasca) juice. *LWT - Food Science and Technology*, 62(1), 894-900.
- Eloy, Y. R., Vasconcelos, I. M., Barreto, A. L., Freire-Filho, F. R., and Oliveira, J. T. (2015). H₂O₂ plays an important role in the lifestyle of *Colletotrichum gloeosporioides* during interaction with cowpea [*Vigna unguiculata* (L.) Walp]. *Fungal Biology*, 119(8), 747-757.
- Falguera, V., Pagán, J., and Ibarz, A. (2011). Effect of UV irradiation on enzymatic activities and physicochemical properties of apple juices from different varieties. *LWT - Food Science and Technology*, 44(1), 115-119.
- Feng, M., Ghafoor, K., Seo, B., Yang, K., and Park, J. (2013). Effects of ultraviolet-C treatment in Teflon®-coil on microbial populations and physico-chemical characteristics of watermelon juice. *Innovative Food Science and Emerging Technologies*, 19, 133-139.
- FDA (2012). Pesticide monitoring program fiscal year 2012 pesticide report.
- Fenoll, J., Hellin, P., Martinez, C., Miguel, M., and Flores, P. (2007). Multiresidue method for analysis of pesticides in pepper and tomato by gas chromatography with nitrogen–phosphorus detection. *Food Chemistry*, 105(2), 711-719.

- Fernandez, A., Noriega, E., and Thompson, A. (2013). Inactivation of *Salmonella enterica* serovar *Typhimurium* on fresh produce by cold atmospheric gas plasma technology. *Food Microbiology*, 33(1), 24-29.
- Fernandez, A., Shearer, N., Wilson, D. R., and Thompson, A. (2012). Effect of microbial loading on the efficiency of cold atmospheric gas plasma inactivation of *Salmonella enterica* serovar *Typhimurium*. *International Journal of Food Microbiology*, 152(3), 175-180.
- Filho, A. M., dos Santos, F. N., and Pereira, P. A. D. P. (2010). Development, validation and application of a method based on DI-SPME and GC-MS for determination of pesticides of different chemical groups in surface and groundwater samples. *Microchemical Journal*, 96(1), 139-145.
- Food and Agriculture Organization of the United Nations [FAO]. (2011) <http://faostat.fao.org/>
- Fridman, A. (2008). *Plasma chemistry*. Cambridge University Press, New York.
- Gruz, J., Ayaz, F. A., Torun, H., and Strnad, M. (2011). Phenolic acid content and radical scavenging activity of extracts from medlar (*Mespilus germanica* L.) fruit at different stages of ripening. *Food Chemistry*, 124(1), 271-277.
- Grzegorzewski, F., Ehlbeck, J., Schlüter, O., Kroh, L. W., and Rohn, S. (2011). Treating lamb's lettuce with a cold plasma – Influence of atmospheric pressure Ar plasma immanent species on the phenolic profile of *Valerianella locusta*. *LWT - Food Science and Technology*, 44(10), 2285-2289.
- Heo, N. S., Lee, M. K., Kim, G. W., Lee, S. J., Park, J. Y., and Park, T. J. (2014). Microbial inactivation and pesticide removal by remote exposure of atmospheric air plasma in confined environments. *Journal of Bioscience and Bioengineering*, 117(1), 81-85.
- Hernández-Borges, J., Cabrera, J. C., Rodríguez-Delgado, M. Á., Hernández-Suárez, E. M., and Saúco, V. G. (2009). Analysis of pesticide residues in bananas harvested in the Canary Islands (Spain). *Food Chemistry*, 113(1), 313-319.

- Hernandez, F., Pozo, O. J., Sancho, J. V., Bijlsma, L., Barreda, M., and Pitarch, E. (2006). Multiresidue liquid chromatography tandem mass spectrometry determination of 52 non gas chromatography-amenable pesticides and metabolites in different food commodities. *Journal of Chromatography. A*, 1109(2), 242-252.
- Hu, M., Yang, D., Huber, D. J., Jiang, Y., Li, M., Gao, Z., and Zhang, Z. (2014). Reduction of postharvest anthracnose and enhancement of disease resistance in ripening mango fruit by nitric oxide treatment. *Postharvest Biology and Technology*, 97, 115-122.
- Hu, Y., Bai, Y., Li, X., and Chen, J. (2013). Application of dielectric barrier discharge plasma for degradation and pathways of dimethoate in aqueous solution. *Separation and Purification Technology*, 120, 191-197.
- Hu, Y., Chiu, Y. H., Hauser, R., Chavarro, J., and Sun, Q. (2016). Overall and class-specific scores of pesticide residues from fruits and vegetables as a tool to rank intake of pesticide residues in United States: A validation study. *Environment International*, 92-93, 294-300.
- Ibarra-Garza, I. P., Ramos-Parra, P. A., Hernández-Brenes, C., and Jacobo-Velázquez, D. A. (2015). Effects of postharvest ripening on the nutraceutical and physicochemical properties of mango (*Mangifera indica* L. cv Keitt). *Postharvest Biology and Technology*, 103, 45-54.
- Iizuka, T., and Shimizu, A. (2014). Removal of pesticide residue from Brussels sprouts by hydrostatic pressure. *Innovative Food Science and Emerging Technologies*, 22, 70-75.
- Jacobi, K. K., and Giles, J. E. (1997). Quality of 'Kensington' mango (*Mangifera indica* Linn.) fruit following combined vapour heat disinfestation and hot water disease control treatments. *Postharvest Biology and Technology*, 12(3), 285-292.
- Jacobi, K. K., MacRae, E. A., and Hetherington, S. E. (2001). Postharvest heat disinfestation treatments of mango fruit. *Scientia Horticulturae*, 89(3), 171-193.

- Jiang, B., Zheng, J., Qiu, S., Wu, M., Zhang, Q., Yan, Z., and Xue, Q. (2014). Review on electrical discharge plasma technology for wastewater remediation. *Chemical Engineering Journal*, 236, 348-368.
- Jitareerat, P., Paumchai, S., Kanlayanarat, S., and Sangchote, S. (2007). Effect of chitosan on ripening, enzymatic activity, and disease development in mango (*mangifera indica*) fruit. *New Zealand Journal of Crop and Horticultural Science*, 35(2), 211-218.
- Jongsri, P., Wangsomboondee, T., Rojsitthisak, P., and Seraypheap, K. (2016). Effect of molecular weights of chitosan coating on postharvest quality and physicochemical characteristics of mango fruit. *LWT - Food Science and Technology*, 73, 28-36.
- Joshi, A. A., Locke, B. R., Arce, P., Finney, W. C. (1995). Formation of hydroxyl radicals, hydrogen peroxide and aqueous electrons by pulsed streamer corona discharge in aqueous solution. *Journal of Hazardous Materials*, 41, 3-30.
- Kamle, M., Kumar, P., Gupta, V. K., Tiwari, A. K., Misra, A. K., and Pandey, B. K. (2013). Identification and phylogenetic correlation among *Colletotrichum gloeosporioides* pathogen of anthracnose for mango. *Biocatalysis and Agricultural Biotechnology*, 2(3), 285-287.
- Kannika, R., and Sanguansri, C. (2014). Effect of cultivar and ripening stage on quality and microstructure of frozen mangoes (*Mangifera Indica* Linn.). *International Journal of Food Properties*, 17(5), 1093-1108.
- Kaushik, N., Gondi, A. R., Rana, R., and Srinivasa Rao, P. (2015). Application of fuzzy logic technique for sensory evaluation of high pressure processed mango pulp and litchi juice and its comparison to thermal treatment. *Innovative Food Science and Emerging Technologies*, 32, 70-78.
- Khaliq, G., Muda Mohamed, M. T., Ali, A., Ding, P., and Ghazali, H. M. (2015). Effect of gum arabic coating combined with calcium chloride on physico-chemical and qualitative properties of mango (*Mangifera indica* L.) fruit during low temperature storage. *Scientia Horticulturae*, 190, 187-194.

- Kim, S. H., Kim, J. H., and Kang, B. K. (2007). Decomposition reaction of organophosphorus nerve agents on solid surfaces with atmospheric radio frequency plasma generated gaseous species. *Langmuir*, 23(15), 8074-8078.
- Kim, Y., Lounds-Singleton, A. J., and Talcott, S. T. (2009). Antioxidant phytochemical and quality changes associated with hot water immersion treatment of mangoes (*Mangifera indica* L.). *Food Chemistry*, 115(3), 989-993.
- Kim, H. -S., Wright, K. C., Hwang, I. -W., Lee, D. -H., Rabinovich, A., Fridman, A., and Cho, Y. I. (2013). Concentration of hydrogen peroxide generated by gliding arc discharge and inactivation of *E. coli* in water. *International Communications in Heat and Mass Transfer*, 42, 5-10.
- Kozáková I. Z. (2011). *Electric discharges in water solutions*. Brno University of Technology Faculty of Chemistry-Czech Republic.
- Knežević, Z., and Serdar, M. (2009). Screening of fresh fruit and vegetables for pesticide residues on Croatian market. *Food Control*, 20(4), 419-422.
- Knorr, D., Froehling, A., Jaeger, H., Reineke, K., Schlueter, O., and Schoessler, K. (2011). Emerging technologies in food processing. *Annual Review of Food Science and Technology*, 2(1), 203–235.
- Kumar, S., Das, D. K., Singh, A. K., and Prasad U. S. (1994). Sucrose metabolism during maturation and ripening of mango cultivars. *Plant Physiology and Biochemistry*, 21(1), 27–32.
- Lacombe, A., Niemira, B. A., Gurtler, J. B., Fan, X., Sites, J., Boyd, G., and Chen, H. (2015). Atmospheric cold plasma inactivation of aerobic microorganisms on blueberries and effects on quality attributes. *Food Microbiology*, 46, 479-484.
- Laohaprasit, N., Ambadipudi, D. S., and Srzednicki, G. (2011). Optimisation of extraction conditions of volatile compounds in 'Nam Dok Mai' mangoes. *International Food Research Journal*, 18(3), 1043-1049.
- Laroussi, M., and Leipold, F. (2004). Evaluation of the roles of reactive species, heat, and UV radiation in the inactivation of bacterial cells by air plasmas at

- atmospheric pressure. *International Journal of Mass Spectrometry*, 233(1-3), 81-86.
- Lee, H., Kim, J. E., Chung, M. S., and Min, S. C. (2015). Cold plasma treatment for the microbiological safety of cabbage, lettuce, and dried figs. *Food Microbiology*, 51, 74-80.
- Leo M. L. N., and Hamir S. R. (2010). *Handbook of Pesticides - Methods of Pesticide Residues Analysis*. CRC Press, Taylor & Francis Group.
- Ling, Y., Wang, H., Yong, W., Zhang, F., Sun, L., Yang, M. -L., Wu, Y. -N., and Chu, X. -G. (2011). The effects of washing and cooking on chlorpyrifos and its toxic metabolites in vegetables. *Food Control*, 22(1), 54-58.
- Litz R. E. (2009). *The Mango- Botany, Production and Uses*. 2nd Edition. CAB International Oxford UK.
- Liu, X., Shen, Z., Wang, P., Liu, C., Yao, G., He, J., Liu, D., and Zhou, Z. (2016). Minimizing geometric isomerization of alpha-cypermethrin in the residue analysis. *Food Chemistry*, 196, 828-832.
- Lizada, M. C. (1991). Postharvest physiology of mango – a review. *Acta Horticulturae*, 291, 437-449.
- Ma, C. -H., Zhang, J., Hong, Y. -C., Wang, Y. -R., and Chen, X. (2015a). Determination of carbendazim in tea using surface enhanced Raman spectroscopy. *Chinese Chemical Letters*, 26(12), 1455-1459.
- Ma, L., Zhang, M., Bhandari, B., and Gao, Z. (2017). Recent developments in novel shelf life extension technologies of fresh-cut fruits and vegetables. *Trends in Food Science and Technology*, 64, 23-38.
- Ma, R., Wang, G., Tian, Y., Wang, K., Zhang, J., and Fang, J. (2015b). Non-thermal plasma-activated water inactivation of food-borne pathogen on fresh produce. *Journal of Hazardous Materials*, 300, 643-651.
- Ma, R., Yu, S., Tian, Y., Wang, K., Sun, C., Li, X., Zhang, J., Chen, K., and Fang, J. (2016). Effect of non-thermal plasma-activated water on fruit decay and quality in

- postharvest Chinese bayberries. *Food and Bioprocess Technology*, 9(11), 1825-1834.
- Mai-Prochnow A., Murphy A. B., McLean M., Kong M. G., and Ostrikov K. (2014). Atmospheric pressure plasmas: Infection control and bacterial responses. *International Journal of Antimicrobial Agents*, 43(6), 508–517.
- Maricica S., and Liliana M. (2014). Atmospheric cold plasma as new strategy for foods. *Innovative Romanian Food Biotechnology*, 15(11).
- Matan, N., Puangjinda, K., Phothisuwan, S., and Nisoa, M. (2015). Combined antibacterial activity of green tea extract with atmospheric radio-frequency plasma against pathogens on fresh-cut dragon fruit. *Food Control*, 50(0), 291-296.
- Misra, N. N. (2015). The contribution of non-thermal and advanced oxidation technologies towards dissipation of pesticide residues. *Trends in Food Science and Technology*, 45(2), 229-244.
- Misra, N. N., Keener, K. M., Bourke, P., Mosnier, J. P., and Cullen, P. J. (2014a). In-package atmospheric pressure cold plasma treatment of cherry tomatoes. *Journal of Bioscience and Bioengineering*, 118(2), 177-182.
- Misra, N. N., Pankaj, S. K., Frias, J. M., Keener, K. M., and Cullen, P. J. (2015). The effects of nonthermal plasma on chemical quality of strawberries. *Postharvest Biology and Technology*, 110, 197-202.
- Misra, N. N., Pankaj, S. K., Walsh, T., O'Regan, F., Bourke, P., and Cullen, P. J. (2014b). In-package nonthermal plasma degradation of pesticides on fresh produce. *Journal of Hazardous Materials*, 271, 33-40.
- Misra, N. N., Patil, S., Moiseev, T., Bourke, P., Mosnier, J. P., Keener, K. M., and Cullen, P. J. (2014c). In-package atmospheric pressure cold plasma treatment of strawberries. *Journal of Food Engineering*, 125, 131-138.
- Misra, N. N., Schluter, O., and Cullen, P. J. (2016). *Cold Plasma in Food and Agriculture-Fundamentals and Applications*. Elsevier Inc., United Kingdom.

- Mitra S. K., and Baldwin E. A. (1997). Postharvest physiology and storage of tropical and subtropical fruits. CAB International, Wallingford, UK, 85-122.
- Moreau, M., Feuilloley, M. G. J., Veron, W., Meylheuc, T., Cheuvalier, S., Brisset, J. - L., and Orange, N. (2007). Gliding arc discharge in the potato pathogen *Erwinia carotovora* subsp. *atroseptica*: Mechanism of lethal action and effect on membrane-associated molecules. *Applied and Environmental Microbiology*, 73(18), 5904-5910.
- Moreau, M., Orange, N., and Feuilloley, M. G. (2008). Non-thermal plasma technologies: new tools for bio-decontamination. *Biotechnology Advances*, 26(6), 610-617.
- Nelson S. C. (2008). Mango anthracnose (*Colletotrichum gloeosporioides*). *Plant Disease*, 48, 1-9.
- Niemira, B. A. (2012). Cold plasma decontamination of foods. *Annual Review of Food Science and Technology*, 3(1), 125-142.
- Niemira, B. A., and Sites, J. (2008). Cold plasma inactivates *Salmonella stanley* and *Escherichia coli* O157:H7 inoculated on golden delicious apples. *Journal of Food Protection*, 71(7), 1357-1365.
- Ong, M. K., and Ali, A. (2015). Antifungal action of ozone against *Colletotrichum gloeosporioides* and control of papaya anthracnose. *Postharvest Biology and Technology*, 100, 113-119.
- Ornelas-Paz Jde, J., Yahia, E.M., Ramirez-Bustamante, N., Perez-Martinez, J. D., Escalante-Minakata Mdel, P., Ibarra-Junquera, V., Acosta-Muniz, C., Guerrero-Prieto, V., and Ochoa-Reyes, E. (2013). Physical attributes and chemical composition of organic strawberry fruit (*Fragaria x ananassa* Duch, Cv. Albion) at six stages of ripening. *Food Chemistry*, 138, 372-381.
- Pan, Y. -G., and Zu, H. (2012). Effect of UV-C Radiation on the quality of fresh-cut pineapples. *Procedia Engineering*, 37, 113-119.
- Pakvilai, N., Prapamontol, T., Thavornyutikarn, P., A, M., Chantara, S., and Santasup, C. (2011). Residues of synthetic pyrethroid pesticides in vegetables, fruit,

- sediment and water from an intensive agriculture area (Fang district, Chiang Mai, Thailand). *WIT Transaction on Ecology and The Environment*, 167, 201-210.
- Pal, P., Kaur, P., Singh, N., Kaur, A., Misra, N. N., Tiwari, B. K., Cullen, P. J., and Viridi, A. S. (2016). Effect of nonthermal plasma on physico-chemical, amino acid composition, pasting and protein characteristics of short and long grain rice flour. *Food Research International*, 81, 50-57.
- Pankaj, S. K., Bueno-Ferrer, C., Misra, N. N., Milosavljević, V., O'Donnell, C. P., Bourke, P., Keener, K. M., and Cullen, P. J. (2014). Applications of cold plasma technology in food packaging. *Trends in Food Science and Technology*, 35(1), 5-17.
- Parvulescu, V. I., Magureanu, M., and Lukes, P. (2012). *Plasma Chemistry and Catalysis in Gases and Liquids*. Wiley-VCH, Germany.
- Pasquali, F., Stratakis, A. C., Koidis, A., Berardinelli, A., Cevoli, C., Ragni, L., Mancusi, R., Manfreda, G., and Trevisani, M. (2016). Atmospheric cold plasma process for vegetable leaf decontamination: A feasibility study on radicchio (red chicory, *Cichorium intybus* L.). *Food Control*, 60, 552-559.
- Patthamakanokporn, O., Puwastien, P., Nitithamyong, A., and Sirichakwal, P. P. (2008). Changes of antioxidant activity and total phenolic compounds during storage of selected fruits. *Journal of Food Composition and Analysis*, 21(3), 241-248.
- Phan, K. T. K., Phan, H. T., Uthaichana, K., and Phimolsiripol, Y. (2017). Effect of non-thermal plasma on physicochemical properties of Nam Dok Mai mango. *International Journal on Advanced Science, Engineering and Information Technology*, 7(1), 263-268.
- Philip, N., Saoudi, B., Crevier, M. C., Moisan, M., Barbeau, J., and Pelletier, J. (2002). The respective roles of UV photons and oxygen atoms in plasma sterilization at reduced gas pressure: The case of N₂-O₂ mixtures. *Ieee Transactions on Plasma Science*, 30(4), 1429-1436.

- Ramazzina, I., Berardinelli, A., Rizzi, F., Tappi, S., Ragni, L., Sacchetti, G., and Rocculi, P. (2015). Effect of cold plasma treatment on physico-chemical parameters and antioxidant activity of minimally processed kiwifruit. *Postharvest Biology and Technology*, 107, 55-65.
- Ramos, B., Miller, F. A., Brandão, T. R. S., Teixeira, P., and Silva, C. L. M. (2013). Fresh fruits and vegetables—An overview on applied methodologies to improve its quality and safety. *Innovative Food Science and Emerging Technologies*, 20, 1-15.
- Rawson, A., Patras, A., Tiwari, B. K., Noci, F., Koutchma, T., and Brunton, N. (2011). Effect of thermal and non thermal processing technologies on the bioactive content of exotic fruits and their products: Review of recent advances. *Food Research International*, 44(7), 1875-1887.
- Reineke, K., Langer, K., Hertwig, C., Ehlbeck, J., Schlüter, O. (2015). The impact of different process gas compositions on the inactivation effect of an atmospheric pressure plasma jet on *Bacillus* spores. *Innovative Food Science and Emerging Technologies*, 30, 112-118.
- Ribeiro, S. M. R., and Schieber, A. (2010). *Bioactive Compounds in Mango*. In: Watson, R. R., Preedy, V. R. (Eds.), *Bioactive Foods in Promoting Health: Fruit and Vegetables*. Elsevier Inc.
- Safitri, A., Theppakorn, T., Naradisorn, M., and Setha, S. (2015). Effects of UV-C irradiation on ripening quality and antioxidant capacity of mango fruit cv. Nam Dok Mai Si Thong. *Journal of Food Science and Agriculture Technology*, 1(1), 164-170.
- Saini, R., and Kumar, P. (2016). Simultaneous removal of methyl parathion and chlorpyrifos pesticides from model wastewater using coagulation/flocculation: Central composite design. *Journal of Environmental Chemical Engineering*, 4(1), 673-680.
- Santhirasegaram, V., Razali, Z., George, D. S., and Somasundram, C. (2015). Comparison of UV-C treatment and thermal pasteurization on quality of

- Chokanan mango (*Mangifera indica* L.) juice. *Food and Bioproducts Processing*, 94, 313-321.
- Sarangapani, C., O'Toole, G., Cullen, P. J., and Bourke, P. (2017). Atmospheric cold plasma dissipation efficiency of agrochemicals on blueberries. *Innovative Food Science and Emerging Technologies*. In press.
- Schluter, O., Ehlbeck, J., Hertel, C., Habermeyer, M., Roth, A., Engel, K. H., Holzhauser, T., Knorr, D., and Eisenbrand, G. (2013). Opinion on the use of plasma processes for treatment of foods. *Molecular Nutrition and Food Research*, 57(5), 920-927.
- Schnabel, U., Niquet, R., Krohmann, U., Winter, J., Schlüter, O., Weltmann, K. -D., and Ehlbeck, J. (2012). Decontamination of microbiologically contaminated specimen by direct and indirect plasma treatment. *Plasma Processes and Polymers*, 9(6), 569-575.
- Schnabel, U., Niquet, R., Schlüter, O., Gniffke, H., and Ehlbeck, J. (2015). Decontamination and sensory properties of microbiologically contaminated fresh fruits and vegetables by microwave plasma processed air (PPA). *Journal of Food Processing and Preservation*, 39(6), 653-662.
- Scholtz, V., Julák, J., and Křiha, V. Z. (2010). The microbicidal effect of low-temperature plasma generated by corona discharge: comparison of various microorganisms on an agar surface or in aqueous suspension. *Plasma Processes and Polymers*, 7(3-4), 237-243.
- Scholtz, V., Pazlarova, J., Souskova, H., Khun, J., and Julak, J. (2015). Nonthermal plasma-A tool for decontamination and disinfection. *Biotechnology Advances*, 33(6), 1108-1119.
- Schulze, K., Spreer, W., Keil, A., Ongprasert, S., and Müller, J. (2013). Mango (*Mangifera indica* L. cv. Nam Dokmai) production in Northern Thailand—Costs and returns under extreme weather conditions and different irrigation treatments. *Agricultural Water Management*, 126, 46-55.

- Sellamuthu, P. S., Denoya, G. I., Sivakumar, D., Polenta, G. A., and Soundy, P. (2013). Comparison of the contents of bioactive compounds and quality parameters in selected mango cultivars. *Journal of Food Quality*, 36(6), 394-402.
- Setlow, P. (2007). I will survive: DNA protection in bacterial spores. *Trends in Microbiology*, 15(4), 172-180.
- Shakila B. M., Sasikala P., Dhanapal A., Kavitha V., Yazhini G., and Rajamani L. (2012). Cold plasma as a novel food processing technology. *International Journal of Emerging Trends in Engineering and Development*, 4(2), 803-818.
- Sharma, D., Nagpal, A., Pakade, Y. B., and Katnoria, J. K. (2010). Analytical methods for estimation of organophosphorus pesticide residues in fruits and vegetables: a review. *Talanta*, 82(4), 1077-1089.
- Sharma, M., and Kulshrestha, S. (2015). *Colletotrichum gloeosporioides*: An anthracnose causing pathogen of fruits and vegetables. *Biosciences Biotechnology Research Asia*, 12(2), 1233-1246.
- Shintani, H., Sakudo, A., Burke, P., and McDonnell, G. (2010). Gas plasma sterilization of microorganisms and mechanisms of action. *Experimental and Therapeutic Medicine*, 1(5), 731-738.
- Siddiq, M., Sogi, D. S., and Dolan, K. D. (2013). Antioxidant properties, total phenolics, and quality of fresh-cut 'Tommy Atkins' mangoes as affected by different pre-treatments. *LWT - Food Science and Technology*, 53(1), 156-162.
- Singh S. B., Mukherjee I., Maisnam J., Kumar P., Gopal M., and Kulshrestha G. (2008). Determination of pesticide residues in IPM and non-IPM samples of mango (*Mangifera indica*). *Journal of Environmental Science and Health, Part B*, 43(4): 300-306.
- Siriamornpun, S., and Kaewseejan, N. (2017). Quality, bioactive compounds and antioxidant capacity of selected climacteric fruits with relation to their maturity. *Scientia Horticulturae*, 221, 33-42.

- Sivakumar, D., Jiang, Y., and Yahia, E. M. (2011). Maintaining mango (*Mangifera indica* L.) fruit quality during the export chain. *Food Research International*, 44(5), 1254-1263.
- Sivakumar, D., Van Deventer, F., Terry, L. A., Polenta, G. A., and Korsten, L. (2012). Combination of 1-methylcyclopropene treatment and controlled atmosphere storage retains overall fruit quality and bioactive compounds in mango. *Journal of the Science of Food and Agriculture*, 92(4), 821-830.
- Skretteberg, L. G., Lyrån, B., Holen, B., Jansson, A., Fohgelberg, P., Siivinen, K., Andersen, J. H., and Jensen, B. H. (2015). Pesticide residues in food of plant origin from Southeast Asia – A Nordic project. *Food Control*, 51, 225-235.
- Soloneski, S., Kujawski, M., Scuto, A., and Larramendy, M. L. (2015). Carbamates: A study on genotoxic, cytotoxic, and apoptotic effects induced in Chinese hamster ovary (CHO-K1) cells. *Toxicology in vitro: an International Journal published in association with BIBRA*, 29(5), 834-844.
- Song, H. P., Kim, B., Choe, J. H., Jung, S., Moon, S. Y., Choe, W., and Jo, C. (2009). Evaluation of atmospheric pressure plasma to improve the safety of sliced cheese and ham inoculated by 3-strain cocktail *Listeria monocytogenes*. *Food Microbiology*, 26(4), 432-436.
- Sripong, K., Jitareerat, P., Tsuyumu, S., Uthairatanakij, A., Srilaong, V., Wongs-Aree, C., Ma, G., Zhang, L., and Kato, M. (2015). Combined treatment with hot water and UV-C elicits disease resistance against anthracnose and improves the quality of harvested mangoes. *Crop Protection*, 77, 1-8.
- Srivastava, A. K., Rai, S., Srivastava, M. K., Lohani, M., Mudiam, M. K. R., and Srivastava, L. P. (2014). Determination of 17 organophosphate pesticide residues in mango by modified QuEChERS extraction method using GC-NPD/GC-MS and hazard index estimation in Lucknow, India. *Plos One*, 9(5), e96493.
- Stoica M., Mihalcea L., Borda D., and Alexe P. (2013). Nonthermal novel food processing technologies_An overview. *Journal of Agroalimentary Processes and Technologies*, 19(20), 212-217.

- Sunil, K., and Narayana, B. (2008). Spectrophotometric determination of hydrogen peroxide in water and cream samples. *Bulletin of Environmental Contamination and Toxicology*, 81(4), 422-426.
- Surowsky, B., Fischer, A., Schlueter, O., and Knorr, D. (2013). Cold plasma effects on enzyme activity in a model food system. *Innovative Food Science and Emerging Technologies*, 19, 146-152.
- Surowsky, B., Schlüter, O., and Knorr, D. (2014). Interactions of non-thermal atmospheric pressure plasma with solid and liquid food systems: A Review. *Food Engineering Reviews*, 7(2), 82-108.
- Tadeo, L. J. (2008). *Analysis of Pesticides in Food and Environmental Samples*. CRC Press, Taylor & Francis Group.
- Tappi, S., Berardinelli, A., Ragni, L., Dalla Rosa, M., Guarnieri, A., and Rocculi, P. (2014). Atmospheric gas plasma treatment of fresh-cut apples. *Innovative Food Science and Emerging Technologies*, 21, 114-122.
- ThaiMango-Ma-Muang. (2008). http://www.simply-thai.com/ThaiMarket_Fruit_Mango
- Thinh, D. C., and Kunasakdakul, K. (2013). Inhibition of *Colletotrichum gloeosporioides* and control of postharvest anthracnose disease on mango fruit using propionic acid combined with bee-carnauba wax emulsion. *Journal of Agricultural Science*, 5(12), 110-116.
- Thirumdas, R., Sarangapani, C., and Annapure, U. S. (2014). Cold Plasma: A novel non-thermal technology for food processing. *Food Biophysics*, 10(1), 1-11.
- Uhm, H. S., Hong, Y. C., and Shin, D. H. (2006). A microwave plasma torch and its applications. *Plasma Sources Science and Technology*, 15(2), S26-S34.
- van Gils, C. A. J., Hofmann, S., Boekema, B. K. H. L., Brandenburg, R., and Bruggeman, P. J. (2013). Mechanisms of bacterial inactivation in the liquid phase induced by a remote RF cold atmospheric pressure plasma jet. *Journal of Physics D: Applied Physics*, 46(17), 175203.

- Vásquez-Caicedo A. L., Neidhart S., Pathomrungsyounggul P., Wiriyaacharee P., Chattrakul A., Sruamsiri P., and Carle R. (2002). Physical, chemical and sensory properties of nine Thai mango cultivars and evaluation of their technological and nutritional potential. *International Symposium Sustaining Food Security and Managing Natural Resources in Southeast Asia-Challenges for the 21st Century. Chiang Mai, Thailand.*
- Vasquez-Caicedo, A. L., Sruamsiri, P., Carle, R., and Neidhart, S. (2005). Accumulation of all-trans-beta-carotene and its 9-cis and 13-cis stereoisomers during postharvest ripening of nine Thai mango cultivars. *Journal of Agriculture and Food Chemistry*, 53(12), 4827-4835.
- Vleugels, M., Shama, G., Deng X. T., Greenacre E., Brocklehurst, T., and Kong, M. G. (2005). Atmospheric plasma inactivation of biofilm-forming bacteria for food safety control. *IEEE Transactions on Plasma Science*, 33(2), 824–828.
- Wang, R. X., Nian, W. F., Wu, H. Y., Feng, H. Q., Zhang, K., Zhang, J., Zhu, W. D., Becker, K. H., and Fang, J. (2012). Atmospheric-pressure cold plasma treatment of contaminated fresh fruit and vegetable slices: inactivation and physiochemical properties evaluation. *The European Physical Journal*, D66(10), 276(1-7).
- Watanawan, C., Wasusri, T., Srilaong, V., Wongs-Aree, C., and Kanlayanarat, S. (2014). Near infrared spectroscopic evaluation of fruit maturity and quality of export Thai mango (*Mangifera indica* L. var. Namdokmai). *International Food Research Journal*, 21(3), 1109-1114.
- Wilson C. W., Shaw P. E., and Knight R. J. (1990). Importance of some lactones and 2, 5 dimethyl-4-hydroxy-3(2H)-furanone to mango (*Mangifera indica* L.) aroma. *Journal Agriculture and Food Chemistry*, 38(7), 1556 – 1559.
- Winter, T., Bernhardt, J., Winter, J., Mader, U., Schluter, R., Weltmann, K. D., Hecker, M., and Kusch, H. (2013). Common versus noble *Bacillus subtilis* differentially responds to air and argon gas plasma. *Proteomics*, 13(17), 2608-2621.
- Wongkaew L., and Likittrakoolrung S. (2009). Pestilential diseases in ‘Maha Chanok’ mango. *Kasikorn*, 82(6), 43-47.

- Xu, X., Lei, H., Ma, X., Lai, T., Song, H., Shi, X., and Li, J. (2017). Antifungal activity of 1-methylcyclopropene (1-MCP) against anthracnose (*Colletotrichum gloeosporioides*) in postharvest mango fruit and its possible mechanisms of action. *International Journal of Food Microbiology*, 241, 1-6.
- Xu, Y., Tian, Y., Ma, R., Liu, Q., and Zhang, J., (2016). Effect of plasma activated water on the postharvest quality of button mushrooms, *Agaricus bisporus*. *Food Chemistry*, 197(Pt A), 436-444.
- Zhang, Z., Yang, D., Yang, B., Gao, Z., Li, M., Jiang, Y., and Hu, M. (2013). β -Aminobutyric acid induces resistance of mango fruit to postharvest anthracnose caused by *Colletotrichum gloeosporioides* and enhances activity of fruit defense mechanisms. *Scientia Horticulturae*, 160, 78-84.
- Zheng, M., Shi, J., Shi, J., Wang, Q., and Li, Y. (2013). Antimicrobial effects of volatiles produced by two antagonistic *Bacillus* strains on the anthracnose pathogen in postharvest mangos. *Biological Control*, 65(2), 200-206.
- Zhu, W. -C., Wang, B. -R., Xi, H. -L., and Pu, Y. -K. (2010). Decontamination of VX Surrogate malathion by atmospheric pressure radio-frequency plasma jet. *Plasma Chemistry and Plasma Processing*, 30(3), 381-389.
- Zhu, X., Wang, Q., Cao, J., and Jiang, W. (2008). Effect of chitosan coating on postharvest quality of mango (*Mangifera Indica* L. c.v Tainong) fruit. *Journal of Food Processing and Preservation*, 32(5), 770-784.

LIST OF PUBLICATIONS

- Phan, T. K. K., Phan, T. H., Uthaichana, K., and Phimolsiripol, Y. (2017). Effect of non-thermal plasma on physicochemical properties of Nam Dok Mai mango. *International Journal on Advanced Science, Engineering and Information Technology*, 7(1), 263-268.
- Phan, T. K. K., Phan, T. H., Uthaichana, K., and Phimolsiripol, Y. (2016). Effect of non-thermal plasma on physicochemical properties of Nam Dok Mai mango. In *The International Conference on Sustainable Agriculture and Environment*. Ho Chi Minh, Vietnam. (Oral presentation).
- Phan, T. K. K., and Phimolsiripol, Y. (2015). Non-thermal plasma for decontamination of pesticide residues and inactivation of *Colletotrichum gloeosporioides* in mango fruits. In *The 1st International Workshop on Applications of Plasma Technology Under Thai – Korean Research Collaboration Center (TKRCC)*. Chiang Mai University, Chiang Mai, Thailand. (Oral presentation).

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved