#### CONTENTS

Page

Acknowle	dgement	c
Abstract i	n Thai	d
Abstract i	n English	f
List of Ta	bles	1
List of Fig	ures	S
Chapter 1	Introduction	1
1.	Principles and rationale	1
1.2	2 Objectives of the study	2
1.	3 Education and application advantages	2
Chapter 2	Literatures Review	3
2.	Longan	3
2.2	2 Enzymatic browning of fresh–cut fruits and vegetables	3
2	3 Osmotic dehydration	6
2.4	4 Application of osmotic dehydration in food processing	6
2	5 Factors affecting osmotic dehydration process	9
2.	5 Drying technology	13
2.7	7 Dehydration kinetics	14
2.3	8 Packing and storage stability of osmo-dehydrated product	18
2.	Prediction of shelf life	19
	2.9.1 Zero order reaction	21
	2.9.2 First order reaction	22
	2.9.3 Arrhenius equation	24

# CONTENTS (CONT.)

		Page
2.10	Sensory evaluation	25
Chapter 3 Ma	aterials and Methods	27
3.1	Phase 1: Formulation of the optimum osmotic solution for drying intermediate moisture longan	27
	3.1.1 Formulation of the optimum osmotic solution for intermediate moisture longan	27
	3.1.2 Study on osmotic dehydration conditions for production of intermediate moisture longan	27
3.2	Phase 2: Comparison of the effects of hot air drying and vacuum oven drying on the quality of intermediate moisture longan	28
3.3	Phase 3: Determination of the qualities of intermediate moisture longan product using fresh longan compare with frozen longan	28
3.4	Shelf – life evaluation of intermediate moisture longan	29
3.5	Physicochemical properties	29
3.6	Antioxidant capacity	30
3.7	Microbial analysis	31
3.8	Accelerated shelf life testing procedure and kinetics calculations	31
3.9	Sensory evaluation	32
3.10	Statistical analysis	33
Chapter 4 Re	sults and Discussion	34

# **CONTENTS (CONT.)**

		Page
4.1	Phase 1: Formulation of the optimum osmotic solution for	34
	drying intermediate moisture longan	
	4.1.1 Formulation of the optimum osmotic solution for	34
	intermediate moisture longan	
	4.1.2 Study on osmotic dehydration conditions for	37
	production of intermediate moisture longan	
4.2	Phase 2: Comparison of the effects of hot air drying and	40
	vacuum oven drying on the quality of intermediate	
	moisture longan	
4.3	Phase 3: Determination of the qualities of intermediate	46
	moisture longan product using fresh longan compare with	
	frozen longan	
4.4	Shelf – life evaluation of intermediate moisture longan	49
	4.4.1 Quality changes of intermediate moisture longan	49
	during storage time	
	4.4.2 Shelf life prediction of intermediate moisture	82
ລີຍ	longan 4.4.2.1 The changes of L* value of IML	82
Co	products during 6 months at different	02
	storage conditions	
A	4.4.2.2 The changes of b* value of IML	90
	products during 6 months at different	
	storage conditions	
	4.4.2.3 The changes of texture of IML products	99
	during 6 months at different storage	
	conditions	

#### **CONTENTS (CONT.)**

			Page
	4.4.2.4	The changes of color sensorial scores of	107
		IML products during 6 months at	
		different storage conditions	
Chapter 5 Co	nclusion and Reco	mmendations	118
5.1	Conclusion		118
5.2	Recommendation	15 (5) (3)	119
References			120
Appendices	565	Strift 1 198	133
	Pictures of IML	process and color of IML during storage	134
	period	MARISI	
	Questionnaires o	f sensory evaluation	143
Curriculum V	Vitae	AI UNIVERSI	148
8.	ເລີກຄົ້ມນ		

ลิปสิทธิมหาวิทยาลิยเชียงไหม Copyright<sup>©</sup> by Chiang Mai University All rights reserved

#### LIST OF TABLES

		Page
Table 2.1	Nutritional composition of longan fruit	4
Table 2.2	Different osmotic agents and their effects on osmotic	12
	dehydration process	
Table 2.3	Mathematical models applied to drying curves of samples	17
	2° 590 200	
Table 4.1	Physicochemical properties of intermediate moisture longan in	36
	different treatments	
Table 4.2	Acceptance scores of intermediate moisture longan in different	36
	treatments (n = 100)	
Table 4.3	Physicochemical properties of intermediate moisture longan in	39
	different methods of osmotic dehydration	
Table 4.4	Acceptance scores of intermediate moisture longan in different	39
	methods of osmotic dehydration $(n = 100)$	
Table 4.5	Calculated parameters	42
Table 4.6	Color parameters of intermediate moisture longan during drying.	42
Table 4.7	Effect of two drying methods on the physicochemical and	43
	sensorial properties of intermediate moisture longan	
Table 4.8	Physicochemical properties of intermediate moisture longan	45
	between two drying methods	
Table 4.9	Acceptance scores of intermediate moisture longan between two	45
	drying methods ( $n = 100$ )	
Table 4.10	Physicochemical properties of intermediate moisture longan in	48
	different raw materials	

		Page
Table 4.11	Acceptance scores of intermediate moisture longan in different	48
	raw materials ( $n = 100$ )	
Table 4.12	ANOVA for water activities and moisture contents of	50
	intermediate moisture longan during storage.	
Table 4.13	Water activities of intermediate moisture longan packed in Al	50
	bag with nitrogen during storage time at different temperatures	
	(4, 25, 35 and 45°C).	
Table 4.14	Water activities of intermediate moisture longan packed in Al	51
	bag without nitrogen during storage time at different	
	temperatures (4, 25, 35 and 45°C).	
Table 4.15	Water activities of intermediate moisture longan packed in clear	52
	plastic bag during storage time at different temperatures (4, 25,	
	35 and 45°C).	
Table 4.16	Moisture contents of intermediate moisture longan packed in Al	53
	bag with nitrogen during storage time at different temperatures	
	(4, 25, 35 and 45°C).	
Table 4.17	Moisture contents of intermediate moisture longan packed in Al	54
a	bag without nitrogen during storage time at different	
Co	temperatures (4, 25, 35 and $45^{\circ}$ C).	
Table 4.18	Moisture contents of intermediate moisture longan packed in	55
	clear plastic bag during storage time at different temperatures (4,	
	25, 35 and 45°C).	
Table 4.19	Microbiological analysis of intermediate moisture longan packed	58
	in Al bag with nitrogen during storage time at different	
	temperatures (4, 25, 35 and $45^{\circ}$ C).	

		Page
Table 4.20	Microbiological analysis of intermediate moisture longan packed	59
	in Al bag without nitrogen during storage time at different	
	temperatures (4, 25, 35 and $45^{\circ}$ C).	
Table 4.21	Microbiological analysis of intermediate moisture longan packed	60
	in clear plastic bag during storage time at different temperatures	
	(4, 25, 35 and 45°C).	
Table 4.22	ANOVA for color analysis of intermediate moisture longan	62
	during storage	
Table 4.23	L* value changes of intermediate moisture longan packed in Al	62
	bag with nitrogen during storage time at different temperatures	
	(4, 25, 35 and 45°C).	
Table 4.24	L* value changes of intermediate moisture longan packed in Al	63
	bag without nitrogen during storage time at different	
	temperatures (4, 25, 35 and 45°C).	
Table 4.25	L* value changes of intermediate moisture longan packed in	64
	clear plastic bag during storage time at different temperatures (4,	
62	25, 35 and 45°C).	
Table 4.26	a* value changes of intermediate moisture longan packed in Al	65
Co	bag with nitrogen during storage time at different temperatures	
A	(4, 25, 35 and 45°C).	
Table 4.27	a* value changes of intermediate moisture longan packed in Al	66
	bag without nitrogen during storage time at different	
	temperatures (4, 25, 35 and $45^{\circ}$ C).	
Table 4.29	b* value changes of intermediate moisture longan packed in Al	68
	bag with nitrogen during storage time at different temperatures	
	(4, 25, 35 and 45°C).	

		Page
Table 4.30	b* value changes of intermediate moisture longan packed in Al	69
	bag without nitrogen during storage time at different	
	temperatures $(4, 25, 35 \text{ and } 45^{\circ}\text{C})$ .	
Table 4.31	b* value changes of intermediate moisture longan packed in clear	70
	plastic bag during storage time at different temperatures (4, 25,	
	35 and 45°C).	
Table 4.32	ANOVA for texture analysis of intermediate moisture longan	71
	during storage	
Table 4.33	Texture analysis of intermediate moisture longan packed in Al	72
	bag with nitrogen during storage time at different temperatures	
	(4, 25, 35 and 45°C).	
Table 4.34	Texture analysis of intermediate moisture longan packed in Al	73
	bag without nitrogen during storage time at different	
	temperatures (4, 25, 35 and $45^{\circ}$ C).	
Table 4.35	Texture analysis of intermediate moisture longan packed in clear	74
	plastic bag during storage time at different temperatures (4, 25,	
ລິ	35 and $45^{\circ}$ C).	
Table 4.36	ANOVA for antioxidant capacities of intermediate moisture	75
Co	longan during storage.	
Table 4.37	Antioxidant capacities of intermediate moisture longan packed	76
	in Al bag with nitrogen during storage time at different	
	temperatures (4, 25, 35 and 45°C).	
Table 4.38	Antioxidant capacities of intermediate moisture longan packed	76
	in Al bag without nitrogen during storage time at different	
	temperatures (4, 25, 35 and $45^{\circ}$ C).	

	Page
Antioxidant capacities of intermediate moisture longan packed	77
in clear plastic bag during storage time at different temperatures	
(4, 25, 35 and 45°C).	
ANOVA for sensory evaluation scores of intermediate moisture	78
longan during storage.	
Acceptance scores of intermediate moisture longan packed in Al	79
bag with nitrogen during storage time at different temperatures	
(4, 25, 35 and 45°C) (n = 50)	
Acceptance scores of intermediate moisture longan packed in Al	80
bag without nitrogen during storage time at different	
temperatures (4, 25, 35 and $45^{\circ}$ C) (n = 50)	
Acceptance scores of intermediate moisture longan packed in	81
clear plastic bag during storage time at different temperatures (4,	
25, 35 and 45°C) (n = 50)	
Linear equation and constant rate of L* value changes of IML	86
products packed into Al bag with nitrogen and stored at 4, 25, 35	
and 45°C during 6 months.	
Linear equation and constant rate of L* value changes of IML	86
products packed into Al bag without nitrogen and stored at 4, 25,	
35 and 45°C during 6 months.	
Linear equation and constant rate of L* value changes of IML	87
products packed into clear plastic bag and stored at 4, 25, 35 and	
45°C during 6 months	
	in clear plastic bag during storage time at different temperatures (4, 25, 35 and 45°C). ANOVA for sensory evaluation scores of intermediate moisture longan during storage. Acceptance scores of intermediate moisture longan packed in Al bag with nitrogen during storage time at different temperatures (4, 25, 35 and 45°C) (n = 50) Acceptance scores of intermediate moisture longan packed in Al bag without nitrogen during storage time at different temperatures (4, 25, 35 and 45°C) (n = 50) Acceptance scores of intermediate moisture longan packed in clear plastic bag during storage time at different temperatures (4, 25, 35 and 45°C) (n = 50) Linear equation and constant rate of L* value changes of IML products packed into Al bag with nitrogen and stored at 4, 25, 35 and 45°C during 6 months. Linear equation and constant rate of L* value changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months. Linear equation and constant rate of L* value changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months. Linear equation and constant rate of L* value changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months.

	Page
Linear equation of the rate of color deterioration (L* value	89
change) and activation energies $(E_a)$ of IML products stored at 4,	
25, 35 and 45°C during 6 months according Arrhenius equation.	
Linear equation and constant rate of b* value changes of IML	94
products packed into Al bag with nitrogen and stored at 4, 25, 35	
and 45°C during 6 months	
Linear equation and constant rate of b* value changes of IML	94
products packed into Al bag without nitrogen and stored at 4, 25,	
35 and 45°C during 6 months.	
Linear equation and constant rate of b* value changes of IML	95
products packed into clear plastic bag and stored at 4, 25, 35 and	
45°C during 6 months.	
Linear equation of the rate of color deterioration (b* value	98
change) and activation energies $(E_a)$ of IML products stored at 4,	
25, 35 and 45°C during 6 months according Arrhenius equation.	
Linear equation and constant rate of texture changes of IML	103
products packed into Al bag with nitrogen and stored at 4, 25, 35	
and 45°C during 6 months	
Linear equation and constant rate of texture changes of IML	104
products packed into Al bag without nitrogen and stored at 4, 25,	
35 and 45°C during 6 months	
Linear equation and constant rate of a texture changes of IML	104
products packed into clear plastic bag and stored at 4, 25, 35 and	
45°C during 6 months	
	change) and activation energies ( $E_a$ ) of IML products stored at 4, 25, 35 and 45°C during 6 months according Arrhenius equation. Linear equation and constant rate of b* value changes of IML products packed into Al bag with nitrogen and stored at 4, 25, 35 and 45°C during 6 months Linear equation and constant rate of b* value changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months. Linear equation and constant rate of b* value changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months. Linear equation and constant rate of b* value changes of IML products packed into clear plastic bag and stored at 4, 25, 35 and 45°C during 6 months. Linear equation of the rate of color deterioration (b* value change) and activation energies ( $E_a$ ) of IML products stored at 4, 25, 35 and 45°C during 6 months according Arrhenius equation. Linear equation and constant rate of texture changes of IML products packed into Al bag with nitrogen and stored at 4, 25, 35 and 45°C during 6 months Linear equation and constant rate of texture changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months Linear equation and constant rate of texture changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months Linear equation and constant rate of a texture changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months Linear equation and constant rate of a texture changes of IML products packed into Al bag without nitrogen and stored at 4, 25, 35 and 45°C during 6 months

		Page
Table 4.55	Linear equation of the rate of texture and activation energies $(E_a)$	107
	of IML products stored at 4, 25, 35 and 45°C during 4 months	
	according Arrhenius equation.	
Table 4.56	Linear equation and constant rate of sensorial score changes of	111
	IML products packed into Al bag with nitrogen and stored at 4,	
	25, 35 and 45°C during 6 months	
Table 4.57	Linear equation and constant rate of sensorial score changes of	112
	IML products packed into Al bag without nitrogen and stored at	
	4, 25, 35 and 45°C during 6 months	
Table 4.58	Linear equation and constant rate of sensorial score changes of	112
	IML products packed into clear plastic bag and stored at 4, 25,	
	35 and 45°C during 6 months.	
Table 4.59	Linear equation of the rate of sensorial score changes and	115
	activation energies ( $E_a$ ) of IML products stored at 4, 25, 35 and	
	45°C during 6 months according Arrhenius equation	
Table 4.60	Predicted shelf life of intermediate moisture longan at 4°C, 25°C,	116
ติด	35°C and 45°C in Al bag with nitrogen, Al bag without nitrogen	
Co	and clear plastic bag.	
A	l rights reserved	

#### LIST OF FIGURES

		Page
Figure 2.1	Schematic cellular material representation and mass transfer pattern	7
Figure 2.2	The potential industrial applications of osmotic dehydration	8
Figure 2.3	Various industrial applications of osmotic dehydration on fruit	9
	processing and preservation	
Figure 2.4	Drying curves as a function of drying time: (a) drying kinetics	16
	and (b) drying rate	
Figure 2.5	Decrease in a quality attribute of a food during storage (zero	21
	order reaction)	
Figure 2.6	Decrease in a quality attribute of a food during storage (first	23
	order reaction)	
Figure 2.7	Decrease in a quality attribute of a food following two different	23
	orders of reaction	
Figure 2.8	Influence of temperature on the reaction rate constant. Slope =	25
	$E_a/R$	
Figure 3.1	Textural analysis	30
Figure 3.2	Sensory evaluation testing	33
Figure 4.1	(A1 - A2) The changes in the intermediate moisture longan	35
	(IML) moisture content during hot air drying within different	
/A 1	treatments, (B) the drying rate of IML during drying time with	
	different conditions and (C) the effect of osmotic treatment on	
	IML moisture ratio.	
Figure 4.2	Mass variation (MV), water loss (WL) and solid gain (SG) with	38
	respect to the initial mass during the osmotic dehydration of	
	longan in solutions containing sugar. Means with the same	
	letter were significantly difference ( $p \le 0.05$ )	

		Page
Figure 4.3	Changes in the moisture content of intermediate moisture	41
	longan during hot air and vacuum drying.	
Figure 4.4	(A1 - A2) The changes in the intermediate moisture longan	47
	(IML) moisture content during hot air drying within different	
	treatments, (B) the drying rate of IML during drying time with	
	different conditions and (C) the effect of osmotic treatment on	
	IML moisture ratio.	
Figure 4.5	The intermediate moisture longan stored with clear plastic bag	56
	at 45°C for 16 weeks	
Figure 4.6	The L* value changes of IML products packed into Al bag with	82
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months (zero	
	order reaction).	
Figure 4.7	The L* value changes of IML products packed into Al bag	83
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (zero order reaction).	
Figure 4.8	The L* value changes of IML products packed into clear plastic	83
ຄີບ	bag and stored at 4, 25, 35 and 45°C during 6 months (zero	
	order reaction).	
Figure 4.9 OP	The L* value changes of IML products packed into Al bag with	84
	nitrogen and stored at 4, 25, 35 and 45°C during 6 months (first	
	order reaction).	
Figure 4.10	The L* value changes of IML products packed into Al bag	84
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (first order reaction).	

		Page
Figure 4.11	The L* value changes of IML products packed into clear plastic	85
	bag and stored at 4, 25, 35 and $45^{\circ}$ C during 6 months (first order	
	reaction).	
Figure 4.12	The L* value changes of IML products packed into Al bag with	87
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	(second order reaction).	
Figure 4.13	The L* value changes of IML products packed into Al bag	88
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (second order reaction).	
Figure 4.14	The L* value changes of IML products packed into clear plastic	88
	bag and stored at 4, 25, 35 and 45°C during 6 months (second	
	order reaction).	
Figure 4.15	The relationship between the temperatures and rate constant of	90
	L* value changes of IML products packed into Al bag with	
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	according to Arrhenius equation	
Figure 4.16	The relationship between the temperatures and rate constant of	91
ุตบ	L* value changes of IML products packed into Al bag without	
Cop	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
AI	according to Arrhenius equation	
Figure 4.17	The relationship between the temperatures and rate constant of	91
	L* value changes of IML products packed into clear plastic	
	bag and stored at 4, 25, 35 and 45°C during 6 months according	
	to Arrhenius equation	

		Page
Figure 4.18	The a* value changes of IML products packed into Al bag with	92
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months (zero	
	order reaction).	
Figure 4.19	The a* value changes of IML products packed into Al bag	93
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (zero order reaction).	
Figure 4.20	The a* value changes of IML products packed into clear plastic	93
	bag and stored at 4, 25, 35 and 45°C during 6 months (zero	
	order reaction).	
Figure 4.21	The a* value changes of IML products packed into Al bag with	96
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months (first	
	order reaction).	
Figure 4.22	The a* value changes of IML products packed into Al bag	96
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (first order reaction).	
Figure 4.23	The a* value changes of IML products packed into clear plastic	97
ลิสส์	bag and stored at 4, 25, 35 and 45°C during 6 months (first order	
ci O	reaction).	
Figure 4.24	The a* value changes of IML products packed into Al bag with	99
AI	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	(second order reaction).	
Figure 4.25	The a* value changes of IML products packed into Al bag	100
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (second order reaction).	

		Page
Figure 4.26	The a* value changes of IML products packed into clear plastic	100
	bag and stored at 4, 25, 35 and 45°C during 6 months (second	
	order reaction).	
Figure 4.27	The relationship between the temperatures and rate constant of	101
	a* value changes of IML products packed into Al bag with	
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	according to Arrhenius equation.	
Figure 4.28	The relationship between the temperatures and rate constant of	102
	a* value changes of IML products packed into Al bag without	
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	according to Arrhenius equation.	
Figure 4.29	The relationship between the temperatures and rate constant of	102
	a* value changes of IML products packed into clear plastic bag	
	and stored at 4, 25, 35 and 45°C during 6 months according to	
	Arrhenius equation.	
Figure 4.30	The b* value changes of IML products packed into Al bag with	105
ລີບ	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months (zero	
	order reaction).	
Figure 4.31	The b* value changes of IML products packed into Al bag	105
AI	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (zero order reaction).	
Figure 4.32	The b* value changes of IML products packed into clear plastic	106
	bag and stored at 4, 25, 35 and 45°C during 6 months (zero	
	order reaction).	

		Page
Figure 4.33	The b* value changes of IML products packed into Al bag with	108
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months (first	
	order reaction).	
Figure 4.34	The b* value changes of IML products packed into Al bag	108
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (first order reaction).	
Figure 4.35	The b* value changes of IML products packed into clear plastic	109
	bag and stored at 4, 25, 35 and 45°C during 6 months (first order	
	reaction).	
Figure 4.36	The b* value changes of IML products packed into Al bag with	109
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	(second order reaction).	
Figure 4.37	The b* value changes of IML products packed into Al bag	110
	without Nitrogen and stored at 4, 25, 35 and 45°C during 6	
	months (second order reaction).	
Figure 4.38	The b* value changes of IML products packed into clear plastic	110
ລິສ	bag and stored at 4, 25, 35 and 45°C during 6 months (second	
ciu	order reaction).	
Figure 4.39	The relationship between the temperatures and rate constant of	113
AI	b* value changes of IML products packed into Al bag with	
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	according to Arrhenius equation	
Figure 4.40	The relationship between the temperatures and rate constant of	113
	b* value changes of IML products packed into Al bag without	
	Nitrogen and stored at 4, 25, 35 and 45°C during 6 months	
	according to Arrhenius equation.	

		Page
Figure 4.41	The relationship between the temperatures and rate constant of	114
	b* value changes of IML products packed into clear plastic bag	
	and stored at 4, 25, 35 and 45°C during 6 months according to	
	Arrhenius equation Fresh longan fruit Longan aril	
Figure A-1	Fresh longan fruit	135
Figure A-2	Longan aril	135
Figure A-3	Longan aril immersed in osmotic solution	135
Figure A-4	Drying flesh longan by hot air oven	135
Figure A-5	Hot air oven (Binder)	135
Figure A-6	Intermediate moisture longan	135
Figure A-7	Intermediate moisture longan packed in 3 different types of	136
	plastic bag (clear plastic bag, Aluminum bag with nitrogen and	
	Aluminum bag without nitrogen).	
Figure A-8	Color changes of intermediate moisture longan after 2 weeks at	137
	4, 25, 35 and 45°C	
Figure A-9	Color changes of intermediate moisture longan after 4 weeks at	137
ລີຢ	4, 25, 35 and 45°C	
Figure A-10	Color changes of intermediate moisture longan after 6 weeks at	138
	4, 25, 35 and 45°C	
Figure A-11	Color changes of intermediate moisture longan after 8 weeks at	138
	4, 25, 35 and 45°C	
Figure A-12	Color changes of intermediate moisture longan after 10 weeks	139
	at 4, 25, 35 and 45°C	
Figure A-13	Color changes of intermediate moisture longan after 12 weeks	139
	at 4, 25, 35 and 45°C	

		Page
Figure A-14	Color changes of intermediate moisture longan after 14 weeks	140
	at 4, 25, 35 and 45°C	
Figure A-15	Color changes of intermediate moisture longan after 16 weeks	140
	at 4, 25, 35 and 45°C	
Figure A-16	Color changes of intermediate moisture longan after 18 weeks	141
	at 4, 25, 35 and 45°C	
Figure A-17	Color changes of intermediate moisture longan after 20 weeks	141
	at 4, 25, 35 and 45°C	
Figure A-18	Color changes of intermediate moisture longan after 22 weeks	142
	at 4, 25, 35 and 45°C	
Figure A-19	Color changes of intermediate moisture longan after 24 weeks	142
	at 4, 25, 35 and 45°C	
	AI UNIVERSIT	

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved