## CONTENTS

Acknowledgement	d
Abstract in Thai	e
Abstract in English	h
Abstract in English List of Tables	n
List of Figures	0
Chapter 1 Introduction	1
1.1 Tectonic Background of Northern Thailand	1
1.2 Pre-Cretaceous Volcanic Rocks in Thailand	1
1.2.1 The Chiang Rai-Chiang Mai Volcanic Belt	2
1.2.2 The Chiang Khong -Lampang-Tak Volcanic Belt	4
1.2.3 Nan –Uttaradit Volcanic Belt	6
1.2.4 Loei-Phetchabun-Nakhon Nayok Volcanic Belt	7
1.2.5 Sra Kaew-Chanthaburi Volcanic Belt	8
1.2.6 Portions of any Volcanic Belt to the North	9
1.3 Aim, scope, and Theory of Study	9
1.4 Location and Accessibility	11
1.5 Topography and Physiography	13
Chapter 2 General Geology	16
2.1 The Mae Phrik Area	21
2.2 The Mae Salaem Area	21
2.3 The Pong Daeng Area	24
2.4 The Wang Luek Area	24
2.5 The Wang Prachop Area	27
2.6 The Wang Chao Area	27

Chapter 3 Occurrence and Petrography	31
3.1 The Mae Phrik Area	31
3.2 The Mae Salaem Area	42
3.3 The Pong Daeng Area	46
3.4 The Wang Luek Area	50
3.5 The Wang Prachop Area	57
3.6 The Wang Chao Area	68
Chapter 4 Geochemistry	80
4.1 Sample Preparation	81
4.2 Analytical Techniques	82
4.2.1 Major Oxides and Trace Elements Analysis	82
4.2.3 Rare Earth Element Analysis	82
4.3 Magmatic Affinities of Volcanic and Associated Rocks	83
4.3.1 Group I Rocks	83
4.3.2 Group II Rocks	89
4.3.3 Group III Rocks	91
4.3.4 Group IV Rocks	91
4.3.5 Group V Rocks	92
4.3.6 Group VI Rocks	92
4.3.7 Group VII Rocks	92
4.3.8 Group VIII rocks	93
4.4 Alteration Index	94
4.5 Tectonic Setting of Eruption	99
4.5.1 Tectonic Discrimination Diagrams	100
4.5.2 Modern Analogue	109
Chapter 5 Discussion and Conclusion	121
5.1 Volcanic and Associated Rocks in the southern part of Chiang Khong-	123
Lampang–Tak Volcanic Belt	
5.2 Tectonic Implications	125
References	130

Appendix A	147
Appendix B	152
Curriculum Vitae	175



## **AUGHTSUKTONE AUGMENTSOLITY** Copyright<sup>©</sup> by Chiang Mai University All rights reserved

## **LIST OF TABLES**

84

123

- Table 4.1
   Whole-rock analyses for major oxides on volatile-free basis,

   trace elements, loss on ignition, rare earth elements and some

   selected ratios of the studied least- altered volcanic and associated

   rocks.
- Table 5.1 Summary of the studied rocks and their distribution.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright<sup>©</sup> by Chiang Mai University All rights reserved

## **LIST OF FIGURES**

Distribution of pre-Cretaceous volcanic rocks in the upper part of Thailand.	3
Map of the study area showing accessibility to the sample location.	12
Topographic map showing the study area and the locations of collected volcanic and associated rocks.	15
Geologic map of the study area.	17
Geologic map of the Mae Phrik area and location of collected samples.	22
Geologic map of the Mae Salaem area and location of collected samples.	23
Geologic map of the Pong Daeng area and location of collected samples.	25
Geologic map of the Wang Luek area and location of collected samples.	26
Geologic map of the Wang Prachop area and location of collected samples.	28
Geologic map of the Wang Chao area and location of collected samples.	29
The in situ float rocks of rhyodacite in the Mae Phrik area.	32
The outcrop of rhyodacite in the Mae Phrik area.	32
The outcrop of basalt in the Mae Phrik area.	33
The outcrop of granitic intrusion (Tak Batholith).	33
Photomicrographs of rhyodacite in the Mae Phrik area (sample number BTK25/1-2) showing a porphyritic texture.	35
	<ul> <li>Thailand.</li> <li>Map of the study area showing accessibility to the sample location.</li> <li>Topographic map showing the study area and the locations of collected volcanic and associated rocks.</li> <li>Geologic map of the study area.</li> <li>Geologic map of the Mae Phrik area and location of collected samples.</li> <li>Geologic map of the Pong Daeng area and location of collected samples.</li> <li>Geologic map of the Wang Luck area and location of collected samples.</li> <li>Geologic map of the Wang Prachop area and location of collected samples.</li> <li>Geologic map of the Wang Chao area and location of collected samples.</li> <li>The in situ float rocks of rhyodacite in the Mae Phrik area.</li> <li>The outcrop of basalt in the Mae Phrik area.</li> <li>The outcrop of granitic intrusion (Tak Batholith).</li> <li>Photomicrographs of rhyodacite in the Mae Phrik area (sample</li> </ul>

Figure 3.6	Photomicrographs of rhyodacite in the Mae Phrik area (sample	36
	number BTK25/1-1) showing quartz phenocrysts.	
Figure 3.7	Photomicrographs of rhyodacite in the Mae Phrik area (sample	37
	number BTK25/7) plagioclase (Plag) phenocrysts.	
Figure 3.8	Photomicrographs of rhyolitic tuff in the Mae Phrik area (sample	39
	number BTK 25/4) showing quartz fragments (Qtz) and eutaxitic	
	texture.	
Figure 3.9	Photomicrographs of basalt in the Mae Phrik area (sample number	40
	BTK25/8-1) displaying plagioclase phenocrysts (Plag).	
Figure 3.10	Photomicrographs of basalt in the Mae Phrik area (sample number	41
	BTK25/8-3) showing unidentified mafic minerals phenocrysts (Maf.)	
	in a very fine-grained groundmass.	
Figure 3.11	Photomicrographs of granite in the Mae Phrik area (sample number	43
	BTK25/8-2) showing kink and fold of plagioclase.	
Figure 3.12	The outcrop of rhyolite in the Mae Salaem area.	44
Figure 3.13	Photomicrographs of rhyolite in the Mae Salaem area (sample	45
	number MSL25/1-1) showing porphyritic texture and quartz and	
	sanidine phenocrysts.	
Figure 3.14	Photomicrographs of rhyolitic tuff in the Mae Salaem area (sample	47
	number MSL29/6) showing quartz (Qtz), glass shard (Gs) and rock	
	fragment.	
Figure 3.15	The outcrop and in situ floats of basalt porphyry in the Pong	48
(	Daeng area. O by Chiang Mai University	
Figure 3.16	Photomicrographs of basalt porphyry in the Pong Daeng area	49
	(sample number PDNG30/4) showing folded plagioclase phenocrysts.	
Figure 3.17	Photomicrographs of granodiorite in the Pong Daeng area (sample	51
	number PDNG 30/11) showing hornblende and zircon inclusion in	
	biotite crystal.	
Figure 3.18	Photomicrographs of basaltic tuff in the Pong Daeng area (sample	52
	number PDNG 30/6-1) showing felted plagioclase.	
Figure 3.19	The in situ float rocks of gabbro in the Wang Luek area.	53

р

Figure 3.20	The outcrops of gabbro in the Wang Luek area.	53
Figure 3.21	Photomicrographs of gabbro in the Wang Luek area (sample number	54
	WL29/2-2) showing ophitic/subohitic intergrowth.	
Figure 3.22	Photomicrographs of cumulus gabbro in the Wang Luek area	56
	(sample number WL29/1-3) showing cumulus texture.	
Figure 3.23	Photomicrographs of cumulus gabbro in the Wang Luek area (sample	58
	number WL29/1-2) showing apatite inclusion in clinopyroxene.	
Figure 3.24	The in situ float rocks of rhyolite in the Wang Prachop area.	59
Figure 3.25	The in situ float rocks of andesite porphyry in the Wang	59
	Prachop area.	
Figure 3.26	The outcrops of andesite porphyry in the Wang Prachop area.	60
Figure 3.27	The outcrops of andesite porphyry in the Wang Prachop area.	60
Figure 3.28	Photomicrographs of rhyolite in the Wang Prachop area (sample	61
	number WPC26/3-1) showing quartz phenocrysts.	
Figure 3.29	Photomicrographs of andesite porphyry in the Wang Prachop	63
	area (sample number WPC26/11) showing highly porphyritic texture.	
Figure 3.30	Photomicrographs of andesite porphyry in the Wang Prachop	65
	area (sample number WPC26/4) showing unidentified mafic	
	minerals phenocrysts/microphenocrysts.	
Figure 3.31	Photomicrographs of andesite porphyry in the Wang Prachop	66
	area (sample number WPC26/7) showing inclusion of apatite and	
ล	opaque minerals in clinopyroxene.	
Figure 3.32	Photomicrographs of rhyolitic tuff in the Wang Prachop area	67
Δ	(sample number WPC26/9-1) showing quartz (Qtz) and rock (Rck)	
1	fragments and eutaxitic texture.	
Figure 3.33	Photomicrographs of basaltic tuff in the Wang Prachop area (sample	69
	number WPC27/7-2) showing plagioclase fragments.	
Figure 3.34	The in situ float rocks of rhyolite in the Wang Chao area.	70
Figure 3.35	The outcrop of rhyolite in the Wang Chao area.	70
Figure 3.36	Photomicrographs of rhyolite in the Wang Chao area (sample	71
	number WCH26/3-1) showing porphyritic texture.	

Figure 3.37	Photomicrographs of rhyolite in the Wang Chao area (sample	73
	number WCH26/2-1) showing quartz and plagioclase phenocrysts.	
Figure 3.38	Photomicrographs of andesite in the Wang Chao area (sample	74
	number WCH28/4) showing felted plagioclase.	
Figure 3.39	Photomicrographs of basalt in the Wang Chao area (sample number	76
	WCH28/8-1) showing plagioclase and unidentified mafic minerals	
	phenocrysts/microphenocrysts.	
Figure 3.40	Photomicrographs of rhyolitic tuff in the Wang Chao area (sample	77
	number WCH27/3) showing quartz and glass shard and eutaxitic	
	texture.	
Figure 3.41	Photomicrographs of basaltic tuff in the Wang Chao area (sample	79
	number WCH26/5-2) showing plagioclase and rock fragments and	
	eutaxitic texture.	
Figure 4.1	Plot of Zr/TiO <sub>2</sub> against Nb/Y for the studied, least-altered volcanic	89
C	and associated rocks.	
Figure 4.2	Chondrite-normalized patterns for the representatives of volcanic	90
	and associated rocks.	
Figure 4.3	N-MORB normalized multi-element patterns for the representatives	95
	of volcanic and associated rocks.	
Figure 4.4	Zirconia variation diagrams for SiO <sub>2</sub> , TiO <sub>2</sub> , Al <sub>2</sub> O <sub>3</sub> , Fe <sub>2</sub> O <sub>3</sub> , FeO,	96
	MnO, MgO and CaO for the studied, least-altered volcanic and	
C)	associated rocks.	
Figure 4.5	Zirconia variation diagrams for Ni, V, Rb, Y, Nb, Th, Cr, Sr, Ba	98
A	and Sc for the studied, least-altered volcanic and associated rocks.	
Figure 4.6	Molar K/Al vs. molar (K+Na+2Ca)/Al	99
Figure 4.7	a) Y vs. Nb and b) (Y+Nb) vs. Rb plots for the studied felsic	101
	volcanic rocks	
Figure 4.8	Ti/Y-Nb/Y discrimination diagram for the studied, least- altered	101
	mafic volcanic and associated rocks.	
Figure 4.9	Ti-V tectonic discrimination diagram for the studied, least-altered	102
	mafic volcanic and associated rocks.	

Figure 4.10	Zr/Y-Ti/Y discrimination diagram between plate-margin basalt	102
	and within-plate basalt for the studied, least-altered mafic volcanic	
	and associated rocks.	
Figure 4.11	Zr/Y-Zr discrimination diagram for the studied, least-altered mafic	103
	volcanic and associated rocks.	
Figure 4.12	Cr-Y discrimination diagram (after Pearce, 1982) for the studied,	103
	least-altered mafic volcanic and associated rocks.	
Figure 4.13	Nb/Y-Zr/P2O5 discrimination diagram for the studied, least-altered	104
	mafic volcanic and associated rocks.	
Figure 4.14	TiO <sub>2</sub> -Y/Nb discrimination diagram for the studied, least-altered	104
	mafic volcanic and associated rocks.	
Figure 4.15	The Zr-Nb-Y discrimination diagram for the studied, least-altered	105
	mafic volcanic and associated rocks.	
Figure 4.16	The Zr-Ti-Y discrimination diagram for the studied, least-altered	106
	mafic volcanic and associated rocks .	
Figure 4.17	The Th-Hf-Ta discrimination diagram for the studied, least-altered	106
	mafic volcanic and associated rocks.	
Figure 4.18	Ti-Zr discrimination diagram for the studied, least-altered mafic	107
	volcanic and associated rocks.	
Figure 4.19	The La-Y-Nb discrimination diagram for the studied, least-altered	107
	mafic volcanic and associated rocks.	
Figure 4.20	Chondrite-normalized REE patterns (a) and N-MORB normalized	111
(	multi-element patterns (b) for the studied, least-altered volcanic	
A	and associated rocks of Group I and their modern analogue.	
Figure 4.21	Chondrite-normalized REE patterns (a) and N-MORB normalized	112
	multi-element patterns (b) for the studied, least-altered volcanic	
	and associated rocks of Group II and their modern analogue.	
Figure 4.22	Chondrite-normalized REE patterns (a) and N-MORB normalized	113
	multi-element patterns (b) for the studied, least-altered volcanic	
	and associated rocks of Group III and their modern analogue.	

Figure 4.23	Chondrite-normalized REE patterns (a) and N-MORB normalized	115
	multi-element patterns (b) for the studied, least-altered volcanic	
	and associated rocks of Group IV and their modern analogue.	
Figure 4.24	Chondrite-normalized REE patterns (a) and N-MORB normalized	116
	multi-element patterns (b) for the studied, least-altered volcanic	
	and associated rocks of Group V and their modern analogue.	
Figure 4.25	Chondrite-normalized REE patterns (a) and N-MORB normalized	117
	multi-element patterns (b) for the studied, least-altered volcanic	
	and associated rocks of Group VI and their modern analogue.	
Figure 4.26	Chondrite-normalized REE patterns (a) and N-MORB normalized	119

- multi-element patterns (b) for the studied, least-altered volcanic
  and associated rocks of Group VII and their modern analogue.
  Figure 4.27 Chondrite-normalized REE patterns (a) and N-MORB normalized 120
- multi-element patterns (b) for the studied, least-altered volcanic and associated rocks of Group VIII and their modern analogue.

Figure 5.1	Distribution of the rock groups.	122
Figure 5.2	Chondrite-normalized REE patterns of Group III Rocks and their	127
	analogue; microdiorite in the Chiang Khong area.	
Figure 5.3	Chondrite-normalized REE patterns of Group VII Rocks and their	127
	analogue; andesite in Doi Yao Volcanic Zone, Chiang Khong area.	
Figure 5.4	Schematic diagrams showing tectonic evolution of Sibumasu and	129
Ģ	Indochina terranes.	

Copyright<sup>©</sup> by Chiang Mai University All rights reserved