

## REFERENCES

- Able, A.J., L.S. Wong, A. Prasad and T. J. O'Hare. 2005. The physiology of senescence in detached pak choy leaves (*Brassica rapa* var. *chinensis*) during storage at different temperatures. *Postharvest Biology and Technology* 35:271-278.
- Acho, F.C., L.T. Zoue and S.L. Niamke. 2015. Effect of refrigeration storage on nutritive and antioxidant properties of five leafy vegetables consumed in Southern Côte d'ivoire. *Pakistan Journal of Nutrition* 14(7): 401-408.
- Acikgoz, F.E. 2016. Seasonal variations on quality parameters of pak choi (*Brassica rapa* L. subsp. *chinensis* L.). *Advances in Crop Science and Technology* 4(4): 1-5.
- Aletor, O., A.A. Oshodi and K. Ipinmoroti. 2002. Chemical composition of common leafy vegetables and functional properties of their leaf protein concentrates. *Food Chemistry* 78: 63-68.
- Alibas, I. and N. Koksall. 2015. Forced-air, vacuum, and hydro precooling of cauliflower (*Brassica oleracea* L. var. *botrytis* cv. Freemont): Part II. Determination of quality parameters during storage. *Food Science and Technology* 35(1): 45-50.
- Álvares, V.S., F.L. Finger, R.C. de A. Santos, J.R. da S. Negreiros and V.W. D. Casali. 2007. Effect of pre-cooling on the postharvest of parsley leaves. *Journal of Food, Agriculture & Environment* 5(2): 31-34.
- Aires, A., C. Fernandes, R. Carvalho, R.N. Bennett, M.J. Saavedra and E.A.S. Rosa. 2011. Seasonal effects on bioactive compounds and antioxidant capacity of six economically important Brassica vegetables. *Molecules* 16: 6816-6832.
- Andarwulan, N., D.N. Faridah, Y.S. Prabekti, H. Fadhilatunnur, L. Mualim, S.A. Aziz and L. Cisneros-Zevallos. 2015. Dietary Fiber Content of Waterleaf (*Talinum triangulare* (Jacq.) Willd) Cultivated with Organic and Conventional Fertilization in Different Seasons. *American Journal of Plant Sciences* 6: 334-343.

- Asante, D.B., E. Effah-Yeboah, P. Barnes, H.A. Abban, E.O. Ameyaw, J.N. Boampong, E.G. Ofori and J.B. Dadzie. 2016. Antidiabetic effect of young and old ethanolic leaf extracts of *Vernonia amygdalina*: a comparative study. *Journal of Diabetes Research* 2016: 1-13.
- Association of Official Analytical Chemists (A.O.A.C.). 2005. Official Method of Analysis 15th edition, Maryland, USA.
- Barbosa, C.K.R., M.C.M. Fonseca, T.P. Silva, F.L. Finger, V.W.D. Casali and P.R. Cecon. 2016. Effect of hydrocooling, packaging, and cold storage on the post-harvest quality of peppermint (*Mentha piperita* L.). *Revista Brasileira de Plants Medicinai* 18(1): 248-255.
- Barth, C. and G. Jander. 2006. Arabidopsis myrosinases TGG1 and TGG2 have redundant function in glucosinolate breakdown and insect defense. *The Plant Journal* 46: 546-562.
- Beaudry, R.M. 1999. Effect of O<sub>2</sub> and CO<sub>2</sub> partial pressure on selected phenomena affecting fruit and vegetable quality. *Postharvest Biology and Technology* 15(3): 293-303.
- Bérard, L.S. and C. Chong. 1985. Influence of storage on glucosinolate fluctuations in cabbage. *Acta Horticulturae* 157: 203-210.
- Bergquist, S.A., U.E. Gertsson and M.E. Olsson. 2006. Influence of growth stage and postharvest storage on ascorbic acid and carotenoid content and visual quality of baby spinach (*Spinacia oleracea* L.). *Journal of the Science of Food and Agriculture* 86: 346-355.
- Boonyakiat, D. 1997. *Postharvest Physiology of Horticulture*. Faculty of Agricultural, Chiang Mai University, Chiang Mai. 222 p.
- Boonyakiat, D. 2013. *Postharvest Physiology of Horticultural Produce*. Odian Store printing, Bangkok. 360 p.
- Boonyakiat, D. 2015. *Postharvest Management of Vegetables on Highland*. Highland Research and Development Institute (Public organization). Vanida printing, Muang, Chiang Mai, 162 p.
- Boonyakiat, D. and C. Chuamuangphan. 2007a. Effect of hot water and ice on shelf life extension of pak choi. Final report. Highland Research and Development Institute (Public organization). Chiang Mai, 99 p.

- Boonyakiat, D. and C. Chuamuangphan. 2007b. Effect of harvesting maturity and icing on broccoli shelf life extension. Final report. Highland Research and Development Institute (Public organization). Chiang Mai, 100 p.
- Boonyakiat, D., P. Boonprasom, D. Bunturat, C. Chuamuangphan, N. Chanhom, P. Wanglow, K. Utara-in, V. Chinnapan. 2007. Vacuum cooling process of vegetables. Final report. Highland Research and Development Institute (Public organization). Chiang Mai, 212 p.
- Boonyakiat, D., P. Boonprasom, C. Chuamuangphan and N. Chanhom. 2008. The study on quality of vegetables and herb after vacuum cooling. Final report. Highland Research and Development Institute (Public organization), Chiang Mai. 155 p.
- Boonyakiat, D., P. Boonprasom, C. Chuamuangphan and N. Chanhom. 2009. Application of vacuum cooling technology for export the Royal Project vegetables and herbs. Final report. Highland Research and Development Institute (Public organization), Chiang Mai. 165 p.
- Boonyakiat, D. and N. Ratanapanon. 2005. Postharvest Handling for Vegetable and Fruit. O.S. printing house, Bangkok. 248 p.
- Borompichaichartkul, C., S. Kanlayanarat, R. Rolle and A. Acedo 2009. Section VII: Module 4 – Cooling and cold storage. 124-135 pp. *In* Sirichai Kanlayanarat, Rosa Rolle and Antonio Acedo Jr (eds.) Horticultural chain management for countries of Asia and the Pacific region: a training package.
- Brosnan, T. and D.W. Sun. 2001. Precooling techniques and applications for horticultural products: a review. *International Journal of Refrigeration*. 24:154-170.
- Brown, P.D., J. G. Tokuhisa, M. Reichelt and J. Gershenzon. 2003. Variation of glucosinolate accumulation among different organs and developmental stages of *Arabidopsis thaliana*. *Phytochemistry* 62: 471-481.
- Buchanan-Wollaston, V., S. Earl, E. Harrison, E. Mathas, S. Navabpour, T. Page and D. Pink. 2003. The molecular analysis of leaf senescence – a genomics approach. *Plant Biotechnology Journal* 1: 3-22.

- Charron, C.S., A.M. Saxton and C.E. Sams. 2005. Relationship of climate and genotype to seasonal variation in the glucosinolate-myrosinase system. I. Glucosinolate content in ten cultivars of *Brassica oleracea* grown in fall and spring seasons. *Journal of the Science of Food and Agriculture*. 85: 671-681.
- Chen, X., Z. Zhu, J. Gerenda's and N. Zimmermann. 2008. Glucosinolates in chinese *Brassica campestris* vegetables: chinese cabbage, purple cai-tai, choysum, pakchoi, and turnip. *HortScience* 43(2): 571-574.
- Chinnapun, V. 2009. Optimal vacuum cooling process of pakchoi (*Brassica chinensis*). M.S. thesis, Chiang Mai Univ., Chiang Mai.
- Clerkson, G.J.J., S.D. Rothwell and G. Taylor. 2005. End of day harvest extends shelf life. *HortScience* 40(5): 1431-1435.
- Dixon, G.R. 2007. *Vegetable Brassicas and Related Crucifers*. Biddles Ltd., King's Lynn, London. 327 p.
- Ding, T., F. Liu, J.G. Ling, M.L. Kang, J.F. Yu, X.Q. Ye and D.H. Liu. 2016. Comparison of different cooling methods for extending shelf life of postharvest broccoli. *International Journal of Agricultural and Biological Engineering* 9(6): 178-185.
- Engelen-Eigles, G., G. Holden, J.D. Cohen and G. Gardner. 2006. The effect of temperature, photoperiod, and light quality on gluconasturtiin concentration in watercress (*Nasturtium officinale* R. Br.). *Journal of Agricultural and Food Chemistry* 54(2): 328-334.
- Ezell, B.D. and M.S. Wilcox. 1959. Vegetable vitamins, loss of vitamin C in fresh vegetables as related to wilting and temperature. *Journal of Agricultural and Food Chemistry* 7(7): 507-509.
- Ferrente, A., L. Incrocci, R. Marrini, G. Serra and F. Tognoni. 2004. Colour changes of fresh-cut leafy vegetables during storage. *Journal of Food, Agriculture & Environment* 2(3&4): 40-44.
- Finger, F.L., L. Endres, P.R. Mosquim and M. Puiatti. 1999. Physiological changes during postharvest senescence of broccoli. *Pesquisa Agropecuária Brasileira* 34(9): 1565-1569.

- Fonseca, S.C., F.A.R. Oliveira and J.K. Brecht. 2002. Modelling respiration rate of fresh fruits and vegetables for modified atmosphere packages: a review. *Journal of Food Engineering* 52: 99-119.
- Francke, A. and J. Majkowska-Gadomska. 2008. Effect of planting date and method on the chemical composition of radicchio heads. *Journal of Elementology* 13(2): 199-204.
- Garrido, Y., J.A. Tudela and M.I. Gil. 2015. Time of day for harvest and delay before processing affect the quality of minimally processed baby spinach. *Postharvest Biology and Technology* 110: 9-17.
- Guiboileau, A., R. Sormani, C. Meyer and C. Masclaux-Daubresse. 2010. Senescence and death of plant organs: Nutrient recycling and developmental regulation. *Comptes Rendus Biologies* 333: 382-391.
- Hanson, P., R. Yang, L. Chang, L. Ledesma and D. Ledesma. 2009. Contents of carotenoids, ascorbic acid, minerals and total glucosinolates in leafy brassica pak choi (*Brassica rapa* L. *chinensis*) as affected by season and variety. *Journal of the Science of Food and Agriculture* 89: 906-914.
- Hasperué, J.H., A.R. Chaves and G.A. Martínez. 2011. End of day harvest delays postharvest senescence of broccoli florets. *Postharvest Biology and Technology* 59: 64-70.
- Hasperué, J., M.L. Lemoine, A. Chaves and G. Martinez. 2014. Effect of time of day for harvest and postharvest treatments on the sugar metabolism of broccoli (*Brassica oleracea* var. *italica*). *Agricultural and food science* 23: 48-59.
- He, S.Y., G.P. Feng, H.S. Yang, Y. Wub and Y.F. Li. 2004. Effects of pressure reduction rate on quality and ultrastructure of iceberg lettuce after vacuum cooling and storage. *Postharvest Biology and Technology* 33: 263-273.
- Hemrattrakun, P. 2009. Effects of vacuum cooling on postharvest quality of spinach. M.S. thesis, Chiang Mai Univ., Chiang Mai.
- Heaton, J.W. and A.G. Marangoni. 1996. Chlorophyll degradation in processed foods and senescent plant tissues. *Trends in Food Science & Technology* 7(1): 8-15.
- Higdon, J.V., B. Delage, D.E. Williams and R. H. Dashwood. 2007. Cruciferous vegetables and human cancer risk: Epidemiologic evidence and mechanistic basis. *Pharmacological Research* 55(3): 224-236.

- Hörtensteiner, S. 2006. Chlorophyll degradation during senescence. *The Annual Review of Plant Biology* 57: 55-77.
- IFOAM, 2017. "Definition of organic agriculture." [Online]. Available <http://www.ifoam.bio/en/organic-landmarks/definition-organic-agriculture> (21 April 2017).
- James, C.S. 1995. *Analytical Chemistry of Foods*. The Alden Press, Oxford. 178 p.
- Jones, R.B., J.D. Faragher and S. Winkler. 2006. A review of the influence of postharvest treatments on quality and glucosinolate content in broccoli (*Brassica oleracea* var. *italica*) heads. *Postharvest Biology and Technology* 41: 1-8.
- Kader, A.A. 1985. Ethylene-induced and physiological disorders in harvested horticultural crops. *HortScience* 20(1): 54-57.
- Kader, A.A. 2001. Quality assurance of harvested horticultural perishables. *Proceeding 4th. International Conference on Postharvest Science*. Acta Hort 553: 51-55.
- Kader, A.A. 2002. Postharvest biology and technology: an overview. p. 39-47. *In* Kader A.A. (ed.). *Postharvest Technology of Horticultural Crops*. U. of California, Agriculture and Natural Resources. Publication 3311. CA.
- Kalisz, A., A. Sekara, J. Gil, A. Grabowska and S. Cebula. 2013. Effect of growing period and cultivar on the yield and biological value of *Brassica rapa* var. *narinosa*. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 41(2): 546-552.
- Kamon, N., D. Boonyakiatt and P.B. Poonlarp. 2013. Effect of vacuum cooling on postharvest quality of chinese cabbage. *Khon Kaen Agriculture Journal* 41(3): 247-256.
- Kays, S.J. 1991. *Postharvest Physiology of Perishable Plant Products*. An AVI Book, New York. 532 p.
- Kim, S.J. and G. Ishii. 2007. Effect of storage temperature and duration on glucosinolate, total vitamin C and nitrate contents in rocket salad (*Erucasativa* Mill.). *Journal of the Science of Food and Agriculture* 87:966-973.
- King, G.A. and E.M. O'Donoghue. 1995. Unravelling senescence: New opportunities for delaying the inevitable in harvested fruit and vegetables. *Trends in Food Science & Technology* 6: 385-389.

- King, G.A. and S.C. Morris. 1994. Early compositional changes during postharvest senescence of Broccoli. *Journal of the American Society for Horticultural Science* 119(5): 1000-1005.
- Lee, S.K. and A.A. Kader. 2000. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology* 20: 207-220.
- Løkke, M.M. 2012. Postharvest quality changes of leafy green vegetables - assessed by respiration rate, sensory analysis, multispectral imaging, and chemometrics. Ph.D. thesis, Aarhus Univ., Denmark.
- Li, Y., R.B.H. Wills and J.B. Golding. 2017. Interaction of ethylene concentration and storage temperature on postharvest life of the green vegetables pak choi, broccoli, mint, and green bean. *The Journal of Horticultural Science and Biotechnology* 92(3): 288-293.
- Liao, M. and P. Seib. 1988. Chemistry of L-ascorbic acid related to foods. *Food Chemistry* 30 (4): 289-312.
- Lim, P.O., H.R. Woo and H.G. Nam. 2003. Molecular genetics of leaf senescence in *Arabidopsis*. *Plant Science* 8(6): 272-278.
- Lim, P.O., H.J. Kim and H.G. Nam. 2007. Leaf senescence. *Annual Review of Plant Biology* 58: 115-136.
- Lipton, W.J. 1987. Senescence of leafy vegetables. *HortScience* 22: 854-859.
- Mahmud, T., J.G. Atherton, C.J. Wright, M.F. Ramlan and S.H. Ahmad. 1999. Pak choi (*Brassica rapa* ssp *Chinensis* L) quality response to pre-harvest salinity and temperature. *Journal of the Science of Food and Agriculture* 79: 1698-1702.
- Makus, D.J. and G. Lester. 2004. Light intensity and time of day at harvest affects ascorbic acid concentration and mineral nutrient content and leaf greenness in field-grown mustard greens. *Subtropical Plant Science* 56: 21-25.
- Marlett, J.A. 2000. Changes in content and composition of dietary fiber in yellow onions and red delicious apples during commercial storage. *Journal of AOAC International* 83(4): 992-996.
- Martínez-Sánchez, A., A. Allende, Y. Cortes-Galera and M.I. Gil. 2008. Respiration rate response of four baby leaf *Brassica* species to cutting at harvest and fresh-cut washing. *Postharvest Biology and Technology* 47(3): 328-388.

- Mathiventhan, U. and S. Ramiah. 2015. Vitamin C content of commonly eaten green leafy vegetables in fresh and under different storage conditions. *Tropical Plant Research* 2(3): 240-245.
- Matile, P., M. Schellenberg and F. Vicentini. 1997. Localization of chlorophyllase in the chloroplast envelop. *Planta* 201: 96-99.
- Mirecki, N. 2006. Influence of the planting dates on chemical composition and yield of brussels sprouts (*Brassica oleracea* var. *gemmifera*). *Acta Agriculturae Serbica* 11(21): 53-61.
- Mithen R. F., M. Dekker, R. Verkerk and S. Rabot. 2000. The nutritional significance, biosynthesis and bioavailability of glucosinolates in human foods. *Journal of the Science of Food and Agriculture* 80: 967-984.
- Niyomlao, W., S. Kanlayanarat and C. Maneerat. 2000. The Effects of hydro-cooling and plastic bag packaging on the shelf life of chinese kale (*Brassica albograbra* L.). *ACIAR proceedings* 100: 621-627.
- O'Hare, T.J., L.S. Wong, A. Prasad and A.J. Able. 2001a. Impact of exogenous and endogenous factors on the shelf life of fresh-cut leafy Asian vegetables. *Acta Horticulturae* 553: 695-696.
- O'Hare, T.J., A.J. Able, L.S. Wong, A. Prasad, and R. McLauchlan. 2001b. Fresh-cut Asian Vegetables - Pak Choi as a Model Leafy Vegetable. 113-115. *In* T. O'Hare, J. Bagshaw, W. Li, and G. Johnson (Eds). *ACIAR Proceedings* 105. 126 p.
- Panyakham, T. 2011. Postharvest Quality of Vacuum Cooled Cos Lettuce. M.S. thesis, Chiang Mai Univ., Chiang Mai.
- Paull, R.E. 1999. Effect of temperature and relative humidity on fresh commodity quality. *Postharvest Biology and Technology* 15: 263-277.
- Poonlarp, P.B. and D. Boonyakiat. 2015. Application of vacuum cooling technology and active packaging to improve the quality of Chinese kale. *Chiang Mai University Journal of Natural Sciences* 14(2): 143-151.
- Poonlarp P.B., D. Boonyakiat and K. Pilakunta. 2012. Effect of vacuum cooling on shelf life of organic chayote shoot (*Sechium edule* Sm.). *Journal of Agricultural Science and Technology* A2: 220-227.

- Prabhu, S. and D.M. Barrett. 2009. Effects of storage condition and domestic cooking on the quality and nutrient content of African leafy vegetables (*Cassia tora* and *Corchorus tridens*). *Journal of the Science of Food and Agriculture* 89(10): 1709-1721.
- Punna, R. and U.R. Prachuri. 2004. Effect of maturity and processing on total, insoluble and soluble dietary fiber contents of Indian green leafy vegetables. *International Journal of Food Sciences and Nutrition* 55(7): 561-567.
- Ranganna, S. 1986. *Handbook of Analysis and Quality Control for Fruit and Vegetable Products*. Tata McGraw-Hill Publishing Company Inc., New Delhi. 1112 p.
- Rangkadilok, N., B. Tomkins, M.E. Nicolas, R.R. Premier, R.N. Bennett, D.R. Eagling and P.W.J. Taylor. 2002. The effect of post-harvest and packaging treatments on glucoraphanin concentration in broccoli (*Brassica oleracea* var. *italica*). *Journal of Agricultural and Food Chemistry* 50: 7386-7391.
- Reid, M.S. 2002. Ethylene in postharvest technology. pp. 149-162. *In* A.A. Kader (ed.). *Postharvest Technology of Horticultural Crops*. Third edition. University of California, Agriculture and Natural Resources. Publication 3311, California.
- Rodrigues, A.S. and E.A.S. Rosa. 1999. Effect of post-harvest treatments on the level of glucosinolates in broccoli. *Journal of the Science of Food and Agriculture* 79:1028-1032.
- Rodríguez, R., A. Jiménez, J. Fernández-Bolaños, R. Guillén and A. Heredia. 2006. Dietary fiber from vegetable products as source of functional ingredients. *Trends in Food Science & Technology* 17: 3-15.
- Sakuraba, Y., S. Schelbert, S. Y. Park, S. H. Han, B. D. Lee, C. B. Andres, F. Kessler, S. Hortensteiner and N. C. Paek. 2012. Stay-green and chlorophyll catabolic enzymes interact at light-harvesting complex II for chlorophyll detoxification during leaf senescence in *Arabidopsis*. *Plant Cell* 24: 507-518.
- Sams, C. E. 1999. Preharvest factors affecting postharvest texture. *Postharvest Biology and Technology* 15: 249-254.
- Schouten, R. E., X. Zhang, J.A. Verschoor, E.C. Otma, L.M.M. Tijskens and O. van Kooten. 2009. Development of colour of broccoli heads as affected by controlled atmosphere storage and temperature. *Postharvest Biology and Technology* 51: 27-35.

- Seefeldt, H.F., M.M. Løkke and M. Edelenbos. 2012. Effect of variety and harvest time on respiration rate of broccoli florets and wild rocket salad using a novel O<sub>2</sub> sensor. *Postharvest Biology and Technology* 69: 7-14.
- Sirinanuwat A., D. Boonyakiat and P. Boonprasom. 2012. Effect of vacuum cooling on physico-chemical properties of organic coriander. *Asian Journal of Food and Agro-Industry* 5(02): 96-103.
- Siripanich, J. 2006. *Postharvest Physiology and Technology of Vegetable and Fruit*. Kasetsart University Publisher, Bangkok. 396 p.
- Smith, L. 1995. *Calculations for Research Experiments Using Stored Fruit Volume I*. Queensland Department of Postharvest Industries Horticulture Group, Hamilton, Queensland. 34 p.
- Sun, D.W. and L. Zheng. 2006. Vacuum cooling technology for the agri-food industry: Past, present and future. *Journal of Food Engineering* 77(2): 203-214.
- Tendaj, M., K. Sawicki and B. Mysiak. 2013. The content of some chemical compounds in red cabbage (*Brassica oleracea* L. var. *capitata* F. *rubra*) after harvest and long-term storage. *Electronic Journal of Polish Agricultural Universities* 16(2).
- Thompson, A.K. 1996. *Postharvest Technology of Fruit and Vegetables*. Hartnolls Limited, Cornwall. 410 p.
- Thompson, J.F., F.G. Mitchell and R.F. Kasmire. 2002. Cooling horticultural commodities. pp.97-112. *In* A.A. Kader (ed.). *Postharvest Technology of Horticultural Crops* third edition. University of California, Agriculture and Natural Resources. Publication 3311, California.
- USDA, 2016. National Nutrient Database for Standard Reference. Basic Report 11116, Cabbage, Chinese (pak-choi), raw. [Online]. Available <https://ndb.nal.usda.gov> (13 March 2017).
- Uusiku, N.P., A. Oelofse, K.G. Duodu, M.J. Bester and M. Faber. 2010. Nutritional value of leafy vegetables of sub-Saharan Africa and their potential contribution to human health: A review. *Journal of Food Composition and Analysis* 23: 499-509.
- Velasco, P., M.E. Cartea, C. González, M. Vilar and A. Ordás. 2007. Factors affecting the glucosinolate content of kale (*Brassica oleracea acephala* group). *Journal of Agricultural and Food Chemistry* 55: 955-962.

- Verkerk, R., M. Schreuner, A. Krumbein, E. Ciska, B. Holst, I. Rowland, R. D. Schrijver, M. Hansen, C. Gerhäuser, R. Mithen and M. Dekker. 2009. Glucosinolates in Brassica vegetables: The influence of the food supply chain on intake, bioavailability and human health. *Molecular Nutrition & Food Research* 53: S219-S265.
- Wang L. and D. W. Sun. 2001. Rapid cooling of porous and moisture foods by using vacuum cooling technology. *Trends in Food Science & Technology* 12: 174-184.
- Weston, L.A. and M.M. Barth. 1997. Preharvest factors affecting postharvest quality of vegetables. *HortScience* 32(5): 812-816.
- Wilson, L. G., M.D. Boyette and E.A. Estes. 2009. Postharvest handling and cooling of fresh fruits, vegetables, and flowers for small farms part II: cooling. *Horticulture Information Leaflet 801*, Department of Horticultural Science, North Carolina State University. 3 p.
- Winkler, S., J. Faragher, P. Franz, M. Imsic and R. Jones. 2007. Glucoraphanin and flavonoid levels remain stable during simulated transport and marketing of broccoli (*Brassica oleracea* var. *italica*) heads. *Postharvest Biology and Technology* 43: 89-94.
- Wittstock, U. and M. Burow. 2010. Glucosinolate Breakdown in Arabidopsis: Mechanism, Regulation and Biological Significance. *The American Society of Plant Biologists*: 1-14.
- Xiangyang, W. and J.S. Bagshaw. 2001. Postharvest handling systems assessment of pak choi and Chinese cabbage in eastern-central China. *Postharvest handling of fresh vegetables. ACIAR Proceedings* 105: 22-25.
- Xiangyang, W. and S. Lianqing. 2000. The effect of sugar and ethylene on postharvest pak choy (*Brassica rapa* var. *chinensis*) leaf degreening. *Quality assurance in agricultural produce, ACIAR Proceedings* 100: 693-699.
- Yang, J., Z. Zhu, Z. Wang and B. Zhu. 2010. Effects of storage temperature on the contents of carotenoids and glucosinolates in pakchoi (*Brassica rapa* L. ssp. *chinensis* var. *communis*). *Journal of Food Biochemistry* 34: 1186-1204.
- Zhang, K., X. Xia, Y. Zhang and S. Gan. 2012. An ABA-regulated and Golgi-localized protein phosphatase controls water loss during leaf senescence in Arabidopsis. *The Plant Journal* 69: 667-678.

Zhu, B., J. Yang and Z. Zhu. 2013. Variation in glucosinolates in pak choi cultivars and various organs at different stages of vegetative growth during the harvest period. Journal of Zhejiang University-SCIENCE B (Biomedicine & Biotechnology) 14(4): 309-317.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

## LIST OF PUBLICATIONS

1. Yusuk, P., D. Boonyakiat, S.Thumdee and P.B. Poonlarp. 2015. The change of glucosinolate contents in organic pakchoi via vacuum and non-vacuum cooling before storage. King Mongkut's Agricultural Journal 33(1): 443-447. (in Thai)
2. Yusuk, P., S. Thumdee, P.B. Poonlarp and D. Boonyakiat. 2018. Effect of vacuum cooling on quality of organic pak choi grown and harvested in dry season. Thai Journal of Agricultural Science 34(1): 11-20. (in Thai)



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved