

# CONTENTS

	Page
Acknowledgements	c
Abstract in Thai	e
Abstract in English	g
List of Tables	k
List of Figures	l
List of Abbreviations	m
Chapter 1 Introduction	1
1.1 Historical Background	1
1.2 Objective	3
1.3 Literature review	4
Chapter 2 Materials and Methods	21
2.1 Participants and sample collection	21
2.2 Antinuclear antibody (ANA) detection	22
2.3 Th17 and Treg determination	24
2.4 Statistical analysis	25
Chapter 3 Results	26
3.1 The production of antinuclear antibodies (ANA) in HIV- infected and healthy individuals	26
3.2 Percentage of T helper 17 cells and T regulatory	33
Chapter 4 Discussion	38
Chapter 5 Conclusion	42

References	43
Appendix	
Appendix A	57
Appendix B	61
Appendix C	64
Appendix D	65
Curriculum Vitae	67



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

## LIST OF TABLES

	Page
Table 1.1 Common ANA patterns associated with specific antigens and diseases	13
Table 1.2 Autoantibodies in HIV	20
Table 3.1 Subjects characteristics	28
Table 3.2 Distribution by gender and age group of subjects	28
Table 3.3 Prevalence of ANA positive of the subjects, according to gender	29
Table 3.4 Prevalence of ANA positive of the subjects, according to different titers	31
Table 3.5 Prevalence of ANA positive of subjects, according to titers and patterns	31
Table 3.6 Subjects characteristics based on ANA result (positive/negative)	33
Table 3.7 Subjects characteristic in subjects (group 1-4)	34
Table 3.8 Prevalence of ANA positive of subjects (group 2 and 4) according to different titers	34
Table 3.9 Prevalence of ANA positive of subjects (group 2 and 4), according to titers and pattern	35
Table 3.10 Th17, Treg percentage and Th17/Treg ratio	36

## LIST OF FIGURES

	Page
Figure 1.1 Illustrations of ANA staining patterns	12
Figure 1.2 Differentiation of Th17 cells in mice and in human	16
Figure 1.3 Balance between Th17 and Treg cells	17
Figure 2.1 EUROIMMUN ANA test method	23
Figure 3.1 Total number of subjects, distributed according to gender and age group	29
Figure 3.2 Prevalence of ANA positive in subjects according to age groups	30
Figure 3.3 Prevalence of ANA positive in HIV patients, according to infection duration	30
Figure 3.4 Prevalence of ANA positive in subjects, according to pattern and titers	32
Figure 3.5 The average mean of Th17, Treg percentage and Th17/Treg ratio in 4 groups	37
Figure 3.6 The median of relative MFI in 4 groups	37

## LIST OF ABBREVIATIONS

ADs	Autoimmune diseases
ANA	Antinuclear antibody
APCs	Antigen-presenting cells
APS	Antiphospholipid syndrome
CD	Cluster of differentiation
CMI	Cell-mediated immunity
CNS	Central nervous system
CTLA-4	Cytotoxic T lymphocyte-associated antigen 4
Cy	Sulfo-Cyanine
DNA	Deoxyribonucleic acid
EPO	Erythropoietin
FITC	Fluorescein isothiocyanate
Foxp3	Forkhead box protein P3
GPI	Glycoprotein I
HIV	Human immunodeficiency virus
HEp-2 cells	Human epidermal carcinoma cells
HMI	Humoral-mediated immunity
IFN	Interferon
Ig	Immunoglobulin
IL	Interleukin
MFI	Mean fluorescence Intensity
mg	Milligram
MHC	Major histocompatibility complex
min	Minute
mL	Milliliter
MS	Multiple sclerosis
OIs	Opportunistic infections

PBS	Phosphate buffered saline
PC	Phosphatidylcholine
PE	Phycoerythrin
PerCP	Peridinin chlorophyll protein complex
PI	Phosphatidylinositol
PS	Phosphoserine
RA	Rheumatoid arthritis
ROR	Retinoic acid-related orphan receptor
SLE	Systemic lupus erythematosus
snRNP	Small nuclear ribonucleoproteins
Th	T helper cell
TGF- $\beta$	Transforming growth factor beta
TPO	Thyroperoxidase
Treg	Regulatory T cell
TSHR	Thyroid stimulating hormone receptor

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved