

REFERENCES

- Anahosur K.H. 1969. Studies in Indian Phyllachoraceae XI. *Sydowia* 22: 166-169.
- Ananthanarayanan S. 1964a. Studies in Indian Phyllachoraceae III. *Sydowia* 17: 126-131.
- Ananthanarayanan S. 1964b. Studies in Indian Phyllachoraceae VI. *Mycopathologia* 23: 346-353.
- Arx J.A. and Muller E. 1954. Die Gattungen der merosporen Pyrenomyceten. *Beitrage zur Kryptogamenflora der Schweiz* 11(1): 1-434.
- Ary J.A. 1987. On *trabutia* and its anamorphs. *Systema Ascomycetum* 6: 213-215.
- Barr M.E. 1983. The Ascomycete Connection. *Mycologia* 75: 1-13.
- Barr M.E. 1987. The genus *Trabutia* and its position in the ascomycetes. *Mycologia* 79: 188-192.
- Barr M.E. 1990. Prodrumus to nonlichenized, pyrenomycetous members of Class Hymenoascomycetes. *Mycotaxon* 39: 43-184.
- Bentes I.L.S., Barreto R.W. and Cannon P.F. 2003. *Phyllachora xanthii*: redescription and designation of a new type. *Fungal Diversity* 12: 1-5.
- Beven R.J. and Greehalgh G.N. 1976. *Rhytisma acerinum* as a biological indicator of pollution. *Environmental Pollution* 10(4): 271-285.
- Cannon P.F. 1988. Proposal to merge the Phyllachorales with the Diaporhales with a revised family structure. *Systema Ascomycetum* 7: 23-43.
- Cannon P.F. 1991. A revision of *Phyllachora* and some similar genera on the host family Leguminosae. *Mycological Papers* 163: 1-302.
- Cannon P.F. 1993. Ascomycetes with banded spores. The genus *Rikatlia* gen. nov. *Systema Ascomycetum* 11: 83-93.
- Cannon P.F. 1994. Observations on coevolution of the Phyllachoraceae (Fungi, Ascomyceta) with the Leguminosae, In: *Advances in Legume Systematic* 5: the nitrogen factor (eds. J.J. Sprent and D. McKey). Royal Botanic Gardens, Kew, UK: 179-188.

- Cannon P.F. 1996a. Systematics and diversity of the Phyllachoraceae associated with Rosaceae, with a monograph of *Potystigma*. Mycological Research 100(12): 1409-1427.
- Cannon P.F. 1996b. Fungal diversity associated with the Compositae and its potential for co-evolutionary studies. In: *Compositae: Biology and Utilisation* (eds. P.D.S. Caligari and D.J.N. Hind). Proceedings of the International Composinal Conference, Kew, 1994: 245-259.
- Cannon P.F. 1997. Diversity of Phyllachoraceae with special reference to the tropics In: Biodiversity of Tropical Microfungi (ed. K.D. Hyde). Hong Kong University Press, Hong Kong: 255-278.
- Ceballos H. and Deutsch J.A. 1992. Inheritance of resistance to tar spot complex in maize. Phytopathology 82: 505-512.
- Chardon C.E. 1928. Contribucion al studio de la flora micologica de Colombia. Boletin de la Real Sociedad Espanola de Histroria Natural 28: 111-124.
- Chardon C.E. 1929. New or interesting tropical American Dothideales-II. Journal of the Department of Agriculture, Porto Rico 13: 3-15.
- Chardon C.E. 1932. New or interesting tropical American Dothideales-III. Journal of the Department of Agriculture, Porto Rico 16: 167-192.
- Chardon C.E. 1946. Fungi dominicani novi vel minus cogniti. I. Farlowia 2: 455-473.
- Chardon C.E. and Toro R.A. 1934. Mycological explorations of Venezuela. Monographs of the University of Puerto Rico, Series B 2: 351.
- Chardon C.E., Miller J.H. and Muller A.S. 1940. Ascomycetes from the state of minas Geraes, Brazil. Mycologia 32: 172-204.
- Chase M.W. and Hills H.H. 1991. Silica gal: on ideal material for field preservation of leaf samples for DNA studier. Taxon 40: 215-220.
- Clements F.E. and Shear C.L. 1931. Genera of Fungi. Wilson, New York. 496.
- Cooke M.C. 1885. Synopsis Pyrenomycetum (Dothideaceae). Grevillea 13: 61-72.
- Cornell University. 2017. Tar spot of Maple: *Rhytisma* spp. (Online). Available: <http://plantclinic.cornell.edu/factsheets/tarspotofmaple.pdf> (July 17, 2017)
- Costa L.C., Maced D.M. and Barreto R.W. 2012. Reappraisal and neotypification of *Phyllachora feijoeae*. IMP Fungus 3(1): 9-14.

- Crous P.W. and Wingfield M.J. 1999. A taxonomic reassessment of *Phyllachora* proteae, a leaf pathogen of Proteaceae. *Mycologia* 91(3): 510-516.
- Darker G.D. 1967. A revision of the genera of the Hypodermataceae. *Can J Bot* 45:1399–1444.
- Davison E.M. and Tay F.C.S. 2010. Mangement of tar spot disease caused by *Phyllachora grevilleae* subsp. *grevilleae* on *Hakea myrtoides* (Proteaceae). *Australian Journal of Botany* 58(5): 392-397.
- Doidge E.M. 1942. Revised description of South African species of *Phyllachora* and related genera. *Bothalia* 4: 421-463.
- Durrell L.W. and Shields L.M. 1960. Fungi isolated in culture from soil of the Nevada test site. *Mycologia* 52: 636-641.
- Eriksson O.E. 2006. Outline of the Ascomycota 2006. *Myconey* 12: 1-82.
- Eriksson O.E. and Hawksworth D.L. 1988. Outline of the ascomycetes *Systema Ascomycetum* 7: 199-315.
- Fuckel L. 1870. *Symbolae mycologicae. Beitrage zur Kenntniss der Rheinischen Pilze.* *Jahrbucher des Nassauischen Vereins fur Naturkunde* 23/24: 456.
- Grimmett I.J., Smith K.A. and Barlocher F. 2012. Tar-spot infection delays fungal colonization and decomposition of maple leaves. *Freshwater Science* Vol. 31(4): 1088-1095.
- El-Gholl N.E., Kimbrough J.W. and Schubert T.S. 1984. Tar spot of *Leucothoe*. *Plant Pathology Cricular* 255.
- El-Gholl N.E. and Schuber T.S. 1987. Tar spot of live Oak. *Plant Pathology Cricular* 294.
- Habibi A., Banihashemi Z. and Mostowfizadeh-Ghalamfarsa R. 2015. Phylogenetic analysis of *Polystigma* and its relationship to *Phyllachorales*. *Phytopathologia Mediterranea* 51(1): 45-54.
- Hawksworth D.L., Kirk P.M., Sutton B.C. and Pegler D.N. 1995. *Ainsworth and Bisby's Dictionary of the fungi* (8th Ed), CAB international, Surry, United Kingdom.
- Hock J., Kranz J. and Renfro B.L. 1992. Tests of standard diagrams for field use in assessing the tar spot disease complex of maize (*Zea mays*). *Tropical Pest Management* 38(3): 314-318.

- Holliday P., 1992. A Dictionary of plant pathology. University Press, Cambridge. Great Britain 369.
- Hosagoudar V.B. and Abraham T.K. 1997. Short communications *Phyllachora thiruvananthapurica* sp. nov. from Kerala. Indian Phytopath 50(1): 97-98.
- Horst R.K. 1990. Westcott's Plant Disease Handbook Edn5. New York, Van Nostrand Reinhold. 1-953.
- Hou C.L., Trampe T., and Piepebring M. 2009. A New Species of *Rhytisma* Causes Tar Spot on *Comarostaphylis arbutoides* (Ericaceae) in Panama. Mycopathologia 169: 225–229.
- Hsing T. and Tian X.L. 2007. Sporulation and Identify of Tar Spot of Maple in Canada. Acta Silvatica et Lignaria Hungarica, Special editron: 71-74.
- Hudler G.W. and Miller S.G. 1987. Unusual epidemic of tar spot on Norway maple in upstate New York. Plant Disease 71: 65-68.
- Hyde K.D., Cannon P.F. and Barr M. 1997. Phaeochoraceae, a new ascomycete family from palms. Systema Ascomycetum 15: 117-120.
- Hyde K.D. and Cannon P.F. 1999. Fungi causing tar spots on palms. Mycological Papers 175: 1-114.
- Hyde K.D., Taylor J.K. and Frohlich J. 2000. Genera of Ascomycetes from Palm. Fungal Diversity Research Series. Hong Kong. 247.
- Jones S.G. 1925. Life-history and cytology of *Rhytisma acerinum* (Pres.) Frirs. Annals of Botany 39: 41-73.
- Johnston P.R. 1999 Tar- spot fungi on Nothofagus in New Zealand - a preliminary report, New Zealand Journal of Botany, 37:4, 703-714,
- Johnston P.R. 2001. 2001a. Rhytismatales of Australasia. Aust Syst Bot 14:377–384.
- Karami S.M., Kavosi M.R., Hajizadeh G. and Jalilvand H. 2014. Biotechnical control of tar spot (*Rhytisma acerinum*) disease on velvet maple (*Acer velutinum* Boiss) in vitro. Forest Science 60(80): 330-335.
- Kirk P.M., Cannon P.F., David J.C. and Stalpers J.A. 2001. Dictionary of the Fungi. 9th edition, CABI Bioscience, UK.
- Kirk P.M., Cannon P.F., Minter D.W. and Stalpers J.A. 2008. Dictionary of the Fungi. CAB International. 771.

- Kohlmeyer J., Spatafora J.W. and Volkman-Kohlmeyer B. 2000. Lulworthiales, a new order of marine Ascomycota. *Mycologia* 92: 453-458.
- Kolk J.H., Wijnderg I.D., Westermann C.M., Dorland L., Saia-van der Velden M.G.M., Krahendung L.C., Durn M., Dijkstra J.A., Van der Lugt J.J., Wanders R.J.A. and Gruys E. 2010. Equine acquired multiple acyl-CoA dehydrogenase deficiency (MADD) in 14 horses associated with ingestion of Maple leaves (*Acer pseudoplatanus*) covered with European tar spot (*Rhytisma acerinum*). *Molecular Genetics and Metabolism* 101: 289–291.
- Lantz H., Johnston P.R., Park D. and Minter D.W. 2011. Molecular phylogeny reveals a core clade of Rhytismatales. *Mycologia* 103(1):57-74.
- Lapointe M. and Brisson J. 2011. Tar spot disease on Norway maple in North America: Quantifying the impacts of a reunion between an invasive tree species and its adventive natural enemy in an urban forest. *Ecoscience*, 18: 1, 63-69.
- Leith, I.D. and Fowler, D. 1987. Urban distribution of *Rhytisma acerinum* (Pers.) Fries (tar spot) on sycamore. *New Phytol* 108: 175-181.
- Li, LT. and Hsieh WH. 1991. Two new species and 13 new records of ascomycetes from Taiwan. *Transaction of Mycological Society ROC* 6(1): 57–71.
- Liu N. and Guo L. 2009. Two new records of *Phyllachora* (Phyllachorales) from China. *Mycotaxom* 107: 303-306.
- Lumbsch HT, Huhndorf SM. 2007. Outline of Ascomycota 2007. *Myconet* 13:1–58.
- Luttrell E.S. 1951. Taxonomy of the pyrenomycetes. *University of Missouri Studies* 24: 1-120.
- Masumoto S., Tojo M., Vchida M. and Imura S. 2014. *Rhytisma polaris*: morphological and molecular characterization. *Mycol Progress* 13: 181–188.
- Masumoto S., Tojo M., Uchid M. and Imura S. 2015. Morphological and molecular characterization of *Rhytisma filamentosum* sp. nov. from Nagano Prefecture, Japan. *Mycological Progress* 14(44): 1-6.
- Miller J.H. 1951. Studies in the Phyllachoraceae I. *Phyllachora ambrosiae* (Berk. And Curtis) Sacc. *American Journal of Botany* 38: 830-834.
- Miller J.H. 1954. Studies in the Phyllachoraceae II. *Phyllachora lezprdezae*. *American Journal of Botany* 41: 825-828.
- Minter DW. 1981. *Lophodermium* on pines. *Mycol Pap* 147:1–54.

- Minter DW. 2017. *Rhytisma umbonatum*. (Online). Available: http://www.cybertruffle.org.uk/pics/0000105_.htm
- Muller E. and Arx J.A. 1962. Der Gattungen der didymosporen Pyrenomyceten. Beitrage zur Kryptogamenflora der Schweiz 11(2): 1-922.
- Muller E. and Arx J.A. 1973. Pyrenomycetes: Meliolales, Coronophorales, Sphaeriales. In: the Fungi. An Advanced Treatise 4 (Eds. G.C. Ainsworth, F.K. Sparrow and A.S. Sussman). Cambridge University Press, Cambridge, UK: 87-132.
- Niessl G. 1881. Einige neue Pyrenomyceten. Hedwigia 20: 97-100.
- Onesimo Morero-Rico, Groenewald, J.Z. and Crous, P.W. 2014. Follicolous fungi from *Arctostaphylos pungens* in Mexici. Imgfungus(5)1: 7-5.
- Orton C.R. 1924. Studies in the morphology of the Ascomycetes I. The stroma and the compound fructification of the Dothideaceae and other groups. Mycologia 16: 49-95.
- Orton C.R. 1944. Graminicolous species of *Phyllachora* in North America. Mycologia 36: 18-53.
- Orton C.R. 1956. The morphology and life history of *Phyllachora punctum*. Phytopathology 46: 441-444.
- Parbery D.G. 1963a. Studies on graminicolous species of *Phyllachora* Fckl. I. Ascospores-Their liberation and germination. Australian Journal of Botany 11: 117-130.
- Parbery D.G. 1963b. Studies on graminicolous species of *Phyllachora* Fckl. II. Invasion of the host and development of the fungus. Australian Journal of Botany 11: 131-140.
- Parbery D.G. 1967. Studies on graminicolous species of *Phyllachora* Nke. in Fckl. V A taxonomic monograph. Australian Journal of Botany 15: 271-375.
- Parbery D.G. 1971. Studies on graminicolous species of *Phyllachora* Fckl. VI. Additions and corrections to Part V. Australian Journal of Botany 19: 207-235.
- Parbery D.G. 1978. *Phyllachora*, *Linochora* and hyperparasites. Taxonomy of Fungi 1: 263-277.
- Parbery D.G. and Langdon R.F.N. 1963. Studies on graminicolous species of *Phyllachora* Fckl. III. The relationship of certain scoleospores to species of *Phyllachora*. Australian Journal of Botany 11: 131-140.

- Parbery D.G. and Langdon R.F.N. 1964. Studies on graminicolous species of *Phyllachora* Fckl. IV. Evaluation of the criteria of species. Australian Journal of Botany 12: 265-281.
- Parbery D.G. and Langdon R.F.N. 1964. Studies on Graminicolous species of *Phyllachora* Fckl. Aust. J. Bot 12: 265-281.
- Parbery D.G. 1996a. Spermatial states of fungi are andromorphs. Mycological Research 100: 1400.
- Parbery D.G. 1996b. Trophism and the ecology of fungi associated with plants. Biological Reviews 71: 473-527.
- Pearce C.A. 2000. The Phyllachoraceae of Australia: a taxonomic treatise. PhD, The University of Hong Kong, Hong Kong.
- Pearce C.A. and Hyde K.D. 1993. The genus *Ophiodothella* from Australia. Mycological Research 97: 1272-1276.
- Pearce C.A. and Hyde K.D. 2001. *Phyllachora cladii-glomerati* and *P. schoenicola*: new Australian records from sedges. Australasian Mycologist 20(3) : 188-122.
- Pearce C.A. and Hyde K.D. 2001. Two new genera in the Phyllachoraceae: *Sphaerodothella* to accommodate *Sphaerodothis danthoniae* and *Parberya* gen. nov. Fungal Diversity 6: 83-97.
- Pearce C.A. and Hyde K.D. 2006. Phyllachoraceae of Australia. The fungal diversity press. 308.
- Pearce C.A., Reddell P. and Hyde K.D. 1999. A revision of *Phyllachora* (Ascomycotina) on host in the angiosperm family Asclepiadaceae, including *P. glorina* sp. nov. on *Tylophora benthamii* from Australia. Fungal Diversity 3: 123-138.
- Pearce C.A., Reddell P. and Hyde K.D. 2001. A revision of the Phyllachoraceae (Ascomycota) on the hosts in the angiosperm family, Proteaceae. Australasian Systematic Botany 14: 283-328.
- Pereira J., Bezerra J.B., Drechsler-Santos E.R. and Maia L.C. 2010. First report of *Phyllachora serijaniicola* causing tar-spot on *Cardiospermum grandiflorum*. Tropical Pathology 35(4): 245-247.

- Petrak F. 1924. Mykologische Notizen V. No 200. Über die phylogenetischen Beziehungen der Gattung *Phyllachora* und ihre Bedeutung für das System der dothidealen Pilze. *Annales Mycologici* 22: 1-10.
- Petrak F. and Ciferri R. 1930. Fungi dominicani. *Annales Mycologici* 28: 337-420.
- Petrak F. 1927. Mykologische Notizen No 575 Über *Catacaumella gouaniae* Stev. *Annales Mycologici* 25: 295-298.
- Ridings W.H. 1976. Tar spot of *Ficus*. *Plant Pathology Circular* 170.
- Rossmann A.Y. 1985. A New Species of *Phyllachora*- Forming Concentric Bands on Living Leaves- Sapi Garda. *Sydowia, Annales Mycologici Ser.* 38: 263-266.
- Saccardo P.A. 1876. *Conspectus generum pyrenomycetum*. *Nuovo Giornale Botanico Italiano* 8: 11-15.
- Saccardo P.A. 1883. *Sylloge Fungorum* 2: 1-813.
- Saccardo P.A. 1891. *Sylloge Fungorum* 9: 1-1141.
- Sajeewa S.N.M., Hyde K.D., Jones E.B.G., McKenzie E.H.C., Huang S.K., Abdel-Wahab M.A., Darangama D.A., Dayarathne M., D'souza M.J., Goonasekara I.D., Hongsanan S., Jayawardena R.S., Kirk P.M., Konta S., Lin J.K., Liu Z.Y., Norphaphoun C., Pang K.L., Perera R.H., Senanayake I.C., Shang Q., Shenoy B.D., Xiao Y., Bahkali A.H., Kang J., Somrothipol S., Suetrong S., Wen T. and Xu J. 2015. Towards a natural classification and backbone tree for Sordariomycetes. *Fungal Diversity* 10.
- Sakayaroj J., Pang K.L., Jones E.B.G., Phongpaichit S., Vrijmoed L.L.P. and Abdel-Wahab M.A. 2005. A systematic reassessment of the marine ascomycetes *Torpedospora* and *Swampomyces*. *Botanica Marina* 48: 395-406.
- Santos M.D., Fonseca M.E. and Dianese J.C. 2012. First approach to molecular phylogeny within the genus *Phyllachora*. *Communicating Science* : 77.
- Seaver F.J. 1928. Studies in tropical ascomycetes – V. Species of *Phyllachora*. *Mycologia* 20: 214-225.
- Seaver F.J. and Chardon C.E. 1926. Botany of Porto Rico and the Virgin Islands. *Mycology. Scientific Survey of Porto Rico and the Virgin Islands* 8: 208.
- Sherwood M. A. 1981. Convergent evolution in discomycetes from bark and wood. *Botanical Journal of the Linnean Society* 82: 15-34.

- Silva D.M. 1996. Phylogenetic relationships of the Phyllachorales and related genera. PhD Thesis, The University of Georgia, USA.
- Silva-Hanlin, D.M.W. and Hanlin R.T. 1998. The order Phyllachorales: Taxonomic review. *Mycoscience* 39: 97-104.
- Sivanesan A. and Shivas, R.G. 2002. *Brodingnagia eucalypticola* sp. nov., and *Phyllachora neolitesae* sp. nov., two new phyllachoraceous ascomycetes from Australia. *Fungal Diversity* 11: 145-149.
- Sivanesan A. and Shivas R.G. 2002. New species of *Lebosia* and *Lembosina* from Australia. *Fungal Diversity* 11: 159-168.
- Stevens F.L. 1927. New tropical fungi. *Mycologia* 19: 321-238.
- Sydow H. 1930. Fungi venezuelani. *Annales Mycologici* 28: 29-224.
- Sydow H. and Petrak F. 1929. Fungi costaricensis a cl. Prof. Alberto Brenes collecti. *Annales Mycologici* 27: 1-86.
- Sydow H. and Sydow P. 1919. Aufzählung einge in den Provinzen Kwangtung und Kwangsi (Süd China) gesammelter Pilze. *Annales Mycologici* 17: 140-143.
- Thaung M.M., 2008, Pathologic and taxonomic analysis of leaf spot and tar spot diseases in a tropical dry to wet monsoon ecosystem of lowland Burma. *Australasian Plant Pathology* 37: 180-197.
- Theissen F. and Sydow H. 1914. Dothideazeen-Studien. *Annales Mycologici* 12: 176-204.
- Theissen F. and Sydow H. 1915. Die Dothideales. *Annales Mycologici* 13: 147-746.
- Wanderlei-Silva D., Neto E.R. and Hanlin R. 2003. Molecular systematics of the Phyllachorales (Ascomycota, fungi) based on 18S ribosomal DNA sequences. *Brazilian Archives of Biology and Technology* 46: 1-10.
- Weber R.W.S. and Joha W. 2002. Teaching techniques for mycology: 18 *Rhizoma acerinum*, cause of tar-spot disease of sycamore leaves. *Mycologist* 16: 120-123.
- Webster J. 1980. *Introduction to Fungi* Edn 2. Cambridge, etc: Cambridge University Press. 1-669.
- Wikimedia commons. 2017. fruiting bodies, Phyllachorales, Ascomycota (M. Piepenbring).png. 17/7/2017.

:[https://commons.wikimedia.org/wiki/File:04_03_42_fruiting_bodies,_Phyllachorales,_Ascomycota_\(M._Piepenbring\).png](https://commons.wikimedia.org/wiki/File:04_03_42_fruiting_bodies,_Phyllachorales,_Ascomycota_(M._Piepenbring).png)

Vidhyasekaran. 2008. Fungal Pathogenesis in Plants and Crops. Taylor and Francis Group. LLC. London, New York. 509 pp.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved