

Bibliography

- [Bel et al., 2001] Bell, E. F. and de Jong, R. S., Stellar Mass-to-Light Ratios and the Tully-Fisher Relation, *ApJ*, 2001, 550, 212-229.
- [Boselli et al., 2006] Boselli, A., Boissier, S., Cortese, L., Gil de Paz, A., Seibert, M., Madore, B. F., Buat, V., and Martin, D. C., The Fate of Spiral Galaxies in Clusters: The Star Formation History of the Anemic Virgo Cluster Galaxy NGC 4569, *ApJ*, 2006, 651, 811-821.
- [Byrd et al., 1990] Byrd, G. and Valtonen, M., Tidal generation of active spirals and S0 galaxies by rich clusters, *ApJ*, 1990, 350, 89-94.
- [Cohen, 1967] Cohen, M., Surface of the Moon, *Journal of the British Astronomical Association*, 1967, 78, 43.
- [Cowie et al., 1977] Cowie, L. L. and Songaila, A., Thermal evaporation of gas within galaxies by a hot intergalactic medium, *Nature*, 1977, 266, 501-503.
- [Dressler, 1980] Dressler, A., Galaxy morphology in rich clusters - Implications for the formation and evolution of galaxies, *ApJ*, 236, 351-365
- [Freeland et al., 2009] Freeland, E., Stilp, A., and Wilcots, E., H I Observations of Five Groups of Galaxies, *AJ*, 2009, 138, 295-304.
- [Freeland et al., 2010] Freeland, E., Sengupta, C., and Croston, J. H., Quantifying the importance of ram-pressure stripping in a galaxy group at 100 Mpc, *MNRAS*, 2010, 409, 1518-1524.

- [Gavazzi et al., 2006] Gavazzi, G., Boselli, A., Cortese, L., Arosio, I., Gallazzi, A., Pedotti, P., and Carrasco, L., H α surface photometry of galaxies in nearby clusters, A&A, 2006, 446, 839-845.
- [Gunn et al., 1972] Gunn, J. E. and Gott, III, J. R., On the Infall of Matter Into Clusters of Galaxies and Some Effects on Their Evolution, ApJ, 1972, 176, 1.
- [Haynes et al., 1984] Haynes, M. P. and Giovanelli, R., Neutral hydrogen in isolated galaxies. IV - Results for the Arecibo sample, AJ, 1984, 89, 758-800.
- [Helsdon et al., 2000] Helsdon, S. F. and Ponman, T. J., Are X-ray properties of loose groups different from those of compact groups?, MNRAS, 2000, 319, 933-938.
- [Iskra et al., 2001] Iskra, S., Zeljko, I., Gillian, R. K., Vijay, K. N., and Michael, A. S., Color Separation of Galaxy Types in the Sloan Digital Sky Survey Imaging Data, AJ, 2001, 122, 1861-1874.
- [Jaffe et al., 1986] Jaffe, W., Gavazzi, G., and Valentijn, E., Radio continuum survey of the Coma/ A1367 supercluster. I - 610 MHz observations of CGCG galaxies in four groups, AJ, 1986, 91, 199-203.
- [Kennicutt, 1983] Kennicutt, Jr., R. C., The rate of star formation in normal disk galaxies, ApJ, 1983, 272, 54-67.
- [Kennicutt et al., 1983] Kennicutt, Jr., R. C. and Kent, S. M., A survey of H-alpha emission in normal galaxies, AJ, 1983, 88, 1094-1107.
- [Kriwattanawong, 2011] Kriwattanawong, W., Moss, C., James, P. A., and Carter, D., The galaxy population of Abell 1367: photometric and spectroscopic data, A&A, 2011, 527, A101.

- [Larson et al., 1980] Larson, R. B., Tinsley, B. M., and Caldwell, C. N., The evolution of disk galaxies and the origin of S0 galaxies, *ApJ*, 237, 692-707.
- [Mahdavi et al., 2004] Mahdavi, A. and Geller, M. J., A Redshift Survey of Nearby Galaxy Groups: The Shape of the Mass Density Profile, *ApJ*, 2004, 607, 202-219.
- [Moor et al., 1996] Moore, B., Katz, N., Lake, G., Dressler, A., and Oemler, A., Galaxy harassment and the evolution of clusters of galaxies, *Nature*, 1996, 379, 61-616.
- [Moss, 2006] Moss, C., Enhanced mergers of galaxies in low-redshift clusters, *MNRAS*, 2006, 373, 167-178.
- [Mouhcine et al., 2011] Mouhcine, M., Kriwattanawong, W., and James, P. A., The galaxy population of Abell 1367: the stellar mass-metallicity relation, *MNRAS*, 2011, 412, 1295-1308.
- [Nulsen et al., 1982] Nulsen, P. E. J., Stewart, G. C., Fabian, A. C., Mushotzky, R. F., Holt, S. S., Ku, W. H.-M., and Malin, D. F., A detailed X-ray study of the cooling intracluster gas in A496, *MNRAS*, 199, 1089-1099.