CONTENTS

	Page
Acknowledgements	d
Abstract in Thai	e
Abstract in English	h
List of tables	1
List of figures	0
Chapter 1 Introduction	1
1.1 Principles and rationales	1
1.2 Purposes of the study	2
1.3 Research hypothesis	2
1.4 Research designs and procedures	3
1.5 Expecting benefit and goal	3
1.6 Definitions	3
Chapter 2 Literature review	6
2.1 Maxillary growth	6
2.2 Maxillary deficiency in cleft patients	9
2.3 Miniscrew implants Children Mail University	11
2.4 Infrazygomatic crest site	14
2.5 Cone beam computed tomographic (CBCT) image	16
Chapter 3 Materials and methods	19
Chapter 4 Results	29
4.1 Buccal cortical bone thickness	30

CONTENTS (CONTINUED)

	Page
4.2 Buccal plate thickness	34
4.3 The biting depth at IZ crest site	38
Chapter 5 Discussion	52
Chapter 6 Conclusions	57
References	58
Appendices	65
Appendix A Certificate of ethical clearance	66
Appendix B Informed consent	68
Curriculum Vitae	74

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved

LIST OF TABLES

		Page
Table 4.1	Number of samples (n), gender, and means (\overline{X}) , standard deviations	29
	(SD) and range of the age of each group of patients	
Table 4.2	Means (mm) and standard deviations of the buccal cortical bone	31
	thickness at mesiobuccal (MB) root, middle of buccal furcation (B)	
	and distobuccal (DB) root of maxillary first molar for each vertical	
	level of non-cleft and cleft sides	
Table 4.3	Means (mm) and standard deviations of the buccal cortical bone	34
	thickness at mesiobuccal (MB) root, middle of buccal furcation (B)	
	and distobuccal (DB) root of maxillary first molar for each vertical	
	level in non-cleft patients and non-cleft sides of cleft patients	
Table 4.4	Means (mm) and standard deviations of the buccal plate thickness at	35
	mesiobuccal (MB) root, middle of buccal furcation (B) and distobuccal	
	(DB) root of maxillary first molar for each vertical level of non-cleft	
	sides and cleft sides of unilateral cleft lip and palate patients	
Table 4.5	Means (mm) and standard deviations of the buccal plate thickness at	38
	mesiobuccal (MB) root, middle of buccal furcation (B) and distobuccal	
	(DB) root of maxillary first molar for each vertical level of non-cleft	
	patients and non-cleft side of cleft patients	
Table 4.6	Means and standard deviations of the biting depth at each combination	39
	of vertical cut level (mm) and insertion angle (°) at MB root of maxillar	y
	first molar at non-cleft sides of cleft patients	
Table 4.7	Means and standard deviations of the biting depth at each combination	39
	of vertical cut level (mm) and insertion angle (°) at MB root of maxillar	y
	first molar at cleft sides of cleft patients	

LIST OF TABLES (CONTINUED)

		Page
Table 4.8	The comparisons of the biting depth at MB root of maxillary	40
	first molar between non-cleft and cleft sides of cleft patients	
Table 4.9	Means and standard deviations of the biting depth at each combination	41
	of vertical cut level (mm) and insertion angle (°) at middle of buccal	
	furcation of maxillary first molar at non-cleft sides of cleft patients	
Table 4.10	Means and standard deviations of the biting depth at each combination	41
	of vertical cut level (mm) and insertion angle (°) at middle of buccal	
	furcation of maxillary first molar at cleft sides of cleft patients	
Table 4.11	The comparisons of the biting depth at middle of buccal furcation	42
	of maxillary first molar between non-cleft and cleft sides of cleft	
	patients	
Table 4.12	Means and standard deviations of the biting depth at each combination	43
	of vertical cut level (mm) and insertion angle (°) at DB root of maxillary	y
	first molar at non-cleft sides of cleft patients	
Table 4.13	Means and standard deviations of the biting depth at each combination	43
	of vertical cut level (mm) and insertion angle (°) at DB root of maxillary	y
	first molar at cleft sides of cleft patients	
Table 4.14	The comparisons of the biting depth at DB root of maxillary	44
	first molar between non-cleft and cleft sides of cleft patients	
Table 4.15	Means and standard deviations of the biting depth at each combination	45
	of vertical cut level (mm) and insertion angle (°) at MB root of maxillar	у
	first molar in the non-cleft patients	
Table 4.16	The comparisons of the biting depth at MB of maxillary first molar	45
	between non-cleft sides of cleft patients and non-cleft patients	

LIST OF TABLES (CONTINUED)

		Page
Table 4.17	Means and standard deviations of the biting depth at each combination of vertical cut level (mm) and insertion angle (°) at middle of buccal	46
	furcation of maxillary first molar in the non-cleft patients	
Table 4.18	The comparisons of the biting depth at middle of buccal furcation	46
	of maxillary first molar between non-cleft sides of cleft patients	
	and non-cleft patients	
Table 4.19	Means and standard deviations of the biting depth at each combination	47
	of vertical cut level (mm) and insertion angle (°) at DB root of maxillar	y
	first molar in the non-cleft patients	
Table 4.20	The comparisons of the biting depth at DB root of maxillary first molar	48
	between non-cleft sides of cleft patients and non-cleft patients	
	between non-ciert sides of ciert patients and non-ciert patients	
	ลิ ปสิทธิ์มหาวิทยาลัยเชียงใหม ่ Copyright [©] by Chiang Mai University All rights reserved	

LIST OF FIGURES

		Page
Figure 1.1	Maxillary molar occlusal plane	3
Figure 1.2	Buccal cortical bone thickness	4
Figure 1.3	Buccal plate thickness at MB root of 1st molar	4
Figure 1.4	Buccal plate thickness at the middle of buccal furcation of 1st molar	5
Figure 1.5	Buccal plate thickness at DB root of 1st molar	5
Figure 1.6	Biting depth of miniscrew implant	5
Figure 2.1	Chart showing of development of human dentition	8
Figure 2.2	Regions of bone density	12
Figure 2.3	Illustration of IZ crest above MB root of maxillaryfirst molar	14
Figure 3.1	DentiScan (NSTDA, Bangkok, Thailand) CBCT unit	21
Figure 3.2	DentiPlan professional V. 3.0 (NECTEC, Thailand) Viewer program	n 21
Figure 3.3	Coronal slice orientation	22
Figure 3.4	Sagittal slice orientation	22
Figure 3.5	Axial slice orientation	23
Figure 3.6	The buccal cortical bone and buccal plate thickness were measured	24
	at 5 vertical cut levels with 1.2-mm interval from 4.8 – 9.6 mm from	ı
	the buccal cemento-enamel junction (CEJ) of the maxillary first mol	lar
ล	to the root apex.	
Figure 3.7	In coronal view, the buccal cortical bone and buccal plate	24
Δ	thickness was measured at three mesiodistal sections; mesiodistal	
/ \	(MB), middle of buccal furcation(B) and distobuccal (DB) root axis	
	of maxillary first molar.	

LIST OF FIGURES (CONTINUED)

		Page
Figure 3.8	Measurement sites at three mesiodistal sections from MB section	25
	to DB section of maxillary first molar, and 1.2 mm interval of five	
	vertical cut levels from $4.8 - 9.6$ mm from buccal CEJ toward root	
	apex of maxillary first molar. The measurement site marked "x" wa	S
	named B8.4.	
Figure 3.9	Axial slice orientation of CBCT image at 4.8 mm vertical cut level,	25
	the buccal cortical bone thickness was measured at three sites (blue	
	arrows).	
Figure 3.10	Axial slice orientation of CBCT image at 4.8 mm vertical cut level,	27
	the buccal plate thickness was measured at three mesiodistal section	.S
	(blue arrows)	
Figure 3.11	Measurements of the bone thickness of the IZ crest at MB section:	28
	On coronal slice orientation, the bone thickness of the IZ crest at	
	MB9.6 with 45 - 70° were measured	
Figure 4.1	The combined plots between each vertical cut level and	32
	mesiodistal section of the average buccal cortical bone	
ลิ	thickness at non-cleft sides in cleft patients	
Figure 4.2	The combined plots between each vertical cut level and	33
	mesiodistal section of the average buccal cortical bone	
Α	thickness at cleft sides in cleft patients	
Figure 4.3	The combined plots between each vertical cut level and	36
	mesiodistal section of the average buccal plate thickness	
	at non-cleft sides in cleft patients	
Figure 4.4	The combined plots between each vertical cut level and	37
	mesiodistal section of the average buccal plate thickness	
	at cleft sides in cleft patients.	

Figure 4.5	Mean IZ crest thickness at various sites at non-cleft sides	50
	in cleft patients.	
Figure 4.6	Mean IZ crest thickness at various sites at cleft sides in	51
	cleft patients.	
Figure 5.1	The pattern of the buccal cortical bone and buccal plate	53
	thickness at various sites at non-claft and claft sides	



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved