CONTENTS

Acknowledgement	d
Abstract in Thai	e
Abstract in English	g
List of Tables	k
List of Figures	1
Chapter 1 Introduction	1
1.1 Principle, Theories, and Rationale	1
1.2 Purposes of the study	3
1.3 Anticipated benefits	3
1.4 Definitions	3
Chapter 2 Literature Review	5
2.1 Deep overbite malocclusion	5
2.2 Suitable locations for mini-screw placement for maxillary anterior	7
tooth intrusion	
2.3 Finite element method	13
Chapter 3 Materials and Methods	19
Chapter 4 Results	34
4.1 The pattern of von Mises stress distribution in the PDL	34
4.2 The displacement of the six maxillary anterior teeth	51
Chapter 5 Discussion	56
5.1 Materials and Methods	56
5.2 The pattern of the von Mises stress distribution in the PDL	57
5.3 The displacement of the six maxillary anterior teeth	58

CONTENTS (CONTINUED)

5.4 The clinical applications	60
Chapter 6 Conclusions	61
References	62
Curriculum vitae	70
CHILL ON WHERE STATIS	

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

Table 2.1 Bone density classification scheme (adapted from Misch).	8
Table 2.2 Summary of literature review	10
Table 3.1 Number of nodes and elements of each component.	25
Table 3.2 Material properties of tooth, cortical and cancellous bone and	30
stainless steel.	
Table 3.3 Material properties of the PDL. The coefficients of the third order	30
Ogden models.	
Table 4.1 The displacement of each tooth in anchorage design 1.	51
Table 4.2 The displacement of each tooth in anchorage design 2.	53

 All university

 All rights reserved

LIST OF FIGURES

- Figure 2.1 A) One mini-screw placed between the roots of the central incisors 12 for intrusion of the six maxillary anterior teeth. B) Protrusion is expected with this technique.
- Figure 2.2 Two mini-screws placed between the roots of the lateral incisor and 13 canine for intrusion of the six maxillary anterior teeth.
- Figure 2.3 The solid model can be divided into several small elements. The 16 elements could be displayed in one, two or three-dimension and in various shape. The figure has been modified from Rohan et al.
- Figure 2.4 An example of graphic output, obtained from Cifter and Sarac. The 18 results of this study are shown as graphical outputs of stress distribution (N/mm²) along the root surfaces.
- Figure 3.1 The commercial maxillary model that was the prototype for the FE 21 model in this study. This model has teeth with all anatomical root that can remove from the socket. A) Product number, B) Frontal view, C)
 Occlusal view of the upper arch, D) Right view, E) Left view, F)
 Occlusal view when remove all of the teeth, G) Six maxillary anterior teeth with root form.

Figure 3.2 Flow Chart of Research Methodology 22

- Figure 3.3 Solid model constructed from the scanning commercial maxillary 23 model and add other component; PDL, cortical bone, cancellous bone, bracket and arch wire. A) All component assembled together, B) Transparent view of the model, C) Teeth with PDL.
- Figure 3.4 Mini-screw position (stars) and force direction (yellow arrows) A) 24 Anchorage design 1 (one-mini-screw design), B) Anchorage design 2 (two-mini-screws design)

LIST OF FIGURES (CONTINUED)

- Figure 3.5 The FE model was meshed into several small elements and nodes. 26 A) Overall, B) Frontal and C) Back views.
- Figure 3.6 The orientation of the model and the boundary condition (orange 28 arrows). The periphery nodes of bone of the upper and back would be defined with no movement in any direction. A) Overall, B) Left and C) Right views.
- Figure 3.7 The force in anchorage design 1 was applied to the arch wire between 31 the central incisors. The force was oblique along the contour of the teeth and gum about 800 to the occlusal plane. The force was divided to the y and -z -axis and input to the Abaqus program.
- Figure 3.8 The forces in anchorage design 2 were applied to the arch wire 32 between the lateral and central incisor, left and right. A) The net force was divided by 2 to be the right force (FR) and left force (FL). B) The picture shows the division of FL by the angle calculated from the commercial maxillary model. FR was equal to the FL, but FRz was opposite direction to the FL-z.
- Figure 4.1 Anchorage design 1 (one-mini-screw design). The color-coded map 35 shows the distribution of von Mises stress of 60 g force: A) Labial,B) Palatal, and C) Apical views
- Figure 4.2 Anchorage design 1 (one mini-screw design). The color-coded map 37 showed the distribution of von Mises stress of 60 g force on the right central incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F) Occlusal views.
- Figure 4.3 Anchorage design 1 (one mini-screw design). The color-coded map 38 showed the distribution of von Mises stress of 60 g force on the left central incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F) Occlusal views.

LIST OF FIGURES (CONTINUED)

- Figure 4.4 Anchorage design 1 (one mini-screw design). The color-coded map 39 showed the distribution of von Mises stress of 60 g force on the right lateral incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F) Occlusal views.
- Figure 4.5 Anchorage design 1 (one mini-screw design). The color-coded map
 40 showed the distribution of von Mises stress of 60 g force on the left
 lateral incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal,
 and F) Occlusal views.
- Figure 4.6 Anchorage design 1 (one-mini-screw design). The color-coded map
 showed the distribution of von Mises stress of 60 g force on the right
 canine: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F)
 Occlusal views.
- Figure 4.7 Anchorage design 1 (one-mini-screw design). The color-coded map
 42 showed the distribution of von Mises stress of 60 g force on the left canine: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F)
 Occlusal views.
- Figure 4.8 Anchorage design 2 (two-mini-screw design). The color-coded map 44 shows the distribution of von Mises stress of 60 g force: A) Labial, B) Palatal, and C) Apical views.
- Figure 4.9 Anchorage design 2 (two-mini-screw design). The color-coded map
 45 showed the distribution of von Mises stress of 60 g force on the right central incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F) Occlusal views.
- Figure 4.10 Anchorage design 2 (two-mini-screw design). The color-coded map
 showed the distribution of von Mises stress of 60 g force on the left
 central incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal,
 and F) Occlusal views.

LIST OF FIGURES (CONTINUED)

- Figure 4.11 Anchorage design 2 (two-mini-screw design). The color-coded map
 47 showed the distribution of von Mises stress of 60 g force on the right
 lateral incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal,
 and F) Occlusal views.
- Figure 4.12 Anchorage design 2 (two-mini-screw design). The color-coded map
 48 showed the distribution of von Mises stress of 60 g force on the left
 lateral incisor: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal,
 and F) Occlusal views.
- Figure 4.13 Anchorage design 2 (two-mini-screw design). The color-coded map
 showed the distribution of von Mises stress of 60 g force on the right
 canine: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F)
 Occlusal views.
- Figure 4.14 Anchorage design 2 (two-mini-screw design). The color-coded map 50 showed the distribution of von Mises stress of 60 g force on the left canine: A) Labial, B) Palatal, C) Apical, D) Mesial, E) Distal, and F) Occlusal views.
- Figure 4.15 Overall displacement of the six maxillary anterior teeth in 52 anchorage design 1. The direction of the arrows represents the direction of the movement of the teeth. The length and color of the arrows represent the distance of the movement of the teeth.
- Figure 4.16 Overall displacement of the six maxillary anterior teeth in 54 anchorage design 2. The direction of the arrows represents the direction of the movement of the teeth. The length and color of the arrows represent the distance of the movement of the teeth.
- Figure 4.17 Displacement of teeth indicated by superimposition of before 55 (green) and after (orange) loads of the teeth (Magnified differentiation). Each set of pictures consists of the labial, mesial and occlusal views, respectively. A) Right central incisor. B) Right lateral incisor. C) Right Canine.