

CONTENTS


	Page
Acknowledgement	d
Abstract in Thai	f
Abstract in English	h
List of tables	l
List of figures	m
Chapter 1 Introduction	1
1.1 Background	1
1.2 Hypotheses	3
1.3 Research object	3
1.4 Usefulness of the research	3
Chapter 2 Literature review	4
2.1 Montane forest ecosystem	4
2.2 Forest restoration in high elevation	5
2.3 Fire disturbance in a montane forest ecosystem	7
2.4 Factors affecting survival after fire disturbance	8
2.5 Factors affecting resprouting ability after fire disturbance	9
2.6 Fire resilience in indigenous tree species in a montane forest ecosystem	11
2.7 Restoring a resilient ecosystem in changing climate	12
Chapter 3 Methodology	13
3.1 Site Description	13
3.2 Studied species	15
3.3 Data collection and data analysis	18
Chapter 4 Results and discussion	21
4.1 Percent survival after fire between old and young plot	21
4.2 Percent survival after fire between monitoring	22

4.3 Effects of tree size on survival after fire	24
4.4 Percent survival of native tree species in each plot	28
4.5 Resprouting ability after fire disturbance	36
4.6 Effects of tree size on resprouting ability after fire	37
4.7 Potential candidate tree species for restoring montane forest where fire regime	40
Chapter 5 Conclusion	44
5.1 Tree size and survival after fire	44
5.2 Tree size and resprouting after fire	45
5.3 Suitable tree for restoring montane forest	45
5.4 Suggested further research	46
Reference	47
Curriculum vitae	59

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLES

	Page
Table 3.1 GPS coordinates of all studied restoration plots	14
Table 3.2 The number of surviving trees in all studied plots	16
Table 3.2 The number of surviving trees in all studied plots (continued)	17
Table 3.2 The number of surviving trees in all studied plots (continued)	18
Table 4.1 Suitability index of native tree species for restoring in montane forest, northern Thailand	43



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved

LIST OF FIGURES

	Page
Figure 2.1 Concept of framework species method (FORRU, 2006)	6
Figure 2.2: Forest fire hotspots density distribution on yearly scale for (a) 2005, (b) 2006, (c) 2007, (d) 2008, (e) 2009, and (f) cumulative forest fire hotspots density distribution during 2005 - 2009 (Junpen <i>et al.</i> , 2013)	8
Figure 2.3 The influences and consequences of resprouting from individuals to communities (Clarke <i>et al.</i> , 2012)	10
Figure 3.1 Map BMSs and ML restoration sites	15
Figure 4.1 Survival percentages of native tree species at 1 st , 2 nd and 3 rd Monitoring after fire in each plot	22
Figure 4.2 Number of studied trees (a) and percent survival after fire (b) of 13 classes, stem diameters were classified with 40 mm in each class	23
Figure 4.3 Survival and mortality percentage after fire of native tree species in class 1 (1.0 – 39.9 mm), 8 sub-classes were classified with 5 mm in each class	25
Figure 4.4 linear relationship between mean stem diameter and percent survival after fire	26
Figure 4.5 Relationship between stem diameter size and chance of tree survival after fire predicted by GLMMs	27

Figure 4.6 Survival percentage, largest tree that died (mm) and smallest tree that survived (mm) of burnt tree in 1-year-old plot (planted in 2014)	30
Figure 4.7 Survival percentage, largest tree that died (mm) and smallest tree that survived (mm) of burnt tree in 2-year-old plot (planted in 2013)	31
Figure 4.8 Survival percentage, largest tree that died (mm) and smallest tree that survived (mm) of burnt tree in 14-year-old plot (planted in 2001)	34
Figure 4.9 Survival percentage, largest tree that died (mm) and smallest tree that survived (mm) of burnt tree in 17-year-old plot (planted in 1998)	35
Figure 4.10 Number of resprouting shoot of 17 classes, stem diameter were classified with 30 mm in each class	36
Figure 4.11 Number of resprouting shoot between 1.0 – 210.0 mm, sub-class were classified with 10 mm in each class	37
Figure 4.12 Prediction plot on effect of stem diameter on resprouting chance after fire at stem diameter between 1.0 – 210.0 mm	38
Figure 4.13 Prediction plot on effect of stem diameter on resprouting chance after fire at stem diameter between 1.0 – 60.0 mm	40