

REFERENCES

- [1] Peng Z, Jiang W, Ting Z, Yafei W, Detao L, Hao C, et al, "Perovskite Solar Cells with ZnO Electron-Transporting Materials", *Advanced Materials*, Vol. 30, No. 3, 2018, Page No. 1703737
- [2] Kazuhito H, Hiroshi I, Akira F, "TiO₂ Photocatalysis: A Historical Overview and Future Prospects", *Japanese Journal of Applied Physics*, Vol. 44, No. 12R, 2005, Page No. 8269
- [3] Asahi R, Morikawa T, Ohwaki T, Aoki K, Taga Y, "Visible-Light Photocatalysis in Nitrogen-Doped Titanium Oxides", *Science*, Vol. 293, No. 5528, 2001, Page No. 269
- [4] Liu B, Aydil ES, "Growth of Oriented Single-Crystalline Rutile TiO₂ Nanorods on Transparent Conducting Substrates for Dye-Sensitized Solar Cells", *Journal of the American Chemical Society*, Vol. 131, No. 11, 2009, Page No. 3985-3990
- [5] Kulkarni A, Jena AK, Chen H-W, Sanehira Y, Ikegami M, Miyasaka T., "Revealing and reducing the possible recombination loss within TiO₂ compact layer by incorporating MgO layer in perovskite solar cells", *Solar Energy*, Vol. 136, No., 2016, Page No. 379-384
- [6] Thakur UK, Askar AM, Kisslinger R, Wiltshire BD, Kar P, Shankar K, "Halide perovskite solar cells using monocrystalline TiO₂ nanorod arrays as electron transport layers: impact of nanorod morphology", *Nanotechnology*, Vol. 28, No. 27, 2017, Page No. 274001
- [7] Van de Lagemaat J, Frank AJ, "Nonthermalized Electron Transport in Dye-Sensitized Nanocrystalline TiO₂ Films: Transient Photocurrent and Random-Walk Modeling Studies", *The Journal of Physical Chemistry B*, Vol. 105, No. 45, 2001, Page No.11194-11205
- [8] Nelson J, "Continuous-time random-walk model of electron transport in nanocrystalline TiO₂ electrodes", *Physical Review B*, Vol. 59, No. 23, 1999, Page No. 15374-15380
- [9] Lee BH, Song MY, Jang S-Y, Jo SM, Kwak S-Y, Kim DY, "Charge Transport Characteristics of High Efficiency Dye-Sensitized Solar Cells Based on Electrospun TiO₂ Nanorod Photoelectrodes", *The Journal of Physical Chemistry C*, Vol. 113, No. 51, 2009, Page No. 21453-21457

[10] Liu Z, Su X, Hou G, Bi S, Xiao Z, Jia H, "Formation of spherical TiO₂ nanorod aggregates with multiple functions for dye-sensitized solar cells", *Journal of Alloys and Compounds*, Vol. 555, 2013, Page No. 68-73

[11] Kang SH, Choi SH, Kang MS, Kim JY, Kim HS, Hyeon T, et al, "Nanorod-Based Dye-Sensitized Solar Cells with Improved Charge Collection Efficiency", *Advanced Materials*, Vol. 20, No. 1, 2008, Page No. 54-58

[12] Kmentova H, Kment S, Wang L, Pausova S, Vaclavu T, Kuzel R, et al, "Photoelectrochemical and structural properties of TiO₂ nanotubes and nanorods grown on FTO substrate: Comparative study between electrochemical anodization and hydrothermal method used for the nanostructures fabrication", *Catalysis Today*, Vol. 287, 2017, Page No. 130-136

[13] Chen J, Zhang H, Liu P, Wang Y, Liu X, Li G, et al, "Vapor-phase hydrothermal synthesis of rutile TiO₂ nanostructured film with exposed pyramid-shaped (111) surface and superiorly photoelectrocatalytic performance", *Journal of Colloid and Interface Science*, Vol. 429, No. 2014, Page No. 53-61

[14] Zhang X, Azuma N, Hagihara S, Adachi S, Ura K, Takagi Y, "Characterization of type I and II procollagen $\alpha 1$ chain in Amur sturgeon (*Acipenser schrenckii*) and comparison of their gene expression", *Gene*, Vol. 579, No. 1, 2016, Page No. 8-16

[15] Jitputti J, Suzuki Y, Yoshikawa S, "Synthesis of TiO₂ nanowires and their photocatalytic activity for hydrogen evolution", *Catalysis Communications*, Vol. 9, No. 6, 2008, Page No. 1265-1271

[16] Green MA, Ho-Baillie A, Snaith HJ., "The emergence of perovskite solar cells", *Nature Photonics*, Vol. 8, No. 2014, Page No. 506

[17] Marinova N, Valero S, Delgado JL, "Organic and perovskite solar cells: Working principles, materials and interfaces", *Journal of Colloid and Interface Science*, Vol. 488, No. 2017, Page No. 373-389

[18] Marchioro A, Teuscher J, Friedrich D, Kunst M, Van de Krol R, Moehl T, et al, "Unravelling the mechanism of photoinduced charge transfer processes in lead iodide perovskite solar cells", *Nature Photonics*, Vol. 8, No. 2014, Page No. 250

[19] Kim H, Yang BL, "Effect of seed layers on TiO₂ nanorod growth on FTO for solar hydrogen generation", *International Journal of Hydrogen Energy*, Vol. 40, No. 17, 2015, Page No. 5807-5814

[20] Byrappa K, Yoshimura M, "1 - Hydrothermal Technology—Principles and Applications", *Handbook of Hydrothermal Technology*, Vol. No. 2001, Page No. 1-52

[21] Jordan V, Javornik U, Plavec J, Podgornik A, Rečnik A, "Self-assembly of multilevel branched rutile-type TiO_2 structures via oriented lateral and twin attachment", *Scientific Reports*, Vol. 6, No. 2016, Page No. 24216

[22] Cui Z, "Nanofabrication by Self-Assembly", *Nanofabrication Principles, Capabilities and Limits*, Vol. No. 2017, Page No. 442

[23] Ryland AL, "X-ray diffraction", *Journal of Chemical Education*, Vol. 35, No. 2, 1958, Page No. 80

[24] ARL Applied Research Laboratories S.A., introduction to power/polycrystalline diffraction, *BASICS OF X-RAY DIFFRACTION*, Vol. No. 1999

[25] Dette C, Pérez-Osorio MA, Kley CS, Punke P, Patrick CE, Jacobson P, et al, "TiO₂ Anatase with a Bandgap in the Visible Region", *Nano Letters*, Vol. 14, No. 11, 2014, Page No. 6533-6538

[26] Chen X, Mao SS, "Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications", *Chemical Reviews*, Vol. 107, No. 7, 2007, Page No. 2891-2959

[27] Luttrell T, Halpegamage S, Tao J, Kramer A, Sutter E, Batzill M, "Why is anatase a better photocatalyst than rutile? - Model studies on epitaxial TiO₂ films", *Scientific Reports*, Vol. 4, No. 2014, Page No. 4043

[28] Zhang J, Zhou P, Liu J, Yu J, "New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂", *Physical Chemistry Chemical Physics*, Vol. 16, No. 38, 2014, Page No. 20382-20386

[29] Yahaya MZ, Azam MA, Teridi MAM, Singh PK, Mohamad AA, Ahmad Azmin, "Recent Characterisation of Sol-Gel Synthesised TiO₂ Nanoparticles", *Recent Applications in Sol-Gel Synthesis*, Vol. No. 2017, Page No. Ch. 06

[30] Sirikulrat N, "Physics of semiconductors and junctions", *Electrical properties of semiconductor and band theory*, Vol. No. 2011, Page No. 262

[31] Owen T, "Fundamentals of UV-visible spectroscopy: a primer" 2000

[32] Yin H, Wada Y, Kitamura T, Kambe S, Murasawa S, Mori H, et al, "Hydrothermal synthesis of nanosized anatase and rutile TiO₂ using amorphous phase TiO₂", *Journal of Materials Chemistry*, Vol. 11, No. 6, 2001, Page No. 1694-1703

[33] Sadhu S, Jaiswal A, Adyanthaya S, Poddar P, "Surface chemistry and growth mechanism of highly oriented, single crystalline TiO₂ nanorods on transparent

conducting oxide coated glass substrates", RSC Advances, Vol. 3, No. 6, 2013, Page No. 1933-1940

- [34] Haggerty JES, Schelhas LT, Kitchaev DA, Mangum JS, Garten LM, Sun W, et al, "High-fraction brookite films from amorphous precursors", Scientific Reports, Vol. 7, No. 1, 2017, Page No. 15232
- [35] Zhou Q, Yang X, Zhang S, Han Y, Ouyang G, He Z, et al, "Rutile nanowire arrays: tunable surface densities, wettability and photochemistry", Journal of Materials Chemistry, Vol. 21, No. 39, 2011, Page No. 15806-15812
- [36] Wang J, Zhang T, Wang D, Pan R, Wang Q, Xia H, "Improved morphology and photovoltaic performance in TiO₂ nanorod arrays based dye sensitized solar cells by using a seed layer", Journal of Alloys and Compounds, Vol. 551, No. Supplement C, 2013, Page No. 82-87
- [37] Kulkarni A, Jena AK, Chen H-W, Sanehira Y, Ikegami M, Miyasaka T, "Revealing and reducing the possible recombination loss within TiO₂ compact layer by incorporating MgO layer in perovskite solar cells", Solar Energy, Vol. 136, No. 2016, Page No. 379-384
- [38] Byrappa K, Yoshimura M, "Physical Chemistry of Hydrothermal Growth of Crystals", Handbook of Hydrothermal Technology, Vol. No. 2001, Page No. 161-197
- [39] Pascual J, Camassel J, Mathieu H, "Fine structure in the intrinsic absorption edge of TiO₂", Physical Review B, Vol. 18, No. 10, 1978, Page No. 5606-5614
- [40] Tang H, Prasad K, Sanjinès R, Schmid PE, Lévy F, "Electrical and optical properties of TiO₂ anatase thin films", Journal of Applied Physics, Vol. 75, No. 4, 1994, Page No. 2042-2047
- [41] López R, Gómez R, "Band-gap energy estimation from diffuse reflectance measurements on sol-gel and commercial TiO₂: a comparative study", Journal of Sol-Gel Science and Technology, Vol. 61, No. 1, 2012, Page No. 1-7
- [42] Zerjav G, Arshad MS, Djinovic P, Junkar I, Kovac J, Zavasnik J, et al, "Improved electron-hole separation and migration in anatase TiO₂ nanorod/reduced graphene oxide composites and their influence on photocatalytic performance", Nanoscale, Vol. 9, No. 13, 2017, Page No. 4578-4592
- [43] Shaikh SF, Mane RS, Min BK, Hwang YJ, Joo O-s, "D-sorbitol-induced phase control of TiO₂ nanoparticles and its application for dye-sensitized solar cells", Scientific Reports, Vol. 6, No. 2016, Page No. 20103

[44] Wang H, Wang B, Yu J, Hu Y, Xia C, Zhang J, et al, "Significant enhancement of power conversion efficiency for dye sensitized solar cell using 1D/3D network nanostructures as photoanodes", *Scientific Reports*, Vol. 5, No. 2015, Page No. 9305

[45] Vitos L, Ruban AV, Skriver HL, Kollár J, "The surface energy of metals", *Surface Science*, Vol. 411, No. 1, 1998, Page No. 186-202

[46] Park S-J, Seo M-K, "Chapter 1 - Intermolecular Force", *Interface Science and Technology*, Vol. 18, No. 2011, Page No. 1-57

[47] H Perron C, Domain J, Roques R, Drot E, Simoni H, Catalette, "Optimisation of accurate rutile TiO_2 (110), (100), (101) and (001) surface models from periodic DFT calculations", *Theor Chem Acc*, Vol. 117, No. 2007, Page No. 565-574


[48] Wang Z, Xia X, Guo M, Shao G, "Fundamental Pathways for the Adsorption and Transport of Hydrogen on TiO_2 Surfaces: Origin for Effective Sensing at about Room Temperature", *ACS Applied Materials & Interfaces*, Vol. 8, No. 51, 2016, Page No. 35298-35307

[49] Khitrova VIB, M.F. Pinsker, Z.G, "An electron-diffraction investigation of titanium dioxide in thin films", *Kristallografiya*, Vol. 22, No. 1977, Page No. 1253 - 1258

[50] Feng X, Shankar K, Varghese OK, Paulose M, Latempa TJ, Grimes CA, "Vertically Aligned Single Crystal TiO_2 Nanowire Arrays Grown Directly on Transparent Conducting Oxide Coated Glass: Synthesis Details and Applications", *Nano Letters*, Vol. 8, No. 11, 2008, Page No. 3781-3786

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

List of Publication



duangmanee.wong@cmu.ac.th

Ms. Ref. No.: S5-O21 (from MRS Thailand 2017)

Title: Hydrothermal growth of well-aligned TiO_2 nanorods on fluorine-doped tin oxide glass

29-Jan-2018

Dear Dr. Duangmanee Wongratanaphisan:

Thank you for submitting your revised manuscript. I am satisfied with the changes you have made, and it is therefore a pleasure to accept your manuscript entitled "*Hydrothermal growth of well-aligned TiO_2 nanorods on fluorine-doped tin oxide glass*" in its current form for publication in Materials Today proceedings.

Thank you again for your submission to the First MRS Thailand International Conference 2017.

With best wishes,

A handwritten signature in Thai script, likely belonging to Assoc. Prof. Dr. Rattikorn Yimmirun.

Assoc. Prof. Dr. Rattikorn Yimmirun

Chairman of Academic Committee, MRS-Thailand 2017