

## REFERENCES

- [1] R. Kant, Textile dyeing industry an environmental hazard, *Nat. Sci.* 04 (2012) 22–26. doi:10.4236/ns.2012.41004.
- [2] Y.M. Slokar, A. Majcen Le Marechal, Methods of decoloration of textile wastewaters, *Dye. Pigment.* 37 (1998) 335–356. doi:10.1016/S0143-7208(97)00075-2.
- [3] A. Ajmal, I. Majeed, R.N. Malik, H. Idriss, M.A. Nadeem, Principles and mechanisms of photocatalytic dye degradation on TiO<sub>2</sub> based photocatalysts: a comparative overview, *RSC Adv.* 4 (2014) 37003–37026. doi:10.1039/C4RA06658H.
- [4] M. Umar, H. Abdul, Organic pollutants - Monitoring, risk and treatment, in: R. M., Nageeb (Ed.), InTech, 1st ed., InTech, 2013: pp. 195–208. doi:10.5772/53699.
- [5] X. Meng, Z. Zhang, Bismuth-based photocatalytic semiconductors: Introduction, challenges and possible approaches, *J. Mol. Catal. A Chem.* 423 (2016) 533–549. doi:10.1016/j.molcata.2016.07.030.
- [6] H. Zhao, F. Tian, R. Wang, R. Chen, A review on bismuth-related nanomaterials for photocatalysis, *Rev. Adv. Sci. Eng.* 3 (2014) 3–27. doi:10.1166/rase.2014.1050.
- [7] W. Zhang, Q. Zhang, F. Dong, Visible-light photocatalytic removal of NO in air over BiOX (X = Cl, Br, I) single-crystal nanoplates prepared at room temperature, *Ind. Eng. Chem. Res.* 52 (2013) 6740–6746. doi:10.1021/ie400615f.

- [8] D.W. Hwang, H.G. Kim, J. Kim, K.Y. Cha, Y.G. Kim, J.S. Lee, Photocatalytic water splitting over highly donor-doped (110) layered perovskites, *J. Catal.* 193 (2000) 40–48. doi:10.1006/jcat.2000.2875.
- [9] C.Y. Wang, X. Zhang, H. Bin Qiu, W.K. Wang, G.X. Huang, J. Jiang, H.Q. Yu, Photocatalytic degradation of bisphenol A by oxygen-rich and highly visible-light responsive  $\text{Bi}_{12}\text{O}_{17}\text{Cl}_2$  nanobelts, *Appl. Catal. B Environ.* 200 (2017) 659–665. doi:10.1016/j.apcatb.2016.07.054.
- [10] Y. Nosaka, A.Y. Nosaka, Generation and detection of reactive oxygen species in photocatalysis, *Chem. Rev.* 117 (2017) 11302–11336. doi:10.1021/acs.chemrev.7b00161.
- [11] Y. Wang, Q. Wang, X. Zhan, F. Wang, M. Safdar, J. He, Visible light driven type II heterostructures and their enhanced photocatalysis properties: a review, *Nanoscale*. 5 (2013) 8326. doi:10.1039/c3nr01577g.
- [12] R. He, D. Xu, B. Cheng, J. Yu, W. Ho, Review on nanoscale Bi-based photocatalysts, *Nanoscale Horizons*. 3 (2018) 464–504. doi:10.1039/c8nh00062j.
- [13] H. Cheng, B. Huang, Y. Dai, Engineering  $\text{BiOX}$  ( $X = \text{Cl}, \text{Br}, \text{I}$ ) nanostructures for highly efficient photocatalytic applications, *Nanoscale*. 6 (2014) 2009–2026. doi:10.1039/c3nr05529a.
- [14] J. Lv, Q. Hu, C. Cao, Y. Zhao, Modulation of valence band maximum edge and photocatalytic activity of  $\text{BiOX}$  by incorporation of halides, *Chemosphere*. 191 (2018) 427–437. doi:10.1016/j.chemosphere.2017.09.149.
- [15] J. Jiang, K. Zhao, X. Xiao, L. Zhang, Synthesis and facet-dependent photoreactivity of  $\text{BiOCl}$  single-crystalline nanosheets, *J. Am. Chem. Soc.* 134 (2012) 4473–4476. doi:10.1021/ja210484t.

- [16] X. Jin, L. Ye, H. Xie, G. Chen, Bismuth-rich bismuth oxyhalides for environmental and energy photocatalysis, *Coord. Chem. Rev.* 349 (2017) 84–101. doi:10.1016/j.ccr.2017.08.010.
- [17] J. Di, J. Xia, H. Li, S. Guo, S. Dai, Bismuth oxyhalide layered materials for energy and environmental applications, *Nano Energy*. 41 (2017) 172–192. doi:10.1016/j.nanoen.2017.09.008.
- [18] X. Xiao, C. Liu, R. Hu, X. Zuo, J. Nan, L. Li, L. Wang, Oxygen-rich bismuth oxyhalides: generalized one-pot synthesis, band structures and visible-light photocatalytic properties, *J. Mater. Chem.* 22 (2012) 22840. doi:10.1039/c2jm33556e.
- [19] R. Marschall, Semiconductor composites: Strategies for enhancing charge carrier separation to improve photocatalytic activity, *Adv. Funct. Mater.* 24 (2014) 2421–2440. doi:10.1002/adfm.201303214.
- [20] Q. Xu, L. Zhang, J. Yu, S. Wageh, A.A. Al-Ghamdi, M. Jaroniec, Direct Z-scheme photocatalysts: Principles, synthesis, and applications, *Mater. Today*. 21 (2018) 1042–1063. doi:wid.
- [21] A. Kudo, Z-scheme photocatalyst systems for water splitting under visible light irradiation, *MRS Bull.* 36 (2011) 32–38. doi:10.1557/mrs.2010.3.
- [22] H. Brittany, *Microwave synthesis: Chemistry at the speed of light*, (2002) 1–296.
- [23] P. Lidström, J. Tierney, B. Wathey, J. Westman, Microwave assisted organic synthesis—a review, *Tetrahedron*. 57 (2001) 9225–9283. doi:10.1016/S0040-4020(01)00906-1.
- [24] Y.-J. Zhu, F. Chen, *Microwave-assisted preparation of inorganic nanostructures*

- in liquid phase, *Chem. Rev.* 114 (2013) 6462–6555. doi:10.1021/cr400366s.
- [25] D. Gangrade, L. Sd, M. Al, Overview on microwave synthesis—Important tool for green chemistry, *Int. J. Res. Pharm. Sci.* 5 (2015) 37–42.
- [26] T. Jafari, E. Moharreri, A. Amin, R. Miao, W. Song, S. Suib, Photocatalytic water splitting—The untamed dream: A Review of Recent Advances, *Molecules*. 21 (2016) 900. doi:10.3390/molecules21070900.
- [27] S. Xia, L. Zhang, G. Pan, P. Qian, Z. Ni, Photocatalytic degradation of methylene blue with a nanocomposite system: synthesis, photocatalysis and degradation pathways, *Phys. Chem. Chem. Phys.* 17 (2015) 5345–5351. doi:10.1039/C4CP03877K.
- [28] W.S. Kuo, P.H. Ho, Solar photocatalytic decolorization of methylene blue in water, *Chemosphere*. 45 (2001) 77–83. doi:10.1016/S0045-6535(01)00008-X.
- [29] M.A. Gondal, C. Xiaofeng, M.A. Dastageer, *Advanced Structured Materials: Novel Bismuth- Oxyhalide- Based Materials and Their Applications*, Springer India, 2017. doi:10.1007/978-81-322-3739-6.
- [30] A.M. Ganose, M. Cu, K.T. Butler, A. Walsh, D.O. Scanlon, Interplay of orbital and relativistic effects in bismuth oxyhalides: BiOF, BiOCl, BiOBr, and BiOI, *Chem. Mater.* 28 (2016) 1980–1984. doi:10.1021/acs.chemmater.6b00349.
- [31] D.S. Bhachu, S.J.A. Moniz, S. Sathasivam, D.O. Scanlon, A. Walsh, S.M. Bawaked, M. Mokhtar, A.Y. Obaid, I.P. Parkin, J. Tang, C.J. Carmalt, Bismuth oxyhalides: synthesis, structure and photoelectrochemical activity, *Chem. Sci.* 7 (2016) 4832–4841. doi:10.1039/C6SC00389C.
- [32] X. Xiao, R. Hu, C. Liu, C. Xing, X. Zuo, J. Nan, L. Wang, Facile microwave

synthesis of novel hierarchical  $\text{Bi}_{24}\text{O}_{31}\text{Br}_{10}$  nanoflakes with excellent visible light photocatalytic performance for the degradation of tetracycline hydrochloride, *Chem. Eng. J.* 225 (2013) 790–797. doi:10.1016/j.cej.2013.03.103.

- [33] L. Lu, M. yun Zhou, L. Yin, G. wang Zhou, T. Jiang, X. kai Wan, H. xiang Shi, Tuning the physicochemical property of BiOBr via pH adjustment: Towards an efficient photocatalyst for degradation of bisphenol A, *J. Mol. Catal. A Chem.* 423 (2016) 379–385. doi:10.1016/j.molcata.2016.07.017.
- [34] K. Li, Y. Liang, J. Yang, Q. Gao, Y. Zhu, S. Liu, Controllable synthesis of {001} facet dependent foursquare BiOCl nanosheets : A high efficiency photocatalyst for degradation of methyl orange, *J. Alloys Compd.* 695 (2017) 238–249. doi:10.1016/j.jallcom.2016.10.204.
- [35] A.C. Mera, D. Contreras, N. Escalona, H.D. Mansilla, BiOI microspheres for photocatalytic degradation of gallic acid, *J. Photochem. Photobiol. A Chem.* 318 (2016) 71–76. doi:10.1016/j.jphotochem.2015.12.005.
- [36] X. Xiao, W.-D. Zhang, Hierarchical  $\text{Bi}_7\text{O}_9\text{I}_3$  micro/nano-architecture: facile synthesis, growth mechanism, and high visible light photocatalytic performance, *RSC Adv.* 1 (2011) 1099. doi:10.1039/c1ra00323b.
- [37] L.W. Shan, L.Q. He, J. Suriyaprakash, L.X. Yang, Photoelectrochemical (PEC) water splitting of BiOI {001} nanosheets synthesized by a simple chemical transformation, *J. Alloys Compd.* 665 (2016) 158–164. doi:10.1016/j.jallcom.2016.01.008.
- [38] L. Zhang, W. Wang, S. Sun, D. Jiang, E. Gao, Selective transport of electron and hole among {001} and {110} facets of BiOCl for pure water splitting, *Appl. Catal. B Environ.* 162 (2015) 470–474. doi:10.1016/j.apcatb.2014.07.024.

- [39] L. Ye, X. Jin, C. Liu, C. Ding, H. Xie, K.H. Chu, P.K. Wong, Thickness-ultrathin and bismuth-rich strategies for BiOBr to enhance photoreduction of CO<sub>2</sub> into solar fuels, *Appl. Catal. B Environ.* 187 (2016) 281–290.  
doi:10.1016/j.apcatb.2016.01.044.
- [40] J. Li, H. Li, G. Zhan, L. Zhang, Solar water splitting and nitrogen fixation with layered bismuth oxyhalides, *Acc. Chem. Res.* 50 (2017) 112–121.  
doi:10.1021/acs.accounts.6b00523.
- [41] X. Xiao, J. Jiang, L. Zhang, Selective oxidation of benzyl alcohol into benzaldehyde over semiconductors under visible light: The case of Bi<sub>12</sub>O<sub>17</sub>Cl<sub>2</sub> nanobelts, *Appl. Catal. B Environ.* 142–143 (2013) 487–493.  
doi:10.1016/j.apcatb.2013.05.047.
- [42] Y. Long, Y. Wang, D. Zhang, P. Ju, Y. Sun, Facile synthesis of BiOI in hierarchical nanostructure preparation and its photocatalytic application to organic dye removal and biocidal effect of bacteria, *J. Colloid Interface Sci.* 481 (2016) 47–56. doi:10.1016/j.jcis.2016.07.041.
- [43] W. Zhang, X. Dong, B. Jia, J. Zhong, Y. Sun, F. Dong, 2D BiOCl/Bi<sub>12</sub>O<sub>17</sub>Cl<sub>2</sub> nanojunction: Enhanced visible light photocatalytic NO removal and in situ DRIFTS investigation, *Appl. Surf. Sci.* 430 (2017) 571–577.  
doi:10.1016/j.apsusc.2017.06.186.
- [44] Z. Xiang, Y. Wang, D. Zhang, P. Ju, BiOI/BiVO<sub>4</sub> p–n heterojunction with enhanced photocatalytic activity under visible-light irradiation, *J. Ind. Eng. Chem.* 40 (2016) 83–92. doi:10.1016/j.jiec.2016.06.009.
- [45] Z. Liu, B. Wu, D. Xiang, Y. Zhu, Effect of solvents on morphology and photocatalytic activity of BiOBr synthesized by solvothermal method, *Mater. Res. Bull.* 47 (2012) 3753–3757. doi:10.1016/j.materresbull.2012.06.026.

- [46] P. Yan, L. Xu, D. Jiang, H. Li, J. Xia, Q. Zhang, M. Hua, Photoelectrochemical monitoring of ciprofloxacin based on metallic Bi self-doping BiOBr nanocomposites, *Electrochim. Acta.* 259 (2018) 873–881. doi:10.1016/j.electacta.2017.11.026.
- [47] X. Zhang, L. Zhang, Electronic and band structure tuning of ternary semiconductor photocatalysts by self doping: The case of BiOI, *J. Phys. Chem. C.* 114 (2010) 18198–18206. doi:10.1021/jp105118m.
- [48] X. Han, S. Dong, J. Sun, K. Wang, W. Zhang, J. Sun, Incorporation of Sn-doped BiOCl with reduced graphene oxide for enhanced natural sunlight photocatalysis, *Mater. Lett.* 187 (2017) 154–157. doi:10.1016/j.matlet.2016.10.075.
- [49] D. Zhang, J. Li, Q.G. Wang, Q.S. Wu, High {001} facets dominated BiOBr lamellas: facile hydrolysis preparation and selective visible-light photocatalytic activity, *J. Mater. Chem. A.* 1 (2013) 8622–8629. doi:10.1039/c3ta11390f.
- [50] Z. Liu, J. Niu, P. Feng, Y. Zhu, Solvothermal synthesis of  $\text{Bi}_{24}\text{O}_{31}\text{Cl}_x\text{Br}_{10-x}$  solid solutions with enhanced visible light photocatalytic property, *Ceram. Int.* 41 (2015) 4608–4615. doi:10.1016/j.ceramint.2014.12.004.
- [51] T. Li, S. Luo, L. Yang, Microwave-assisted solvothermal synthesis of flower-like Ag/AgBr/BiOBr microspheres and their high efficient photocatalytic degradation for p-nitrophenol, *J. Solid State Chem.* 206 (2013) 308–316. doi:10.1016/j.jssc.2013.07.019.
- [52] Y. Bai, T. Chen, P. Wang, L. Wang, L. Ye, Bismuth-rich  $\text{Bi}_4\text{O}_5\text{X}_2$  (X = Br, and I) nanosheets with dominant {101} facets exposure for photocatalytic H<sub>2</sub> evolution, *Chem. Eng. J.* 304 (2016) 454–460. doi:10.1016/j.cej.2016.06.100.
- [53] X.Y. Chen, H.S. Huh, S.W. Lee, Controlled synthesis of bismuth oxo nanoscale

- crystals ( $\text{BiOCl}$ ,  $\text{Bi}_{12}\text{O}_{17}\text{Cl}_2$ ,  $\alpha\text{-Bi}_2\text{O}_3$ , and  $(\text{BiO})_2\text{CO}_3$ ) by solution-phase methods, *J. Solid State Chem.* 180 (2007) 2510–2516. doi:10.1016/j.jssc.2007.06.030.
- [54] Y. Mi, H. Li, Y. Zhang, R. Zhang, W. Hou, One-pot synthesis of belt-like  $\text{Bi}_2\text{S}_3/\text{BiOCl}$  hierarchical composites with enhanced visible light photocatalytic activity, *Appl. Surf. Sci.* 423 (2017) 1062–1071. doi:10.1016/j.apsusc.2017.06.324.
- [55] W. Li, Y. Zhang, Y. Bu, Z. Chen, One-pot synthesis of the  $\text{BiVO}_4/\text{BiOBr}$  heterojunction composite for enhanced photocatalytic performance, *J. Alloys Compd.* 680 (2016) 677–684. doi:10.1016/j.jallcom.2016.04.202.
- [56] R. Bott, Applications of titanium dioxide photocatalysis to construction materials, *Igarss 2014*. (2011) 1–5. doi:10.1007/978-94-007-1297-3.
- [57] S. Gao, C. Guo, J. Lv, Q. Wang, Y. Zhang, S. Hou, J. Gao, J. Xu, A novel 3D hollow magnetic  $\text{Fe}_3\text{O}_4/\text{BiOI}$  heterojunction with enhanced photocatalytic performance for bisphenol A degradation, *Chem. Eng. J.* 307 (2017) 1055–1065. doi:10.1016/j.cej.2016.09.032.
- [58] Y. Zheng, X. Zhang, J. Zhao, P. Yang, Assembled fabrication of  $\alpha\text{-Fe}_2\text{O}_3/\text{BiOCl}$  heterojunctions with enhanced photocatalytic performance, *Appl. Surf. Sci.* 430 (2018) 585–594. doi:10.1016/j.apsusc.2017.06.097.
- [59] L. Wang, W.A. Daoud,  $\text{BiOI/TiO}_2$ -nanorod array heterojunction solar cell: Growth, charge transport kinetics and photoelectrochemical properties, *Appl. Surf. Sci.* 324 (2015) 532–537. doi:10.1016/j.apsusc.2014.10.110.
- [60] W. Yin, X. Sun, W. Wang, Enhancement of photocatalytic efficiency by in situ fabrication of  $\text{BiOBr/BiVO}_4$  surface junctions, *J. Environ. Sci.* (2017) 1–6.

doi:10.1016/j.jes.2016.12.024.

- [61] X. Xiao, R. Hao, X. Zuo, J. Nan, L. Li, W. Zhang, Microwave-assisted synthesis of hierarchical  $\text{Bi}_7\text{O}_9\text{I}_3$  microsheets for efficient photocatalytic degradation of bisphenol-A under visible light irradiation, *Chem. Eng. J.* 209 (2012) 293–300. doi:10.1016/j.cej.2012.07.142.
- [62] Q.C. Liu, D.K. Ma, Y.Y. Hu, Y.W. Zeng, S.M. Huang, Various bismuth oxyiodide hierarchical architectures: Alcoothermal- controlled synthesis, photocatalytic activities, and adsorption capabilities for phosphate in water, *Appl. Mater. Interfaces.* 5 (2013) 11927–11934. doi:10.1021/am4036702.
- [63] X. She, Z. Zhang, M. Baek, K. Yong, Elevated photoelectrochemical activity of  $\text{FeVO}_4/\text{ZnFe}_2\text{O}_4/\text{ZnO}$  branch-structures via slag assisted-synthesis, *RSC Adv.* 7 (2017) 16787–16794. doi:10.1039/C7RA00812K.
- [64] J. Deng, J. Jiang, Y. Zhang, X. Lin, C. Du, Y. Xiong,  $\text{FeVO}_4$  as a highly active heterogeneous Fenton-like catalyst towards the degradation of Orange II, *Appl. Catal. B Environ.* 84 (2008) 468–473. doi:10.1016/j.apcatb.2008.04.029.
- [65] A.Š. Vuk, B. Orel, G. Dražić, F. Decker, P. Colomban, UV-visible and IR spectroelectrochemical studies of  $\text{FeVO}_4$  sol-gel films for electrochromic applications, *J. Sol-Gel Sci. Technol.* 23 (2002) 165–181. doi:10.1023/A:1013755618889.
- [66] J. Li, M. Han, Y. Guo, F. Wang, C. Sun, Fabrication of  $\text{FeVO}_4/\text{Fe}_2\text{TiO}_5$  composite catalyst and photocatalytic removal of norfloxacin, *Chem. Eng. J.* 298 (2016) 300–308. doi:10.1016/j.cej.2016.03.107.
- [67] Q. Nong, M. Cui, H. Lin, L. Zhao, Y. He, Fabrication, characterization and photocatalytic activity of  $\text{g-C}_3\text{N}_4$  coupled with  $\text{FeVO}_4$  nanorod, *RSC Adv.* 5

(2015) 27933–27939. doi:10.1039/C5RA01484K.

- [68] S. Samanta, R. Srivastava, Thermal catalysis vs. photocatalysis: A case study with FeVO<sub>4</sub>/g-C<sub>3</sub>N<sub>4</sub> nanocomposites for the efficient activation of aromatic and benzylic C–H bonds to oxygenated products, *Appl. Catal. B Environ.* 218 (2017) 621–636. doi:10.1016/j.apcatb.2017.06.043.
- [69] K. Li, W. William, C. Lu, Y. Dai, S. Chou, H. Chen, H. Lin, C. Chen, Synthesis of BiOBr, Bi<sub>3</sub>O<sub>4</sub>Br, and Bi<sub>12</sub>O<sub>17</sub>Br<sub>2</sub> by controlled hydrothermal method and their photocatalytic properties, *J. Taiwan Inst. Chem. Eng.* 45 (2014) 2688–2697. doi:10.1016/j.jtice.2014.04.001.
- [70] S. Zhao, T. Liu, S. Zheng, W. Zeng, T. Li, Y. Zhang, S. Hussain, D. Hou, X. Peng, One-pot synthesis of novel one-dimensional bismuth oxychloride nanotube, *Mater. Lett.* 168 (2016) 13–16. doi:10.1016/j.matlet.2016.01.031.
- [71] C. Liao, Z. Ma, X. Chen, X. He, J. Qiu, Controlled synthesis of bismuth oxyiodide toward optimization of photocatalytic performance, *Appl. Surf. Sci.* 387 (2016) 1247–1256. doi:10.1016/j.apsusc.2016.06.140.
- [72] C.-Y. Wang, X. Zhang, X.-N. Song, W.-K. Wang, H.-Q. Yu, Novel Bi<sub>12</sub>O<sub>15</sub>Cl<sub>6</sub> Photocatalyst for the degradation of bisphenol A under visible-light irradiation, *ACS Appl. Mater. Interfaces.* 8 (2016) 5320–5326. doi:10.1021/acsami.5b12092.
- [73] S. Wu, C. Wang, Y. Cui, T. Wang, B. Huang, X. Zhang, X. Qin, P. Brault, Synthesis and photocatalytic properties of BiOCl nanowire arrays, *Mater. Lett.* 64 (2010) 115–118. doi:10.1016/j.matlet.2009.10.010.
- [74] X. Chang, S. Wang, Q. Qi, M.A. Gondal, S.G. Rashid, D. Yang, M.A. Dastageer, K. Shen, Q. Xu, P. Wang, Constrained growth of ultrasmall BiOCl nanodiscs with a low percentage of exposed {001} facets and their enhanced

- photoreactivity under visible light irradiation, *Appl. Catal. B Environ.* 176–177 (2015) 201–211. doi:10.1016/j.apcatb.2015.03.047.
- [75] R. Hao, X. Xiao, X. Zuo, J. Nan, W. Zhang, Efficient adsorption and visible-light photocatalytic degradation of tetracycline hydrochloride using mesoporous BiOI microspheres, *J. Hazard. Mater.* 209–210 (2012) 137–145. doi:10.1016/j.jhazmat.2012.01.006.
- [76] Y. Lei, G. Wang, S. Song, W. Fan, M. Pang, Room temperature, template-free synthesis of BiOI hierarchical structures : Visible-light photocatalytic and electrochemical hydrogen storage properties, *Dalt. Trans.* 39 (2010) 3273–3278. doi:10.1039/b922126c.
- [77] J. Henle, P. Simon, A. Frenzel, S. Scholz, S. Kaskel, Nanosized BiOX (X = Cl, Br, I) particles synthesized in reverse microemulsions, *Chem. Mater.* 19 (2007) 366–373. doi:10.1021/cm061671k.
- [78] L. Ye, L. Tian, T. Peng, L. Zan, Synthesis of highly symmetrical BiOI single-crystal nanosheets and their {001} facet-dependent photoactivity, *J. Mater. Chem.* 21 (2011) 12479–12484. doi:10.1039/c1jm11005e.
- [79] Y. Lei, G. Wang, S. Song, W. Fan, H. Zhang, Synthesis, characterization and assembly of BiOCl nanostructure and their photocatalytic properties, *CrystEngComm.* 11 (2009) 1857. doi:10.1039/b909013b.
- [80] L. Ai, Y. Zeng, J. Jiang, Hierarchical porous BiOI architectures: Facile microwave nonaqueous synthesis, characterization and application in the removal of Congo red from aqueous solution, *Chem. Eng. J.* 235 (2014) 331–339. doi:10.1016/j.cej.2013.09.046.
- [81] J.M. Montoya-Zamora, A. Martínez-de la Cruz, E.L. Cuéllar, Synthesis of BiOI

photocatalyst by microwave method using EDTA as retarder of the reaction, Res. Chem. Intermed. 43 (2017) 2545–2563. doi:10.1007/s11164-016-2779-1.


- [82] J. Zhang, J. Chen, Q. Li, Microwave heating synthesis and formation mechanism of chalcopyrite structured CuInS<sub>2</sub> nanorods in deep eutectic solvent, Mater. Res. Bull. 63 (2015) 88–92. doi:10.1016/j.materresbull.2014.11.046.
- [83] X. Hu, J.C. Yu, J. Gong, Q. Li, Rapid mass production of hierarchically porous ZnIn<sub>2</sub>S<sub>4</sub> submicrospheres via a microwave-solvothermal process, Cryst. Growth Des. 7 (2007) 2444–2448. doi:10.1021/cg060767o.
- [84] Z.Q. Li, X.T. Chen, Z.L. Xue, Microwave-assisted synthesis and photocatalytic properties of flower-like Bi<sub>2</sub>WO<sub>6</sub> and Bi<sub>2</sub>O<sub>3</sub>-Bi<sub>2</sub>WO<sub>6</sub> composite, J. Colloid Interface Sci. 394 (2013) 69–77. doi:10.1016/j.jcis.2012.12.002.
- [85] X.H. Liao, J.J. Zhu, H.Y. Chen, Microwave synthesis of nanocrystalline metal sulfides in formaldehyde solution, Mater. Sci. Eng. B. 85 (2001) 85–89. doi:10.1016/S0921-5107(01)00647-X.
- [86] S. Wang, Y. Guan, L. Wang, W. Zhao, H. He, J. Xiao, S. Yang, C. Sun, Fabrication of a novel bifunctional material of BiOI/Ag<sub>3</sub>VO<sub>4</sub> with high adsorption-photocatalysis for efficient treatment of dye wastewater, Appl. Catal. B Environ. 168–169 (2015) 448–457. doi:10.1016/j.apcatb.2014.12.047.
- [87] G. Li, F. Qin, R. Wang, S. Xiao, H. Sun, R. Chen, BiOX (X=Cl, Br, I) nanostructures: Mannitol-mediated microwave synthesis, visible light photocatalytic performance, and Cr(VI) removal capacity, J. Colloid Interface Sci. 409 (2013) 43–51. doi:10.1016/j.jcis.2013.07.068.
- [88] W.-K. Jo, J.Y. Lee, T.S. Natarajan, Fabrication of hierarchically structured novel redox-mediator-free ZnIn<sub>2</sub>S<sub>4</sub> marigold flower/Bi<sub>2</sub>WO<sub>6</sub> flower-like direct Z-

- scheme nanocomposite photocatalysts with superior visible light photocatalytic efficiency., *Phys. Chem. Chem. Phys.* 18 (2016) 1000–16.  
doi:10.1039/c5cp06176h.
- [89] S. Shamaila, A. Khan, L. Sajjad, F. Chen, J. Zhang,  $\text{WO}_3/\text{BiOCl}$ , a novel heterojunction as visible light photocatalyst, *J. Colloid Interface Sci.* 356 (2011) 465–472. doi:10.1016/j.jcis.2011.01.015.
- [90] M. Long, P. Hu, H. Wu, Y. Chen, B. Tan, W. Cai, Understanding the composition and electronic structure dependent photocatalytic performance of bismuth oxyiodides, *J. Mater. Chem. A* 3 (2015) 5592–5598.  
doi:10.1039/C4TA06134A.
- [91] G. Wu, Y. Zhao, Y. Li, H. Ma, J. Zhao, pH-dependent synthesis of iodine-deficient bismuth oxyiodide microstructures: Visible-light photocatalytic activity, *J. Colloid Interface Sci.* 510 (2018) 228–236. doi:10.1016/j.jcis.2017.09.053.
- [92] H. Liu, Y. Su, Z. Chen, Z. Jin, Y. Wang,  $\text{Bi}_7\text{O}_9\text{I}_3$ /reduced graphene oxide composite as an efficient visible-light-driven photocatalyst for degradation of organic contaminants, *J. Mol. Catal. A Chem.* 391 (2014) 175–182.  
doi:10.1016/j.molcata.2014.04.029.
- [93] C.D. Morton, I.J. Slipper, M.J.K. Thomas, B.D. Alexander, Synthesis and characterisation of Fe-V-O thin film photoanodes, *J. Photochem. Photobiol. A Chem.* 216 (2010) 209–214. doi:10.1016/j.jphotochem.2010.08.010.
- [94] H. Li, Y. Cui, W. Hong, B. Xu, Enhanced photocatalytic activities of  $\text{BiOI}/\text{ZnSn(OH)}_6$  composites towards the degradation of phenol and photocatalytic  $\text{H}_2$  production, *Chem. Eng. J.* 228 (2013) 1110–1120.  
doi:10.1016/j.cej.2013.05.086.

- [95] Y. Huang, H. Li, W. Fan, F. Zhao, W. Qiu, H. Ji, Y. Tong, Defect Engineering of Bismuth Oxyiodide by  $\text{IO}_3$ -Doping for Increasing Charge Transport in Photocatalysis, *ACS Appl. Mater. Interfaces.* 8 (2016) 27859–27867. doi:10.1021/acsami.6b10653.
- [96] X.J. Wang, F.T. Li, D.Y. Li, R.H. Liu, S.J. Liu, Facile synthesis of flower-like  $\text{BiOI}$  hierarchical spheres at room temperature with high visible-light photocatalytic activity, *Mater. Sci. Eng. B.* 193 (2015) 112–120. doi:10.1016/j.mseb.2014.12.013.
- [97] Z. Cui, M. Si, Z. Zheng, L. Mi, W. Fa, H. Jia, Preparation and characterization of  $\text{Ag}_3\text{PO}_4/\text{BiOI}$  composites with enhanced visible light driven photocatalytic performance, *Catal. Commun.* 42 (2013) 121–124. doi:10.1016/j.catcom.2013.08.011.
- [98] H. Lachheb, E. Puzenat, A. Houas, M. Ksibi, E. Elaloui, C. Guillard, J.M. Herrmann, Photocatalytic degradation of various types of dyes (Alizarin S, Crocein Orange G, Methyl Red, Congo Red, Methylene Blue) in water by UV-irradiated titania, *Appl. Catal. B Environ.* 39 (2002) 75–90. doi:10.1016/S0926-3373(02)00078-4.
- [99] Y. Liu, J. Xu, L. Wang, H. Zhang, P. Xu, X. Duan, H. Sun, S. Wang, Three-dimensional  $\text{BiOI/BiOX}$  ( $X = \text{Cl}$  or  $\text{Br}$ ) nanohybrids for enhanced visible-light photocatalytic activity, *Nanomaterials.* 7 (2017). doi:10.3390/nano7030064.
- [100] S.M. Aghdam, M. Haghghi, S. Allahyari, L. Yosefi, Precipitation dispersion of various ratios of  $\text{BiOI/BiOCl}$  nanocomposite over  $\text{g-C}_3\text{N}_4$  for promoted visible light nanophotocatalyst used in removal of acid orange 7 from water, *J. Photochem. Photobiol. A Chem.* 338 (2017) 201–212. doi:10.1016/j.jphotochem.2017.02.013.

- [101] J. Xu, L. Li, C. Guo, Y. Zhang, S. Wang, Removal of benzotriazole from solution by BiOBr photocatalysis under simulated solar irradiation, *Chem. Eng. J.* 221 (2013) 230–237. doi:10.1016/j.cej.2013.01.081.
- [102] X. Li, C. Niu, D. Huang, X. Wang, X. Zhang, G. Zeng, Q. Niu, Preparation of magnetically separable Fe<sub>3</sub>O<sub>4</sub>/BiOI nanocomposites and its visible photocatalytic activity, *Appl. Surf. Sci.* 286 (2013) 40–46. doi:10.1016/j.apsusc.2013.08.139.
- [103] Y.X. Yu, W.X. Ouyang, W. De Zhang, Photoelectrochemical property of the BiOBr-BiOI/ZnO heterostructures with tunable bandgap, *J. Solid State Electrochem.* 18 (2014) 1743–1750. doi:10.1007/s10008-014-2402-6.
- [104] L. Xia, J. Bai, J. Li, Q. Zeng, L. Li, B. Zhou, High-performance BiVO<sub>4</sub> photoanodes cocatalyzed with an ultrathin α-Fe<sub>2</sub>O<sub>3</sub> layer for photoelectrochemical application, *Appl. Catal. B Environ.* 204 (2017) 127–133. doi:10.1016/j.apcatb.2016.11.015.
- [105] H. Huang, Y. He, X. Du, P.K. Chu, Y. Zhang, A general and facile approach to heterostructured core/shell BiVO<sub>4</sub>/BiOI p-n Junction: Room-temperature in situ assembly and highly boosted visible-light photocatalysis, *ACS Sustain. Chem. Eng.* 3 (2015) 3262–3273. doi:10.1021/acssuschemeng.5b01038.
- [106] M. Yan, Y. Hua, F. Zhu, W. Gu, J. Jiang, H. Shen, W. Shi, Fabrication of nitrogen doped graphene quantum dots-BiOI/MnNb<sub>2</sub>O<sub>6</sub>p-n junction photocatalysts with enhanced visible light efficiency in photocatalytic degradation of antibiotics, *Appl. Catal. B Environ.* 202 (2017) 518–527. doi:10.1016/j.apcatb.2016.09.039.
- [107] H. Xu, Z. Wu, M. Ding, X. Gao, Microwave-assisted synthesis of flower-like BN/BiOCl composites for photocatalytic Cr(VI) reduction upon visible-light irradiation, *Mater. Des.* 114 (2017) 129–138. doi:10.1016/j.matdes.2016.10.057.

- [108] X. Ma, Z. Ma, T. Liao, X. Liu, Y. Zhang, L.L. Li, W. Li, B. Hou, Preparation of BiVO<sub>4</sub>/BiOCl heterojunction photocatalyst by in-situ transformation method for norfloxacin photocatalytic degradation, *J. Alloys Compd.* 702 (2017) 68–74. doi:10.1016/j.jallcom.2017.01.214.
- [109] J. Cao, C. Zhou, H. Lin, B. Xu, S. Chen, Surface modification of m-BiVO<sub>4</sub> with wide band-gap semiconductor BiOCl to largely improve the visible light induced photocatalytic activity, *Appl. Surf. Sci.* 284 (2013) 263–269. doi:10.1016/j.apsusc.2013.07.092.
- [110] H. Huang, K. Xiao, Y. He, T. Zhang, F. Dong, X. Du, Y. Zhang, In situ assembly of BiOI@Bi<sub>12</sub>O<sub>17</sub>Cl<sub>2</sub> p-n junction: Charge induced unique front-lateral surfaces coupling heterostructure with high exposure of BiOI {001} active facets for robust and nonselective photocatalysis, *Appl. Catal. B Environ.* 199 (2016) 75–86. doi:10.1016/j.apcatb.2016.06.020.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved