

## REFERENCES

- [1] Greiner AN, Hellings PW, Rotiroti G, Scadding GK. Allergic rhinitis. *The Lancet*. 2011;378(9809):2112-22.
- [2] Hellings PW. What is allergic rhinitis. *Global atlas of allergic rhinitis and chronic rhinosinusitis*. 2014:2-4.
- [3] Bousquet J, Khailaev N, Cruz AA, Denburg J, Fokkens WJ, Togias A, et al. Allergic Rhinitis and its Impact on Asthma (ARIA) 2008 update (in collaboration with the World Health Organization, GA(2)LEN and AllerGen). *Allergy*. 2008;63 Suppl 86:8-160.
- [4] Brozek JL, Bousquet J, Agache I, Agarwal A, Bachert C, Bosnic-Anticevich S, et al. Allergic Rhinitis and its Impact on Asthma (ARIA) guidelines-2016 revision. *J Allergy Clin Immunol*. 2017;140(4):950-8.
- [5] Wheatley LM, Togias A. Clinical practice. Allergic rhinitis. *N Engl J Med*. 2015;372(5):456-63.
- [6] Bunjean K, Sukkasem K, Noppacroh N, Yamkaew N, Janthayanont D, Theerapancharern W, et al. Prevalence of allergic rhinitis and types of sensitized allergen in adult at Wat Intaram community, Hua Raeu, Phra Nakhon Si Ayutthaya District, Phra Nakhon Si Ayutthaya Province, Thailand. *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*. 2012;95 Suppl 5:S63-8.
- [7] Sritipsukho P, Satdhabudha A, Nanthapisal S. Effect of allergic rhinitis and asthma on the quality of life in young Thai adolescents. *Asian Pacific journal of allergy and immunology*. 2015;33(3):222-6.

- [8] Sritipsukho P, Wisai M. Health Related Quality of Life of Asthma and Allergic Rhinitis in Thai School Pupils. *Journal of Allergy and Clinical Immunology*. 2011;127(2):AB44-AB.
- [9] Leynaert B, Neukirch C, Liard R, Bousquet J, Neukirch F. Quality of life in allergic rhinitis and asthma. A population-based study of young adults. *American journal of respiratory and critical care medicine*. 2000;162(4 Pt 1):1391-6.
- [10] Szeinbach SL, Seoane-Vazquez EC, Beyer A, Williams PB. The impact of allergic rhinitis on work productivity. *Prim Care Respir J*. 2007;16(2):98-105.
- [11] Hellgren J, Cervin A, Nordling S, Bergman A, Cardell LO. Allergic rhinitis and the common cold--high cost to society. *Allergy*. 2010;65(6):776-83.
- [12] Blaiss MS, Hammerby E, Robinson S, Kennedy-Martin T, Buchs S. The burden of allergic rhinitis and allergic rhinoconjunctivitis on adolescents: A literature review. *Ann Allergy Asthma Immunol*. 2018;121(1):43-52 e3.
- [13] Canonica GW, Bousquet J, Mullol J, Scadding GK, Virchow JC. A survey of the burden of allergic rhinitis in Europe. *Allergy*. 2007;62 Suppl 85:17-25.
- [14] Fung CK, Hon EKL. Complementary and alternative medicine for allergic rhinitis: What is the evidence? 2015. 4-11 p.
- [15] Guo R, Pittler MH, Ernst E. Herbal medicines for the treatment of allergic rhinitis: a systematic review. *Ann Allergy Asthma Immunol*. 2007;99(6):483-95.
- [16] Sayin I, Cingi C, Oghan F, Baykal B, Ulusoy S. Complementary therapies in allergic rhinitis. *ISRN Allergy*. 2013;2013:938751.
- [17] Ulbricht C. Allergic Rhinitis: An Integrative Approach: A Natural Standard Monograph. *Alternative and Complementary Therapies*. 2010;16(2):107-11.

- [18] สุภาภรณ์ ปิติพร. สมุนไพรเพื่อชีวิตพิชิตโรคภัย "สุขภาพวิถีไทย อภัยภูเบศร" เพื่อการพึ่งตนเอง. พิมพ์ครั้งที่ 4. ปรารจันบุรี: โรงพยาบาลเจ้าพระยาอภัยภูเบศร 2552.
- [19] Min YG. The pathophysiology, diagnosis and treatment of allergic rhinitis. *Allergy Asthma Immunol Res.* 2010;2(2):65-76.
- [20] Galli SJ, Tsai M, Piliponsky AM. The development of allergic inflammation. *Nature.* 2008;454(7203):445-54.
- [21] Sweetman SC. Martindale : the complete drug reference. 34th ed: London : Pharmaceutical press; 2005.
- [22] Casale TB, Busse WW, Kline JN, Ballas ZK, Moss MH, Townley RG, et al. Omalizumab pretreatment decreases acute reactions after rush immunotherapy for ragweed-induced seasonal allergic rhinitis. *J Allergy Clin Immunol.* 2006;117(1):134-40.
- [23] Mainardi T, Kapoor S, Bielory L. Complementary and alternative medicine: herbs, phytochemicals and vitamins and their immunologic effects. *J Allergy Clin Immunol.* 2009;123(2):283-94; quiz 95-6.
- [24] Cetirizine. NIS U.S. National library of medicine [Internet]. 2010 [cited 2018 OCT 29] Available from: <https://druginfo.nlm.nih.gov/drugportal/rn/83881-51-0>
- [25] Zyrtec (Cetirizine Hydrochloride). Drug information portal 2015 [cited 2018 NOV 4] Available from: <http://www.druglib.com/druginfo/zyrtec/>
- [26] Cetirizine. PunChem 2004 [cited 2018 NOV 15] Available from: <https://pubchemdocs.ncbi.nlm.nih.gov/about>
- [27] Drug information handbook with international trade names index. 18th ed 2009-2010.
- [28] Zhang L, Cheng L, Hong J. The clinical use of cetirizine in the treatment of allergic rhinitis. *Pharmacology.* 2013;92(1-2):14-25.

- [29] Swamy KRM, Veere Gowda R. Handbook of herbs and spices: Woodhead Publishing Limited, Abington Hall, Abington Cambridge CB1 6AH, England.
- [30] Thai herbal pharmacopoeia 2016: Department of Medical Sciences, Thailand; 2016.
- [31] นันทวัน มุณยะประภัสร์, อรนุช โชคชัยเจริญพร. สมุนไพรไม้พุ่มบ้าน เล่ม 5. 2543.
- [32] Fattorusso E, Iorizzi M, Lanzotti V, Tagliatalata-Scafati O. Chemical composition of shallot (*Allium ascalonicum* Hort.). Journal of agricultural and food chemistry. 2002;50(20):5686-90.
- [33] Ismail A, Marjan Z, Foong C. Total antioxidant activity and phenolic content in selected vegetables. Food Chemistry. 2004;87(4):581-6.
- [34] Bonaccorsi P, Caristi C, Gargiulli C, Leuzzi U. Flavonol glucosides in *Allium* species: A comparative study by means of HPLC–DAD–ESI–MS–MS. Food Chemistry. 2008;107(4):1668-73.
- [35] Leelarungrayub N, Rattanapanone V, Chanarat N, Gebicki JM. Quantitative evaluation of the antioxidant properties of garlic and shallot preparations. Nutrition. 2006;22(3):266-74.
- [36] Wiczowski W, Romaszko J, Bucinski A, Szawara-Nowak D, Honke J, Zielinski H, et al. Quercetin from shallots (*Allium cepa* L. var. *aggregatum*) is more bioavailable than its glucosides. The Journal of nutrition. 2008;138(5):885-8.
- [37] Dhulappa M. *Allium ascalonicum* Linn-an Ayurvedic perspective. IAMJ. 2014(4):478-82.
- [38] Saenthaweesuk S, Jitvaropas R, Somparn N, Thuppiya A. An investigation of antimicrobial and wound healing potential of *Allium ascalonicum* Linn. Journal of the Medical Association of Thailand = Chotmai het thangphaet. 2015;98 Suppl 2:S22-7.

- [39] Mahmoudabadi AZ, Nasery MG. Anti fungal activity of shallot, *Allium ascalonicum* Linn.(Liliaceae), in vitro. *Journal of Medicinal Plants Research*. 2009 May 31;3(5):450-3.
- [40] Mohammadi-Motlagh HR, Mostafaie A, Mansouri K. Anticancer and anti-inflammatory activities of shallot (*Allium ascalonicum*) extract. *Arch Med Sci*. 2011;7(1):38-44.
- [41] Werawattanachai NK, R., Junlatat J, Sripanidkulchai BO. Anti-inflammatory potential of ethanolic bulb extract of *Allium ascalonicum*. *Journal of Science and Technology, Ubon Ratchathani University*. 2015;17(2):63-8.
- [42] Owoyele BV, Alabi OT, Adebayo JO, Soladoye AO, Abioye AI, Jimoh SA. Haematological evaluation of ethanolic extract of *Allium ascalonicum* in male albino rats. *Fitoterapia*. 2004;75(3-4):322-6.
- [43] Wongmekiat O, Leelarugrayub N, Thamprasert K. Beneficial effect of shallot (*Allium ascalonicum* L.) extract on cyclosporine nephrotoxicity in rats. *Food Chem Toxicol*. 2008;46(5):1844-50.
- [44] Seyfi P, Mostafaie A, Mansouri K, Arshadi D, Mohammadi-Motlagh HR, Kiani A. In vitro and in vivo anti-angiogenesis effect of shallot (*Allium ascalonicum*): a heat-stable and flavonoid-rich fraction of shallot extract potently inhibits angiogenesis. *Toxicol In Vitro*. 2010;24(6):1655-61.
- [45] Demirbas D, Cingi C, Cakli H, Kaya E. Use of rhinomanometry in common rhinologic disorders. *Expert Rev Med Devices*. 2011;8(6):769-77.
- [46] Schumacher MJ. Rhinomanometry. *Journal of Allergy and Clinical Immunology*. 1989;83(4):711-8.
- [47] Bunnag C, Jareoncharsri P, Dachpunpour P, Vitavasiri A. Nasal airway resistance in asymptomatic Thai population. *Siriraj Hosp Gaz*. 1995;47:721-5.
- [48] Bartoli ML, Cristofani-Mencacci L, Scarano M, Nacci A, Latorre M, Bacci E, et al. Nasal Cytology: A Comparative Study of Two Different Techniques

of Processing-Smeared versus Cytocentrifuged Slides. *Mediators Inflamm.* 2018;2018:1640180.

- [49] Meltzer EO, Jalowayski AA. Nasal Cytology in Clinical Practice. *American Journal of Rhinology.* 1988;2(2):47-54.
- [50] Gelardi M, Iannuzzi L, Quaranta N, Landi M, Passalacqua G. NASAL cytology: practical aspects and clinical relevance. *Clin Exp Allergy.* 2016;46(6):785-92.
- [51] Meltzer EO, Orgel HA, Bronsky EA, Furukawa CT, Grossman J, LaForce CF, et al. A dose-ranging study of fluticasone propionate aqueous nasal spray for seasonal allergic rhinitis assessed by symptoms, rhinomanometry, and nasal cytology. *J Allergy Clin Immunol.* 1990;86(2):221-30.
- [52] Meltzer EO, Orgel HA, Rogenes PR, Field EA. Nasal cytology in patients with allergic rhinitis: effects of intranasal fluticasone propionate. *J Allergy Clin Immunol.* 1994;94(4):708-15.
- [53] Akdis CA, Akdis M. Mechanisms and treatment of allergic disease in the big picture of regulatory T cells. *J Allergy Clin Immunol.* 2009;123(4):735-46; quiz 47-8.
- [54] Ozdemir C, Akdis M, Akdis CA. T-cell response to allergens. *Chemical immunology and allergy.* 2010;95:22-44.
- [55] Romagnani S. The role of lymphocytes in allergic disease. *J Allergy Clin Immunol.* 2000;105(3):399-408.
- [56] Tao X, Xu A. Basic Knowledge of Immunology. *Amphioxus Immunity*2016. p. 15-42.
- [57] Fujiwara N, Kobayashi K. Macrophages in inflammation. *Current Drug Targets-Inflammation & Allergy.* 2005 Jun 1;4(3):281-6.

- [58] Hsieh JC, Lue KH, Lai DS, Sun HL, Lin YH. A comparison of cetirizine and montelukast for treating childhood perennial allergic rhinitis. *Pediatric Asthma, Allergy & Immunology*. 2004 Mar 1;17(1):59-69.
- [59] Banhiran W, Tantilipikorn P, Methetrairut C, Assanasen P, Bunnag C. Quality of life in patients with chronic rhinitis after radiofrequency inferior turbinate reduction. *Journal of the Medical Association of Thailand*. 2010;93(8):950-60.
- [60] Abraham SN, St John AL. Mast cell-orchestrated immunity to pathogens. *Nat Rev Immunol*. 2010;10(6):440-52.
- [61] Bischoff SC. Role of mast cells in allergic and non-allergic immune responses: comparison of human and murine data. *Nat Rev Immunol*. 2007;7(2):93-104.
- [62] Wernersson S, Pejler G. Mast cell secretory granules: armed for battle. *Nat Rev Immunol*. 2014;14(7):478-94.
- [63] Finn DF, Walsh JJ. Twenty-first century mast cell stabilizers. *British journal of pharmacology*. 2013;170(1):23-37.
- [64] Harborne JB, Williams CA. Advance in flavonoid research since 1992. *Phytochemistry*. 2000;55:481-504.
- [65] Kawai M, Hirano T, Arimitsu J, Higa S, Kuwahara Y, Hagihara K. Effect of enzymatically isoquercitrin, a flavonoid, on symptoms of Japanese cedar pollinosis: a randomized double-blind placebo-controlled trial. *Int Arch Allergy Immunol*. 2009;149:359-68
- [66] Fewtrell CM, Gomperts BD. Effect of flavone inhibitors on transport ATPase on histamine release. *Nature*, 1977; 265:635-6
- [67] Middleton EJ, Kandaswami C, Effect of flavonoid on immune and inflammatory cell functions. *Biochem Pharmacol*. 1992;43:1167-79

- [68] Upadhyay RK. Nutritional and therapeutic potential of *Allium* vegetables. *Nutritional therapeutics*. 2017;6:18-37
- [69] Mikaili P, Maadirad S, Moloudizargari M, Aghajanshakeri S, Sarahroodi S. Therapeutic uses and pharmacological properties of garlic, shallot, and their biologically active compounds. *Iran J Basic Med Sci*. 2013;16(10):1031-48
- [70] Thornhill SM, Kelly AN. Natural treatment of perennial allergic rhinitis. *Alternative Medicine Review*. 2000;5:448-54
- [71] Kaiser P, Youssouf MS, Tasduq SA, Singh S, Sharma SC, Singh AD et al. Anti-allergic effects of herbal product from *Allium cepa* (bulb). *J Med Food*. 2009;12:374-82
- [72] Sato A, Zhang T, Yonekura L, Tamura H. Antiallergic activities of eleven onions (*Allium cepa*) were attributed to quercetin 4'-glucoside using QuEChERS method and Pearson's correlation coefficient. *Journal of Functional Foods*. 2015;14:581-9.
- [73] Yoshimura M, Enomoto T, Dake Y, Okuno Y, Ikeda H, Cheng L et al. An evaluation of the clinical efficacy of tomato extract for perennial allergic rhinitis. *Allergol Int*. 2007;56:225-30
- [74] Williams RJ, Spencer JPE, Rice EC. Flavonoid: antioxidants or signaling molecules? *Free Radic Biol Med*. 2002;36:838-49
- [75] Naclerio RM, Bachert C, Baraniuk JN. Pathophysiology of nasal congestion. *International journal of general medicine*. 2010;3:47-57.
- [76] Rajakulasingam K, Polosa R, Holgate ST, Howarth PH. Comparative nasal effects of bradykinin, kallidin and [Des-Arg9]-bradykinin in atopic rhinitic and normal volunteers. *The Journal of physiology*. 1991 Jun 1;437(1):577-87.



- [77] Rajakulasingam K, Polosa R, Lau LC, Church MK, Holgate ST, Howarth PH. Comparative nasal effects of bradykinin and histamine: influence on nasal airways resistance and plasma protein exudation. *Thorax*. 1993;48(4):324.
- [78] Turner P, Dear J, Scadding G, Foreman JC. Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen. *J Allergy Clin Immunol*. 2001;107(1):105-13.
- [79] Tagawa M, Kano M, Okamura N, Higuchi M, Matsuda M, Mizuki Y, et al. Neuroimaging of histamine H1-receptor occupancy in human brain by positron emission tomography (PET): a comparative study of ebastine, a second-generation antihistamine, and (+)-chlorpheniramine, a classical antihistamine. *British journal of clinical pharmacology*. 2001;52(5):501-9.
- [80] Nelson HS. Mechanisms of intranasal steroids in the management of upper respiratory allergic diseases. *Journal of Allergy and Clinical Immunology*. 1999;104(4):s138-s43.
- [81] Tashiro M, Sakurada Y, Iwabuchi K, Mochizuki H, Kato M, Aoki M, et al. Central effects of fexofenadine and cetirizine: measurement of psychomotor performance, subjective sleepiness, and brain histamine H1-receptor occupancy using <sup>11</sup>C-doxepin positron emission tomography. *J Clin Pharmacol*. 2004;44(8):890-900.
- [82] Amin K, Rinne J, Haahtela T, et al. Inflammatory cell and epithelial characteristics of perennial allergic and nonallergic rhinitis with a symptom history of 1 to 3 years duration. *J Allergy Clin Immunol* 2001.107:249-57.
- [83] Warinruk J, Manorot M, Fooanant S, et al. Comparison of the efficacy between rupatadine and levocetirizine in patients with persistent allergic rhinitis. 2016:40-2.

- [84] Kongarin M, Manorot M, Fooanant S, et al. Comparison the efficacy between intranasal corticosteroids mometasone furoate with fluticasone furoate in persistent allergic rhinitis. 2011;1-74.
- [85] Li Y, Yao J, Han C, Yang J, Chaudhry MT, Wang S, et al. Quercetin, inflammation and immunity. *Nutrients*. 2016;8(3):167.
- [86] Moongngarm A, Trachoo N, Sirigungwan N. Low molecular weight carbohydrates, prebiotic content, and prebiotic activity of selected food plants in Thailand. *Adv. J. Food Sci. Technol.* 2011;3(4):269-74.
- [87] Shoaib M, Shehzad A, Omar M, Rakha A, Raza H, Sharif HR, et al. Inulin: properties, health benefits and food applications. *Carbohydr polym.* 2016;147:444-54
- [88] Wu JZ, Ge DD, Zhou LF, Hou LY, Zhou Y, Li QY. Effects of particulate matter on allergic respiratory diseases. *Chronic Dis Transl Med.* 2018;4(2):95-102.
- [89] Chen F, Lin Z, Chen R, Norback D, Liu C, Kan H, et al. The effects of PM2.5 on asthmatic and allergic diseases or symptoms in preschool children of six Chinese cities, based on China, Children, Homes and Health (CCHH) project. *Environ Pollut.* 2018;232:329-37.
- [90] Chu H, Xin J, Yuan Q, Wang M, Cheng L, Zhang Z, et al. The effects of particulate matters on allergic rhinitis in Nanjing, China. *Environ Sci Pollut Res Int.* 2019.
- [91] Reinmuth-Selzle K, Kampf CJ, Lucas K, Lang-Yona N, Frohlich-Nowoisky J, Shiraiwa M, et al. Air Pollution and Climate Change Effects on Allergies in the Anthropocene: Abundance, Interaction, and Modification of Allergens and Adjuvants. *Environ Sci Technol.* 2017;51(8):4119-41.
- [92] Bender BG. Motivating patient adherence to allergic rhinitis treatments. *Curr Allergy Asthma Rep.* 2015;15(3):10.

- [93] Reiner PB, Kamondi A. Mechanisms of antihistamine-induced sedation in the human brain: H1 receptor activation reduces a background leakage potassium current. *Neuroscience*. 1994;59(3):579-88.
- [94] Criado PR, Criado RF, Maruta CW, Machado Filho C. Histamine, histamine receptors and antihistamines: new concepts. *Anais brasileiros de dermatologia*. 2010;85(2):195-210.
- [95] Tashiro M, Kato M, Miyake M, Watanuki S, Funaki Y, Ishikawa Y, et al. Dose dependency of brain histamine H(1) receptor occupancy following oral administration of cetirizine hydrochloride measured using PET with [<sup>11</sup>C]doxepin. *Hum Psychopharmacol*. 2009;24(7):540-8.
- [96] Hindmarch I, Shamsi Z, Kimber S. An evaluation of the effects of high-dose fexofenadine on the central nervous system: a double-blind, placebo-controlled study in healthy volunteers. *Clin Exp Allergy*. 2002;32(1):133-9.
- [97] Hiraoka K, Tashiro M, Grobosch T, Maurer M, Oda K, Toyohara J, et al. Brain histamine H1 receptor occupancy measured by PET after oral administration of levocetirizine, a non-sedating antihistamine. *Expert opinion on drug safety*. 2015;14(2):199-206.
- [98] Yanai K, Ryu JH, Watanabe T, Iwata R, Ido T, Sawai Y, et al. Histamine H1 receptor occupancy in human brains after single oral doses of histamine H1 antagonists measured by positron emission tomography. *British journal of pharmacology*. 1995;116(1):1649-55.