

## เอกสารอ้างอิง

**ขัจราจักษณ์ สงศิริ** “ความผิดปกติของโครโนโซมในเข็มอสุจิของคน”. วิทยานิพนธ์ วิทยาศาสตรมหาบัณฑิต (ภายใต้การค้าศาสตร์), มหาวิทยาลัยเชียงใหม่ เชียงใหม่, 2535; หน้า 24-35.

Amasino R.M. Acceleration of nucleic acid hybridization rate by polyethylene glycol. *Anal Biochem* 1986; 152 : 304-307.

Antonazakis S.E., Peterson M.B., McInnis M.G., Adelsberger P.A., Schinzel A.A. The meiotic stage of nondisjunction in trisomy 21 determination by using DNA polymorphism. *Am. J. Hum. Genet.* 1992; 50 : 544-550.

Arebarge A., Ngeamoywat J., Chanprasit Y. and Sucharoen N. : determination of the ratio of X and Y bearing spermatozoa after albumin gradient method using double-labelled fluorescence *in situ* hybridization. *Journal of the medical association of Thailand*. 1996; 79 : 87-94.

Beck S., O'Keefe T., Coull J., Koexter H. Chemiluminescent detection of DNA application for DNA sequencing and hybridization. *Nucleic Acids Res* 1989; 17 : 5115-5123.

Benadiva. C.A., Kligman I. and Munne S. Aneuploidy 16 in human embryos increases significantly with maternal age. *Fertil. Steril.* 1996; 66(2) : 248-255.

Benet. J. and Martin R.H. Sperm chromosome complements in a 47,XYY man. *Hum. Genet.* 1988; 78(4) : 313-315.

Benet. J., Genesca A., Navorro J., Egozcue J. and Templado C. Cytogenetic studies in motile sperm from normal men. *Hum. Genet.* 1992; 89(2) : 176-180.

Blanco J., Egozcue J. and Vidal F. Incidence of chromosome 21 disomy in human spermatozoa as determined by fluorescent *in situ* hybridization. *Hum. Reprod.* 1996; 11(4) : 722-726.

Brandriff. B.F., Gordon L.A., Haendel S., Ashworth L.K. and Carrano A.V. The chromosomal constitution of human sperm selected for motility. *Fertil. Steril.* 1986; 46(4) : 686-690.

- Burns J., Chan V.T.W., Jonasson J.A., Fleming K.A., Taylor S. McGee J.O.D. Sensitive system for visualising biotinylated DNA probes hybridized *in situ* : Rapid sex determination of intact cells. Clin. Pathol. 1985; 38 : 1085-1092.
- Carothers A.D., Collyer S., De. May. R. and Frackiewicz A. Parental age and birth order in the aetiology of some sex chromosome aneuploidies. Ann. Hum. Genet. 1978; 41(3) : 77-287.
- Carothers A.D., Collyer S., De. May. R. and Johnstone I. An aetiological study of 290 XXY males with special reference to the role of paternal age. Hum. Genet. 1984; 68(3) : 248-253.
- Check J.H., Shanis B.S., Cooper S.O. and Bollendorf A. Male sex preselection swim-up technique and insemination of women after ovulation induction. Arch. Androl. 1989; 23(2) : 165-166.
- Check J.H. and Katsoft D. A prospective study to evaluate the efficacy of modified swim-up preparation for male sex selection. Hum. Reprod. 1993; 8(2) : 211-214.
- Chevret E., Rousseaux S., Monteil M., Pelletier R., Cozzi J. and Sele B. Meiotic segregation of the X and Y chromosomes and chromosome 1 analyzed by three color FISH in human interphase spermatozoa. Cytogenet. Cell. Genet. 1995; 71(2) : 126-130.
- Chevret E., Rousseaux S., Monteil M., Usson Y., Cozzi J., Pelletier R. and Sele B. Increased incidence of hyperhaploid 24,XY spermatozoa detected by three colour FISH in a 46,XY/47,XXY male. Hum. Genet. 1996; 97(2) : 1711-175.
- Coonen E., Dumoulin J.C.M., Ramaekers F.C.S. and Hopman A.H.N. Optional preparation of preimplantation embryo interphase nuclei for analysis by fluorescence *in situ* hybridization. Hum. Reprod. 1994; 9(3) : 533-537.
- Cross. P.K. and Hook. E.B. an analysis of paternal age and 47,+21 in 35,000 new prenatal cytogenetic diagnosis data from the New York State Chromosome Registry no significant effect : Hum. Genet. 1987; 77(4) : 307-316.
- Eastmond. D.A. and Pinkel. D. Detection of aneuploidy and aneuploidy inducing agents in human lymphocytes using fluorescence *in situ* hybridization. Mutat. Res. 1990; 34(5) : 303-319.

- Feinberg A.P., Vogelstein B. A technique for radiolabelling DNA restriction endonuclease fragment to high specific activity. *Anal Biochem* 1983; 132 : 6-13.
- Feinberg A.P., Vogelstein B. A technique for radiolabeling DNA restriction endonuclease fragment to high specificity (Addendum). *Anal Biochem* 1984; 13 : 266-267.
- Ford C.E., Jones K.W., Palani P.E., de Almeida J.C. and Briggs J.H. A sex chromosome anomaly in a case of gonadal dysgenesis (Turner's syndrome). *Lancet*. 1959; 1 : 711-713.
- Gebeychu G., Rao Py., Soo Chan P., Simms D.A., Klevan L. Novel biotinylated nucleotide analogs for labeling and colorimetric detection of DNA. *Nucleic Acids Res* 1987; 15 : 4513-4534.
- Gelehrter T.D. and Collins F.S. Principle of medical genetics. Williams & Wilkins, Baltimore Maryland, U.S.A. 1990.
- Goldman A.S., Martin R.H., Johannsson R., Gould C.P., Davison E.V., Emslie J.E., Burn J. and Hulten M.A. Meiotic and sperm chromosome analysis in a male carrier of an inverted insertion (3; 10) (q13.2; p14p12). *J. Med. Genet.* 1992; 29(7) : 460-464.
- Griffin D.K., Abruzzo M.A., Millie E.A., Sheean L.A., Feingold E., Sherman S.L. and Hassold T.J. Non disjunction in human sperm evidence for an effect of increasing paternal age. *Hum. Mol. Genet.* 1995; 4(12) : 2227-2232.
- Guttenbach M., Schakowski R. and Schmid M. Incidence of chromosomes 3, 7, 10, 11, 17 and X disomy in mature human sperm nuclei as determined by nonradioactive *in situ* hybridization. *Hum. Genet.* 1994; 93(1) : 7-12.
- Han T.L., Webb G.C., Flaherty S.P., Correll A., Matthews C.D. and Ford J.H. Detection of chromosome 17 and X bearing human spermatozoa using fluorescence *in situ* hybridization. *Mol. Reprod. Dev.* 1992; 33(2) : 189-194.
- Han T.L., Ford J.H., Webb G.C., Flaherty S.P., Correll A. and Matthews C.D. Simultaneous detection of X and Y bearing human sperm by double fluorescence *in situ* hybridization. *Mol. Reprod. Dev.* 1993; 34(3) : 308-313.

- Han T.L., Flaherty S.P., Ford J.H. and Matthews C.D. Detection of X and Y bearing human spermatozoa after motile sperm isolation by swim up. *Fertil. Steril.* 1993; 60(6) : 1046-1051.
- Hassold T., Jacobs P., Kline J., Stein Z. and Warburton D. Effect of maternal age on autosomal trisomies. *Ann. Hum. Genet.* 1980; 44(1) : 29-36.
- Hatch M., Kline J., Levin B., Hutzler M. and Warburton D. Paternal age and trisomy among spontaneous abortons. *Hum. Genet.* 1990; 85(3) : 355-361.
- Hauber R., Miska W., Schleinkofer L., Geiger R. New, Sensitive, radioactive-free bioluminescence-enhanced detection system in protein blotting and nucleic acid hybridization. *J Biolumin Chemilumin* 1989; 4 : 367-372.
- Herring P.J., Systematic distribution of bioluminescence in living organisms. *Biolumin Chemilumin* 1987; 1 : 146-163.
- Holmes J.M. and Martin R.H. Aneuploidy detection in human sperm nuclei using fluorescence *in situ* hybridization. *Hum. Genet.* 1993; 91(1) : 20-24.
- Holtke H.J., Scibl R., Burg J., Muhlegger K., Kessler C. Non-radioactive labeling and detection of nucleic acids 11 Optimization of the digoxigenin system. *Biol Chem Hoppe-Seyler* 1990; 371 : 927-938.
- Hook E.B., Cross P.K., Lamson S.H., Regal R.R., Baird P.A. and Uh S.H. Paternal age and Down syndrome in British columbia. *Am. J. Hum. Genet.* 1981; 33(1) : 123-128.
- Hook E.B. and Regal R.R. A search for a paternal age effect upon cases of 47,+21 in which the extra chromosome is of paternal origin. *Am. J. Hum. Genet.* 1984; 36(2) : 413-421.
- Hook E.B., Gross P.K. and Regal R.R. The frequency of 47,+21/47,+18 and 47,+13 et the uppermost extremes of maternal ages results on 56,094 fetuses studied prenatally and comparisons with data on livebirths. *Hum. Genet.* 1984; 68(3) : 211-220.
- Hozier J.C. and Davis L.M. : Cytogenetic approaches to genome mapping. *Analytical biochemistry*. 1992; 200 : 205-217.
- Jacobs P.A. and Strong J.A. A case of human intersexuality having a possible XXY sex determining mechanism. *Nature*. 1959; 183 : 302.

- Jacobs P.A., Collier S., Keston M., Whittington E. and Hassold T. A molecular study of the origin of the additional chromosome in Klinefelter syndrome. *Ann. Hum. Genet.* 1988; 52 : 93-109.
- Jenderny J. and Rohrborn G. Chromosome analysis of human sperm. I. First results with a modified method. *Hum. Genet.* 1987; 76(4) : 385-388.
- Joseph A.M., Gosden J.R. and Chandley A.C. Estimation of aneuploidy levels in human spermatozoa using chromosome specific probes and *in situ* hybridization. *Hum. Genet.* 1984; 66(2-3) : 243-238.
- Kamiguchi Y. and Mikamo K. An improved efficient method for analyzing human sperm chromosomes using zona-free hamster ova. *Am. J. Hum. Genet.* 1986; 38 : 724-740.
- Keller G.H., Gummung C.U., Huang D.P., Manak M.M. and Ting R. A chemical method for introducing haptens onto DNA probes. *Anal Biochem.* 1988; 170 : 441-450.
- Kessler C., Holtke H-J., Seibl R., Burg J., Mublegger K. Non-radioactive labeling and detection of nucleic acids : 1. A novel DNA labeling and detection system based on digoxigenin : anti-digoxigenin ELISA principle (digoxigenin system). *Mol Gen Hoppe-Seyler* 1990; 371 : 917-927.
- Klenow H., Overgard-Hanson K., Patkoar S. Proteolytic cleavage of native DNA polymerase into two different catalytic fragment. *Eur J Biochem* 1971; 22 : 371-381.
- Langer R.R., Waldrop A.A. and Ward D.C. Enzymatic synthesis of biotin-labeled polynucleotides Novel nucleic acid affinity probes. *Proc Natl Acad Sci USA.* 1981; 78 : 6633-6637.
- Leary J.J., Brigati D.I., Ward D.C. Colorimetric method for visualizing biotin-labeled DNA probe hybridized to DNA or RNA immobilized on nitrocellulose Bio-blots. *Proc Natl Acad Sci USA* 1983; 80 : 4045-4049.
- Lichter P., Cremer T. Chromosome analysis by nonisotopic *in situ* hybridization. In *Human Cytogenetics : A Practical Approach*. Vol. 1 ed by Rooney DE, Czepulkowski BH, IRL Press, Oxford, 1992; pp. 157-192.
- Lyeune J., Gautier M. and Turpin R. Etude des chromosome somatiques de neuf enfants mongoliens. *Compte Rendus de l' Academie des Sciences Paris.* 1959; 248 : 1721.

- Martin R.H., Lin C.C., Balkan W. and Burns K. Direct chromosomal analysis of human spermatozoa preliminary results from 18 normal men. *Am. J. Hum. Genet.* 1982; 43 (3) : 459-468.
- Martin R.H. A detail method for obtaining preparation of human sperm chromosome. *Cytogenet. Cell. Genet.* 1983; 35 : 252-256.
- Martin R.H. and Rademaker A.W. The effect of age on the frequency of sperm chromosomal abnormalities in normal men. *Am. J. Hum. Genet.* 1987; 41 : 484-492.
- Martin R.H., Rademaker A.W., Hildebrand K., Long S.L., Peterson D. and Yamamoto J. Variation in the frequency and type of sperm chromosomal abnormalities among normal men. *Human. Genet.* 1987; 77(2) : 108-114.
- Martin R.H. and Rademaker A. The frequency of aneuploidy among individual chromosomes in 6,8,21 human sperm chromosome complements. *Cytogenet. Cell. Genet.* 1990; 53 (2-3) : 103-107.
- Martin R.H., Ko E. and Rademaker A. Distribution of aneupolidy in human gametes comparison between human sperm and oocytes. *Am. J. Med. Genet.* 1991; 39(3) : 321-331.
- Martin R.H., Ko E. and Chan K. Detection of aneuploidy in human interphase spermatozoa by fluorescence *in situ* hybridization (FISH). 1993; 64(1) : 23-26.
- Martin R.H., Chan K., Ko E. and Rademaker A.W. Detection of aneuploidy in human sperm by fluorescence *in situ* hybridization (FISH) difference frequencies in fresh and stored sperm nuclei. *Cytogenet. Cell. Genet.* 1994; 65(1-2) : 95-96.
- Martin R.H., Spriggs E., Ko E. and Rademaker A.W. The relationship between paternal age, sex ratios and aneuploidy frequencies in human sperm as assessed by multicolor FISH. *Am. J. Hum. Genet.* 1995; 57 : 1395-1399.
- Matsunaga E., Fonomra A., Oishi H. and Kikuchi Y. Reexamination of paternal age effect in Down's syndrome. *Hum. Genet.* 1978; 40(30) : 259-268.
- Miharu N., Best R.G., Berete M.S., Liu W.H., Young S.R. Study of aneuploidy frequency *in situ* hybridization (FISH). *Am. J. Hum. Genet. Suppl.* 1994; 55 : A581.

- Mikkelsen M., Fischer G., Stene J., Stene E. and Petersen E. Incidence study of Down's syndrome in Copenhagen 1960-1971 with chromosome investigation. Ann. Hum. Genet. 1976; 40(2) : 177-182.
- Munne S., Weier H.U.G., Stein J., Grifo J. and Cohen J. A fast and efficient method for simultaneous X and Y *in situ* hybridization of human blastomeres, Assisted Reproduction and Genetics. 1993; 10(1) : 82-90.
- Pawlovitzki I.H. and Pearson P.L. Chromosomal aneuploidy in human spermatozoa. Hum. Genet. 1972; 16 : 119-122.
- Pieters M.H., Geraedts J.P., Meyer H., Dumoulin J.C., Evers J.L., Jongbloed R.J., Nederlof P.M. and Van der Flier S. Human gametes and zygotes studied by nonradioactive *in situ* hybridization. Cytogenet. Cell. Genet. 1990; 53(1) : 15-19.
- Pinkel D., Straume T. and Gray J.W. Cytogenetic analysis using quantitative high sensitivity fluorescence hybridization. Proc. Natl. Acad. Sci. U.S.A. 1986; 83(9) : 2934-2938.
- Rappold E.L., Rademaker A.W., Martin R.H. Aneuploidy in human sperm results of two and three color fluorescence *in situ* hybridization using centromeric probes for chromosomes 1, 12, 15, 18, X and Y. Cytogenet. Cell. Genet. 1995; 71(1) : 47-53.
- Regal R.R., Cross, P.K., Lamson S.H. and Hook E.B.V. A search for evidence for a paternal age effect independent of a maternal age effect in birth certificate reports of Down's syndrome in New York state. Am. J. epidemiol. 1980; 112(5) : 650-655.
- Rigby P.W.J., Dieckmann M., Rhodes G., Berg P. Labeling deoxyribonucleic acid to high specific activity in vitro by nick translation with DNA polymerase I. J Mol Biol 1977; 113 : 237-251.
- Robbins W.A., Segraves R., Pinkel D. and Wyrobek A.J. Detection of aneuploid human sperm by fluorescence *in situ* hybridization evidence for a donor difference in frequency of sperm disomy for chromosome 1 and Y. Am. J. Hum. Genet. 1993; 52(4) : 799-807.
- Roecker G.O. and Huether C.A. An analysis for paternal age effect in Ohio's Down syndrome births 1970-1980. Am. J. Hum. Genet. 1983; 35(6) : 1297-1306.
- Rousseaux S., Sele B., Cozzi J. and Chevret E. Immediate rearrangements of human sperm chromosomes following *in vivo* irradiation. Hum. Reprod. 1993; 8(6) : 903-907.

- Rousseaux S. and Chevret E. *In vitro* decondensation of human spermatozoa for fluorescence *in situ* hybridization. *Hum. Reprod.* 1995; 10(8) : 2209-2213.
- Schattman G.L., Munne S., Grifo J.G., Carton L. and Cohen J. Aneuploidy in spermatozoa using fluorescence *in situ* hybridization. *J. Assist. Reprod. Genet.* 1993; 10(5) : 360-365.
- Spriggs E.L., Rademaker A.W. and Martin R.H. Aneuploidy in human sperm results of two and three color fluorescence *in situ* hybridization using centromeric probes for chromosomes 1, 12, 15, 18, X and Y. *Cytogenet. Cell. Genet.* 1995; 71(1) : 47-53.
- Spriggs E.L., Rademaker A.W. and Martin R.H. Aneuploidy in human sperm the use of multicolor FISH to test various theories of nondisjunction. *Am. J. Hum. Genet.* 1996; 58(2) : 356-362.
- Stene J., Fischer G., Stene E., Mikkelsen M. and Petersen E. Paternal age effect in Down's syndrome. *Ann. Hum. Genet.* 1977; 40(3) : 299-306.
- Stene J., Stene E., Stengel Rutkowski S. and Murken J.D. Paternal age and Down's syndrome data from prenatal diagnoses (DFG). *Hum. Genet.* 1981; 59(2) : 119-124.
- Stene J., Stene E. and Mikkelsen M. Risk for chromosome abnormality at amniocentesis following a child with a non-inherited chromosome aberration A European Collaborative Study on Prenatal Diagnoses 1981. *Prenat. Diagn.* 1984; 4 : 818-95.
- Sugawara S. and Mikomo K. An experimental approach to the analysis of mechanisms of meiotic nondisjunction and anaphase lagging in primary oocytes. *Cytogenet. Cell. Genet.* 1980; 28(4) : 251-264.
- Tjio J.H. and Levan A. The chromosome number of man. *Hereditas.* 1956; 42 : 1-6.
- Thompson M.W., McInnes R.R. and Willard H.F. Genetics in medicine. 5th ed. W.B. Saunders Co., 1991.
- Trainc F., Ternynck T., Danchin A. and Aurameas S. An immunoenzymatic procedure for the demonstration of nucleic acid molecular hybridization. *Anal immunol.* 1983; 143 : 399-405.
- Wahl G.M., Stern M., Stark G.R. Efficient transfer of large DNA fragments from agarose gel to diazobenzyloxy methyl-paper and rapid hybridization by using dextran sulfate. *Proc Natl Acad Sci* 1979; 76 : 3683-3687.

- Warburton D., Stein Z., Klin S. and Susser M. Chromosome abnormalities in spontaneous abortions data from the New York city study in human embryonic and fetal death ed. Porter I.H. and Hook E.B. Academic Press, New York. 1980 : 261-268.
- Warburton D., Kline J., Stein Z. and Susser M. Monosomy X a chromosomal anomaly associated with young maternal age. Lancet. 1980; 1(8161) : 167-169.
- Watt J.L., Templeton A.A., Messinis I., Bell L., Cunningham P. and Duncan R.O. Trisomy 1 in an eight cell human preembryo. J. Med. Genet. 1987; 24(1) : 60-64.
- Wetmur J. G., Daudson N. Kinetics of renaturation of DNA. J Mol Biol 1968; 31 : 349-370.
- Williams B.J., Ballenger C.A., Malter H.E., Bishop F., Tucker M., Zwingman T.a. and Hassold T.J. Nondisjunction in human sperm results of fluorescence *in situ* hybridization studies using two and three probes. Hum. Mol. Genet. 1993; 2(11) : 1929-1936.
- World Health Organization. WHO Laboratory Manual for the Examination of Human Semen and Semen-Cervical Mucus Interaction Cambridge, UK. Cambridge University Press 1992.
- Wyrobek A.J., Alhorn T., Balhorn R., Stanker L. and Pinkel D. Fluorescence *in situ* hybridization to Y chromosome in decondensed human sperm nuclei. Mol. Repord. Dev. 1990; 27 : 200-208.
- Wyrobek A.J. and Adler D. Mutat. Res. Detection of aneuploidy in human and rodent sperm using FISH and applications of sperm assays of genetic damage in heritable risk evaluation. Mutat. Res. 1996; 352(1-2) : 173-179.
- Yagang X., Robinson W.P., Spiegel R., Binkert F., Ruefenacht U. and Schinzel A.A. Parental origin of the supernumerary chromosome in trisomy 18. Clin. Genet. 1993; 44(2) : 57-61.