ชื่อเรื่องวิทยานิพนธ์

การประเมินคุณภาพการพยาบาลผู้คลอดปกติใน โรงพยาบาลนครพิงค์จังหวัดเชียงใหม่

ชื่อผู้เชียน

นาง ภัคพร กอบพึ่งตน

พยาบาลศาสตรมหาบัณฑิต

สาชาวิชาการบริหารการพยาบาล

## คณะกรรมการสอบวิทยานิพนธ์:

ଘମ.	J.	รมวล	นันท์ศุภวัฒน์	ประธานกรรมการ
ଘମ.	ดร.	วิภาดา	คุณาวิกติกุล	กรรมการ
ଘଟ.	ดร.	สุจิตรา	เทียนลวัสดิ์	กรรมการ
ผศ.	ัดร.	ประคิณ	สุจฉายา	กรรมการ
ଧ୍ମ.	ମ୍ବର.	ช วพรพรรณ	<i>์</i> จันทร์ประสิทธิ์	กรรมการ

## าทศัดย่อ

การวิจัยครั้งนี้มีวัตถุประสงค์เพื่อประเมินคุณภาพการพยาบาลผู้คลอดบ่กติในโรงพยาบาล
นครพิงค์ตามมาตรฐานเชิงกระบวนการ และมาตรฐานเชิงผลลัพธ์ของโรงพยาบาล กลุ่มประชากร
ที่ศึกษาแบ่งออกเป็น 2 กลุ่ม กลุ่มแรก เป็นผยาบาลที่ปฏิบัติงานในห้องคลอดทุกคน กลุ่มที่ 2
เป็นผู้คลอดบ่กติ ซึ่งเลือกโดยการสุ่มตัวอย่างเฉพาะเจาะจงตามคุณสมบัติที่กำหนด จำนวน 30 คน
เครื่องมือที่ใช้ในการวิจัยครั้งนี้สร้างโดยผู้วิจัยได้แก่ แบบบันทึกข้อมูลส่วนบุคคลของพยาบาลและ
ผู้คลอด แบบสังเกตและแบบบันทึกการรักษาพยาบาลของคุณภาพการพยาบาล (ได้ค่าความสอด
คล้องของผู้สังเกต = 1) และ แบบสัมภาษณ์ความพึงพอใจของผู้คลอดต่อการพยาบาลที่ได้รับ (สัม
ประสิทธิ์แอลฟาของครอนบาค = 0.93) สถิติที่ใช้ในการวิจัยได้แก่ การแจกแจงความถี่ ร้อยละ

ค่าเฉลี่ย ส่วนเบี่ยงเบนมาตรฐาน และพิสัย ผลการวิจัยพบว่า

- 1. คุณภาพการพยาบาลเชิงกระบวนการอยู่ในระดับดีถึงดีมาก คุณภาพการพยาบาล เชิงผลลัพธ์อยู่ในระดับดีมากได้แก่ มาตรฐานที่ ธ มาตรฐานที่ 6 และ มาตรฐานที่ 8
- 2. คุณภาพเชิงกระบวนการอยู่ในระดับไม่ดี คุณภาพเชิงผลลัพธ์อยู่ในระดับไม่ดีเช่นกัน ได้แก่มาตรฐานที่ 2
- 3. คุณภาพเชิงกระบวนการอยู่ในระดับไม่ดี คุณภาพเชิงผลลัพธ์อยู่ในระดับดีมากได้แก่ มาตรฐานที่ 7 และ มาตรฐานที่ 10
- 4. คุณภาพเชิงกระบวนการอยู่ในระดับพอใช้ คุณภาพเชิงผลลัพธ์อยู่ในระดับดีถึงดีมาก ได้แก่มาตรฐานที่ 3 มาตรฐานที่ 9 และ มาตรฐานที่ 11
- 5. คุณภาพการพยาบาลเชิงกระบวนการอยู่ในระดับดี ถึงดีมาก คุณภาพเชิงผลลัพธ์อยู่ ในระดับพอใช้ได้แก่ มาตรฐานที่ 1 และ มาตรฐานที่ 4
  - 6. ความพึงพอใจของผู้คลอดต่อการบริการพยาบาล อยู่ในระดับน้อย

Thesis Title

Evaluation of Quality of Nursing Care for Normal Parturients in Nakornping Hospital

Chaing Mai Province

Author

Mrs. Pakaporn Kobpungton

M.N.S.

Nursing Administration

## Examining Committee:

Assist. Prof. Dr. Wipada Kunaviktikul Member
Assist. Prof. Dr. Sujitra Tiansawad Member
Assist. Prof. Dr. Prakin Suchaxaya Member
Assist. Prof. Dr. Chawapornpan Chanprasith Member

## Abstract

This study aimed to evaluate the quality of nursing care for normal parturients in Nakornping Hospital. Evaluation was made by using nursing process standard and outcome standard as measurement tools. The population of this study were nurses who worked in the delivery room and normal parturients. Samples of 30 parturients were selected by using a purposive sampling technique. The instruments used

in this study developed by the researcher, consisted of demographic data, observational data and medical record of the quality of nursing care (interrater reliability =1) and the satisfaction of the parturients interviewed (Cronbach's alpha coefficients = 0.93). Data were analyzed by using frequency distribution, percentage, the mean, standard deviation and range. The results were as follows:

- 1. The quality of nursing care, as measured by using the process standard, was at the good to the excellent level while the quality of nursing care, as measured by using the outcome standard was at the excellent level. This was for standards five, six and eight.
- 2. The quality of nursing care, for standard two, as measured by using the process standard, was at the poor level and the quality of nursing care, as measured by using the outcome standard, was also at the poor level.
- 3. The quality of nursing care, as measured by using the process standard, was at the poor level and the quality of nursing care, as measured by using the outcome standard, was at the excellent level, for standard seven and standard ten.
- 4. The quality of nursing care, as measured by using the process standard, was at the moderate level and the quality of nursing care, as measured by using the outcome standard, was at the good to the excellent level, for standards three, nine, and eleven.
- 5. The quality of nursing care, as measured by using the process standard, was at the good to the excellent level and the quality of nursing care, as measured by using the outcome standard, was at the moderate level for standard one and standard four.

6. The parturients satisfaction of the nursing services given were at the low level.

