

## เอกสารอ้างอิง

- กนกรัตน์ สุชะอุตตะ. (2537). ความเครียด- คลายเครียด. วารสารจิตวิทยาคลินิก, 25(1), 7-15.
- กองสถิติ กระทรวงสาธารณสุข. (2543). สถิติสาธารณสุข, พ.ศ.2541. กรุงเทพฯ: องค์การสงเคราะห์ทหารผ่านศึก.
- จริยา คันทิธรรม. (2536). รูปแบบการช่วยเหลือผู้ป่วยโรคกล้ามเนื้อหัวใจตายเฉียบพลันในการพัฒนาความสามารถในการดูแลตนเอง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- จันทร์ทิพย์ วงศ์วิวัฒน์. (2536). แรงสนับสนุนทางสังคม ความรู้สึกไม่แน่นอนในความเจ็บป่วย และการปรับตัวในผู้ป่วยภายหลังเกิดกล้ามเนื้อหัวใจตาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ฉัฐยา จิตประไพ. (2536). การฟื้นฟูสมรรถภาพหัวใจในโรคหลอดเลือดโคโรนารี. ในสมชาติ โสจา ยะ, บุญชอบ พงษ์พาณิชย์, และพันธุ์พิชญ์ สาครพันธ์ (บรรณาธิการ.), ตำราโรคหัวใจและหลอดเลือด (หน้า 1126-1135). กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.
- ชมรมฟื้นฟูหัวใจ สมาคมแพทย์โรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์. (2542). Cardiac rehabilitation guideline[Online]. Available: [http:// www.thaiheart.org/cares thai/rehabguide.htm](http://www.thaiheart.org/cares thai/rehabguide.htm) [1999, Dec 20].
- ช่อลดา พันธุเสนา. (2536). การพยาบาลจิตสังคมในผู้ป่วยภาวะวิกฤตตามแบบแผนสุขภาพ. กรุงเทพฯ: อมรินทร์พริ้นติ้งกรุ๊ป.
- ชูศักดิ์ เวชแพศย์. (2538). สรีรวิทยาของผู้สูงอายุ. กรุงเทพฯ: ศุภานิชการพิมพ์.
- ฐานา ธรรมคุณ. (2532). ความเครียดของพยาบาลในหออภิบาลผู้ป่วยหนักและหอผู้ป่วยทั่วไปอายุรกรรม ศัลยกรรม. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ดุจใจ ชัยวานิชศิริ. (2539). การฟื้นฟูผู้ป่วยโรคหัวใจ. ในเสก อักษรานุเคราะห์ (บรรณาธิการ.), ตำราเวชศาสตร์ฟื้นฟู เล่ม 2 (พิมพ์ครั้งที่ 3) (หน้า 865-899). กรุงเทพฯ : สมาคมเวชศาสตร์ฟื้นฟูแห่งประเทศไทย.

- เดือนฉาย ชยานนท์. (2538). การปฏิบัติตัวของผู้ป่วยหลังการเกิดกล้ามเนื้อหัวใจตาย. ในวิทยา ศรี  
 ดามา (บรรณาธิการ.), โรคมะเร็งศาสตร์ที่ต้องรักษาต่อเนื่อง (หน้า 8-19). กรุงเทพฯ: ยูนิ  
 ตีพับลิเคชั่น.
- ดำรง กิจกุล. (2527). การออกกำลังกาย. กรุงเทพฯ: เรือนแก้วการพิมพ์.
- นพรัตน์ ธนะชัยพันธ์. (2537). Coronary artery heart disease. ในเกษม วัฒนชัย และคณะ  
 (บรรณาธิการ.), ตำราโรคหัวใจทางคลินิก (หน้า 261-275). เชียงใหม่: โรงพิมพ์ป๋อง.
- นฤมล นุ่มพิจิตร, รัชญา จิตประไพ, วิศาล คันธรัตน์กุล, เพิ่มสุข เอื้ออารี และกนกกาญจน์ กอบ  
 กิจสูงมงคล. (2542). ผลของขบวนการเวชศาสตร์ฟื้นฟูสมรรถภาพหัวใจระยะที่ 2 และ  
 ปัจจัยที่มี ความสัมพันธ์ต่อบทบาทการออกกำลังกายในผู้ป่วยโรคหัวใจของโรงพยาบาล  
 รามาธิบดี. รามาธิบดีศาสตร์, 3(8), 20-28.
- ประคอง อินทรสมบัติ. (2529). ปฏิกริยาตอบสนองทางด้านจิตใจของผู้ป่วยมะเร็ง: บทบาทพยาบาล  
 ใน การช่วยเหลือ. วารสารพยาบาล, 35, 326-335.
- ปริศนา วรรณันท์. (2541). พฤติกรรมสุขภาพของผู้ป่วยโรคหลอดเลือดหัวใจตีบภายหลังการขยาย  
 หลอดเลือดหัวใจ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่,  
 บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- พัชรินทร์ สุตันตปฤดา. (2535). ความสัมพันธ์ระหว่างปัจจัยจากการปฏิบัติงานที่ก่อให้เกิด  
 ความเครียด ภาวะเครียดจากการปฏิบัติงาน และพฤติกรรมเผชิญความเครียดของ  
 พยาบาลในหออภิบาลผู้ป่วยหนักโรงพยาบาลมหาราชนครเชียงใหม่. วิทยานิพนธ์พยาบาล  
 ศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย  
 มหาวิทยาลัยเชียงใหม่.
- เพ็ญพิมล ชัมมรัคคิด. (2537). สรีรวิทยาของการออกกำลังกาย. ใน วิรุฬห์ เหล่าภัทรเกษม  
 (บรรณาธิการ.), กีฬาวissenschaft (พิมพ์ครั้งที่ 2) (หน้า 44-85). กรุงเทพฯ: พี บี ฟอเรนท  
 บุคส์เซนเตอร์.
- ฟาริดา อิบราฮิม. (บรรณาธิการ.). (2539). ผู้ป่วยอัมพาตครึ่งซีกและการดูแล. กรุงเทพฯ: สามเจริญ  
 พาณิชย์.
- ยศวีร์ สุขุมาลจันทร์. (2536). โรคกล้ามเนื้อหัวใจตายเฉียบพลัน. ในสมชาติ โลจายะ, บุญชอบ พงษ์  
 พาณิชย์, และพันธุ์พิชญ์ สาครพันธ์ (บรรณาธิการ.), ตำราโรคหัวใจและหลอดเลือด  
 (หน้า 302-323). กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.
- วิชัย ตันไพจิตร. (2537). ไขมันกับโรคหัวใจตีบตัน. ใน กมล สนิทวานนท์ และคณะ. (บรรณาธิการ.),  
 หัวใจของเรา. (พิมพ์ครั้งที่ 1) (หน้า 104-113). กรุงเทพฯ: อักษรสัมพันธ์.

- วิศาล คันทรัตน์กุล. (บรรณาธิการ.). (กันยายน, 2538). คู่มือการอบรม ครั้งที่ 1 เวชศาสตร์ฟื้นฟู  
ในผู้ป่วยโรคหัวใจ แนวทางการรักษาที่ควรรู้ ณ ห้องประชุมชั้น 5 อาคารศูนย์การ  
แพทย์ศิริกิติ์ โรงพยาบาลรามารชิบดี.
- ศรีสุดา เจริญวงศ์วิวัฒน์. (2538). การรับรู้สมรรถนะของตนเองและพฤติกรรมการดูแลตนเองของผู้  
ป่วยโรคกล้ามเนื้อหัวใจตาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาล  
ผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- สมชาติ โลจายะ, บุญชอบ พงษ์พาณิชย์, และพันธุ์พิชญ์ สาครพันธ์ (บรรณาธิการ.). (2536). ตำรา  
โรคหัวใจและหลอดเลือด. กรุงเทพฯ: คณะแพทยศาสตร์ศิริราชพยาบาล.
- สรณ บุญใบชัยพฤกษ์. (2541). คลื่นไฟฟ้าหัวใจในโรคหลอดเลือดหัวใจตีบตัน. *คลินิก*, 14(12),  
833-840.
- สิริสุดา ชาวคำเขต. (2541). การสนับสนุนทางสังคมของครอบครัวกับความเครียดของผู้สูงอายุ  
ที่กระดูกสะโพกหัก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่,  
บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สุนทรา เลียงเชวงวงศ์. (2541). ผลของการให้ความรู้ด้านสุขภาพและการส่งเสริมการรับรู้ความ  
สามารถของตนเองต่อแบบแผนการดำเนินชีวิตของผู้ป่วยโรคหลอดเลือดหัวใจ. วิทยา  
นิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณ  
ฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สุรพันธ์ สิทธิสุข. (2541). โรคหัวใจขาดเลือด. ใน *วิทยา ศรีดามา (บรรณาธิการ.)*, ตำราอายุศาสตร์  
เล่ม 2 (หน้า 174-197). กรุงเทพฯ: ยูนิตีพับลิเคชั่น.
- สุวนีย์ เกี้ยวกิ่งแก้ว. (2527). เอกสารคำสอนวิชาการพยาบาลจิตเวชชุมชน. ภาควิชาการพยาบาลจิต  
เวช คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- สุวนีย์ เกี้ยวกิ่งแก้ว. (2527). แนวคิดพื้นฐานทางการพยาบาลจิตเวช (พิมพ์ครั้งที่ 2). ภาควิชาการ  
พยาบาลจิตเวช คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- สังจา ทาโต. (2537). เปรียบเทียบผลการพยาบาลแบบเฝ้าดูและประทับประคอง การพยาบาลตาม  
กิจวัตร และการพยาบาลตามกิจวัตรร่วมกับการได้รับยาระงับปวดต่อระดับความเจ็บ  
ปวดในผู้ป่วยที่ได้รับการขูดมดลูกเนื่องจากการแท้งบุตร. วิทยานิพนธ์พยาบาลศาสตร  
มหาบัณฑิต สาขาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- หน่วยเวชระเบียนและสถิติ. (2540-2542). สถิติผู้ป่วยในอุตรดิตถ์. โรงพยาบาลอุตรดิตถ์.
- American Association of Cardiovascular and Pulmonary Rehabilitation. (1995). **Guideline for  
cardiac rehabilitation programs** (3<sup>rd</sup> ed.). Champaign: Human.

- American College of Sports Medicine. (1995). **Guidelines for Exercise testing and exercise prescription** (4<sup>th</sup> ed.). Philadelphia: Lea & Febig.
- American Heart Association. (1999). Cardiovascular disease statistic [Online]. Available: <http://www.americanheart.org/Heart and Stroke A Z Guide/cvds.html> [1999 Dec.20].
- Beland, I., & Passos, J.Y. (1981). **Clinical nursing: Pathophysiological and psychosocial Approaches** (3<sup>rd</sup> ed.). New York: Macmillan Publishing.
- Bennett, S.J. (1992). Perceived threats of individuals recovering from myocardial infarction. **Heart & Lung**, 21(4), 322-326.
- Brannon, F.J., Foley, M.W., Starr, J.A., & Black, M.G. (1993). **Cardiopulmonary rehabilitation: Basic theory and application** (2<sup>nd</sup> ed.). Philadelphia: F.A. Davis Company.
- Brubaker, P.H., Rejeski, W.J., Smith, M.J., Sevensky, K.H., Lamp, K.A., Sotile, W.M., & Miller, H.S.(2000). A home-base maintenance exercise program after center-base. **Journal of Cardiopulmonary Rehabilitation**, 20(1), 50-56.
- Byrne, A., & Byrne, D.G. (1993).The effect of exercise on depression, anxiety and other mood states: A review. **Journal of Psychosomatic Research**, 37(6), 565-574.
- Chin, P.A. (1998). Stress and coping. In P.A. Chin, D.Finocchiaro, & A. Rosebrough (Eds.), **Rehabilitation nursing practice** (pp. 149-161). New York: McGraw-Hill.
- Christman, N.J. et al. (1988). Uncertainty, coping and distress following myocardial infarction transition from hospital to home. **Research in Nursing & Health**, 11, 71-82.
- Clarke,M. (1984). Stress and coping: Constructs for nursing. **Journal of Advanced Nursing**, 9, 3-13.
- Cohen, S., Kessler, R.C., & Gordon,L.U (Eds.), (1995). **Measuring stress: A guide for haelth and social scientists**. New York: Oxford University.
- Collins, J. A., & Rice, V. H. (1997). Effect of relaxation intervention in phase II cardiac rehabilitation: Replication and extension. **Heart & Lung**, 26(1), 31-44.
- Conn, V.S., Taylor, S.G., & Casey, B. (1992). Cardiac rehabilitation program participation and outcomes after myocardial infarction. **Rehabilitation Nursing**, 17(2), 58-62.
- Corbin, C. & Lindsey, R. (1984). **The ultimate fitness book**. Illinois: Leisure press.

- Derdiarian, A.K. (1989). Effects of information on recently diagnosed cancer patient's satisfaction with care. **Cancer Nursing**, **12**(5), 285-292.
- Deyong, C., & Dickey, B. (1967). Support: It is meaning for psychiatric nurse. **Journal of Psychosocial Nursing and Mental Health Service**, **5**(1), 46-58.
- Dracup, K. (1994). **Meltzer's intensive coronary care: A manual for nurses** (5<sup>th</sup> ed.). Norwalk: Appleton & Lange.
- Farmer, J.A., & Gotto, A.M. (1997). Dyslipidemia and other risk factors for coronary artery disease. In E. Braunwald.(Ed.), **Heart disease a textbook of cardiovascular medicine** (5<sup>th</sup> ed.). (pp. 1126-1155). Philadelphia: W.B. Saunders.
- Flaker, G.C., & Singh, V.N.(1993). Prevention of myocardial infarction. **Post-Graduate Medicine**, **94** (6), 94-104.
- Fleury, J. (1992). Long-term management of the patient with stable angina. **Nursing Clinics of North America**, **27**, 205-230.
- Foreman, M.D. (1989). Cardiovascular disease a man health hazard. **Nursing Clinics of North America**, **21**(1), 65-73.
- Frain, M., & Valiga, T.M. (1979). The multiple dimensions of stress. **Topic in Clinical Nursing**, **1**(1), 43-52.
- Freeman, L.J., Nixon, P.G.F., Sallabank, P., & Reaveley, D. (1987). Psychological stress and silent myocardial ischemia. **American Heart Journal**, **114**(3), 477-482.
- Friedman, H.S., & DiMatteo, M.R. (1989). **Health psychology**. Englewood Cliffs: Prentice Hall.
- George, G. (1982). Exercise and coping with stress. **Topic in Clinical Nursing**, **7**, 13-18.
- Gohlke, H., & Gohlke, B.C. (1998). Cardiac rehabilitation. **European Heart Journal**, **19**(7), 1004-1010.
- Grundy, S.M., Pasternak, R., Greenland, P., Smith, S., Fuster, V. (1999). Assessment of cardiovascular risk by use of multiple risk factors assessment equations: A statement for healthcare professionals from the American Heart Association and the American College of Cardiology. **Circulation**, **100**, 1481-1492.
- Hlatky, M.A., Boineau, R.E., Higginbotham, M.B., Lee, K.L., Mark, D.B., Califf, R.M., Cobb, F.R., & Pryor, D.B. (1989). A brief self-administered questionnaire to determine functional capacity (The Duke Activity Status Index). **American Journal of**

- Cardiology**, 64, 651-654.
- Holmes, T.H., & Rahe, R.H. (1967). The social readjustment rating scale. **Journal of Psychosomatic Research**, 11, 213-218.
- Hopping, B. (1980). Physiological response to stress. **Nursing Forum**, 19(3), 258-269.
- Hughes, J. (1975). Isolation of an endogeneous compound from the brain with pharmacological properties similar to morphine. **Brain Research**, 88, 295.
- Hwu, Y.J. (1995). The impact of chronic illness on patients. **Rehabilitation Nursing**, 20(4), 221-225.
- Jensen, S. K. (1995). Pathophysiology of myocardial ischemia and infarction. In S. L. Wood, E.S.S. Froelicher, C.L. Halpenny, & S.U. Motzer (Eds.), **Cardiac nursing** (3<sup>rd</sup> ed) (pp.212-225). Philadelphia: I.B. Lippincott.
- Johnston, D.W. (1999). Lifestyle changes after a myocardial infarction. **Heart**, 82(5), 543-544..
- Kart, C.S., Metress, E.K., & Metress, S.P. (1992). **Human aging and chronic disease**. Boston: Jones and Bartlett.
- Kelly, J.M., & Monror, S.M. (1995). Measurement of stress appraisal. In S. Cohen, R.C. Kessler, & L.U. Gondon (Eds.), **Measuring stress: A guide for health and social scientists**. New York: Oxford University.
- King, K.B., & Jenkins, L.S.C. (1995). Consensus panel statement: Preventing heart attack and death in patients with coronary disease. **Cardiovascular Nursing**, 32(4), 25-28.
- King, K.M., & Teo, K.K. (1998). Cardiac rehabilitation referral and attendance: Not one and the same. **Rehabilitation Nursing**, 23(5), 246-250.
- Lambert, C.E., & Lambert, V.A. (1987). Psychosocial impacts created by chronic illness. **Nursing Clinics of North America**, 22(3), 527-533.
- Lavie, C. J., & Milani, R. V. (1999). Effects of cardiac rehabilitation and exercise training programs on coronary patients with high levels of hostility. **Mayo Clinic Proceedings**, 74, 959-966.
- Lauli, S., Lepisto, M., & Kappeli, S. (1997). Patient's needs in hospital: Nurse's and patient's views. **Journal of Advanced Nursing**, 25(2), 339-346.
- Lazalus, R.S., & Folkman, S. (1984). **Stress, appraisal, coping and adaptative outcome**. New York: Springer.

- LeMone, P., & Burk, K. (2000). **Medical-surgical nursing: Critical thinking in client care** (2<sup>nd</sup> ed.). New Jersey: Prentice- Hall.
- Linden, W., Stossel, C., & Maurice, J. (1996). Psychosocial interventions for patients with coronary artery disease. **Archives of Internal Medicine**, 156(8), 745-752.
- Luechenotte, A.G. (1996). **Gerontologic nursing**. St. Louis: Mosby Year Book.
- Lukkarinen, H.L., & Hentinen, M. (1998). Assessment of quality of life with the Nottingham Health Profile among woman with coronary artery disease. **Heart & Lung**, 27, 189-199.
- Maines, T.Y., Lavie, C.J., Milani, R.V., Cassidy, M.M., Gilliland, Y.E., & Murgu, J.P. (1997). Effect of cardiac rehabilitation and programs on exercise capacity, coronary factors, behavior, and quality of life in patients with coronary artery disease. **South of Medical Journal**, 90(1), 43-49.
- Maryor, S. (1994). Heartbeat. **Nursing Time**, 90(40), 18.
- May, K.A., & Mahlmeister, L.R. (1990). **Comprehensive maternity nursing: Nursing process and the childbearing family**. Philadelphia: J.B. Lippincott.
- McCaffery, M. (1979). **Nursing management of the patient with pain** (2<sup>nd</sup> ed.). Philadelphia: J.B. Lippincott.
- McCartney, N., McKelvie, R.S., Haslam, D.R., & Jones, N.L. (1991). Usefulness of weightlifting training in improving strength and maximal power output in coronary artery disease. **American Journal of Cardiology**, 67(1), 939-945.
- McCorkle, R. (1974). Effects of touch on seriously ill patient. **Nursing Research**, 23, 125-131.
- McNiven, P., Hodnett, E., & O'Brien-Pallas, L.L. (1992). Supporting women in labor: A work sampling study of the activities of labor and delivery nurses. **Birth**, 19(1), 3-8.
- Miller, N.H. (1991). Cardiac rehabilitation. In M.R. Kinney, D.R. Packa, K.G. Andreoli, & D.P. Zipes (Eds.), **Comprehensive cardiac care** (pp.447-458). St.Louis: Mosby Year Book.
- Mitchell, R., Muggli, M., & Sato, A. (1999). Cardiac rehabilitation: Participating in an exercise program in a quest to survive. **Rehabilitation Nursing**, 24(6), 236-239.
- Neufeld, R.W.T. (1983). **Psychological stress and psychopathology**. New York: McGraw-Hill.
- Nolan, M., & Nolan, J. (1998). Cardiac rehabilitation following myocardial infarction. **British**

- Journal of Nursing**, 7(4), 219-225.
- Oka, R. K., Burke, L. E., & Froelicher, E. S. S. (1995). Emotion responses and in patient education. In S.L.Wood, E.S.S. Froelicher, C.J. Halpenny, & S.U. Motzer (Eds.), **Cardiac nursing** (3<sup>rd</sup> ed) (pp.672-689). Philadelphia: J.B. Lippincott.
- Palsson, M.B., & Norberg, A. (1995). Breast cancer patients experience of nursing care with the focus on emotional support: The implementation of a nursing intervention. **Journal of Advanced Nursing**, 21(2), 277-285.
- Polit, D.F., & Hungler, B.P.(1999). **Nursing research principle and methods** (6<sup>th</sup> ed.). Philadelphia: Lippincott.
- Pollock, S.E. (1986). Human responses to chronic illness: Physiologic and psychosocial adaptation. **Nursing Research**, 35(2), 90-95.
- Rawl, S.M., Easton, K.L., Kwiatkowski, S., Zeman, D., & Burczyk, B. (1998). Effectiveness of a nurse-managed follow up program for rehabilitation patients after discharge. **Rehabilitation Nursing**, 23(4), 204-209.
- Robinson, J.G., & Leon, A.S. (1994). The prevention of cardiovascular disease emphasis on secondary prevention. **Medical Clinics of North America**, 78(1), 69-98.
- Rosebrough, A. (1998). Cardiac rehabilitation. In P.A. Chin, D. Finocchiaro, & A. Rosebrough (Eds.), **Rehabilitation nursing practice** (pp. 413-429). New York: McGraw-Hill.
- Selye, H. (1976). **The stress of life** (Rev. ed.). New York: McGraw-Hill.
- Smeltzer, S.C., & Bare, B.G.(1996). **Brunner and Suddarth textbook of medical-surgical nursing** (7<sup>th</sup> ed.). Philadelphia : J.B. Lippincott.
- Smith, N.F. (1991). In hospital symptoms of psychological stress as predictors of long-term outcome after acute myocardial infarction in men. **American Journal of Cardiology**, 67(3), 121-127.
- Starefor, N.R., & Prater, M. (1990). Stress response and physical illness. In A.W. Burgess. **Psychiatric nursing: In the hospital and the community**. (5<sup>th</sup> ed.). California: Appleton & Lange.
- Suter, P.M., Suter, W.N., Perkins, M.K., Bona, S.L., & Kendrick, P.A. (1996). Cardiac rehabilitation survey: Maintenance of lifestyle changes and perception of program value. **Rehabilitation Nursing**, 21(4). 192-195.

- Taylor, S.E. (1995). **Health psychology**. (3<sup>rd</sup> ed.). New York: McGraw-Hill.
- Thelan, L. A., Davie, J. K., Urden, L. D., & Lough, M. E. (1994). **Critical care nursing: Diagnosis and management**. (2<sup>nd</sup> ed.). St. Louis: Mosby Year Book.
- Thompson, D.R. (1995). Cardiac rehabilitation : How can it be improved. **Journal of Psychosomatic Research**, 39(5), 519-523.
- Turner, L., Linden, W., Wal, R.V.D., & Schamberger, W. (1995). Stress management for patients with heart disease: A pilot study. **Heart & Lung**, 24(2). 145-153.
- Turton, J. (1998). Importance of information following myocardial infarction : A study of the self-perceived information needs of patients and their spouse / partner compared with the perceptions of nursing staff. **Journal of Advanced Nursing**, 27,770-778.
- Vogt, A.R., Funk, M., & Remetz, M. (1994). Comparison of symptoms, functional ability, and health perception of elderly patients with coronary artery disease manage with three different treatment modalities. **Cardiovascular Nursing**, 30(5), 33-38.
- Webb, M.S., & Riffin, O.Z. (1994). A comparison of anxiety level of female and male patients with myocardial infarction. **Critical Care Nurse**, 14, 118-124.
- Wenger, N.K., & Hellerstein, H.K. (1992). **Rehabilitation of the coronary patient** (3rd ed.). New York: Churchill Livingstone.
- Wolf, Z.R. (1986). The caring concept and nursing identified caring behavior. **Topic in Clinical Nursing**, 8, 84-93.
- WHO. (1993). Cardiovascular disease risk factor: New area for research. **Geneva**, 23(27), 1-50.