

เอกสารอ้างอิง

- ชัยสิทธิ์ แสงทวีศิลป์. (2540). Common acyanotic congenital heart diseases in neonates. ใน วิไล รัตริสวัสดิ์และสุนทร อ้อเผ่าพันธุ์ (บรรณาธิการ). ปัญหาทารกแรกเกิด (พิมพ์ครั้งที่ 5). (หน้า 324-330). กรุงเทพฯ: บริษัทดีไซร์ จำกัด.
- นฤมล ชีระรังสีกุล .(2542). การพยาบาลทารกคลอดก่อนกำหนด. ชลบุรี : ภาควิชาการพยาบาลแม่ และเด็ก คณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา.
- ประพุทธ ศิริบุญย์และอรุพล บุญประกอบ.(2536). ทารกแรกเกิด (พิมพ์ครั้งที่ 2) กรุงเทพฯ: เรือนแก้วการพิมพ์.
- ประพุทธ ศิริบุญย์. (2540). คำจำกัดความและภาพรวมของปัญหา ในวันที่ วราวิทย์ ประพุทธ ศิริบุญย์และสุรางค์ เจียมจรรยา (บรรณาธิการ). ตำรากุมารเวชศาสตร์ (ฉบับเรียบเรียงใหม่ เล่ม 2) (หน้า 18-23). กรุงเทพฯ: โสฬสติก พับลิชชิ่ง.
- ปีพมา กาคำ. (2540). ผลการห่อตัวต่อการตอบสนองต่อความเจ็บปวดจากการเจาะส้นเท้าในทารกคลอดครบกำหนด .พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก , บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- พิมพ์ ศรีสุภาพ. (2540). การประเมินอายุครรภ์ของทารกแรกเกิด ใน มนตรี คูจินดา วินัย สุวดี อรุณ วงษ์จิราษฎร์ ประอร ชาลิตธำรง และพิภพ จิรปัญญา (บรรณาธิการ). กุมารเวชศาสตร์ เล่ม 1. (หน้า 271-280). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- มาลี เอื้ออำนาจ. (2540). การพยาบาลทารกที่ได้รับการรักษาโดยการส่องไฟ ในวรรณวิไล ชุ่มภิรมย์ และศรีมมา นิยมคำ (บรรณาธิการ). การปฏิบัติการพยาบาลกุมารเวชศาสตร์ 2 (หน้า 114 - 126). เชียงใหม่. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- รัชนี ผดุงวัย และคณะ. (2541). ศึกษาการเปลี่ยนแปลงของสัญญาณชีพและค่าความอิ่มตัวของออกซิเจนในเลือดแดง ในทารกแรกเกิดน้ำหนักตัวน้อย ขณะได้รับการทำความสะอาดร่างกาย. วารสารชมรมพยาบาลกุมารเวชแห่งประเทศไทย, 2, 56 - 63.
- วราภรณ์ แสงทวีสิน. (2540). Low birth weight infants ใน วิไล รัตริสวัสดิ์ สุนทร อ้อเผ่าพันธุ์ (บรรณาธิการ). ปัญหาทารกแรกเกิด (พิมพ์ครั้งที่ 5). 69 - 81. กรุงเทพฯ: บริษัทดีไซร์ จำกัด.

- วิฑูร โอสถานนท์ และสมพล พงศ์ไทย.(2536). ความเป็นมาและการพัฒนาการทางสูติกรรมในประเทศไทย. ในกำแหง จารุจินดา และคณะ (บรรณาธิการ.), *สูติศาสตร์รามธิบดี* (พิมพ์ครั้งที่ 3) (หน้า 1-12). กรุงเทพฯ : โอเอส พรินติ้งเฮาส์.
- สรายุทธ สุภาพรรณชาติ.(2540). ทารกแรกเกิดน้ำหนักน้อย ใน วันดี วราวิทย์ ประพุทธ ศิริปณีย์ และสุรางค์ เจียมจรยา (บรรณาธิการ.), *ตำรากุมารเวชศาสตร์* (ฉบับเรียบเรียงใหม่ เล่ม 2) (หน้า 18-23). กรุงเทพฯ : โฮลิสติก แพบลิชชิง.
- ถาวรอมจิต สุนทรภริมย์สุข. (2540). การพยาบาลทารกแรกเกิดที่มีน้ำหนักน้อย ใน คณาจารย์ วิทยาลัยสังกัดสถาบันพระบรมราชชนก โครงการสวัสดิการวิชาการ สถาบันพระบรมราชชนก กระทรวงสาธารณสุข การพยาบาลเด็ก. (หน้า 80-123). นนทบุรี: ยุทธรินทร์การพิมพ์ จำกัด.
- อังฉรา พิทักษ์ศิลป์. (2541), ผลของการบรรเทาปวดแบบไม่ใช้ยาต่อระดับความเจ็บปวด อัตราการเต้นของหัวใจและค่าความอิ่มตัวของออกซิเจนในทารกแรกเกิดที่ได้รับการเจาะเลือดบริเวณสะดือ. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลเด็ก , บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- Als, H. (1986). A synactive model of neonatal behavior organization : Framework for the assessment of neurobehavioral development in the premature infant and for support of infants and parents in the neonatal intensive care environment . *Physical & Occupational therapy in Pediatrics* , 6, 3-53.
- Appleton, S . M. (1997). Handle with care: An investigation of the handling received by preterm infants in intensive care. *Journal of Neonatal Nursing*, 5, 23 - 27.
- Ashwill, J.W., & Droske, S.C.(1997). *Nursing Care of Children : Principle and Practice*. Philadelphia : W.B.Saunders Company.
- Beischer, N.A., Mackay,E.V., & Colditz, P.(1997). *Obstetrics and the Newborn Nursing* (3rd ed). London : W.B. Saunders Company.
- Blackburn, S., & Bernard, K. (1985). Analysis of caregiving events relating to preterm infants in the special care unit. In A.Gottfried. & J.Gaiter. (Eds.), *Infant stress under intensive care*. Baltimore: University Park Press.
- Corrigan, A.M.,Pelletier, G., & Alexander, M.(2000). *Core Curriculum for intravenous Nursing* (2nd ed.). Philadelphia :Lippincott.

- Craff, D., & Denethy, A. (1990). **Nursing interventions for infants and children**. Philadelphia: W.B. Saunders.
- Crowfordd, D., & Morris, M. (1994). **Neonatal nursing**. London: Chapman & Hall.
- Daberkow-Carson, E., & Washington, R.L. (1998). Cardiovascular diseases and surgical interventions. In G.B. Merenstein, & S.L. Gardner, (Eds), **Handbook of Neonatal Intensive Care** (4th ed.). St. Louis : Mosby.
- Danford, D . A., Miske, S., Headley, J. & Nelson, R. M. (1983). Effect of routine care procedures on transcutaneous oxygen in neonates: A quantitative approach. **Archives of Disease in Childhood**, **58**, 20 - 23.
- Dodd, V. (1996). Gestational age assessment. **Neonatal Network**, **15** (1), 27-36.
- Duxbury, M.L, Henly, S.J., Broz, L.J., Armstrong G.D., & Wachdorf, C.M. (1984). Caregiver disruption and sleep of high – risk infants. **Heart Lung**, **(13)**, 141-147.
- Evans , J.C. (1994). Comparison of two NICU patterns of caregiving over 24 hours for preterm infants. **Neonatal Network**, **13**, 87.
- Gorrie, T. M., McKinney, E. S., & Murray, S. S. (1994). **Foundations of maternal newborn nursing**. Philadelphia : W. B. Saunders Company.
- Gottfried, A.W., Hodgman , J. E. & Brown, K.W. (1984). How intensive is newborn intensive care: An environmental analysis. **Pediatrics**, **74**(2), 292-294.
- Hack, M., Taylor, H.G., Klein, N., Eiben, R., Schatschneider, C., & Mercuri-Minich, N. (1994). School-age outcomes in children with birth weights under 750 g. **The New England Journal of Medicine**, **331**(12), 753-759.
- Harrison, L., Olivet, L., Cunningham, K., Bodin, M. B. & Hicks, C. (1996). Effect of gentle human touch on preterm infants: Pilot study results. **Neonatal Network**, **15**, 35 - 42.
- Haut, C., Peddicord, K. & O'Brien, E. (1994). Supporting parental bonding in the NICU: A care plan for nurses. **Neonatal Network** , **13**(8), 19 - 24.
- Horton, J. Walderstrom, U. & Bowman, E. Touch of low birth weight babies in neonatal intensive Care : Observations over a 24 hour period. **Journal Neonatal Nursing**, **4**, 24-28.
- Kendig, S., & Barron, M.L. (1996). Antenatal care and risk assessment strategies. In X.R. Simpson. & P.A. Creehan (Eds.), **Perinatal nursing**. (pp.73-108). Philadelphia Lippincott-Raven.

- Kliegman, R.M.(1996). The fetus and the neonatal infant. In R.E.Behrman,R.M. Kliegman , & Arvin A.M (Eds.), **Nelson textbook of pediatrics** (15th ed.) (pp. 431-511). Philadelphia : W.B.Saunders Company.
- Ladewig, P.A., London , M.L., & Olds, S.B.(1986). **Essentials of maternal newborn nursing**. California : Addison-Wesky Publishing Company.
- Levine, M.D., Carey, W.B., & Crocker, A.C. (1999). **Developmental – Behavioral pediatrics** (3rd ed.) Philadelphia : W.B Saunders.
- Lund, C.H. & Durand, D.J.(1998). Skin and skin care. In Merenstein, G.B. & Gardner, S.L. (Eds) **Handbook of Neonatal Intensive Care** (4th ed.). St. Louis : Mosby.
- Moore, M.L. (1981). **Newborn family and nurse** (2nd ed). Philadelphia : W.B.Saunders Company.
- Morris, M.(1994). Nursing care of babies who are born too soon or too small. In D.Crawford & M.Morris (Eds.), **Neonatal nursing** (pp. 61-80), London : Chapman & Hall.
- Murdoch, D.R. & Darlow, B. A. (1984). Handling during neonatal intensive care. **Archives of Disease in Childhood**, 59, 957 - 961.
- Norris, S., Campbell, L. & Brenkert, S. (1982). Nursing procedure and alterations in transcutaneous oxygen tension in premature infants. **Nursing Research**, 31(6), 330 - 336.
- Peters, K. L. (1992). Does routine nuring care complicate the physiologic status of the premature neonate with respiratory distress syndrome?. **Journal of Perinatal and Neonatal Nursing**, 6(2), 67 - 84.
- .(1999). Infant handling in the NICU: Does developmental care make a diffence ? an evaluative review of the literature. **Journal of Perinatal and Neonatal Nursing**, 13 (3), 88 - 109.
- Pillitteri, A. (1995). **Maternal and Child Health Nursing: Care of the Childbearing and Childbearing Family** (2nd ed.). Philadelphia: J.B. Lippincott.
- Pohlman, S. & Bearslee, C. (1987). Contacts experienced by neonates in intensive care environments. **Maternal-Child Nursing Journal**,16, 207 - 226.
- Polit, D.F. & Hungler, B.P. (1995). **Nursing research: Principles and method** (5th ed.) Philadelphia: J.B. Lippincott.

- Saigal, S., Syatmari, P., Rosenbaum, P., Campbell, D., & King, S. (1990). Intellectual and functional status at school entry of children who weighed 1,000 grams or less at birth : A regional perspective of births in the 1980s. *The Journal of pediatrics* , **16(3)**, 409-416.
- Sandra. L, Gardner, & Lulu O.L., (1998). The Neonate and the Environment : Impact on Development. In G.B. Merenstein. & S.L.Gardner. (Eds.), **Handbook of Neonatal Intensive Care** (4th ed.). St.Louis : Mosby.
- Symon, A. & Cunningham, S. Handling premature neonates : a study using time – lapse video. *Nursing Times*, **91**, 35-37.
- Veen, S., Ens-Dokkum, M.H., Schreuder, A.M., Verloove-Vanhorick, S.P., Brand, R., & Ruys, I.H. (1991). Impairments disabilities and handicaps of very preterm and ver-low-birth weight infants at five years of age. *The lancet*, **338(6)**, 33-36.
- Werner, N.P. & Conway, A.E. (1990). Caregiver contacts experienced by premature infants in the neonatal intensive care unit. *Maternal-Child Nursing Journal*, **19**, 21 - 43.
- Wolke, D. (1987). Environmental and developmental neonatology. *Journal of Reproductive and Infant Psychology*, **5**, 17 - 42.
- Wong, D. L. (1995). **Whaley & Wong's nursing care of infants and children**. (5th ed.) St. Louis: Mosby.
- Young, J. (1996). **Developmental care of the premature baby**. London: Bailliere Tindall.