

บรรณานุกรม

- จันจิรา บัญชาและธีรยศ วิจิตสุวรรณกุล. 2537. การศึกษาเอนไซม์ chitinase และ β (1-3) glucanase. การประชุมวิทยาศาสตร์เทคโนโลยีแห่งประเทศไทย โรงเรนคุตติ จำกัด จ.นี.ช.ส.งขด้า
- ชนิกานต์ คุ้มนก. 2539. สถาปัตยกรรมที่เหมาะสมในการผลิตเอนไซม์แอลฟ่าเมน โนซิเดสจากเชื้อราก AD-3S บนอาหารแข็ง. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาชีววิทยา มหาวิทยาลัยเชียงใหม่
- ชรินทร์ เดชะพันธุ์. 2542. การทำโปรตีนให้บริสุทธิ์ ภาควิชาเทคโนโลยีชีวภาพ คณะอุตสาหกรรมเกษตร มหาวิทยาลัยเชียงใหม่
- วี.ล. เศรษฐ์. 2539. ไคติน และไคโตชานสารน้ำหัวกระรภ. เทคนิค . 55 .113-117.
- Berry, L.R and Reynolds, D.M. 1958 . The chitinase system of a strain of *Streptomyces griseus*. *Biochem. Biophys. Acta* , 28 ; 533-543.
- Brurberg, M.B., Saunders, V.A., Gooday , G.W. and Humphrey, A.M. 1996. Chitinase activity from yeast and hyphal cells of *Candida albicans* . *Mycol.Res.* 100 ; 321-327.
- Brussignae, P. 1968. Chitosan, a natural polymer not well known by the industry. *Chim Ind Genic Chim.* 1247-1249.
- Casio, I.G., Fisher, R.A and Carroad, P.A. 1982. Bioconversion of shellfish chitin waste : waste pretreatment, enzyme production, process design and economic analysis. *J. Food. Sci.* 47; 901-905.
- Chang, M.M., Hovovitz, D., Culley, D. and Hadwiger, L.A.1995. Molecular Cloning and Characterization of a pea chitinase gene express to wounding, Fungal infection and the elicitor chitosan. *Plant Mol.Biol.* 28 ; 105-111.
- Daniel, R.M. 1996. The Upper limits of thermal stability. *Enz. Microb. Technol* , 19 ; 74-79.
- Esser, A.J.A., Jurgens, C.M.G.A and Nout, M.J.R. 1995. Contribution of select fungi to reduction of cyanogen levels during solid substrate fermentation of cassava. *Int. J. Food Microbiol*, 26 ; 251-257.

- Felse, P.A. and Panda, T. 2000. Production of microbial chitinase a revisit. *Bioprocess Engineering*, 23; 127-134.
- Ferrer, J., Paez, G. and Marmol, Z. 1996. Acid hydrolysis of shrimp-shell wastes and the production of single cell protein from the hydrolysate. *Elsevier*, 96 ; 57-60.
- Gildberg , A and Stenberg, E. 2001. A new process for advanced utilization of shrimp wastes. *Elevier*, 24 ; 131-135.
- Gisnaratna, K.R. and Balasubramanian, R.1994. Partial purification and properties of extracellular chitinase produced by *Aeromonium obclavatum*, an antagonist to the groundnut rust, *Puccinia arachidis*. *World J. of Microbial and Biotechno*, 10 ; 342-345.
- Gomori, G. 1995. Preparation of buffers for use in enzyme studies. *Method in Enzymol* , 13 ; 138-146.
- Haran, S., Schicleler, H., Oppennium, A. and Chet, I. 1995. New component of the chitinolytic of *Trichoderma hazianum*. *Mycol.Res*, 99 ; 41-45.
- Hiraga, K., Lee, S., Kitazawa, M., Takahashi, S., Shimada, M., Sato, R., Oda, K. 1997. Isolation and Characterization of chitinase from a flaske-chitin degrading marine bacterium, *Aeromonas hydrophilia* H-2330. *Biosci. Biotechnol. Biochem* , 61 ; 174-176.
- Hotl, J.G., Krieng, R.N., Sneath, P.H., Staley, T.J. and Willams, T.S. 1994. *Bergey's Manual Determinative Bacteriology* 9 th ed. The Williams and Wilkin CO., Maryland, U.S.A.
- Jackson, D.J. Saunders, V.A. Gooday, G.W. and Humphreys, A.M. 1996. Chitinase activity from yeast and hyphal cells of *Candida albicans*. *Mycol. Res*, 100 ; 321-327.
- Jeuniaux, C. 1996. Chitinase. *Method in Enzymol*, 8 ; 664-650.
- Kastanek, N., Sridhar, M., Suresh, K and Rao, LV.1999. High alcohol production by solid state fermentation from starch using thermo-tolerant *Saccharomyces cerevisiae*. *Bioprocess Eng*, 20 ; 561-563.
- Keuth, S. and Bisping, S. 1993. Formation of vitamins by pure cultures of tempe molds and bacteria during the tempeh solid substrate fermentation. *J. Appl. Bacteria*, 75 ; 427-434.
- Khoury, C., Minier, M., Van Huynh, N. and Goffic, F. 1997. Optimal dissolved oxygen concentration for production of chitinase by *Serratia marcescen*. *Biotechnol*, 11 ; 1143-1146.

- Krishnareni, S., Liang, G.H., Muthukrishnan, S. and Manickam, A.1999. Purification and partial characterization of chitinase from soyghum seeds. *Elsevier*, 144 ; 1-7.
- Kurita, K., Ishii, S., Tomita, K., and Shimoda, K.1994. Chitinase. *J. Polym Sci, Part A*, 1 ; 32-37.
- Larroche, C., Besson, I., and Gros, JB. 1999. High pyrazine production by *Bacillus subtilis* in solid state fermentation on ground soybeans. *Process Biochem*, 34 ; 667-674.
- Lorenz, T. and Gerald, R. 2000. Commercial potential for Haematococcus microalgae as a natural source of astaxanthin. *Elsevier*, 500 ; 160-167.
- Lowry, O.H., Rosenbough, N.J., Farr, A.L. and Rancall, R.J.1951. Protein measurement with the Folin-Phenol reagent. *J. Biol. Chem*, 193 ; 256-257.
- Matsumiya, M., Miyauchi, K. and Mochizuki, A.1998. Chitinolytic enzyme in squid. *In. Chen R.H. and Chen H.C. (Ed.), Advance in chitin science*, 3 ; 227-232.
- Miller, G.L. 1959. Use of dinitrosalicylic acid for estimation of reducing sugar. *Anal.Chem*, 31 ; 426-428.
- Moreal, J., Reese, ET. 1969. The chitinase of *Serratia marcesence*. *Can. J. Microbial* , 15 ; 689-696.
- Ofuya, C.O. and Obilor, S.N. 1994. The effect of solid state fermentation on the toxics components of cassava peel. *Process Biochem*, 29 ; 25-28.
- Ohishi, K., Yamagishi, M., Ohta, T. and Mina, T. 1996. Purification and properties of two chitinase from *Vibrio alginolyticus* H-8. *J. Ferment. Bioeng* , 82 ; 598-600.
- Ohtakara, A., Mitsutomi, M., Uchida, Y. 1958. Purification and some properties of chitinase from *Vibrio* sp. *J. Ferment. Technol* , 57 ; 169-173.
- Panda, A. 2001. New developments in solid state fermentation : I-bioprocess and products. *Elsevier*, 35 ; 1132-1139.
- Park, J.K., Morita, K., Fukumoto, I., Yamasaki, Y., Nakagawa, T., Kawamukai, M., Matsuda, H. 1997. Purification and characterization of the chitinase (chi A) from *Enterobacter* sp, G-1 . *Biosci. Biotech. Biochem* , 61 ; 684-689.
- Price, N.C. and Sterrens, L.1984. Fundamentals of Enzymology. Oxford Univesity Press, London, 15-43.
- Reid, J.D. and Ogrydziak, D.M.1981. Chitinase-overproducing mutant of *Serratia marcescens*. *Appl. Env. Microbiol*, 41 ; 664-669.

- Sakai, K., Uchiyama, T., Matahira, Y and Nanjo, F.1998. Immobilization of chitinolytic enzymes and continuous production of N-acetylglucosamine with the immobilized enzyme. *J. Ferment. Bioeng*, 14 ; 168-169.
- Shaikn, S.A. and Deshpande, M.V.1993. Chitinolytic enzymes : their contribution to basic and applied research. *World J. of Microbiol and Biotecho*, 9 ; 468-475.
- Stirling , J.L., Cook, G.A. and Pope, A.M.S.1979. Chitin. *Elsevier*, 15 ; 154-159.
- Stredansky, M and Conti, E.1999. Xanthan production by solid state fermentation . *Process Biochem*, 34 ; 581-587.
- Suresh, P.V. and Chandrasekaran, M. 1998. Utilization of prawn waste for chitinase production by marine fungus *Beauveria brassiana* by solid state fermentation . *World J. of Microb and Technol*, 14 ; 660-665.
- Takayanagi, T., Ajisaka, K., Takiguchi, Y., Shimahara, K. 1999. Isolation and characterization of the thermostable chitinase from *Bacillus licheniformis* X-7u. *Biochem. Biophys. Acta* , 1078 ; 404-410.
- Ulhoa , C.J. and Peberdy , J.F.1991. Purification and characterization of an extracellular chitobiase from *Trichoderma harzianum*. *Current Microb*, 23 ; 285-289.
- Wall , MB., Cameron, DC and Lightfoot , DN.1993. Biopulping process design and kinetics. *Biotechnol. Adv*, 11 ; 645-662.
- Wang , S.Y., Moyne , A.L., Thottapilly , G., Wu, ST., Locy ,R.D and Singh , N.K. 2001. Purification and characterization of a *Bacillus cereus* exochitinase. *Enzyme and Microbiol. Techno*, 28 ; 492-498.
- Wang , S.L., Yich , T.C. and Shih , I.L. 1999. Purification and characterization of new antifungal compounds produced by *Pseudomonas aeruginosa* K-187 in shrimp and crab shell powder medium. *Enzyme and Microb. Technol*, 25 ; 439-446.
- Watanabe, T., Yamada, T., Oyanagi, W., Suzuki, K., Tanaka, H. 1992 . Purification and some properties of chitinase B1 from *Bacillus circulans* WI-12 . *Biosci. Biotechnol. Biochem* 56 ; 682-683.
- Williams , S.T. and Robinson ,C.S.1981. The role of Streptomyces in decomposition of chitin in acidic soils. *J. Gen. Microbiol*, 127 ; 55-63.

- Yabuki, M., Mizwhima, T., Amatatsu, T., Ando, A., Fuji, T., Shimada, M., Yamashi, M. 1986. Purification and characterization of chitinase and chitobiase produced by *Aeromonas hydrophilia* subsp. *anaerogenes* A-52 . *J. Gen. Appl. Microbiol* , 32 ; 25-38.
- Yamaoka, H., Hayashi, H., Kimura, T., Sakka, K. 1996. Purification and some properties of a Chitinase from *Xanthomonas* sp. Strain AK. *J. Biosci. Bioeng*, 88 : 328-330.
- Yang, Y.K., Kim, S.O., Chung, H.S., Lee, Y.M. 2000. Use of *Collectotrichum graminicola* KA 001 to control barnyard grass. *Plant Dis* , 84 ; 55-59.
- Yyas, P and Deshpande, M . 1984 . Chitinase production by *Myrothecium verrucaria* and its significance for fungus mycelia degradation. *J. of. General and Applied Microb* , 35 ; 343-350.
- Zadrazil , F and Punia , AK. 1995. Studies on the effect of particle size on solid state fermentation of sugarcane bagasses into animal feed using white-rot fungi. *Biores. Technol*, 47 ; 85-87.