

เอกสารอ้างอิง

- โกมล ศิวะบวร, เขียวยุทธ พรพิมลเทพ และ สุวิทย์ ชุมนุมศิริวัฒน์. 2524. *การประปาเบื้องต้น*. ภาควิชาสุขาภิบาลวิศวกรรม คณะสาธารณสุขศาสตร์ มหาวิทยาลัยมหิดล, หน้า 63-79
- Agency for Toxic Substances and Disease Registry. 2004. Toxicological Profile Information, [Online]. Available: <http://www.atsdr.cdc.gov/toxprofiles/>
- Amy, G.L., 1993. Using NOM Characterization for the Evaluation of Treatment. Proceedings of the Natural Organic Matter (NOM) workshop. *J.AWWA*. (11):19-22
- AWWA. 1993. Characterization of Natural Organic Matter and its Relationship to Treatability, 1st ed., AWWARF and AWWA, USA.
- Callahan, J. et al. 2004. Distribution of Dissolved Organic matter in the Pearl River Estuary, China. *Marine Chemistry*. 4-14.
- Chadik, P.A., and Amy, G.L. 1983. Cationic Polyelectrolytes as Primary Coagulants for Removing Trihalomethane Precursors. *J.AWWA*. (10): 527-531.
- Chen, W., Westerhoff, P., Leenheer, J.A, and Booksh, K. 2003. Fluorescence Excitation-Emission Matrix Regional Integration to Quantify Spectra for Dissolved organic matter. *Environ. Sci. Tech.*, 37, 5701-5710
- Cheng, R.C., Krasner, S.W., Green, J.F. and Wattier, K.L. 1995. Enhanced Coagulation: a preliminary evaluation. *J.AWWA* : 91-103.
- Department of Environmental and Labour. Water Resources Management Division. 2000. Trihalomethanes Level in Public Water Supplies of Newfoundland and Labrador. Available: <http://www.hc-sc.gc.ca>
- Eaton A. 1995. Measuring UV-Absorbing Organic: A Standard Method. *J.AWWA*. (2): 86-90.
- Edzwald, J.K., Becker, W.C., and Wattier, K. 1985. Surrogate Parameters for Monitoring Organic Matter and THM Precursors. *J.AWWA*. (4):122-132
- Edzwald, J.K. 1993. Coagulation in Drinking Water Treatment: Particles, Organics, and Coagulants. *Wat. Sci.Tech.* 27(11): 21-35

- El-Shahat, M.F., Abdel-Halim, S.H., and Hassan, GA. 2001. Factors Influencing the Formation of Trihalomethanes in Drinking Water Treatment Plants. *Bull. Environ. Contam. Toxicol.* 67 : 549-553.
- Homklin S. 2004. Removal of Hydrophilic and Hydrophobic Dissolved Organic Matters in Natural Waters by Alum Coagulation. Thesis for Master of Science in Environmental Management.
- Hubel, E.R. and Edward K.J. 1987. Removing Trihalomethanes Precursor by Coagulation. *J.AWWA.* (6): 98-106.
- IARC. 1991. Monographs on the Evaluation of the Carcinogenic Risks of Chemicals to Humans: Chlorinated drinking-water; Chlorination By-product; Some other Halogenated Compounds; Cobalt and Cobalt Compounds. International Agency for Research on Cancer, Lyon.
- IPCS. 1994. Environmental Health Criteria 163: Chloroform. Geneva. Available : <http://www.inchem.org/documents/ehc/ehc/ehc163.htm>
- IPCS. 2000. Environmental Health Criteria 216: Disinfectants and Disinfectant By-Product. Available : <http://www.inchem.org/documents/ehc/ehc/ehc216.htm>
[Part Number:8](#)
- Janhom T. 2004. Reduction of Trihalomethane created from Six Fractions of Dissolved Organic Matters in Raw Water Supply by Alum Coagulation. Master thesis. Inter-Department Program in Environmental Management, Chularongkorn University.
- Jiarsirikul V. 2003. Relationshis between Trihalomethane Formation Potential and Natural Organic Matter Surrogates in Raw Water and Coagulated water of Shallow Wells near a closed Unsanitary Solid Waste Dumping Site. Master thesis. Inter-Department Program in Environmental Management, Chularongkorn University.
- Kavanaugh, M.C. 1978. Modified Coagulation for Improved Removal of Trihalomethane Precursors. *J.AWWA.* 70(11): 613-619.


- Komatsu, K., Nakajima, F., Furumai, H. & Miki, O. 2005. Characterization of Dissolved Organic Matter (DOM) Removed by Iron Coagulation using Spectrofluorimetry and Pyrolysis GC/MS Analysis. *J. Wat. Supply Res. Technol.-AQUA*. 54 (3), 157-163
- Leenheer, J.A., Noyes, T.I. and Steer, H.A. 1982. Determination of Polar Organic Solute in Oil-Shale Report Water. *Environ. Sci. Technol.* 16(10):714-723
- Leenheer, J.A. and Noyes, T.I. 1984. A Filtration and Column-Adsorption or System for Onsite Concentration and Fractionation of Organic Substances from Large Volume of Water. U.S. Geological Survey Water Supply Paper 2230, U.S. Govt. Printing Office Washington, D.C.
- Marhaba, T.F., Van, D. and Lippincott, R.E. 2000. Change in NOM Fractionation through Treatment: A Comparison of Ozonation and Chlorination. *Ozone science & Engineering*. 22: 249-266.
- Marhaba, T.F., and Pipada, N.S., 2000. Coagulation: Effectiveness in Removing Dissolved Organic Matter Fractions. *Environ. Eng. Sci.* 17(2): 107-115.
- Musigavong, C. 2002. Reduction of Trihalomethane Formation Potential in Reclaimed Water from Treated Industrial Estate Wastewater. Master thesis. Inter-Department Program in Environmental Management, Chulalongkorn University.
- Musigavong, C., Wattanachira, S., Marhaba, T.F., Pavasant, P., 2005. Reduction of organic matter and trihalomethane formation potential in reclaimed water from treated industrial estate wastewater by coagulation. *Journal of Hazardous Materials*.
- Muttamara, S., Sales, C.I. and Gazali, Z. 1995. The Formation of Trihalomethane from Chemical Disinfectants and Humic Substances in Drinking Water. *Water Supply*. 13 (2): 105-117.
- Office of the National Environment Board Thailand, Environmental Quality Standard Division, Laboratory and Research Section. Seminar on Trihalomethane in Drinking Water in Bangkok Metropolitan Area. July 10, 1984.

- Panyapinyopol B. 2004. Characterization Treatment and Removal of Trihalomethane Precursors in Bangkok Source Water. PH.D. Inter-Department Program in Environmental Management, Chulalongkorn University.
- Recknow, D.A., Bose, P., Bezbarua, B., Hesse, E.M. and McKnight, A.P. 1992. Transformations of Natural Organic Material During Preozonation. EPA Report. USEPA, Drinking Water Research Division, Cincinnati, Ohio.
- Reynolds, D.T. and Richards, A.P. Unit Operation and Process in Environmental Engineering. 2nd ed., U.S: PWS publishing Company, 1996.
- Rook, J.J. 1974. Formation of Haloforms During Chlorination of Natural Water. *Wtr. Trmt & Exam.* 23: 234.
- Sakornarun, S. 1987. A Comparative Study of Trihalomethanes Content in Water as a result of Pre-chlorination and Post-Chlorination. Master's Thesis, Faculty of Graduate Study, Mahidol University.
- Singer, P.C., 1993. Trihalomethanes and Other By-Products Formed by Chlorination of Drinking Water. *Keeping Pace with Science and Engineering*: 141-164.
- Stevens, A.A., Slocum, C.R., Seeger, D.R., and Robeck, G.G. 1976. Chlorination of Organics in Drinking Water. *J.AWWA.* 615-620.
- Summers, R.S., Hooper, S.M., Shukairy, H.M., Solarik, G. and Owen, D. 1996. Assessing DBP yield: uniform formation conditions. *J.AWWA.* 88:6:80
- Symon, J.M. et al. 1975. National Organics Reconnaissance Survey for Halogenated Organics. *J.AWWA.* 67(11):634.
- Thurman, E.M. 1985. Organic Geochemistry of Natural Waters. Marinus Nijhoff/Dr. W. Junk, Dordrecht. The Netherlands.
- Trussell, R.R., and Umphres, M.D. 1978. The Formation of Trihalomethanes. *J.AWWA.* 70(11): 604-611.
- USEPA. 1998. National Primary Drinking Water Regulation: Disinfectants And Disinfection Byproducts (D/DBP), Final Rule. Fed. Register. 63: 69389-69476.
- USEPA. 1999. Enhanced Coagulation and Enhanced Precipitative Softening Guidance Manual. Available : www.epa.gov/safewater/mdbp/coaguide.pdf

USEPA. 2001. Controlling Disinfection By-Products and Microbial Contaminants in Drinking Water. Available: www.epa.gov/ORD/NRMRL/Pubs/600R01110/600r01110.pdf

Wattanachira S., Musikavong, C., Permsuk, O., and Pavasant, P. 2004. Removal of Surrogates for Natural Organic Matter and the Probability of finding Trihalomethanes in the Produced Water Supply from Small Waterworks in Chiang Mai, Thailand. *Songklanakarinn J.Sci. Technol.*, 26(Suppl.-1) : 25-35

Zepp, R.G., Sheldon, W.M. & Moran, M.A 2004. Dissolved Organic Fluorophores in Southeastern US Coastal Water: Correlation Methods for Eliminating Rayleigh and Raman scattering peak in Excitation-Emission Matrices. *Marine Geochem.* 89, 15-36



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved