

เอกสารอ้างอิง

เอกสารอ้างอิงที่มีเครื่องหมายดอกจัน (*) หมายถึงเอกสารหรืองานวิจัยที่ใช้ในการทบทวนงานวิจัย
อย่างเป็นระบบ

กระทรวงสาธารณสุข. (2544). *สถิติกรมอนามัยกระทรวงสาธารณสุข*. กรุงเทพฯ: สำนักนโยบาย
และแผนสาธารณสุข.

เกสรฯ ศรีพิชญากาญ. (2543). *การพยาบาลหญิงที่มีการเจ็บครรภ์คลอดก่อนกำหนด*. เชียงใหม่:
ภาควิชาการพยาบาลสูติศาสตร์และนรีเวชวิทยา คณะพยาบาลศาสตร์ มหาวิทยาลัย
เชียงใหม่.

จตุพล ศรีสมบุรณ์, และชเนนทร์ วนาภิรักษ์. (2537). การเจ็บครรภ์คลอดก่อนกำหนด. ใน *ซีระพร
วุฒวนิช, ซีระ ทองสง, และจตุพล ศรีสมบุรณ์ (บรรณาธิการ), ตำราสูติศาสตร์ เล่มที่ 1*
(หน้า 122-128). เชียงใหม่: โครงการตำรา คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

จริยา เลิศอรชรมณี, ประดิษฐ์ สมประกิจ, และอุบลรัตน์ สันตวัตร. (2545). *งานวิจัยทางคลินิก*.
กรุงเทพฯ: งานตำราวารสารและสิ่งพิมพ์ คณะแพทยศาสตร์ศิริราชพยาบาล มหาวิทยาลัย
มหิดล.

จีรเนาว์ ทศศรี. (2545). *การพยาบาลมารดาคลอดก่อนกำหนด*. สงขลา: ชานเมืองการพิมพ์.

ทศมา โรจนประดิษฐ์. (2541). *ผลการสนับสนุนและให้ข้อมูลต่อความวิตกกังวลและความพึงพอ
ใจในการพยาบาลหญิงเจ็บครรภ์คลอดก่อนกำหนด*. วิทยานิพนธ์พยาบาลศาสตรมหา
บัณฑิต สาขาวิชาการพยาบาลมารดาและทารก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

ธีรพร วุฒวนิช, นิमित มรกต, และกิตติกา กาญจนรัตน์นกร. (2542). *วิจัยทางการแพทย์*. เชียงใหม่:
โครงการตำราคณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

บุญใจ ศรีสถิตยัณรากร. (2544). *ระเบียบวิจัยทางพยาบาลศาสตร์*. กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย

พาณี จารุพันธ์. (2541). *การพยาบาลสูติศาสตร์*. กรุงเทพฯ: สถาบันพัฒนากำลังคนด้านสาธารณสุข.

ภิสก ลุมพิกานนท์, และ โนมพิลาศ จงสมชัย. (2545). *สูติศาสตร์และนรีเวชวิทยาสำหรับ*

แพทย์เวชศาสตร์ครอบครัว. ขอนแก่น: ภาควิชาสูติศาสตร์และนรีเวชวิทยา
คณะแพทยศาสตร์, มหาวิทยาลัยขอนแก่น.

วิจิตร ศรีสุพรรณ. (2545). *การวิจัยทางการแพทย์: หลักการและแนวทางปฏิบัติ*. เชียงใหม่:

คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

- วิฑูร โอสถานนท์, และกำแหง จตุรจินดา. (2541). การวิจัยอนามัยการเจริญพันธุ์. ใน ธรรมนูญ
กรมประวัตติ, ไกรสิทธิ์ ดันติศิรินทร์, และเขาวรัตน์ ปรปักษ์ขาม (บรรณาธิการ),
แผนกลยุทธ์การวิจัยสุขภาพ (หน้า 30-48). กรุงเทพฯ: พี.เอ.ลิฟวิ่ง.
- วิทยา คิฐพันธ์, และวิบูลพรรณ จิตคิดก. (บรรณาธิการ). (2544). *เวชศาสตร์มารดาและทารกใน
ครรภ์*. กรุงเทพฯ: ภาควิชาสูติศาสตร์และนรีเวชวิทยา คณะแพทยศาสตร์ มหาวิทยาลัย
มหิดล.
- วินิต พัวประดิษฐ์, และสมพล พงศ์ไทย. (2544). การใช้เกณฑ์เสี่ยงในการบริการอนามัยแม่และเด็ก.
ใน มาณี ปิยะอนันต์, ชาญชัย วันทนาศิริ, และสิงห์เพ็ชร สุขสมปอง (บรรณาธิการ),
สูติศาสตร์ร่วมสมัย (หน้า 1-22). กรุงเทพฯ: พี. เอ. ลิฟวิ่ง.
- วิสุทธิ สุวิทยะศิริ, มานิต ศรีประโมทย์, และปราโมทย์ เชิดรัตน์รักษ์. (2546). ความสัมพันธ์ของการ
ฝากครรภ์ไม่ดีกับการเกิดทารกแรกเกิดน้ำหนักน้อยและการคลอดก่อนกำหนด.
วารสาร, 47(1), 9-16.
- สมเกียรติ โภธิศักดิ์, รัตนา พันธุ์พานิช, และโยชิ ทองเป็นใหญ่. (2545). *คู่มือการทบทวนอย่างเป็น
ระบบ (systematic reviews)*. นนทบุรี: สำนักพัฒนาวิชาการแพทย์ กรมการแพทย์
กระทรวงสาธารณสุข.
- ส่วนอนามัยแม่และเด็ก สำนักส่งเสริมสุขภาพ กรมอนามัย กระทรวงสาธารณสุข. (2544).
สถานการณ์ภาวะสุขภาพของมารดาและทารกปริกำเนิด ปี 2540-2544. Retrieved
February 18, 2004. from www.anamai.moph.go.th/hp/download_health.pdf.
- สิงห์เพ็ชร สุขสมปอง. (2544). การเจ็บครรภ์และการคลอดก่อนกำหนด. ใน มาณี ปิยะอนันต์,
ชาญชัย วันทนาศิริ, และสิงห์เพ็ชร สุขสมปอง (บรรณาธิการ), *สูติศาสตร์ร่วมสมัย*.
(หน้า 345-356). กรุงเทพฯ: พี. เอ. ลิฟวิ่ง.
- สำนักพัฒนาระบบบริการสุขภาพ กระทรวงสาธารณสุข. (2546). *นโยบายและแนวทางการบริหาร
นโยบายด้านการจัดสรรงบประมาณหลักประกันสุขภาพปี 2546*. สำนักพัฒนาระบบ
บริการสุขภาพ. กรุงเทพฯ: กระทรวงสาธารณสุข.
- ตั้งวาลย์ รัชย์เฝ้า. (2539). ระเบียบวิธีวิจัยและสถิติในการวิจัยทางคลินิก (Methadology and
statistics) เชียงใหม่: โครงการตำราคณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

- *สุวรรณ ชาติพิพัฒน์. (2538). ผลของการพยาบาลระบบสนับสนุนและให้ความรู้ต่อความสามารถในการดูแลตนเองและผลลัพธ์ของการตั้งครรภ์ในสตรีตั้งครรภ์วัยรุ่น. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลมารดาและทารก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- Aerts, M., & Iams, J. (1999). Prevention of spontaneous preterm birth. *Contemporary Obstetrics and Gynecology*, 144, 128-136.
- American College of Obstetricians and Gynecologists. (2001). Assessment of risk factors for preterm birth. ACOG Practice Bulletin No 31. *Obstetrics and Gynecology*, 98, 709-716.
- Amon, E. (2000). Premature labor. In H. N. Winns, & J. C. Hobbins, (Eds.), *Clinical maternal-fetal medicine* (pp. 13-33). New York: The Parthenon Publishing Group.
- Antman, E. M., Lau, J., Kupelnick, B., Mosteller, F., & Chalmer, T. C. (1992). A comparison of result of meta analysis and randomized controlled trials and recommendation 2. *Journal of American Medicine Association*, 268, 240-248.
- Auerbach, S. M., & Gramling, S. E. (1998). *Stress management*. New Jersey: Simon & Schuster.
- *Boehm, F. H., Glass, C. G., & Red, G. W. (1996). Prevention of preterm birth: Role of daily telephone contact. *The Journal of Reproductive Medicine*, 41, 595-601.
- Brown, M. A. (1986). Social support, stress and health: A comparison of expectant mothers and father. *Nursing Research*, 35(2), 72-76.
- *Bryce, R. L., Stanley, F. J., & Garner, J. B. (1991). Randomized controlled trial of antenatal social support to prevention preterm birth. *American Journal of Obstetrics and Gynecology*, 98, 1001-1008.
- Burns, N., & Grove, S. K. (1999). *Understanding nursing research* (2nd ed.). Philadelphia: W.B. Saunders.
- Bullock, L. F., Browning, C., & Geden, E. (2002). Telephone social support for low-income pregnant women. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 31, 658-664
- Centre for Reviews and Dissemination, University of York. (2004) *Undertaking Systematic Reviews of Research on Effectiveness*. Retrieved August 30, 2004 from <http://www.york.ac.uk/inst/crd/report4.htm>

- Clarke, M., & Oxman, A. D., (Eds.). (2003). *Cochrane reviewers' handbook 4.1.6*. Retrieved January 31, 2003 from <http://www.cochrane.org/cochrane/hbook.htm>
- Cohen, J. L., & Wuerker, A. (2002). *Effect of an intervention program to decrease distress in pregnancy Latina women at risk for preterm birth*. Retrieved February 4, 2003 from ProQuest Digital Dissertations database.
- *Collaborative Group on Preterm Birth Prevention. (1993). Multicenter randomized, controlled trial of a preterm birth prevention. *American Journal of Obstetrics and Gynecology*, 169, 352-366.
- Colombo, D. F., & Iams, J. D. (2000). Preterm birth. In S. B. Ransom (Ed.), *Practice Strategies in obstetrics and Gynecology* (pp. 344-352). Philadelphia: W. B. Saunders.
- Cook, D. J., Mulrow, C. D., & Haynes, R. B. (1997). Systematic review: Synthesis of best evidence for clinical decision. *Annual International Medicine*, 126, 376-380.
- Convington, D. L., Carl, J., Daley, J. G., Cushinh, D., & Churchill, M. P. (1988). Effect of The North Carolina prematurity prevention program among public patient delivery at New Hanover Memorial Hospital. *Public Health Briefs*, 78, 1493-1495.
- Copper, A. (1996). The preterm prediction study: Maternal stress is associated with at less than thirty-five week gestation. *American Journal of Obstetrics and Gynecology*, 175, 1286-1292.
- Copper, R.L., Goldenberg, R. L., & Creasy, R. K. (1993). A multicenter study of preterm birth weight and gestational age-specific neonatal mortality. *American Journal of Obstetrics and Gynecology*, 168, 78-84.
- Creasy, R. K., Gummer, B. A., & Liggins G.C, (1980). System for predicting spontaneous preterm birth. *Obstetrics and Gynecology*, 55, 692-5.
- Crowther C. A., & Moore, V. (2003). *Magnesium for preventing preterm birth after threatened preterm labour. (Cochrane Review)*. In: *The Cochrane Library, Issue 2001*. Retrieved June 28, 2003 from <http://www.cochrane.org/cochrane/revabstr/>
- Cumbie, K. (1998). *Stress hormone levels predict length of gestational in human pregnancy*. Retrieved February 14, 2003 from <http://www.mc.uky.edu/mcpr/news/1998/oct/gestation.htm>

- Cunningham, F. G., Gant, N. F., Leveno, K. J., Gilsstrap, L. C., Hauth, J. C., & Wenstrom, K. D. (2001). *Williams obstetrics*. New York: McGraw-Hill.
- Dahlberg, N. L.(1987). A perinatal center based antepartum home care program. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 18*, 31-34.
- Department of Reproductive Health and Research, Family and Community Health, World Health Organization. (2003). *Managing complications in pregnancy and childbirth: A guide for midwives and doctor*. Geneva: World Health Organization.
- Eganhouse, D. J. (1993). A nursing model for a community hospital preterm birth prevention program. *Journal of Obstetric, Gynecologic, & Neonatal Nursing 23*, 756-766.
- Evans, M. A., (1991). *The effect of stress management on the recurrence delivery (relaxation, low birth weight)*. Retrieved February 10, 2003 from Dissertation Abstracts Online database.
- Evidence-Based Medicine Working Group. (1992). Evidence-based medicine. *Journal of American Medicine Association, 268*, 240-245.
- Federick, J., & Anderson, B. M. (1976). Factors associate with spontaneous preterm-birth. *British Journal of Obstetrics and Gynecology, 83*, 342-350.
- Freda, M. C. (2003). Nursing's contribution to the literature on preterm labor and birth. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 32*, 659-667.
- Follmann, D. A., & Schron, E. B. (2001). Essentials of randomized clinical trials: Review. *Journal of pacing and clinical electrophysiology, 24*, 254-259.
- Fuchs, A. R., Fuchs, F., & Stubblefield, P. G. (1993). *Preterm birth causes, prevention, and management*. New York: McGraw-hill.
- Gilbert, E. S., & Harmon, J. S. (1998). *High risk pregnancy delivery* (2nd ed.). St. Louis: Mosby.
- Gilbert, W. M., Nesbitt, T. S., & Danielsen, B. (2003). The cost of prematurity: quantification by gestational age and birth weight. *Obstetrics and Gynecology, 102*, 488-491.
- *Goldenberg, R. L., Davis, R. O., Copper, R. L., Corliss, D. K., Andrews, J. B., & Carpenter, A. H.(1990). The Alabama preterm birth prevention project. *Obstetrics and Gynecology, 75*, 933-939.

- Goldenberg, R. L., & Rouse, D. J. (1998). Review article: Prevention of premature birth. *New England Journal of Medicine*, 339, 313-320.
- Goujon, B., Papiernik, E., & Maine, D. (1984). The prevention of preterm delivery through prenatal care: An intervention study in Martinique. *International Journal of Gynecology and Obstetric*, 22, 339-343.
- Gupton, A., Heaman, M., & Ashcroft, T. (1997). Bed rest from the perspective of the high-risk pregnancy women. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 26, 423-430.
- Hayashi, R. H., & Mozurkewich, E. L. (2000). How to diagnose preterm labor a clinical dilemma. *Clinical Obstetrics and Gynecology*, 43, 768-775.
- Heaman, M. (2002). Psychosocial impact of high-risk pregnancy hospital and home care. In W. C. Hill, (Ed.), *Ambulatory Obstetrics* (pp.194-211). Philadelphia: Lippincott Williams & Wilkins.
- Heaman, M., & Gupton, A. (1998). Perceptions of bed rest by women with high-risk pregnancies: A comparison between home and hospital. *Birth*, 25, 252-258.
- *Heins, H. C., Nance, N. W., Mccarthy, B. J., & Efird, C. M. (1990). A randomized trial of nurse-midwifery prenatal care to reduce low birth weight. *Obstetrics and Gynecology*, 78, 341-345.
- Heuston, W. J., Knox, M. A., Eilers, G., Pauwels, J., & Lonsdorf, D. (1995). The effectiveness of pretrem birth prevention educational programs for high-risk women: A me-ta analysis. *Obstetrics and Gynecology*, 86, 705-712.
- *Hobel, C. J. Ross, M. G., Bemis, R. L., Bragonier, J. R., Nessim, S., Sandhu, M., et al. (1993). The West Los Angeles preterm birth prevention project: I. Program impact on high-risk women. *American Journal of Obstetrics and Gynecology*, 170, 54-62.
- Holbrook, R. H., Laros, R. K., & Creasy, R. K. (1990). Evaluation of risk-scoring system for prediction of preterm labor. *American Journal of Perinatology*, 6, 62-68.
- House, J. S. (1981). *Work stress and social support*. New Jersey: Prentice-Hall.

- *Ickovic, J. R., Kershaw, T. S., Rising, S. S., Klima, C., Reynold, H., & Magriples, U. (2003).
Group prenatal care and preterm birth weight: Result from a matched cohort study at public clinics. *Obstetrics & Gynecology*, *102*, 1051-1056.
- *Janke, J. (1999). The effect of relaxation therapy on preterm labour outcome. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, *28*, 255-263.
- Julie, A.G., Ruth, P., Denise, J. J., Laura, S., Melissa, M. A., & Angali, D. D., et al. (2002).
Hospitalization during pregnancy among managed case enrolles. *Obstetrics and Gynecology*, *100*, 94-100.
- Kelly, A., Kevany, J., Onis, M. D., & Shah, P. M. (1996). A WHO collaborative study of maternal anthropometry and pregnancy outcome. *International of Obstetrics and Gynecology*, *53*, 219-233.
- Kemp, V. H., & Page, C. K. (1986). The psychosocial impact of a high-risk pregnancy on the family. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, *25*(3), 232-237.
- King, T. (1994). Clinical management of premature rupture of membrane. *Journal of Nurse-Midwifery*, *39*(2), 81s-88s.
- *Kitzman, H., Olds, D., Henderson, C. R., Hanks, J. C., Cole, R., Talelbaum, R., et al. (1997).
Effect of prenatal and infancy home visitation by nurse on pregnancy outcomes, childhood injuries, and repeated childbearing: A randomized controlled trial. *Journal of American Medicine Association*, *278*, 644-652.
- Khan, S. K., Riet, G. T., Popay, J., Nixon, J., & Kleijnen, J. (2001). *Study quality assessment: NHS center for review and dissemination*. Retrieved November 20, 2004 from <http://www.York.ac.uk/inst/crd/search.htm>
- Kliengman, R. M., Rottman, C. J., & Behrman, R. E. (1990). Strategies for the prevention of low birth weight. *American Journal of Obstetrics and Gynecology*, *162*, 1073-1081.
- Lazarus, R. S., (1966). *Psychological stress and the coping process*. New York: Mc Graw – Hill.
- Lettieri, L., Vintzileos, A. M., Rodis, J. F., Albin, S. M., & Salafia, C. M. (1993). Does “idiopathic” preterm labor resulting in preterm birth exist. *American Journal of Obstetrics and Gynecology*, *168*, 1480-1485.

- Libbus, M. K., & Walker, G. M. (1990). *The effect of adequacy and content of prenatal care on birth outcomes in a high-risk Missouri population*. Retrieved February 10, 2003 from Dissertation Abstracts Online database.
- Lippman, A., Houle, E., & Ledler, P. (1992). The role of telephone in providing prenatal care. *American Journal of Preventive Medicine*, 8, 373-380.
- Lobel, M. (2001). *Stress coping and their effect on health*. Retrieved February 20, 2003 from <http://www.Psychology.sunysb.edu/mlobel/>
- Lockwood, C. J. (1999). Stress-associated preterm delivery: The role of corticotropin-releasing hormone. *American Journal of Obstetrics and Gynecology*, 180, 264-266.
- Lockwood, C. J. (2002). Predicting premature delivery, no easy task. *New England Journal of Medicine* 346, 282-284.
- Loos, C., & Julius, L. (1989). The client's view of hospitalization during pregnancy. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 18(1), 52-56.
- McCain, G., & Deatrick, J. (1994). The experience of high-risk pregnancy. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 23, 421-427.
- *Main, D. M., Gabbe, S. G., Richardson, D., & Strong, S. (1985). Can preterm deliveries be prevented? *American Journal of Obstetrics and Gynecology*, 15, 892-898.
- *Main, D. M., Richardson, D. K., Hadley, C. B., & Gabbe, S. (1989). Controlled trial of a preterm labor detection program: Efficacy and costs. *Obstetrics and Gynecology*, 74, 873-877.
- Maloni, J.A., & Kutil, C. E. (2000). Physical and psychosocial side effects of antepartum hospital: A review of literature. *Image: Journal of Nursing Scholarship*, 23, 187-192.
- Maloni, J. A., Chance, B., Zhang, C., Cohen, A. W., Betts, D., & Gange, S. J. (1993). Physical and psychosocial side effects of antepartum hospital bed rest. *Nursing Research*, 42, 197-203.
- *Mamelle, N., Segueilla, M., Munoz, F., & Berland, M. (1997). Prevention of preterm birth in patients with symptoms of preterm labor the benefits of psychologic support. *American Journal of Obstetrics and Gynecology*, 177, 947-952.

- Meis, P.J., Michielutte, R., Peters, T. J., Wells, H. B., Sands R. E., Coles, E. C., et al. (1995a). Factors associated with preterm birth in Cardiff Wales, I. univariable and spontaneous preterm birth. *American Journal of Obstetrics and Gynecology*, 173, 590-596.
- Meis, P.J., Michielutte, R., Peters, T. J., Wells, H. B., Sands R. E., Coles, E. C., et al (1995b). Factors associated with preterm birth in Cardiff Wales, II. indicated and spontaneous preterm birth. *American Journal of Obstetrics and Gynecology*, 173, 597-602.
- Mercer, R. T., & Ferketich, S. L. (1988). Stress and social support as predictor of anxiety and depression during pregnancy. *Advance in Nursing Science*, 25(2), 26-39.
- Moizeau, C. E. (2003). The problem of preterm birth: Effective primary prevention. *Primary Care Update for Obstetrics and Gynecology*, 10(1), 33-39 Retrieved February 2, 2003 from Science Direct database.
- *Moore, M. L., Meis, P. J., Ernest, J. M., Wells, H. B., Zaccara, D. J., & Terrell, T. (1998). A randomized trial of nurses intervention to reduce preterm and low birth weight birth. *Obstetrics and Gynecology*, 91, 656-661.
- Moss, N. E., & Reagan, P. A. (1990). *The effect of stress management on the recurrence of preterm delivery*. Retrieved January 8, 2003 from Dissertation Abstracts Online database.
- *Mueller-Heubach, E., Reddick, D., Barnett, B., & Bente R. (1989). Preterm birth prevention: Evaluation of a prospective controlled randomized trial. *American Journal of Obstetrics And Gynecology*, 160, 1172-1177.
- Murphy, P. A. (1993). Preterm birth prevention programs: A critique of current literature. *Journal of Nurse-Midwifery*, 38, 324-334.
- Nanda, K., Cook, L. A., & Grimes, D. A. (2003). *Tertaline pumps maintain therapy after threatened preterm labor for preventing preterm birth*. Retrieved April 22, 2003 from <http://www.cochrane.org/cochrane/>.
- Nicholson, W. K., Frick, K. D., & Powe N. R. (2000). Economic burden of hospitalization for preterm labor in the United State. *Obstetrics and Gynecology*, 96, 95-101.

- Nwaessei, et al. (1987). Preterm birth at 23 to 26 weeks gestation: Is active obstetric management justified? *American Journal of Obstetrics and Gynecology*, 157, 890.
- *Olds, D. L., Henderson, C. R., Tatelbaum, R., & Chamberlin, R. (1986). Improving the delivery of prenatal care and outcome of pregnancy: A randomized trail of nurse home visitation. *Pediatrics*, 77, 16-28.
- *Omer, H. Friedlander, D., & Palti, Z. (1986). Hypnotic relaxation in the treatment of premature labor. *Psychosomatic Medicine*, 48, 351-361.
- Orlando P. S. (2001). *Prevention of low birth weight/preterm birth*. Retrieved May, 14, 2004, from http://www.ctfphc.org/Full_Text/Ch04full.htm
- Oxford Centre for Evidence-based Medicine Levels of Evidence. (2001). *Levels of evidence and grades of recommendation*. Retrieved August 30, 2004 from http://www.cebm.net/levels_of_evidence.asp#levels.
- Paarlberg, K. M., Paaschier, J., Dekker, G., & VanGeijj, H. P. (1995). Psychosocial factors and pregnancy outcome: A review with emphasis on methodological issues. *Journal of Psychosomatic Research*, 39, 563-595.
- Peacock, J. L., Bland, J. M., & Anderson, H. R. (1995). Preterm delivery: Effect of Socioeconomic factors, psychological stress, smoking, alcohol, and caffeine. *British Medical Journal*, 311, 531-536.
- Penticuff, J. H. (1982). Psychologic implications in high-risk pregnancy. *Nursing Clinics of North America*, 17(1), 69-78.
- Pircon, R. A., Strassner, H. T., Kirz, D. S., & Towers, C. V. (1989). Controlled trial of hydration and bed rest versus bed rest alone in the evaluation of preterm uterine contraction. *American Journal of Obstetrics and Gynecology*, 161, 775-779.
- Polit, D., & Hungler, B. P. (1999). *Nursing research, principle and methods* (6th ed.) Philadelphia: Lippincott Williams & Wilkins.
- Ruiz, R. J., & Pearson, A. J. (1999). Psychoneuroimmunology and preterm birth. *Maternal and Child Nursing*, 24, 230-235.

- Sackett, D. L., Rosenberg, W. M. C., Gray J. A. M., Haynes, R. B., & Richardson, W. S. (1996) Evidence-based medicine: What it is and what it is not. *British Medical Journal*, 312, 71-72.
- ScHARR. (2002). *Introduction to systematic reviewing*. Retrieved 9 January, 2003, from <http://www.shef.ac.uk/~scharr/triage/systematic/1.htm>
- Shaw, E. R., & Herman, J. (1993). *Effect of therapeutic relaxation on anxiety and mood status in primiparous women*. Retrieved February 18, 2003 from Dissertation Abstracts Online Database.
- Shellhaas, C. S., & Iams J. D. (2002). Ambulator management of preterm labor. In W. C. Hill (Ed.), *Ambulatory obstetrics*. (pp.13-33). Philadelphia: Lippincott Williams & Wilkins.
- Shiomo, P. H., & Gomby, D. (1993). Lifestyle and pregnancy outcome. In A. R. Fuchs, F. Fuchs, & P. G. Stubblefield (Eds.), *Preterm birth causes, prevention, and management*. (pp. 173-187). New York: McGraw-hill.
- Singapore Ministry of Health. (2001). *Management of preterm labor*. Retrieved March, 28, 2005 From http://www.guideline.gov/summary/summary.aspx?ss=15&doc_id=2889&nbr=2115.
- *Smoke, J., & Grace, M. C. (1988). Effectiveness of prenatal care and education for pregnant adolescents: Nurse-Midwifery intervention and team approach. *Journal of Nurse-Midwifery*, 33 (4), 178-184.
- *Spencer, B., Thomas, H., & Morris, J. (1991). A randomized controlled trial of the provision of social support service during pregnancy: The South Manchester family worker project. *British Journal of Obstetrics and Gynecology*, 96, 281-288.
- Stright, B. R., (2001). *Maternal newborn nursing* (3rd ed.). Philadelphia: Lippincott.
- The Cochrane Collaboration. (2003). *The Cochrane Collaboration leaflet* [Web Page]. Retrieved June 28, 2003 from <http://www.cochrane.org/cochrane/>
- The Joanna Briggs Institute for Evidence Based Nursing and Midwifery. (1999). *Best practice: Evidence based practice information sheets for health professionals*.3 (3) 1-6. Retrieved May, 12, 2003 from <http://www.joannabriggs.edu.au>.

- The Joanna Briggs Institute for Evidence Based Nursing and Midwifery. (2001). *An introduction to systematic reviews. Changing Practice*, 2(1), 1-6. Retrieved May, 12, 2003, from <http://www.joannabriggs.edu.au>.
- The U. S. Department of Health and Human Service. (2001). *Conference summary: Improving maternal health care, the next generation research*. Retrieved May, 27, 2003, from <http://www.ahrq.gov/research/maternalhth/mathealthl.pdf>.
- Thorp, J. M., & Hartmann, K.E. (2002). Antibiotic therapy for the treatment of preterm labor: A review of the evidence. *American Journal of Obstetrics and Gynecology*, 186, 587-592.
- Villar, J., Metin, A., & Mercedes, D. O. (1998). Nutrition and antimicrobial interventions to prevent preterm birth: An overview of randomized controlled trials. *Obstetrics and Gynecology Survey*, 53, 575-585.
- Wheller, D. G. (1994). Preterm birth prevention. *Journal of Nurse-Midwifery*, 39(2), 66s-80s.
- White, M., & Ritchie, J. (1981). Psychological stressors in antepartum hospitalization: Report from pregnant women. *Maternal and Child Nursing*, 11(2), 47-56.
- Winiyakul, N., Chaisiri, K., Lumbiganon, C., & Chongsomchai, C. (1998). The antenatal care service at 12 district hospitals in Khon Kaen. *Thai Journal of Obstetrics and Gynecology*, 10, 79-86.
- World Health Organization. (2003). *WHO proposed program budget and strategic 2004-2005 orientations by area of work*. Retrieved August 11, 2003, from <http://www.who/A://WHOPolicy System.htm>