

ເອກສາຣອ້າງອີງ

- Andersen, A.N. 1995. Measuring more of biodiversity: genus richness as a surrogate for species richness in Australian ant faunas. *Biological Conservation*. 73:39-43.
- Bumham, K.P. and Overton, W.S. 1978. Estimation of the size of a closed population when capture probabilities vary among animals. *Biometrika*. 65: 623-633.
- Bumham, K.P. and Overton, W.S. 1979. Robust estimation of population size when capture probabilities vary among animals. *Ecology*. 60: 927-936.
- Cardoso, P., Silva, I., Oliveira, N.G.de and Serrano, A.R.M. 2004. Higher taxa surrogates of spider (*Araneae*) diversity and their efficiency in conservation. *Biological Conservation*. 117: 453-459.
- Chey, V.K., Holloway, J.D. and Speight, M. R. 1997. Diversity of moths in forest plantation and natural forests in Sabah. *Bull. Entomol. Res.* 87, 371-385.
- Chao, A. 1984. Non-parametric estimation of the number of classes in a population. *Scandinavian Journal of Statistics*, 11: 265-270.
- Chao, A. 1987. Estimating the population size for the capture-recapture data with unequal catchability. *Biometrics*. 43: 783-791.
- Chao, A. and Lee, S.M. 1992. Estimating the number of classes via sample coverage. *Journal of the American Statistical Association*. 87: 210-217.
- Chao, A., Ma, M.C. and Yang, M.C.K. 1993. Stopping rules and estimation for recapture debugging with unequal failure rates. *Biometrika*. 80: 193-201.
- Colwell, R.K. and Coddington, J.A. 1994. Estimating terrestrial biodiversity through extrapolation. *The Royal Society*. 345: 101-118.
- Colwell, R.K. 2005. EstimateS: Statistical estimation of species richness and shared species from samples. Version 7.5.0 User's Guide and application available from <http://viceroy.eeb.uconn.edu/estimates>.
- Chazdon, R.L., Colwell, R.K., Denslow, J.S. and Guariguata, M.R. 1998. Statistical methods for estimating species richness of woody regeneration in primary and secondary rain forest of Northeastern Costa Rica. *Forest Biodiversity Research, Monitoring and Modeling*. Conceptual Background and Old World Case Studies. Volume 20. Chapter 16: 285-309.

- Dankittipakul, P. 2002. Diversity, distribution and occurrence of spiders in Doi Inthanon National Park, Chiang Mai Province. Master of Science in Biology, Graduate School Chiang Mai University.
- Deeleman-Reinhold, C. L. 2001. Forest Spider of South East Asia. Koninklijke Brill NV, Leiden.
- Duelli, P. and Obrist, M.K. 1998. In search of the best correlates for local organismal biodiversity in cultivated areas. *Biodiversity and Conservation*. 7: 1407-1416.
- Foelix, R.F. 1996. Biology of Spiders, 2^{ed}. Oxford University Press New York.
- Gascon, C. 1998. Faunal responses to fragmentation and the matrix habitat. *Biotropica* 30, 312-320.
- Gotelli, N.J. and Cowell, R.K. 2001. Quantifying biodiversity: procedures and pitfalls in the measurement and comparison of species richness. *Ecology Letter*. 4: 379-391.
- Heltshe, J and Forrester, N.E. 1983. Estimating species richness using the jackknife procedure, *Biometrics*. 39: 1-11.
- Howard, P.C., Viskanic, P., Davenport, T.R.B., Kigenyi, F.W., Baltzer, M., Dickinson, J.S., Lwanga, J.S., Matthews, R.A. and Balmford, A. 1998. Complementarity and the use of indicator groups for reserve selection in Uganda. *Nature*. 394: 472-475.
- Johns, A.D. 1992a. Species conservation in managed tropical forest. In: Tropical Deforest and Species Extinction, Whitmore T. T. and Sayes, J. A. (eds.), Chapman & Hall, London. pp. 15-53.
- Johns, A.D. 1992b. Vertebrate Response to Selective Logging : Implications for the Design of Logging System. *Phil. Trans. R. Soc. Lond. B*. 335, 437-442.
- Jones, T.H. and Bradford, M.A. 2001. Assessing the functional implications of soil biodiversity in ecosystems. *Ecology Research*. 16: 845-858.
- Kremen, C., Colwell, R.K., Erwin, T.L., Murphy, D.D., Noss, R. F. and Sanjayan, M. A. 1994. Terrestrial Arthropod Assemblages: Their use in conservation planning. *Conservation Biology* 7:796-808.
- Laidlaw, R.K. 2000. Effects of habitat disturbance and protected areas on mammals of Peninsular Malaysia. *Conserv. Biol.* 14, 1639-1648.

- Lee, K.E. 1991. The diversity of soil organism. In: The Biology of Microorganisms and Invertebrates: Its Role in Sustainable Agriculture. Hanhsorth D.L. (eds), pp. 73-88. CAB International, Wallingford.
- Lee, K.E. and Chao, A. 1994. Estimating population size via sample coverage for closed capture-recapture models. *Biometrics*. 50: 88-97.
- Lindenmayer, D.B., Manning, A.D., Smith, P.L., Possingham, H.P., Fischer, J., Oliver, I. and McCarthy, M.A. 2002. The focal-species approach and landscape restoration: a critique. *Conservation Biology*. 16: 338-345.
- Magurran, A.E. 1988. *Ecological Diversity and its measurement*. University Press, Cambridge.
- McCune, B., Mefford, M.J. and Urban, D.L. 2002. PC-ORD. multivariate of ecological data. Verstion 4.0. MJM. Software Design, Gleneden Beach, OR.
- Microsoft Corporation. 2003. Microsoft Excel. Version 7.0.
- Neville, P.J. and New, T.R. 1999. Ant genus to species ratios: a practical trail for surrogacy value in Victorian forest. In: Ponder, W. and Lunney, D. (eds.), The other 99%. *The conservation and biodiversity of invertebrates*, pp. 133-137. Transactions of the Royal Zoological Society of New South Wales, Mosman, Australia.
- Niemelä, J., Kotze, J., Ashworth, A., Brandmayr, P., Desender, K., New, T., Penev, L., Samways, M. and Spence, J. 2000. The search for common anthropogenic impacts on biodiversity: a global network. *Journal of Insect Conservation* 4, 3-9.
- Noss, R.F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. *Conservation Biology*. 4: 355-364.
- Nummelin, M. and Zilihona, I.J.E. 2004. Spatial variation of arthropod communities in virgin and managed sites in the Kibale Forest, Western Uganda. *Forest Ecology and management*. 195: 107-114.
- Oliver, I. and Beattie, A.J. 1993. A possible method for the rapid assessment of biodiversity. *Conservation Biology* 7, 562-567.
- Pearson, D.L. 1994. Selecting indicator taxa for the quantitative assessment of biodiversity. *Philosophical Transactions of the Royal Society of London*. B 345: 75-79.
- Pocock, R.I. 1900. *The fauna of British India including Ceylon and Burma*. Secretary of State for India in council. London.

- Pik, A.J., Oliver, I. and Beattie, A.J. 1999. Taxonomic sufficiency in ecological studies of terrestrial invertebrates. *Australian Journal of Ecology*. 24: 555-562.
- Prendergast, J.R., Quinn, R.M., Lawton, J.H., Eversham, B.C. and Gibbons, D.W. 1993. Rare species, the coincidence of diversity hotspots and conservation strategies. *Nature*. 365: 335-337.
- Samu, F. and Lövei, G.L. 1995. Species richness of a spider community (Araneae): extrapolation from simulated increasing sampling effort. *European Journal of Entomology* 92, 633-638.
- Scharff, N., Coddington, J.A., Griswold, C.E., Hormiga, G. and Bjørn, P.P. 2003. When to quit? Estimating spider species richness in a Northern European Deciduous Forest. *The Journal of Arachnology*. 31: 246-273.
- Simberloff, D. 1998. Flagships, umbrellas, and keystones: is single-species management passé in the landscape era?. *Biological Conservation*. 83: 247-257.
- Smith, E.P. and van Belle, G. 1984. Nonparametric estimation of species richness. *Biometries*. 40: 119-129.
- Song, D., Zhu, M. and Chen., J. 1999. The Spiders of China. Hebei Science and Technology Publishing House.
- SØrensen, L.L., Coddington, J.A. and Scharff, N. 2002. Inventorying and estimating subcanopy spider diversity using semiquantitative sampling methods in an Afromontane Forest. *Environmental Entomology*. 31(2): 319-330.
- Sparrow, H.R., Sisk, T.D., Ehrlich, P.R. and Murphy, D.D. 1994. Techniques and guidelines for monitoring neotropical butterflies. *Conservation Biology*. 8: 800-809.
- SPSS Inc. 1999. SPSS for Windows. Version 10.0.1 User's Guide and application available from <http://www.spss.com/index.htm>.
- Toti, S.D., Coyle, F.A. and Miller, J.A. 2000. A structured inventory of Appalachian grass bald and heath bald spider assemblages and a test of species richness estimator performance. *The Journal of Arachnology*. 28: 329-345.
- The Math Works, Inc. 2006. Matlab. Version 7.0.
- Ward, D.F. and Larivière, M.-C. 2004. Terrestrial invertebrate surveys and rapid biodiversity assessment in New Zealand: lessons from Australia. *New Zealand Journal of Ecology*. 28(1): 151-159.