

เอกสารอ้างอิง

- กรกฏ เห็นแสงวิไล. (2542). *ความชุกและปัจจัยที่สัมพันธ์กับปัญหาการกลืนปัสสาวะในสตรีไทย*.
วิทยานิพนธ์ภาควิชากายภาพบำบัด คณะเทคนิคการแพทย์. มหาวิทยาลัยเชียงใหม่.
คณะกรรมการส่งเสริมและประสานงานผู้สูงอายุแห่งชาติสำนักนายกรัฐมนตรี. (2545).
แผนผู้สูงอายุแห่งชาติ ฉบับที่ 2 (พ.ศ. 2545-2564). กรุงเทพมหานคร.
- จური จอนนุ้ย. (2544). *อาการกลืนปัสสาวะไม่อยู่ของผู้สูงอายุมุสลิมในจังหวัดสงขลา*. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย
มหาวิทยาลัยเชียงใหม่.
- ชวินทร์ เลิศศรีมงคล. (2543). *ภาวะกลืนปัสสาวะไม่อยู่ในผู้สูงอายุ*. *หมอประจำครอบครัว*, ชุดที่13,
89-91.
- ดุสิต จิรกุลสมโชค. (2541). *สรีรวิทยาของไตและความคิดปกติของกรดต่าง*. (พิมพ์ครั้งที่2).
ขอนแก่น: คลังนานาวิทยา.
- ถนอมขวัญ ทวีบุรณ, สมจินต์ เพชรพันธุ์ศรี, และ กรองกาญจน์ ศิริภักดี. (2540). ปัจจัยที่มี
ความสัมพันธ์กับอาการกลืนปัสสาวะไม่อยู่ของผู้สูงอายุ. *วารสารพยาบาลศาสตร์*.
15(2), 46-54.
- ประภาภรณ์ สมณะ. (2544). *ผลของการบริหารกล้ามเนื้อพื้นเชิงกรานต่อภาวะปัสสาวะเล็ดจาก
แรงดันในช่องท้องสูงในสตรีวัยหมดระดู*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลสตรี, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- พยอม ถิ่นอ้วน. (2545). *ภาวะกลืนปัสสาวะไม่อยู่ของผู้สูงอายุชายในจังหวัดลำปาง*. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย
มหาวิทยาลัยเชียงใหม่.
- พรรณพิไล ศรีอาภรณ์. (2537) *การพยาบาลเพื่อส่งเสริมสุขภาพสตรี: สตรีกับการมีระดู*. เชียงใหม่:
คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พูนทรัพย์ โสภารัตน์. (2537) *การพยาบาลผู้ป่วยที่มีปัญหาในการขับถ่ายปัสสาวะ*. เชียงใหม่:
โครงการตำราคณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- เพ็ญศิริ สันตโยภาส. (2542). *ปัจจัยที่เกี่ยวข้องกับภาวะกลืนปัสสาวะไม่อยู่ของผู้สูงอายุไทยในชุมชน*.
วิทยานิพนธ์พยาบาลศาสตรดุษฎีบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

- เพ็ญศิริ สันตโยภาส, วิจิตร ศรีสุพรรณ, จริยาวัตร คมพยัคฆ์, และ สุทธิชัย จิตะพันธ์กุล. (2544). อัตราชุกและปัจจัยที่เกี่ยวข้องกับภาวะกลั้นปัสสาวะไม่อยู่ของผู้สูงอายุสตรีไทย ในชุมชน. *วารสาร พญมาวิทยาและเวชศาสตร์ผู้สูงอายุ*. 2(1), 25-36.
- มยุเรศ เกียรติเลิศสนภา. (2544). ผลของการให้ความรู้เกี่ยวกับการบริหารกล้ามเนื้อพื้นเชิงกราน แก่บุคลากรสตรี มหาวิทยาลัยเชียงใหม่. คณะเทคนิคการแพทย์ สาขากายภาพบำบัด, ภาคนิพนธ์วิทยาศาสตร์บัณฑิต มหาวิทยาลัยเชียงใหม่.
- มาลินี จิตรนีก. (2543). ชนิด ความรุนแรง ผลกระทบและการจัดการกับการกลั้นปัสสาวะไม่อยู่ใน ผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ยุวดี ลือชา, มาลี เลิศมาลีวงศ์, เยาวลักษณ์ เลาหะจินดา, วิไล ลิสุวรรณ, พรรณวดี พุชวัฒน์, และ รุจิเรศ ธนุรักษ์. (2543). *วิจัยทางพยาบาล*. (พิมพ์ครั้งที่ 7). กรุงเทพฯ: สยามศิลป์การพิมพ์.
- วชิร กษการ. (2539). Female stress urinary incontinence. *วารสารยูโร*, 17(21), 19-30.
- วิทยา ศรีมาดา, วิวัฒน์ ก่อกิจ, และชัยชน โลว์เจริญกุล. (2541). การสัมภาษณ์ประวัติและตรวจ ร่างกาย. (พิมพ์ครั้งที่ 8). กรุงเทพฯ: ยูนิตีพับลิเคชั่น.
- สุทธิชัย จิตะพันธ์กุล. (2542). *หลักสำคัญของเวชศาสตร์ผู้สูงอายุ*. กรุงเทพฯ: โรงพิมพ์ แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สุทธิชัย จิตะพันธ์กุล. (2544). *หลักสำคัญของเวชศาสตร์ผู้สูงอายุ*. พิมพ์ครั้งที่ 2. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สุวณีย์ ศรีสุพรรณ, พวงเพ็ญ ริมคูสิต, และ ปรีญา ริมคูสิต. (2543). *ผ่าตัดเล็กทางสูตินรีเวช*. โครงการตำราศิริราช คณะแพทยศาสตร์ศิริราชพยาบาล มหาวิทยาลัยมหิดล. กรุงเทพฯ: พิมพ์.
- Albaugh, J. (1999). *Urinary incontinence*. Retrived on June 09, 2003. from [http:// www. Urinary %20 Incontinence. htm](http://www.Urinary%20Incontinence.htm)
- Bedford, N. K., et al. (1996). Urinary incontinence/constipation. In A. S. Luggen (Ed), *NGNA Core curriculum for gerontological nursing* (pp. 530-537). St. Louis: Mosby-Year Book.
- Bo, K. (1998). Single blind, randomized controlled trial of pelvic floor exercises, electrical stimulation, vaginal cones, and no treatment in management of genuine stress incontinence in women. *Acta Obstetricia et Gynecologica Scandinavica*, 168(77), 3-11.

- Bo, K., Hagen, R. H., Kvastein, B., Lorgensen, J., & Larsen, S. (1990). Pelvic floor muscle exercise for the treatment of female stress urinary incontinence. *Neurourology & Urodynamics*, 9, 489-502.
- Bo, K., Talseth, T., & Holme, I. (1999). Single blind, randomized controlled trial of pelvic floor exercises, electrical stimulation, vaginal cones, and no treatment in management of genuine stress incontinence in women. *British Medical Journal*, 318, 487-493.
- Burgio, K. L., et al. (1998). Behavioral vs drug treatment for urge urinary incontinence in older women. *Journal of the American Medical Association*, 280, 1995-2000.
- Button, D., et al. (1998). *Continence: Promotion and management by the primary health care team*. London: Whurr .
- Clayton, J., Smith, K., Qureshi, H., & Ferguson, B. (1998). Collecting patients view and perceptions of continence services: The development of research instrument *Journal of Advanced Nursing*, 28, 353-361.
- Colling, C. J., & Owen, R. T. (1994). Urine volumes and voiding patterns among incontinence nursing home residents. *Geriatric Nursing*, 15(4), 188-192.
- Creason, N. S., Grybowski, J. A., Burgener, S., et al. (1989). Prompted voiding therapy for urinary incontinence in aged female nursing home residents. *Journal of Advanced Nursing*, 14, 120-126.
- DeMarco, E. F. (1999). Urinary Tract disorders in perimenopausal and postmenopausal women. *urinary tract disorders* (2nd ed.). Philadelphia: Lippincott, Williams, & Wilkins.
- DuBeau, C. E. (2002). The continuum of urinary incontinence in an aging population. *Geriatrics*, 57, 12-17.
- Dougherty, M., Bishop, K., Mooney, R., Gimotty, P., & Williams, B. (1993). Graded pelvic muscle exercise: Effect on stress urinary incontinence. *Journal of Reproductive Medicine*, 38(9), 684-691.
- Dougherty, M. C., et al. (1998). Community-base nursing: Continence care for older rural women. *Nursing Outlook*, 46(5), 233-243.
- Doughty, D. B. (1991). *Urinary and fecal incontinence: Nursing management*. St. Louis: Mosby.

- Engberg, S. J., McDowell, B. J., Burgio, K. L., Watson, J. E., & Bell, S. (1995). Self-care behavior of older woman with urinary incontinence. *Journal of Gerontological Nursing*, 21(8), 7-14 .
- Eileen, F. D. (1999). Urinary tract disorders in perimenopausal and postmenopausal women. *Treatment of the postmenopausal woman* (2nd ed.). Washington: Lippincott, Williams, & Wilkins.
- Elia, G., & Bergman, A. (1993). Pelvic muscle exercise: When do they work. *Obstetrics & Gynecology* , 81(2), 283-286.
- Fantl, J. A. (1996). Behavioral intervention for community-dwelling individuals with urinary incontinence. *Urology*, 51, 30-33.
- Fantl, J. A., & Wyman, J. F., et al. (1994). Effectiveness of bladder training in elder women with urinary incontinence. *Journal of the American Medical Association*, 265, 609-613.
- Ferguson, K. L., McKey, P., Bishop, K. R., Kloem, P., Verheul, J. B., & Dougherty, M. C. (1990). Stress urinary incontinence: Effect of pelvic muscle exercise. *Obstetric & Gynecology*, 75(4), 671-675.
- Flynn, L., Cell, P., & Luise, E. (1994). Effectiveness of pelvic muscle exercises in reducing urge incontinence among community residing elders. *Journal of Gerontological Nursing*, 20(5), 23-27.
- Frazer, M. I., Sutherst, J. R., & Holland, E. F. N. (1987). Visual analogue score and urinary incontinence. *British Medical Journal*, 35, 582.
- Frazer, M. I., Haylen, B. T., & Sutherst, J. R. (1989). The severity of urinary incontinence in women: comparison of subjective and objective tests. *British Journal of Urology*, 63, 14-15.
- Gallagher, M. S. (1998). Urogenital stress and the psychosocial impact of urinary incontinence. *Rehabilitation Nursing*, 23(4), 192-197.
- Godec, C. J. (1984). Timed voiding: A useful tool in the treatment of urinary incontinence. *Urology*, 23, 97-100.
- Gray, M., et al. (1991). Management of Urinary Incontinence. In D. B. Doughty. (Eds.), *Urinary and fecal incontinence: Nursing management* (pp. 95-150). Philadelphia: W.B. Saunders.

- Jitapunkul, S., & Khovidhunkit, W. (1998). Urinary incontinence in Thai elderly living in Klong Toey Slum. *Journal of Medical Association Thailand*, 81(3), 160-168.
- Johansson, C., Molander, U., Milsom, I., & Ekelund, P. (1996). Association between urinary incontinence and urinary tract infection, and fractures in postmenopausal women. *Maturitas*, 23, 265-271.
- Johnson, S. T. (2000). From incontinence to confidence. *Journal of Advanced Nursing*, 100(2), 69-75.
- Jones, D., & Perese, E. E. (2003). Promoting self-management of urinary incontinence in a geropsychiatric day treatment program. *Journal of Psychosocial Nursing*, 41(5), 38-43.
- Kahn, R. L., Goldfarb, A. I., Pollack, M., & Peck, A. (1960). Brief objective measure for the determination of mental status in the aged. *American Journal of Psychiatry*, 117, 326-328.
- Kegel, A. (1951). Physiologic therapy for urinary incontinence. *Journal of the American Medical Association*, 146, 915-917.21q
- Kegel, A. (1957). Kegel Exercises.com. Retrieved on October 27, 2003. from <http://www.incontinence.htm>
- Hoban, S. (2001). Continence care: Enhanced protocols for assisted living. *Nursing Homes*, 50(1), 48-50.
- Lagro-Jannssen, T. L., Smits, A. J., & Weel, C. V. (1990). Women with urinary incontinence: Self-perceived worries and general practitioners' knowledge of problem. *British Journals of General Practice*, 40, 331-334.
- Loera, J. A., Black, S. A., Markides, K. S., Espino, D. V., & Goodwin, J. S. (2001). The use of herbal medicine by older Mexican Americans. *The Journals of Gerontology*, 56A(11), M714-M718.
- Lucas, M., Emery, S., & Beynon, J. (1999). *Incontinence*. London. Blackwell Science.
- Mather, K. F. & Bakas, T. (2002). Nursing assistants' perceptions of their ability to provide continence care. *Geriatric Nursing*, 23(2), 76-81.

- Mike, B. S. (1999). *Manual of Urology Doagnosis & Therapy*. Washington: Lippincott Williams & Wilkins .
- Milsom, I., Elelund, P., Molander, U., Arvidsson, L., & Areskoug, B. (1993). The influence of age, parity, oral contraception, hysterectomy, and menopause on the prevalence of urinary incontinence in women. *Journal of Urology*, 149, 1459-1462.
- Mooney, R. A., & Greenway, M. N. (1996). *Rapid Nursing Intervent : Gerontologic*. Columbia: Delmar.
- Morkved, S., & Bo, K. (1996). The effect of post-natal exercise to strengthen the pelvic floor muscle. *Acta Obstetricia and Gynecologica Scandinavica*, 75, 382-385.
- Mueller, C., & Caim, H. (2002). Comprehensive management of urinary incontinence through quality improvement efforts. *Geriatric Nursing*, 23(2), 82-87.
- National Institute of Health Concensus Development Conference [NIH]. (1990). Urinary incontinence in adult. *Journal of American Geriatrics Society*, 38, 265-272.
- Newman, K. D. (1996). Urinary incontinence management in the USA: The role of the nurse. *British Journal of Nursing*, 5(2), 78-88.
- Newman, K. D. (1999). *How to do pelvic muscle exercise*. Retrived on October 27, 2003. from [http:// www.wellnessweb.com/INCONT/index.htm](http://www.wellnessweb.com/INCONT/index.htm)
- Oot-Giromini, B. A. (1993). Pressure, ulcer prevalence, incidence and associated risk factors in the community. *Decubitus*, 6(5), 24-32.
- Ouslander, J. G., & Abelson, S. (1990). Perceptions of urinary incontinence among elderly outpatients. *Gerontologist*, 30(3), 369-372.
- Pamela, J. C., & Susan, L. (2005). *Textbook for nursing assistants*. Philadelphia. Lippincott, Williams, & Wilkins.
- Penn, C., Lekan-Rutledge, D., Joers, A. M., Stolley, J. M., & Amhof, N. V. (1996). Assesment of urinary incontinence. *Journal of Gerontological Nursing*, 22(1), 8-19.
- Polit, D. F. & Hungler, B. P. (1999). *Nursing research: Principle and method* (6th ed.). Philadelphia. J.B: Lippincott.
- Phipps, W. J., Sands, J. K., & Marek, J. F. (1999). *Medical-Surgical Nursing: A guide to advanced practice* (6th ed.). Philadelphia. W. B: Saunders.

- Raymond, C. T. (2003). *Geriatric Medicine and Gerontology*. London: Churchill Livingstone.
- Retik, A. B., Vaughan, E. D., & Wein, A. J. (2002). Physiology and pharmacology of the bladder and urethra: *Campbells urology* (8th ed.). Philadelphia. W. B: Saunders.
- Seim, A., Sivertsen, B., Erickson, B. C., & Hunskaar, S. (1996). Treatment of urinary incontinence in general practice: Observational study. *British Medical Journal*, 312, 1459-1462.
- Steers, W. D. (2000). Physiology of the urinary bladder. In P.C. Walsh., A. B. Retik., T. A. Stamey. & E. D. Vaughan (Eds.), *Physiology of the Urinary* (pp.150-169). Philadelphia: W.B. Saunders.
- Stone, J. T., Wyman, J. F., & Salisbury, S. A. (1999). *Clinical Gerontological Nursing: Concepts & Clinical practice*. Philadelphia: Mosby.
- Sampsel, C. M. (2000). Behavioral intervention for urinary incontinence in women: Evidence for practice. *Journal of Midwifery & Women's Health*, 45(2), 94-102.
- Sampsel, C. M. & et al. (2000). Continence for women: Evaluation of the association of women's health, obstetric and neonatal nurse's third research utilization project. *JOGNN*, 29(1), 9-26.
- Suzanne, C. S., & Brenda, G. B. (2000). *Textbook of Medical-Surgical nursing* (8th ed.). Philadelphia. W. B: Saunders.
- Tomas, A. M., & Morse, J. M. (1991). Managing urinary incontinence with self-care practices. *Journal of Gerontological Nursing*, 17(6), 9-14
- Wyman, F. J. (1999). Urinary incontinence. In J. T. Stone, J. F. Wyman, & S. A. Salisbury (Eds.), *Clinical gerontological nursing a guide to advanced practical* (2nd ed.). (pp.203-231). Philadelphia: W.B. Saunders.
- Wyman, F. J., & Burgio, K. L. (1988). Advanced in urinary incontinence management in the elderly. *Advanced in Clinical Rehabilitation*, 2, 82-107.
- Wyman, F. J., Choi, S. C., Harkin, S. W., Wilson, M. S., & Fantl, J. A. (1988). The urinary incontinence evaluation of incontinence women: A test-retest analysis. *Obstetric & Gynecology*, 71(6), 812-817.