

เอกสารอ้างอิง

กองวางแผนทรัพยากรมนุษย์ สำนักงานคณะกรรมการพัฒนาการเศรษฐกิจและสังคมแห่งชาติ
2544

ความดันโลหิตสูง.[ระบบออนไลน์].แหล่งที่มา <http://203.157.45.99/hypt.htm> (19 กรกฎาคม 2547).

จันทร์เพ็ญ ชูประภาวรรณ. การสำรวจสุขภาพประชากร อายุตั้งแต่ 50 ปีขึ้นไป ในประเทศไทย พ.ศ.2538.[ระบบออนไลน์].แหล่งที่มา<http://www.anamai.moph.go.th/advisor/202/0201.html> (19 กรกฎาคม 2547).

ประสาธต์ เหล่าถาวร. *อายุรศาสตร์ในเวชปฏิบัติ 1*.ใน:หญิงน้อย อุบลเดช ประชาธิปไตย.Hypertension Therapy in the New Millennium.กองอายุรกรรม-ภาควิชาอายุรศาสตร์ วิทยาลัยแพทยศาสตร์พระมงกุฎเกล้า. กรุงเทพฯ:รุ่งศิลป์การพิมพ์, 2543:1-12

โพยม วงศ์ภูวรักษ์. การให้ความรู้และให้คำปรึกษาเกี่ยวกับยาแก่ผู้ป่วย. การประชุมเชิงปฏิบัติการงานเภสัชกรรมคลินิก มหาวิทยาลัยสงขลานครินทร์, 2542

มินา เพชรมิ. *สรุปผลงานเฉพาะตัวที่มีคุณภาพดีเด่นเรื่องปัญหาการไม่ใช้ยาตามสั่งของผู้ป่วยที่เข้ารับการรักษาในหอผู้ป่วยอายุรกรรมโรงพยาบาลนครพิงค์ อำเภอแม่ริม จังหวัดเชียงใหม่*. 2548

เล็ก รุ่งเรืองยิ่งยศ.*Advances in Pharmaceutical Care*.ใน: สุรกิจ นาทีสุวรรณ.*Advances in the Management of Hypertension*.เภสัชกรรมคลินิก มหาวิทยาลัยมหิดล.กรุงเทพฯ:นิวไทยมิตรการพิมพ์,2545:23-42

วาสิ ศิริเสาวลักษณ์, เขวภา ศรีวิชัย, มานพ จันดี.รายงานการวิจัยเรื่องการศึกษาพฤติกรรมการใช้ยาของผู้ป่วยโรคเรื้อรัง ที่โรงพยาบาลนครพิงค์ อ.แม่ริม จ.เชียงใหม่,2537

สมชาย โลจายะ. *ตำรา โรคหัวใจและหลอดเลือด สมาคมแพทย์โรคหัวใจแห่งประเทศไทย*. ใน: สมชาย โลจายะ และ อรรถพร สุจิตตานนท์.ภาวะความดันโลหิตสูง.กรุงเทพฯ: สำนักพิมพ์กรุงเทพเวชสาร,2536:480- 494.

สำนักงานสถิติ โรงพยาบาลนครพิงค์ อำเภอแม่ริม จังหวัดเชียงใหม่.Top Ten Causes of Illness of Out-patient Fiscal Year 2004.

โสภณ พานิชพันธ์.*การใช้ยารักษาภาวะความดันโลหิตสูงชนิดไม่ทราบสาเหตุ*. ใน:โสภณ พานิชพันธ์.ยารักษาความดันโลหิตสูงและหลักการใช้ยารักษาความดันโลหิตสูง.กรุงเทพฯ:โรงพิมพ์พิมพ์,2526:16-30

อภิฤดี เหมะจุทา และ สุวรรณิ เจริญพิชิตนันท์. ความสำคัญในการให้คำแนะนำปรึกษาเรื่องยาแก่ผู้ป่วย:โครงการประชุมวิชาการ คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย, 2538

อัญชลี ศิริพิทยาคุณกิจ. แนวทางการเฝ้าระวังโรคเบาหวาน ความดันโลหิตสูง และหัวใจขาดเลือด: สำนักโรคบาวิทยา กรมควบคุมโรค กระทรวงสาธารณสุข, 2547

Andrade JP, Fabio VB, Hildenizia C, et al. Epidemiological Aspects of Adherence to the Treatment of Hypertension. *Arg. Bras. Cardiol.* 2002;79(4).

Astra Zeneca. โรคหัวใจและหลอดเลือด. [ระบบออนไลน์]. แหล่งที่มา <http://www.astrazeneca.co.th/thai/patient3.html> (19 กรกฎาคม 2547).

Becker LA, Glanz K, Sobel E, et al. Randomised trial of special packaging of anti-hypertensive medications. *J Fam Pract.* 1986; 22(4):357-61.

Berger BA, Felkey BG, “Medication Compliance-Adherence-Persistence(CAP) Digest”, American Pharmacist Association and Pfizer U.S. Pharmaceuticals, 2003

Binstock ML, Franklin KL. A comparison of techniques on the control of high blood pressure. *AmJ Hypertens.* 1988;1:192-94

Bovet P, Burnier M, Madeleine G, et al. Monitoring one-year compliance to antihypertensive medication in the Seychells. *Bull World Health Organ.* 2002;80(1)

Boyd JR, Covington TR, Stanaszak WF, et al. Drug-defaulting, II: analysis of noncompliance patterns. *Am J Hosp Pharm.* 1976; 31:485-91.

Bradley RW. Pharmaceutical Care in the Elderly. Health Notes Drug Therapy Consideration In Older Adults. California State Board of Pharmacy.

Canadian Public Health Association. Good Medicine for Seniors: Guidelines for Plain Language and Good Design in Prescription Medicine. 2002:63-79.

Chobanian AV, Bakris GL, Black HR, et al. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. The JNC 7 Report. *JAMA.* 2003;289:2560-72.

Corlett AJ. Caring for Older People: Aids to compliance with medication. *BMJ.* 1996; 313:926-29.

Cramer JA. Effect of partial compliance on cardiovascular medication effectiveness. *Heart.* 2002; 88:203-206.

Dezii CM. Medication Noncompliance: What Is the Problem?. *Supplement Managed Care.* 2000; 9(9):7-12.

- Ebrahim S. Detection, adherence and control of hypertension for the prevention of stroke: A systematic review. *Health Technology Assessment*. 1998;2(11):9-63.
- Erik S. The Blistering Issue of Patient Compliance. *Pharmaceutical & Medical Packaging News*. 2001.
- Firmo JO, Barreto SM, and Lima-Costa MF. The Bambui Health and Aging Study (BHAS): factors associated with the treatment of hypertension in older adults in the community. *Cad. Saude Publica, Rio de Janeiro*. 2003;19(3):817-827.
- Gabriel M, Gagnon JP, and Candace KB. Improved Patient Compliance through Use of a Daily Drug Reminder Chart. *AJPH*. 1977;67(10):968-969.
- Gottlieb H. *Medication Nonadherence: Finding Solutions to a Costly Medical Problem*. *Drug Benefit Trends*. 2000;12(6):57-62.
- Gray SL. Health Promotion for Older Adults Drug Use and Misuse. Northwest Geriatric Education Center. 2000:1-18.
- Harvey PA and Woodward MC. Management of Hypertension in Older People. *Aus J Hosp Pharm*. 2001;31:212-19.
- He J, Kearney PM, Whelton M, Reynolds K, Muntner P. Global burden of hypertension: analysis of worldwide data. *Lancet*. 2005;Jan 15-21;365(9455):217-23
- Lee M, Kemp JA, Canning A, et al. A Randomized Controlled Trial of an Enhanced Patient Compliance Program for Helicobacter pylori Therapy. *Arch Intern Med*. 1999;159:2312-16.
- Lentile C, Stokes J, Hendry M, et al. Literature Review for the Effectiveness and Cost of Dose Administration Aids (DAAs) Project. Quality Medication Care Group, School of Medicine, University of Queensland. 2004.
- Mendis S, Salas M. "Adherence To Long-Term Therapies Evidence for Action", World Health Organization, 2003
- Morrell RW, Park DC, Kidder DP, et al. Adherence to antihypertensive medications across the life span. *Gerontologist*. 1997;37:609-19.
- Murray MD, Birt AJ, Manatunga AK, et al. Medication Compliance In Elderly Outpatients Using Twice-Daily Dosing And Unit-Of-Use Packaging. *Ann Pharmacother*. 1993;27:616-21.

- Myers MG. Compliance in hypertension: Why don't patients take their pills? *JAMA*. 1999;160(1):64-65.
- Nash DB, Koenig JB, and Chatterton LM. Why the Elderly Need Individualize Pharmaceutical Care. Office of Health Policy and Clinical Outcome. Thomas Jefferson University. 2000:1-18.
- Nunney JM and Theo Raynor DK. How are multi-compartment compliance aids used in primary care? *The Pharmaceutical Journal*. 2001;267:784-789.
- Peterson AM, Liza T, and Rebecca F. Meta-Analysis of Trials of Interventions to Improve Medication Adherence. *Am J Health-Syst Pharm*. 2003;60(7):657-665.
- Rantucci M. COUNSELLING ISSUES: AN OVERVIEW. Canadian Council on Continuing Education in Pharmacy. 2004
- Simmons D, Upjohn M, and Gamble GD. Can medication packaging improve glycemic control and blood pressure in type 2 diabetes? *Diabetes Care*. 2000;23:153-156.
- Ware GJ, Holford HG, Graham J, et al. Unit dose calendar packaging and elderly patient compliance. *NZ Med*. 1991;104:495-7
- Wright JM, Htun Y, Leong MG, et al. Evaluation of the use of calendar blister packaging on patient compliance with STD syndromic treatment regimens. *Sex Transm Dis*. 1999;26(10):556-63.