

เอกสารอ้างอิง

- กอบข้ม สติรกุล, ปราโมทย์ ตระกูลเพียรกิจ, และ กฤตติกา ตัญญาแสนสุข. (2542). เกสัชวิทยาของยาเคมีบำบัดมะเร็ง. ใน *วสันต์ ลีนะสมิต และสมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), ตำรามะเร็งนรีเวชวิทยา* (หน้า 313-340). กรุงเทพฯ: โฮลิซติกพับลิชชิง
- กนธีร์ สังขวาสิ. (บรรณาธิการ). (2541). *Simplified gynecologic oncology*. กรุงเทพฯ: หน่วยมะเร็งนรีเวชวิทยา กองสูตินรีเวชกรรม โรงพยาบาลพระมงกุฎเกล้า.
- กระทรวงสาธารณสุข, กรมสุขภาพจิต. (2542). *คู่มือคลายเครียด*. กรุงเทพฯ: วงศ์กมลโปรดักชั่น.
- จุฬารัตน สุระกุล. (2544). *ประสบการณ์ของผู้ป่วยมะเร็งในการได้รับการบอกความจริงเกี่ยวกับความเจ็บป่วยจากทีมสุขภาพ*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- ใจรัตน์ ศุภกุล. (2530). *การฝึกการผ่อนคลายกล้ามเนื้อต่ออาการคลื่นไส้และอาเจียนในผู้ป่วยที่ได้รับการเคมีบำบัด*. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ช่อลดา พันธุเสนา. (2536). *การพยาบาลจิตสังคมในผู้ป่วยภาวะวิกฤติตามแบบแผนสุขภาพ*. กรุงเทพฯ: อมรินทร์พริ้นติ้งกรุ๊ป.
- ชัยวัฒน์ ต่อสกุลแก้ว. (2542). *สรีรวิทยาทางเดินอาหาร*. กรุงเทพฯ: เท็กซ์ แอนด์ เจอร์นัล พับลิเคชั่น.
- ดวงดาว ดุลยธรรม. (2544). *ผลของดนตรีบำบัดต่อการลดความเจ็บปวดในผู้ป่วยหลังผ่าตัดยึดตรึงกระดูกต้นขา*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- ตุลย์ สิทธิสมวงศ์. (2544). *หลักการดูแลรักษาผู้ป่วยมะเร็งอวัยวะสืบพันธุ์สตรี*. ใน *กิจประมุข ดันตยาภรณ์ และคณะ (บรรณาธิการ), นรีเวชวิทยา (พิมพ์ครั้งที่ 3)* (หน้า 131-144). กรุงเทพฯ: โอ. เอส. พริ้นติ้งเฮาส์.
- เทวัญ ธานีรัตน์. (2549). *ทิศทางการใช้การแพทย์ผสมผสานในการดูแลผู้ป่วยโรคมะเร็ง*. *เอกสารประกอบการประชุมวิชาการเรื่อง การแพทย์ผสมผสานในการดูแลผู้ป่วยโรคมะเร็ง*. กรุงเทพฯ: กองการแพทย์ทางเลือก กรมพัฒนาการแพทย์แผนไทยและการแพทย์ทางเลือก.

- ธนา นิลชัยโกวิทย์ และสิวลี ศรีไธ. (2542). ปัญหาด้านจิตสังคมในผู้ป่วยมะเร็งนรีเวชวิทยา. ใน วสันต์ ลีนะสมิต และสมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *มะเร็งนรีเวชวิทยา* (หน้า 643-645). กรุงเทพฯ: โฮลิสติก พับลิชชิ่ง.
- ธานี เมฆะสุวรรณดิษฐ์. (2546). Nausea and vomiting. ใน ธานี เมฆะสุวรรณดิษฐ์, ปรีชา มณฑาน-ดิกุล, จุฑามณี สุทธิศิริสังข์, และสุรเกียรติ์ อาชานุกาภ (บรรณาธิการ), *ตำราเภสัชบำบัด* (หน้า 94-110). กรุงเทพฯ: เฮลท์ ออทอริตี้ส์.
- นรินทร์ วรวุฒิ และเอื้อมแข สุขประเสริฐ. (2546). การรักษาด้วยการใช้เคมีบำบัด. ใน นรินทร์ วรวุฒิ, ประสาร ขจรรัตนเดช, จตุรงค์ ดันติมงคลสุข, สมชัย ลิ้มปการณ, ศิริศักดิ์ โจรินประเสริฐกิจ, และเอื้อมแข สุขประเสริฐ (บรรณาธิการ), *ตำรามะเร็งวิทยา 1* (หน้า 303-321). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- นรินทร์ วรวุฒิ. (2546). ตำราอายุรศาสตร์ 4. ใน วิทยา ศรีมาดา (บรรณาธิการ), *Cancer biology* (พิมพ์ครั้งที่ 2) (หน้า 1-27). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- บังอร เครียดชัยภูมิ. (2533). *ผลของคนตรีต่อระดับความวิตกกังวลของผู้ป่วยขณะที่ได้รับการผ่าตัด*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- บำเพ็ญจิต แสงชาติ. (2542). *คนตรีบำบัด: กิจกรรมกายภาพบำบัดองค์รวม*. เอกสารประชุมเชิงปฏิบัติการ เรื่อง การดูแลผู้ป่วยเรื้อรังแบบองค์รวม. ขอนแก่น: ภาควิชาพื้นฐานการพยาบาล คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.
- บุษบา สมใจวงษ์. (2544). *ผลการสร้างจินตภาพต่อการคลื่นไส้ ขย้อนและอาเจียนในผู้ป่วยมะเร็งเต้านมที่ได้รับยาเคมีบำบัด*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาล อายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บุญใจ ศรีสถิตยัณรากร. (2545). *ระเบียบวิธีวิจัยทางพยาบาลศาสตร์* (พิมพ์ครั้งที่ 2). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย
- บุษยามาส ชิวสกุลยง. (2545). *แนวทางการรักษาภาวะคลื่นไส้ และอาเจียนในผู้ป่วยมะเร็ง*. ใน สุมิตรา ทองประเสริฐ และศิริกุล นภาพันท์ (บรรณาธิการ), *โรคมะเร็ง: แนวทางการรักษา* (หน้า 381-387). เชียงใหม่: ธนบรรณการพิมพ์.
- ประณีต ส่วงวัฒนา และอุทัยวรรณ พุทธรัตน์. (2550). *ผลของการใช้ดนตรีไทยประยุกต์เพื่อบำบัดความปวดและความวิตกกังวลของผู้ป่วยก่อนและหลังผ่าตัด*. *วารสารสภาการพยาบาล*, 22, 72-86.
- ประอรนุช ตุลยาทร. (2546). *ภาวะจิตสังคมของผู้ป่วยมะเร็งระบบสืบพันธุ์สตรี: การพยาบาล*. ใน พรรณนิภา ธรรมวิรัช และประอรนุช ตุลยาทร (บรรณาธิการ), *การพยาบาลนรีเวช* (หน้า 204-222). กรุงเทพฯ: เรือนแก้วการพิมพ์.

ผกามาศ บุญญาภิสมภาร. (2548). ผลการกวดจุดต่ออาการคลื่นไส้ในผู้ป่วยหลังผ่าตัดหัวใจ.

วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และ
ศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

พิชัย ปรัชญานุสรณ์. (2534). คนตรีบำบัดทางจิตเวช. *วารสารจิตวิทยาคลินิก*, 22, 80-95.

ภัททิยา ชัยนาคิน. (2548). คนตรีบำบัดช่วยลดอาการคลื่นไส้ ขย้อนและอาเจียนในผู้ป่วยมะเร็งที่
ได้รับคนตรีบำบัด. *วารสารพยาบาลศาสตร์*, 23, 30-34.

มธุริน วงศ์คำปิ่น. (2535). ความเครียด วิธีการปรับแก้และแรงสนับสนุนทางสังคมของบุคคลที่เคย
พยายามฆ่าตัวตาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและ
การพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

รัชณี นามจันทร์. (2535). ความวิตกกังวล ความบกพร่องในการดูแลตนเอง และแบบแผนการเกิด
อาการคลื่นไส้อาเจียนในผู้ป่วยมะเร็งที่ได้รับเคมีบำบัด. วิทยานิพนธ์พยาบาลศาสตร-
มหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

วรวรรณ พุททวงศ์. (2548). ผลของการฝึกผ่อนคลายกล้ามเนื้อต่อความเครียดของสตรีที่เป็นมะเร็ง
อวัยวะสืบพันธุ์สตรี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลสตรี,
บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

วสันต์ ลีนะสมิต และณัฐพงศ์ อิศรางกูร ณ อยุธยา. (2542). ระบาดวิทยา มะเร็งนรีเวช. ใน วสันต์
ลีนะสมิต และสมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *ตำรา มะเร็งนรีเวชวิทยา* (พิมพ์
ครั้งที่ 2) (หน้า 53). กรุงเทพฯ: โฮลิสติก พับลิชชิ่ง.

วสุ กาญจนหัตถกิจ, ประดิษฐ์ ประทีปะวนิช และอรนัทร โปษยานนท์. (2540). การศึกษาความชุก
ในการใช้ทางเลือกของผู้ป่วยปวดหลังเรื้อรังในโรงพยาบาลศิริราช. กรุงเทพฯ: คณะ
แพทยศาสตร์ศิริราชพยาบาล มหาวิทยาลัยมหิดล.

ศศิธร พุ่มดวง. (2548). คนตรีบำบัด. *สงขลานครินทร์เวชสาร*, 23(3), 185-191.

สถิตีผู้ป่วยใน. (2550). รายงานสถิติผู้ป่วยโรคมะเร็งระบบสืบพันธุ์สตรี. นครราชสีมา: หอผู้ป่วย
นรีเวชกรรม โรงพยาบาลมหาราชนครราชสีมา.

สมเกียรติ ศรีสุพรรณดิฐ และสมชัย บัลลังก์โพธิ์. (2542). ปัญหาเกี่ยวกับโรคมะเร็งนรีเวชใน
ประเทศไทย. ใน วสันต์ ลีนะสมิต และสมเกียรติ ศรีสุพรรณดิฐ (บรรณาธิการ), *ตำรา
มะเร็งนรีเวชวิทยา* (พิมพ์ครั้งที่ 2) (หน้า 805). กรุงเทพฯ: โฮลิสติก พับลิชชิ่ง.

สมชาย เนื่องตัน. (2544). เคมีบำบัดในมะเร็งทางนรีเวช. ใน สมบูรณ์ คุณาธิคม, สุวนิตย์ ชีระศักดิ์
วิทยา และภาคภูมิ โพธิ์พงษ์ (บรรณาธิการ), *นรีเวชวิทยา* (พิมพ์ครั้งที่ 2) (หน้า 455-
465). กรุงเทพฯ: พี. เอ. ลิฟวิง.

- สุกรี เจริญสุข. (2532). *จะฟังดนตรีอย่างไรให้ไพเราะ*. กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สุจิตรา เทียนสวัสดิ์, พันทวี เชื้อขาว, สุตันหา ยิ้มแย้ม, และเบญจมาภรณ์ จันทโรทัย. (2548). *รายงานวิจัยเรื่องเหตุการณ์ในชีวิต ความเข้มแข็งอดทน ความเครียด และพฤติกรรม การจัดการความเครียดของสตรีที่เป็นมะเร็งระบบสืบพันธุ์*. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- สุพรพิมพ์ เจียรสกุล, กนกวรรณ ติลกสกุลชัย, วัฒนา วัฒนาภา, และชัยเลิศ พิษิตพรชัย. (2542). *สตรีวิทยา*. กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สุพัตรา โล่ห์สิริวัฒน์. (2542). สตรีวิทยาแบบย่ออาหาร. ใน สุพรพิมพ์ เจียรสกุล, สุพัตรา โล่ห์สิริวัฒน์, และวัฒนา วัฒนาภา (บรรณาธิการ), *สตรีวิทยา 2* (พิมพ์ครั้งที่ 4) (หน้า 622-623). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สุวัฒน์ มหันตนิรันดร์กุล, วนิตา พุ่มไพศาลชัย, และพิมพ์มาศ ตาปัญญา. (2540). *รายงานการวิจัย เรื่องการสร้างแบบวัดความเครียดสวนปรง*. เชียงใหม่: โรงพยาบาลสวนปรง.
- อาริยา สอนบุญ. (2543). *ผลของคนตรีบำบัดต่อความวิตกกังวลและอาการคลื่นไส้อาเจียนใน ผู้ป่วยมะเร็งเต้านมที่ได้รับเคมีบำบัด*. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- อำไพ จารุวัชรพาณิชย์กุล, ชวพรพรรณ จันทร์ประสิทธิ์, วราภรณ์ เลิศพูนวิไลกุล, และสุชาวี เหล่ารักพงษ์. (2546). *รายงานการวิจัยเรื่องทัศนคติทางเพศที่เป็นมะเร็งนรีเวช*. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- Andrews, P. L. R. (1992). Physiology of nausea and vomiting. *British Journal of Anaesthesia*, 69(supplement 1), 2s-19s.
- Bartlett, N., & Koczwara, B. (2002). Control of nausea and vomiting after chemotherapy: What is the evidence [Electronic version]. *Internal Medicine Journal*, 32, 401-407.
- Beatie, W. S., Lindblad, T., Buckley, D. N., & Forrest, J. B. (1991). The incidence of post-operative nausea and vomiting in women undergoing laparoscopy is influenced by the day of menstrual cycle. *Canadian Journal Anaesthesia*, 38, 298-302.
- Beck, S. L. (1991). The therapeutic use of music for cancer-related pain. *Oncology Nursing Forum*, 18, 1327-1337.
- Biley, F. C. (2001). Music as therapy. In D. Rankin-Box (Ed.), *The nurse's handbook of complementary therapy* (2 nd.). London: Bailliere Tindall.

- Camp-Sorrell, D. (1997). Chemotherapy: Toxicity management. In S. L. Groenwald, M. H. Frogge, M. Goodman, & C. H. Yabro (Eds.), *Cancer nursing principle and practice* (4th ed.) (pp. 385-425). Massachusetts: Jones & Bartlett.
- Chlan, L. (1998). Music therapy. In M. Snyder & R. Lindquis (Eds.), *Complementary/alternative therapies in nursing* (3rd ed.) (pp. 242-257). New York: Springer.
- Cook, J. D. (1981). The therapeutic use of music: A literature review. *Oncology Nursing Forum*, 3, 254-267.
- Cunningham, R. S. (1997). 5-HT₃-receptor antagonists: A review of pharmacology and clinical efficacy. *Oncology Nursing Forum*, 24(supplement), 33-39.
- Darnley-Smith, R. & Patey, H. M. (2003). *Music Therapy*. London: SAGE.
- Dodd, M. J., Onishi, K., Dibble, S. L., & Larson, P. J. (1996). Difference in nausea, vomiting, and retching between younger and older outpatients receiving cancer chemotherapy. *Cancer Nursing*, 19, 155-161.
- Duigon, A. (1986). Anticipatory nausea and vomiting associated with cancer chemotherapy. *Oncology Nursing Forum*, 13(1), 35-40.
- Dunphy, L. M. H. (1999). *Management guidelines for adult nurse practitioners*. Philadelphia: F. A. Davis.
- Eckert, R. M. (2001). Understanding anticipatory nausea. *Oncology Nursing Forum*, 28, 1153-1156.
- Ernst, E., & Pittler, M. H. (2000). Efficacy of ginger for nausea and vomiting: A systematic review of randomized clinical trials. *British Journal of Anaesthesia*, 3, 367-71.
- Evans, D. (2002). The effectiveness of music as an intervention for hospital patients: A systematic review. *Journal of Advanced Nursing*, 37, 8-18.
- Ezzone, S. A. (2000). Nausea and vomiting. In B. M. Nevidjon & K. W. Sowers (Eds.), *A nurse's guide to cancer care* (pp. 295-310). Philadelphia: Lippincott.
- Ezzone, S., Baker, C., Rosselet, R., & Terepka, E. (1998). Music as an adjunct to antiemetic therapy. *Oncology Nursing Forum*, 9, 1151-1155.
- Fessele, K. S. (1996). Management of multiple causes of nausea and vomiting in the patient with cancer. *Oncology Nursing Forum*, 23, 1409-1415.
- Frank, J. M. (1985). The effects of music therapy and guided visual imagery on chemotherapy induced nausea and vomiting. *Oncology Nursing Forum*, 12, 47-52.

- Gerdner, L. A. & Buckwalter, K. C. (1999). Music therapy. In G. M. Bulechek & J. C. McCloskey (Eds.), *Nursing interventions effective nursing treatments* (pp. 451-468). Philadelphia: W. B. Saunders.
- Goodman, M. (1997). Risk factors and antiemetic management of chemotherapy-induced nausea and vomiting. *Oncology Nursing Forum*, 24(supplement), 20-32.
- Grant, M. (1997). Introduction: Nausea and vomiting, quality of life and the oncology nurse. *Oncology Nursing Forum*, 24(supplement), 5-7.
- Guyton, A. C. & Hall, J. E. (2000). *Textbook of medical physiology*. Philadelphia: W.B. Saunders
- Guzzetta, C. E. (1995). Music therapy: Hearing the melody of the soul. In B. M. Dossey, L. Keegan, C. E. Guzzetta, & L. G. Kolkmeier (Eds.), *Holistic nursing: A handbook for practice* (2nd ed.) (pp. 669-697). Maryland: An Aspen.
- Hawthorn, J. (1995). *Understanding and management of nausea and vomiting*. Oxford: Blackwell Science.
- Hick, F. (1992). The power of music. *Nursing Time*, 88, 72-74
- Hogan, C. M. (1990). Advance in the management of nausea and vomiting. *Nursing Clinic of North America*, 25, 475-497.
- Hogan, C. M., & Grant, M. (1997). Physiologic mechanism of nausea and vomiting in patients with cancer. *Oncology Nursing Forum*, 24(supplement), 8-12.
- Huang, Q., Iwamoto, M., Aoki, S., Tanaka, N., Tajima, K., Yamahara, J., et al. (1991). Anti-5 – hydroxytryptamine₃; Effect of galanolactone, diterpenoid isolate from ginger. *Chemical Pharmacological Bulletin*, 39, 397-399.
- Khalifa, S., Bella, S. M., Roy, M., Peretz, I., & Lupien, S.J. (2003). Effects of relaxing music on salivary cortisol level after psychological stress [electronic version]. *New York Academy of Sciences*, 999, 374-376.
- Kim, YJ., Cho, IS., & So, HS. (2004). Changes on index of nausea, vomiting, and retching in hospitalized cancer patients undergoing chemotherapy [Abstract] [Electronic version]. *Tachan Kanho Hakhoe Chi Abstracts*, 34, 1326-33.
- Lasarus, R. S., & Folkman, S. (1984). *Stress, appraisal, and coping*. New York: Springer.
- Lasarus, R. S., DeLongis, A., Folkman, S., & Gruen, R. (1985). Stress and adaptational outcome: The problem of confound measures. *American Psychologist*, 40, 770-779.
- Linden, W. (2005). *Stress management from basic science to better practice*. California: Sage.

- Marwick, C. (2000). Music therapists chime in with data on medical results. *JAMA*, *286*, 731-733.
- McCaffery, R., & Locsin, R. C. (2002). Music listening as a nursing intervention: A symphony of practice [Electronic version]. *Holistic Nursing Practice*, *16*(3), 70-77.
- Meyer, D. C. (2001). *Efficacy of acupressure treatment at Neiguan point with acupressure bands chemotherapy-induced nausea*. Thesis for doctor of philosophy in nursing. Duquesne university. (online). Retrieved February 24, 2004, from <http://www.pubmed.com>
- Miller, L. H., Smith, A. D., & Rothstein, L. (1993). *The stress solution: An action plan to manage the stress in your life*. New York: Pocket Book.
- Miller, M., & Kearney, UK & N. (2003). Chemotherapy-related nausea and vomiting-past reflections, present practice and future management [Electronic version]. *European Journal of Cancer Care*, *13*, 71-81.
- Molassiotis, M. (2000). A pilot study of the use of progressive muscle relaxation training in the management of post-chemotherapy nausea and vomiting [Electronic version]. *European Journal of Cancer Care*, *9*, 230-240.
- Moore, S. (1991). Appraisal, coping, and adaptation in woman with breast cancer. Retrieved March 16, 2003, from <http://www.advancesnursingscience.com/pt/re/ans/fulltext.htm>
- Nail, L. M. (2001). I'm coping as fast as I can: Psychosocial adjustment to cancer and cancer treatment. *Oncology Nursing Forum*, *28*, 967-970.
- Nash, J.M., & Theborge, R.W. (2006). Understanding psychological stress, its biological processes, and impact on primary headache [Electronic version]. *Headache*, *46*, 1377-1386.
- O'Callaghan, G., Sexton, M., & Wheeler, G. (2007). Music therapy as a non-pharmacological anxiolytic for paediatric radiotherapy patients [electronic version]. *Australian Radiology*, *51*, 159-162.
- Olson, S.L. (1998). Bedside musical care: Application in pregnancy, childbirth, and neonatal care. *JOGNN*, *27*, 569-575.
- Olszewski, T. M., & Varrasse, J. F. (2005). The neurobiology of PTSD: Implication for nurse. *Journal of Psychosocial Nursing*, *43*, 41-47.

- Peirce, A. G. (1995). Stress, coping, and adaptation. In D. D. Ignatavicius, M. L. Workman & M. A. Mishler (Eds.), *Medical-surgical nursing: A nursing process approach* (pp. 101-117). Philadelphia: W.B. Saunders.
- Peters, J. S. (2000). *Music therapy: An introduction* (7th ed.). Illinois: Springfield.
- Porth, C. M. (1998). Stress and adaptation. In C. M. Porth (Ed.), *Pathophysiology* (5th ed) (pp. 1233-1242). Philadelphia: Lippincott.
- Randolfi, E.A. (2007). *Stress management and emotional health*. Retrieved September 7, 2007 from <http://www.msubillings.edu/cahpfaculty/randolfi/436/notes.html>
- Rhodes, V. A. & McDaneil, R. W. (1997). Measuring nausea, vomiting, and retching. In M. Frank-Stromborg & S. J. Olsen (Eds.), *Instrumentals for clinical health-care research*. Massachusetts: Jones & Bartlett.
- Rhodes, V. A., Johnson, M. H., & McDaniel, R. W. (1995). Nausea, vomiting, and retching: The management of the symptom experience. *Seminars in Oncology Nursing Forum*, 11, 256-265.
- Rhodes, V. A., Watson, P. M., Johnson, M. H., Madsen, R. W., & Beck, N. C. (1987). Pattern of nausea, vomiting and distress in patients receiving antineoplastic drug protocol. *Oncology Nursing Forum*, 14(4), 35-44.
- Roila, F., Donati, D., Tamberi, S., & Margutti, G. (2001, June). *Delays emesis: Incidence, pattern, prognostic factors and optimal treatment*. Paper presented at the symposium of Support Care in Cancer, Copenhagen, Denmark. Retrieved February 11, 2005 from <http://www.sciencedirect.com>
- Roscoe, J. A., Morrow, G. R., Hickok, J. T., & Stern, R. M. (2001). Nausea and vomiting remain a significant clinical problem: Trends over time in controlling chemotherapy-induced nausea and vomiting in 1413 patients treated in community clinical practices [Electronic version]. *Journal of Pain and Management*, 20, 113-121.
- Stein, P. (1996). Chemotherapy. In V. Tschudin (Ed.), *Nursing the patient with cancer* (pp. 78-95). London: Prentice Hall International.
- Todd, T. (2007). *Endorphins and Analgesia*. Retrieved June 30, 2007 from http://www.bangkokhealth.com/consult_htdoc/question.asp?gID=15221
- Tyers, M. B. (1992). Serotonin and emesis from animals to human: A discussion of professor Naylor' paper. *British Journal Cancer*, 66 (supplement), 12-13.

- Walkins, G. R. (1997). Music therapy: Proposed physiological mechanisms and clinical implications. *Clinical Nurse Specialist, 11*, 43-50.
- Wickham, R. (1989). Management chemotherapy-related nausea and vomiting: The state of art. *Oncology Nursing Forum, 16*, 563-574.
- Wilkes, G. M. (2001). Potential toxicities and nursing management. In M. Barton-Burke, G. M. Wilkes & K. C. Ingwerson (Eds.), *Cancer chemotherapy: A nursing process approach* (pp. 89-185). Massachusetts: Jones & Bartlett.
- Winkelman, M. (2003). Complementary therapy for addiction: Drumming out drugs. *American Public Health Association, 93*, 647-651.
- Yamahara, J., Huang, Q., Li, Y., Xu, L., & Fujimura, H. (1990). Gastrointestinal motility enhancing effect of ginger and its active constituents. *Chemical Pharmacological Bulletin, 38*, 430-431.
- Yamahara, J., Rong, H. Q., Naitoh, Y., Kitani, T., & Fujimura, H. (1989). Inhibition of cytotoxic drug-induced vomiting in mouse by ginger constituent. *Journal of Ethnopharmacology, 27*, 353-355.