

เอกสารอ้างอิง

- กมลทิพย์ ภูมิศรี. (2547). ผลของระบบการพยาบาลแบบสนับสนุนและการให้ความรู้ต่อการดูแลตนเองเพื่อป้องกันการหกล้มของผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- เกศินี หาญจางสิทธิ์. (2537). อุบัติการณ์และปัจจัยที่มีความสัมพันธ์กับการเกิดอุบัติเหตุที่บ้านของผู้สูงอายุ จังหวัดยโสธร. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาวิทยาการระบาด, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- จิตร สิทธีอมร, อนุวัฒน์ ศุภชติกุล, สงวนสิน รัตนเลิศ, เกียรติศักดิ์ ราชบริรักษ์. (2543). Clinical practice guidelines: การจัดทำและนำไปใช้. สถาบันพัฒนาและรับรองคุณภาพโรงพยาบาล. กรุงเทพฯ. ดีไรซ์ จำกัด.
- จุฬาลักษณ์ จงวิริยานุรักษ์. (2542). ปัญหาการใช้ยาที่บ้านของผู้สูงอายุในเขตอำเภอคลอง. วิทยานิพนธ์เภสัชศาสตรมหาบัณฑิต สาขาวิชาเภสัชกรรม, บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- เจียมจิต แสงสุวรรณ. (2535). โรคหลอดเลือดสมอง: การวินิจฉัย และการจัดการทางการพยาบาล. ซีริกันซ์ออฟเซ็ท. ขอนแก่น.
- ฉวีวรรณ ชงชัย. (2547). การพัฒนาแนวปฏิบัติทางคลินิก: Clinical Practice Guidelines Development. วารสารสภาการพยาบาล, 20(2), 63-76.
- ชาญยุทธ สุชาติวงศ์. (2547). กระจกหักและข้อเคลื่อนที่สะโพกและต้นขา ในวิวัฒน์ วจนะวิศิษฐ์ วิเชียร เลหาเจริญสมบัติ วิโรจน์ กวินวงศ์โกวิท พรชัยมุลพฤกษ์. ออร์โธปิดิกส์ พิมพ์ครั้งที่ 1 ฉบับเรียบเรียงใหม่ ครั้งที่ 2. โอเอสดีคพับลิชซิ่ง จำกัด. กรุงเทพฯ.
- ชูศักดิ์ เวชแพศย์. (2535). ระบบการรับความรู้สึก. สรีรวิทยาของผู้สูงอายุ (พิมพ์ครั้งที่ 2) สุภาณิษาการพิมพ์. กรุงเทพฯ.
- ชูศักดิ์ เวชแพศย์. (2535). ระบบประสาทยนต์และกล้ามเนื้อ. สรีรวิทยาของผู้สูงอายุ (พิมพ์ครั้งที่ 2) สุภาณิษาการพิมพ์. กรุงเทพฯ.
- เดชา ทำดี, กรรณิการ์ พงษ์สนิท, และ ดรุณี ทายะดี. (2547). การดูแลตนเองและการมีส่วนร่วมของผู้สูงอายุ. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

- แดนเนาวรัตน์ จามรจันทร์, จิตอนงค์ ก้าวถิกกรรม และ สุจิตรา บุญหยง. (2548). รายงานวิจัยฉบับสมบูรณ์. การศึกษาเรื่องการทรงตัวและหกล้มในผู้สูงอายุไทย สำนักงานกองทุนสนับสนุนการวิจัย (สกว.) สำนักงานกองทุนสร้างเสริมสุขภาพ (สสส.). กรุงเทพฯ.
- ทัศนีย์ รัชชา. (2537). การประเมินความสามารถของผู้สูงอายุในการดำเนินชีวิตประจำวัน คำบลริมเหนือ อำเภอแมริม จังหวัดเชียงใหม่. การค้นคว้าแบบอิสระสาขารัฐศาสตร์มหาบัณฑิตสาขาวิชาสาธารณสุข, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บรรจง มไหสวริยะ (2542). หลักการรักษาระดูกหักโดยวิธีไม่ผ่าตัดหรือวิธีอนุรักษ์นิยมในบรรจงมไหสวริยะ การยึดตรึงกระดูกหักด้วยแกนตามกระดูก (พิมพ์ครั้งที่ 1). เรือนแก้วการพิมพ์. กรุงเทพฯ.
- บรรจง มไหสวริยะ (2542). การยึดตรึงกระดูกหักที่บริเวณ Trochanter ด้วยแกนตามกระดูก ในบรรจง มไหสวริยะ การยึดตรึงกระดูกหักด้วยแกนตามกระดูก (พิมพ์ครั้งที่ 1). เรือนแก้วการพิมพ์. กรุงเทพฯ.
- บุปผา จันทร์จรัส. (2546). การพัฒนาแบบประเมินความเสี่ยงต่อการหกล้มในผู้ป่วยออร์โธปิดิกส์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการบริหารการพยาบาล, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บุปผา จันทร์จรัส. (2548). แนวปฏิบัติการพยาบาลทางคลินิกเพื่อป้องกันการลื่นล้ม ตกเตียงในผู้ป่วยออร์โธปิดิกส์ งานการพยาบาลผู้ป่วยออร์โธปิดิกส์ ฝ่ายการพยาบาล โรงพยาบาลมหาราชนครเชียงใหม่ คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ภัทรวัลย์ วรรณรัตน์, วิวัฒน์ วจนวิศิษฐ์, ชัชวาล เลิศบุศยนุกุล, วิเชียร เลหสมบัติ, บุญส่ง องค์พิพัฒน์กุล. (2005). การศึกษาต้นทุนในการระงับกระดูกสะโพกหัก. *J. Med Assocthai*, 88, 596-104.
- เพ็ญศรี จิตรนัททรัพย์. (2547). คู่มือแนวทางการดำเนินงานและการใช้ประโยชน์ข้อมูลรายงานการบาดเจ็บ 19 สาเหตุ 2548. นนทบุรี: สำนักกระบวนวิชา กรมควบคุมโรคกระทรวงสาธารณสุข.
- มรรยาท ณ นคร. (2543). การพยาบาลผู้ป่วยกระดูกหักที่ได้รับการยึดตรึงด้วยวัสดุภายในร่างกาย. : ภาควิชาการพยาบาลศัลยศาสตร์ คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- มยุรี โรจนอังกูร. (2547). ประสิทธิภาพของการใช้แนวปฏิบัติทางคลินิกสำหรับป้องกันแผลกดทับในผู้ป่วยศัลยกรรมประสาท โรงพยาบาลอุดรดิตถ์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่

- เยี่ยมมนโภพ นุนนาค. (2539). การออกกำลังกายเพื่อการบำบัดรักษา [Therapeutic exercise]. ใน เสก อภัยรานุเคราะห์ *ตำราเวชศาสตร์ฟื้นฟู*. กรุงเทพฯ. โรงพิมพ์เทคนิค 19
- ยุพิน ถนัดวิชย์ และ พรชัยจูเมตต์. (2546). บทความวิจัย: การเปลี่ยนผ่านในชีวิตของผู้สูงอายุสตรี ภายหลังที่มีภาวะข้อสะโพกหัก ขณะเข้ารับการรักษาในโรงพยาบาล. *วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา*: 11(2).
- วิวัฒน์ พุทธวรรณไชย. (2005). การพัฒนาคุณภาพ. *กระบวนการพัฒนาคุณภาพ*. วิวัฒน์ พุทธวรรณไชย (บรรณาธิการ). ปิยอนด์พับลิชชิง. กรุงเทพฯ.
- ดิวรรณ อุนนาภิรักษ์. (2547). การพยาบาลผู้สูงอายุภาวะซึมเศร้า และ โรคสมองเสื่อม. *การพยาบาลผู้สูงอายุ: ปัญหาระบบประสาทและอื่นๆ*. (พิมพ์ครั้งที่1). กรุงเทพฯ: บุญศิริการพิมพ์.
- วรรณิภา บุญระยอง หทัยชนก อภิโกมลกร และ เพื่อนใจ รัตตากร. (2544). รายงานการวิจัย: เรื่อง ปัจจัยเสี่ยงของสภาพแวดล้อมต่อการเกิดอุบัติเหตุของผู้สูงอายุ และกลยุทธ์ในการจัดการปัญหา. คณะเทคนิคการแพทย์ มหาวิทยาลัยเชียงใหม่.
- วินัส ลิพทกุล. (2545). โภชนาการสำหรับผู้ใหญ่และผู้สูงอายุ. ใน วินัส ลิพทกุล. สุภาณี พุทธเดชาคุ้ม และ ดนอมขวัญ ทวีบุรณ์ (บรรณาธิการ). *โภชนาศาสตร์ทางการพยาบาล*. (พิมพ์ครั้งที่ 2) กรุงเทพฯ. บุญศิริการพิมพ์
- สัตยา โรจนเสถียร. (2545). Physical examination of the hip. ใน ก่อภู เชียงทอง และ ปรีชา ชลิดาพงศ์. (บรรณาธิการ). *การตรวจร่างกายทางออร์โทปีดิกส์: Physical examination in orthopaedics*. (พิมพ์ครั้งที่ 2). คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่ บทที่ 7, 137-164.
- สถาบันรับรองคุณภาพโรงพยาบาล. (2546). เครื่องมือ. *Patient Safety: Concept and practice*. สถาบันรับรองคุณภาพโรงพยาบาล (พ.ร.พ). ดีไซร์ จำกัด. นนทบุรี. 122-123.
- สิริสุดา ชาวคำเขต. (2541). การสนับสนุนทางสังคมของครอบครัวกับความเครียดของผู้สูงอายุที่ กระดูกสะโพกหัก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สุทธิชัย จิตะพันธ์กุล พงศ์ศักดิ์ ยุกตะนันท์. (2543). *จดหมายเหตุทางแพทย์ฯ*; 83: 1447-1451 ภาควิชาอายุรศาสตร์.
- สุพร วรสิทธิ์. (2539). *การวิเคราะห์สถิติโรค การได้รับบาดเจ็บและหรือคดีของโรงพยาบาลมหาราชนครเชียงใหม่*. เชียงใหม่: โรงพยาบาลมหาราชนครเชียงใหม่.

สุพรรณณี เตรียมวิศิษฐ์, นฤมล เลิศคอนสาร, วาสนา วงศ์ประเสริฐ, ปภาพร ไบยา. (2548).

ประสิทธิผลของการใช้แนวปฏิบัติสำหรับการป้องกันการหกล้มตกเตียงในผู้ป่วย
คัดยกรรรมประสาทโรงพยาบาลมหาราชนครเชียงใหม่. งานการพยาบาลผู้ป่วย
ศัลยศาสตร์ ฝ่ายการพยาบาลโรงพยาบาลมหาราชนครเชียงใหม่ คณะแพทยศาสตร์
มหาวิทยาลัยเชียงใหม่.

ศรีจิตรา บุญนาค และ สุทธิชัย จิตะพันธ์กุล. (2542). สถานการณ์ของผู้สูงอายุไทยในปัจจุบัน
ปัญหาทางสุขภาพ ภาวะพึ่งพา และแนวโน้มนโยบายทางการแพทย์และการสาธารณสุข.
การประชุมวิชาการแห่งชาติว่าด้วยผู้สูงอายุผู้สูงอายุด้วยคุณภาพ. โรงพิมพ์
จุฬาลงกรณ์มหาวิทยาลัย.

หน่วยเวชระเบียน. (2546-2548). รายงานสถิติประจำปี เชียงใหม่: หน่วยสถิติทางการแพทย์ งานเวช
ระเบียนและสถิติ โรงพยาบาลมหาราชนครเชียงใหม่. คณะแพทยศาสตร์
มหาวิทยาลัยเชียงใหม่.

อภิชาติ สุกนธสรพ์. (2547). *Physical Diagnosis in Cardiology*. เชียงใหม่. ไอเอ็มเออร์เก โนเซอร์
แอดเวอร์ไทซิ่ง.

อรนัทร โดษยานนท์. (2539). การฟื้นฟูผู้ป่วยโรคหลอดเลือดสมอง. ใน เสก อักษรานุเคราะห์
(บรรณาธิการ). *ตำราเวชศาสตร์ฟื้นฟู*. (พิมพ์ครั้งที่ 3). กรุงเทพฯ. เทคนิคการพิมพ์.

อุยวดี อัครวิเศษ. (2545). รูปแบบการวางแผนจำหน่ายผู้ป่วย. ใน วันเพ็ญ พิจิตพรชัย

Ackermann, R. J. (1998). Medical consultation for the elderly patient with hip fracture. *The
Journal of the American Board of Family Practice*. 11(5), 366-377.

Agostini, Joseph V., Dorothy I Baker, and Sidney T. Bogardus. (2001). Prevention of Falls in
Hospitalized and Institutionalized Older People. Chapter 26 in *Making Health Care
Safer: A Critical Analysis of Patient Safety Practices*. by The Agency for Healthcare
Research and Quality.

Alexandar, B. H., Rivara, F. P., & Wolf, M. E. (1992). The cost and frequency of hospitalization
for fall related injuries in older adults. *American Journal of Public Health*., 82, 1020-
1023.

American Geriatrics Society, British Geriatrics Society and American Academy of orthopaedic
Surgeons Panel on falls prevention. (2001). Guideline for the prevention of falls in
older Person. *JAGS*, 664-672.

- Asanantachai, P. & Maranetra, N. (2005). Factors determining hospital admission of Thai elderly by a mailed survey. *J Med Assoc Thai*, 5(8), 1051-6
- Ash, K.L., Macleod, P. & Clark, L. (1998). A case control study of falls in the hospital setting. *Journal of Gerontological Nursing*. 24(12), 7-15.
- Ayello, EA. (2003). *Preventing pressure ulcer and skin tears*. in Mercy M, Fulmer T, Abraham I, & Zwicker DA, editor(S). *Geriatric nursing Protocols for best practice* 2nd ed. New York. (NY); Springer publishing company, Inc.; 165-184.
- Beringer, TRD., Clarke, J., Elliot, JRM., Marsh., Heyburn, G., & Steele, IC. (2006). Outcome Following proximal femoral fracture in Northern Ireland. *Ulster Med Journal*, 75(3), 200-206.
- British Columbia Ministry of Health, Medical Services Plan. (2004, January). *Prevention of falls and injuries among the elderly: Risk factors of falls* (A special report from the office of the provincial health officer). Victoria, BC.
- Bruce, G., Gary, G., Wade, S., & MaryAnn, S. (1999). Outcomes in acute orthopaedic trauma: a review of 130,506 patients by age. *Injury*, 30(6), 431-437.
- Carter, ND., Kannus, P., Khan, KM. (2001). Exercise in the prevention of falls in older people: a systematic literature review examining the rationale and the evidence. *Sports Medicine*. 31(6), 427-438.
- CDC. (2005). Web-based Injury Statistics Query and Reporting System (WISQARS) [database online]. National Center for Injury Prevention and Control, *Centers for Disease Control and Prevention* (producer). [Electronic Version], Retrieved June 26, 2006, from <http://www.cdc.gov/ncipc/wisqars>.
- Chan, K., Pang, W., CHEe, Ding, Y., & Choo, P. (2006). *Epidemiology of fall among the elderly community dweller in Singapore*. [Electronic Version], 1-8. Retrieved October 29, 2006 from <http://www.sma.org.sg/smj/3810/articles/3810a1.html>
- Chang, L. (2007). *When Hip Fractures Happen Again*. Retrieve October 2007. [Electronic Version], 1-8. Retrieved October 9, 2008
<http://www.webmd.com/osteoporosis/news/20071012/when-hip-fractures-happen-again>

- Chiba, H., Ebihara, S., Tomita, N., Sasaki, H., & Butler, J. P. (2005). Differential gait kinematics between fallers and non-fallers in community-dwelling elderly people. *Geriatrics and Gerontology International*, 5(2), 127-134.
- Christine, M.W.(2001). Confusion Assessment Method (CAM). *Try this: Best practices in nursing care for hospitalized older adults*. From The John A. Hartford Institute for Geriatric nursing, 13.
- Chu, L., Chi, I., & Chiu, A. (2005). Incidence and predictors of falls in the Chinese elderly. *Annals Academy of Medicine Singapore*, 34(1), 60-72.
- Cooper C, Campion G. & Melton LJ III. (1992). Hip fractures in the elderly: a world-wide projection. *Osteoporosis International*, 2: 285-9.
- Cumming, R. G., & al, e. (2000). Prospective study of the impact of fear of falling on actives of daily living, SF-36 scors, and nursing home admission. *Journal of gerontology*, 55(5), M299-M305.
- Donna, F., & Lorraine M. (2005). Assessing and managing delirium in persons with Demantia. *Try this: Best practices in nursing care for hospitalized older adults with dementia*. From The John A. Hartford Institute for Geriatric nursing and the Alzheimer' Association, 1(8).
- Elizabeth, A. A. (2004). Predicting pressure ulcer risk. *Try this: Best practices in nursing care for hospitalized older adults*. From The John A. Hartford Institute for Geriatric nursing, January; 1(5).
- Evan, D., Hodskinson, B., Lambert, L., Wood, J., & Kowanko, I. (1998). Fall in acute hospital: A Systemic review. *The Joanna Briggs Institute for Evidence Based Nursing and Midwifery*. Retrieved August 22, 2006, from:<http://www.joannabriggs.edu.au/FALLS/fallsreview.pdf>
- Fischer, I.D., Krauss., M. J., Dunagan., W.C., Birge., S., Htcho. E., Johnson. S., Constantinou. E., &Fraser, V.J. (2005). Paterns and predictors of Inpatient falls and fall-related injuries in a large academc hospital. *Infection control and Hospital Epidemiology*, 26(10).
- Fleming, L., Fallon, J., Awosika-Olumo, A., & Fuller, J. S. (2002). Factors related to accident and falls among older individuals. *Traumatology*, 8(4).

- Formiga, F., Navarro, M., Duaso, E., Chivite, D., Ruiz, D., Perez-Castejon, J. M., & et al. (in press). *Factors associated with hip fracture-related falls among patients with a history of recurrent falling*. *Bone*.
- Fuller, G. F. (2000). Problem-oriented diagnosis : Falls in the elderly. *American Family Physician*, 61(7).
- Gregg ,EW., Pereira, MA., and Caspersen CJ. (2000). Physical activity, falls, and fractures among older adults: a review of the epidemiologic evidence. *Journal of the American Geriatric Society*, 48(8), 883-93.
- Grisso JA, Kelsey JL, Strom BL, Chiu GY, Maislin G, O'Brien LA, &et al. (1991). Risk factors for falls as a cause of hip fracture in women. The Northeast Hip Fracture Study Group. *New England Journal of Medicine*, 324(19), 1326–1331.
- Grisso, J., Schwarz, D., Wolfson, V., Polansky, M., & LaPann, K. (1992). The impact of falls in an inner-city elderly African-American population. *J Am Geriatr Soc*, 40(7), 673-678.
- Gullberg B, Johnell O, Kanis JA. (1997). World-wide projections for hip fracture. *Osteoporos Int*; 7: 407-413.
- Hendrich A., Nyhuis A., Kippenbrock T., & Soja ME. (1995). Characteristics and Circumstances of Falls in a Hospital Setting: A Prospective Analysis. *Applied Nursing Research*, 8(3)8,129- 139, [Electronic Version], Retrieved June 26, 2007, from <http://www.ncbi.nlm.nih.gov/pubmed/7668855>
- Hitcho, E. B. & et al., (2004). Characteristics and Circumstances of Falls in a Hospital Setting: A Prospective Analysis. *Journal GEN INTERN MED*. 19:732–739. [Electronic Version], Retrieved June 26, 2007, from <http://www3.interscience.wiley.com/journal/118783894/>
- Hauer, K., Lamb, S. E., Jorstad, E. C., Todd, C. & Backer, C. (2006). Systematic review of definitions and methods of measuring falls randomized controlled fall prevention trails, *Age and Ageing*, 35, 5-10.
- Kamel, HK. (2004). Prevention secondary of hip fracture among hospitalized elderly: Are we doing enough? *The Internet Journal of Geriatrics and Gerontology*, 1(1), [Electronic Version] Retrieved October6, 2008, from www.ispub.com/ostia/index.php?xmlFilePath=journals/ijgg/vol1n1/hip.xml-31k-

- Kent, A., & Pearce, A. (2006). Review of morbidity and mortality associated with falls from heights among patients presenting to a major trauma centre. *Emergency Medicine Australasia*, 18(1), 23-30.
- Klein, B. E. K., Klein, R., Lee, K. E., Cruickshanks, K. J. (1998). Performance-based and self-assessed measures of visual function as related to history of falls, hip fracture, and measured gait time: *The Beaver Dam eye study*. *Ophthalmology*, 105(1).
- Knowton. (2001). Preventing falls, improving outcome. [Electronic Version]. *Geriatric Times*, 2. Retrieved August 29, 2002 from <http://www.geriatrictimes.com/g010920.html>.
- Krauss., M. J., Evanoff. B., Htcho. E., Ngugi. K. E., Dunagan. W. C., Fischer. I., Birge. S., Johnson. S., Constantinou. E., & Fraser. V.J. (2005). A case-control study of Patient, Medication, and care – relate risk factors for inpatient falls, *Journal Gen Intern MED*, 20, 116-122.
- Kuptniratsaikul, V. (2007, September). *Rehabilitation Role in osteoporosis. Poster session Presented at Strong Bone Asia*, Pattaya, Thailand
- Lee, A. Y. J., Chua, B. S. Y. & Howe, T. S. (2007). One-year outcome of hip fracture patients admitted to a Singapore hospital: quality of life post-treatment. *Singapore Medicine Journal*, 48(11), 996-999.
- Magaziner, J., Fredman, L., Hawkes, W., Hebel, J. R., Zimmerman, S., Orwig, D. L., & Wehren L. (2003). Changes in functional status attributable to hip fracture: A Comparison of hip fracture patients to community-dwelling aged. *American Journal Epidemiol* 157(11), 1023-1031.
- Mary, S, & Meredith, W. (1998). Katz index of dependence in activities of daily living (ADL). *Try this: Best practices in nursing care for hospitalized older adults*. From The John A. Hartford Institute for Geriatric nursing and the Alzheimer' Association, October; 2.
- Maureen, C. A., & Karim, M. K. (2004). Exercise prescription. *Journal of the American academy of orthopaedic surgeons*. January/February; 12(1), 21-27.
- Moller, J. (2003). *Projected costs of fall related injury to older persons due to demographic change in Australia* (No. 3314): The Common Wealth Department of Health and Ageing under The National Fall Prevention for older people Initiative.
- Parker, M. & Johansen, A. (2006). Hip Fracture. *British Medical Journal*. 333; 27-30.

- Paterson, D.C., Carler, R.F., Maxwell, G. M., Hillier, T.M., Ludbrook, J.& Savage, J.P. (1977). *Electrical bone-growth stimulation in and experimental model of delayed union lancet, 1*, 1278-1281.
- Paula, F. C. & Lohn, P. H. (2004). Restriction in activity associated with fear of falling among community-based seniors using home care services. *Age and Ageing*, 33(3).
- Pearson, A., Field, J. & Jordan, Z. (2007). *Evidence-based clinical practice in nursing and health care*. Blackwell publishing limited.
- Peeter, GM., Vrises, OJ. De. Elders, P. JM. & Pluijm, S. MF. (2007). Study protocol: Prevention of fall incidents in patients with a high risk of falling: design of a randomised controlled trial with an economic evaluation of the effect of multidisciplinary transmural care. *BMC Geriatrics*, 7: 15, [Electronic Version]. Retrieved January 28, 2008, from <http://www.biomedcentral.com/1471-2318/7/15>
- Pensri Lausawatchikul. (1999). *Related factors and outcome of falls in the elderly*. M.N.S Thesis (Adult Nursing) Faculty of Medicine, Ramathibodi Hospital. Mahidol University.
- Petrella, R. J., Payne, M., Myers, A., Overend, T., & Chesworth, B. (2000). Physical function and fear of falling after hip fracture rehabilitation in the elderly. *American Journal of Physical Medicine & Rehabilitation*, 79(2), 154-160.
- Pils. K., Neumann. F., Meisner. W., Schano. W., Vaurousky. G. & Cammen, T.J.M.V. (2003). Predictors of falls in elderly people during rehabilitation after hip fracture who is risk of a second one. *Z Gerontl Geriatric*, 36, 16-22.
- Piya Thevittaya. (1990). *The study of dynamic balance in the elderly and young adults with the stabilometer*. M.S Thesis (Public Health: Nutrition) Faculty of Graduate Studies. Mahidol University.
- Prochaska, J. O., & Velicer, W. F. (1997). Behavior change: The transtheoretical model of health behavior change. *American journal of health promotion*, 12(1): 38-48.
- Siu, L., Penrod, J.D., Boockvar, K.S., Koval, K., Strauss, E., & Morrison, R.S. (2006). Early Ambulation after Hip fracture: Effects on function and mortality. *Archrievs of Internal Medicine*, 166(7), 766-711.

- Shiffman, Shekelle, Overhage, Slutsky, Grimshaw & Deshpande. (2003). Standardized Reporting of Clinical Practice Guidelines: A Proposal from the Conference on Guideline Standardization. *Annual of internal medicine*, 139(6), 494-500.
- Shumpway-Cook, A., Ciol, M. A., Gruber, W., & Robinson, C. (2006). Incidence of and risk factors for falls following hip fracture in community-dwelling older adults. *Physical Therapy*, 85(7).
- Stenvall. M., Olofsson. B., Lundstrom. M., Svensson. O., Nyberg. L., & Gustafson Yngve. (2006). Inpatient falls and Injuries in older patients treated for femoral neck femur, *Arves of Gerontology and Geriatrics*, 43, 389-399.
- Stevens, M., Holman, C. D. A. J., Bennett, N., & de Klerk, N. (2001). Preventing Falls in Older People: Outcome Evaluation of a Randomized Controlled Trial. *Journal of the American Geriatrics Society*, 49(11), 1448-1455.
- Stone, J., & Chenitz, W., C. (1991). The problem of falls. In W. C. Chenitz,, J. T. Stone, & S. A. Salisbury, (Ed.), *Clinical gerontological nursing: A guide to advanced practice* (pp.291-308). Philadelphia: W.B. Saunders.
- Tan Xiaowei. (1993). *Bone mass in elderly female patients with and without hip fracture resulted from falling*. M.S Thesis (Health: Development) Graduate School Chulalongkorn University.
- Visser, M., Harris, T. B., Fox, K. M., Hawkes, W., Harbel, J. R., Yuyahiro, J. & et al. (2000). Change in muscle mass and muscle strength after hip fracture relationship to mobility recovery. *The Gerontological Society of America*.
- Voramon Thongsopit. (1994). *Functional ability of elderly Thai people in activities of daily living*. M.S Thesis (Clinical Science) Faculty of Graduate Studies. Mahidol University.